BRITISH COLUMBIA

July 2005

Errata

Appendix 3 of the *Regional Analysis of Health Statistics for Status Indians in British Columbia, 1992-2002* report contained incorrect numbers and Age Standardized Mortality Rates for all causes of death for both Status Indian females and Other Resident females in Health Service Delivery Area 51 Northwest (pages 120 and 121).

The enclosed pages provide corrected information for this Health Service Delivery Area. Only the row showing female deaths from all causes is different from the printed version of the report.

Please accept our apologies for this error.

Ministry of Health
Knowledge Management and Technology Division
VITAL STATISTICS AGENCY

Mailing Address:
PO Box 9657 Stn Prov Govt
Victoria BC V8W 9P3

Telephone: 250 952-2681
Facsimile: 250 952-2527

Location:
818 Fort Street
Victoria BC

website:
http://www.vs.gov.bc.ca

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Status Indians - 51 Northwest
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	20,120		20,516		21,165		21,661		22,163		22,544		22,655		22,939		23,300		23,477		23,914		244,454		
Live Births[1]: Male	263		229		243		227		256		225		215		186		220		213		213		2,490		
Female	233		210		245		195		220		215		203		212		198		193		208		2,332		
Total	496	24.7	439	21.4	488	23.1	422	19.5	476	21.5	440	19.5	418	18.5	398	17.4	418	17.9	406	17.3	421	17.6	4,822	19.7	1.6
Low Birth Weight[2]	13	26.2	26	59.2	19	38.9	25	59.2	18	37.8	23	52.3	18	43.1	23	57.8	21	50.2	12	29.6	11	26.1	209	43.3	0.9
Premature[2]	27	54.4	38	86.6	30	61.5	37	87.7	35	73.5	33	75.0	34	81.3	40	100.5	47	112.4	24	59.1	25	59.4	370	76.7	1.3
Cesarean Section[2]	87	175.4	71	161.7	69	141.4	62	146.9	63	132.4	86	195.5	77	184.2	67	168.3	83	198.6	92	226.6	97	230.4	854	177.1	0.8
Teenage Mother[2]	104	209.7	95	216.4	86	176.2	87	206.2	83	174.4	95	215.9	87	208.1	66	165.8	70	167.5	75	184.7	79	187.6	927	192.2	3.5
Elderly Gravida[2]	28	56.5	26	59.2	29	59.4	28	66.4	25	52.5	25	56.8	24	57.4	31	77.9	31	74.2	31	76.4	28	66.5	306	63.5	0.5
Stillbirths[3]:	2	4.0	1	2.3	2	4.1	-	-	1	2.1	4	9.0	5	11.8	3	7.5	6	14.2	5	12.2	3	7.1	32	6.6	0.8
Early Neonatal[2]	2	4.0	2	4.6	1	2.0	2	4.7	1	2.1	2	4.5	-	-	1	2.5	4	9.6	-	-	-	-	15	3.1	1.0
Neonatal[2]	2	4.0	2	4.6	1	2.0	2	4.7	2	4.2	2	4.5	-	-	1	2.5	4	9.6	-	-	1	2.4	17	3.5	0.9
Post Neonatal[2]	3	6.0	2	4.6	2	4.1	4	9.5	1	2.1	2	4.5	1	2.4	-	-	1	2.4	-	-	-	-	16	3.3	3.0
Infant Deaths[2]	5	10.1	4	9.1	3	6.1	6	14.2	3	6.3	4	9.1	1	2.4	1	2.5	5	12.0	-	-	1	2.4	33	6.8	1.4

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	2	0.8	4	3.0	2	2.0	6	4.0	3	2.8	1	0.7	5	3.9	2	1.8	-	-	1	0.9	3	1.9	29	2.0	4.0
Cancer	15	17.4	19	18.6	24	23.3	15	14.3	21	17.5	20	16.3	16	13.1	19	15.0	20	15.3	27	20.6	18	11.4	214	16.4	0.9
Lung	2	2.3	2	1.9	6	5.6	3	3.2	8	7.4	7	6.1	2	2.0	2	1.8	6	5.0	3	1.8	1	0.7	42	3.4	0.7
Female Breast	-	-	1	2.4	3	4.2	1	1.2	2	3.1	1	0.9	2	1.8	4	5.5	1	2.0	2	2.7	-	-	17	2.2	0.9
Endo/Nut/Met	1	1.3	1	1.3	2	2.3	3	2.7	3	2.4	-	-	4	3.0	2	1.3	2	1.1	5	3.6	8	5.2	31	2.2	0.9
Circulatory System	31	36.4	36	39.8	24	23.3	23	20.6	35	30.4	28	25.0	22	19.7	29	25.5	30	25.4	24	18.9	22	14.1	304	24.6	1.0
Ischemic Heart	10	11.4	17	19.0	10	9.1	12	11.4	15	12.9	11	9.7	10	8.0	13	11.6	11	9.6	13	9.4	7	4.9	129	10.3	0.9
Cerebrovascular	12	14.0	6	6.1	5	5.7	4	3.2	3	2.9	6	5.7	3	3.0	6	5.4	7	5.7	5	4.3	5	2.7	62	5.1	1.0
Respiratory System	5	6.3	11	10.3	7	7.1	5	4.6	8	7.7	9	7.6	11	10.2	15	12.8	5	3.9	8	6.9	12	9.1	96	7.9	1.0
Pneumonia/Influenza	2	2.5	9	8.3	3	2.7	2	1.6	4	3.9	8	6.9	6	5.9	11	9.0	4	3.5	3	2.6	5	3.6	57	4.6	1.4
Chronic Lung	2	2.5	1	0.8	2	2.3	-	-	2	1.9	1	0.7	2	1.8	-	-	-	-	2	1.7	5	4.0	17	1.5	0.5
Digestive System	8	9.1	6	6.2	6	5.8	9	7.2	4	3.4	4	3.6	8	7.2	6	4.1	13	10.1	4	2.7	3	1.2	71	5.3	2.3
External Causes	14	8.9	27	14.6	27	15.1	18	10.2	15	8.8	21	10.9	32	15.3	22	11.5	13	6.6	21	11.0	17	8.4	227	11.0	1.7
MVA	2	0.9	7	3.4	4	1.7	4	1.9	2	0.9	5	2.2	11	4.5	2	1.1	2	1.0	6	3.0	2	1.1	47	2.0	1.1
Accidental Poisoning	2	1.3	7	3.4	2	1.0	-	-	4	1.8	7	3.9	2	0.9	3	1.3	1	0.4	3	1.8	-	-	31	1.4	2.8
Suicide	1	0.4	8	4.7	5	2.0	4	1.7	4	2.3	4	1.7	7	2.9	6	2.7	3	1.2	4	1.9	3	1.2	40	2.1	1.6
All Causes Male	60	114.6	72	121.7	69	111.3	53	81.0	63	96.9	47	74.9	67	97.7	60	91.0	53	75.9	67	98.4	59	72.7	670	92.9	1.1
Female	32	70.7	42	81.9	36	68.3	40	61.6	37	60.7	52	73.8	43	69.1	51	73.3	44	67.2	42	60.0	42	50.1	461	66.0	1.2
Total	92	93.2	114	100.8	105	89.7	93	71.2	100	78.9	99	73.7	110	83.2	111	82.0	97	71.6	109	78.0	101	61.8	1,131	79.3	1.2
Alcohol-Related*	9	7.2	20	13.2	24	16.8	19	13.3	29	20.6	15	8.7	32	21.5	25	17.4	25	17.8	27	18.0	24	13.6	249	15.5	3.3
Medically Treatable	1	0.9	4	2.5	3	2.6	3	1.3	-	-	2	1.1	2	1.6	2	1.2	-	-	-	-	1	0.4	18	1.0	3.3
Drug-Induced	1	0.7	8	4.9	2	1.0	1	0.5	3	1.4	6	3.2	3	1.4	4	1.9	2	0.9	4	2.3	1	0.4	35	1.6	2.7
SAM	13	15.4	16	15.9	17	16.6	11	10.1	18	16.5	15	12.8	12	11.1	13	10.6	14	11.4	14	10.8	16	11.2	159	12.7	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA

OTHER RESIDENTS - 51 NORTHWEST

BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	65,800		65,891		66,063		66,797		68,049		67,822		66,059		64,692		60,776		61,052		60,568		713,569		
Live Births[1]: Male	510		456		510		487		467		436		403		369		366		332		292		4,628		
Female	509		457		482		424		474		431		340		367		327		284		303		4,398		
Total	1,019	15.5	913	13.9	992	15.0	911	13.6	941	13.8	867	12.8	743	11.2	736	11.4	693	11.4	616	10.1	595	9.8	9,026	12.6	1.6
Low Birth Weight[2]	42	41.2	48	52.6	48	48.4	36	39.5	52	55.3	36	41.5	40	53.8	30	40.8	22	31.7	31	50.3	30	50.4	415	46.0	0.9
Premature[2]	60	58.9	48	52.6	51	51.4	50	54.9	66	70.1	57	65.7	49	65.9	43	58.4	33	47.6	44	71.4	41	68.9	542	60.0	1.3
Cesarean Section[2]	217	213.0	204	223.4	208	209.7	190	208.6	193	205.1	166	191.5	182	245.0	173	235.1	179	258.3	187	303.6	193	324.4	2,092	231.8	0.8
Teenage Mother[2]	64	62.8	46	50.4	72	72.6	50	54.9	49	52.1	42	48.4	38	51.1	34	46.2	32	46.2	31	50.3	32	53.8	490	54.3	3.5
Elderly Gravida[2]	78	76.5	92	100.8	107	107.9	103	113.1	106	112.6	131	151.1	88	118.4	101	137.2	91	131.3	80	129.9	87	146.2	1,064	117.9	0.5
Stillbirths[3]:	2	2.0	11	11.9	9	9.0	7	7.6	8	8.4	7	8.0	10	13.3	6	8.1	6	8.6	8	12.8	6	10.0	80	8.8	0.8
Early Neonatal[2]	3	2.9	1	1.1	3	3.0	3	3.3	1	1.1	2	2.3	4	5.4	2	2.7	1	1.4	1	1.6	6	10.1	27	3.0	1.0
Neonatal[2]	3	2.9	1	1.1	5	5.0	3	3.3	1	1.1	3	3.5	5	6.7	2	2.7	2	2.9	1	1.6	7	11.8	33	3.7	0.9
Post Neonatal[2]	1	1.0	1	1.1	1	1.0	2	2.2	-	-	2	2.3	3	4.0	-	-	-	-	-	-	-	-	10	1.1	3.0
Infant Deaths[2]	4	3.9	2	2.2	6	6.0	5	5.5	1	1.1	5	5.8	8	10.8	2	2.7	2	2.9	1	1.6	7	11.8	43	4.8	1.4

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	2	0.7	2	0.3	5	1.2	3	0.7	2	0.5	2	0.4	2	0.5	3	0.5	3	0.4	3	0.5	27	0.5	4.0
Cancer	72	48.7	73	19.3	76	18.6	81	20.1	81	19.3	67	14.8	66	12.4	93	19.5	87	18.5	80	16.8	91	18.1	867	17.7	0.9
Lung	15	3.8	24	6.3	24	5.4	31	7.8	26	6.6	20	4.1	16	3.2	32	6.5	19	4.0	20	4.0	31	6.2	258	5.2	0.7
Female Breast	8	3.1	4	2.2	4	2.2	3	1.0	6	2.1	10	3.6	1	0.5	7	3.2	12	4.5	5	1.7	5	1.9	65	2.4	0.9
Endo/Nut/Met	5	1.8	10	3.6	5	1.2	10	3.4	6	1.7	11	3.1	11	2.4	8	2.0	5	1.3	13	3.1	18	4.0	102	2.5	0.9
Circulatory System	78	24.3	85	26.2	100	29.8	95	28.2	89	25.4	83	23.3	106	23.7	109	25.7	105	25.4	98	22.4	95	22.1	1,041	25.0	1.0
Ischemic Heart	45	13.0	47	13.6	46	13.2	52	14.3	35	9.4	41	10.2	45	9.1	49	10.8	45	10.1	48	11.0	43	9.8	496	11.2	0.9
Cerebrovescular	12	4.2	15	4.9	20	6.0	13	4.2	24	6.8	12	3.7	21	5.3	24	5.6	27	7.1	19	4.3	17	4.0	204	5.1	1.0
Respiratory System	19	6.8	25	8.3	17	5.9	27	8.4	20	6.1	22	5.9	26	6.4	34	9.0	42	11.0	28	6.6	33	8.0	293	7.6	1.0
Pneumonia/Influenza	9	3.3	13	4.5	7	2.5	16	5.1	9	2.8	9	2.4	13	3.3	15	4.1	14	3.7	8	2.0	12	2.9	125	3.3	1.4
Chronic Lung	7	2.3	9	3.0	10	3.4	6	1.7	8	2.4	11	3.3	7	1.7	14	3.6	21	5.4	13	3.2	16	3.8	122	3.1	0.5
Digestive System	9	2.5	10	3.1	7	2.2	9	2.0	4	1.0	7	1.8	11	2.4	9	2.0	15	3.2	10	2.2	18	3.2	109	2.3	2.3
External Causes	47	8.6	36	5.4	42	6.9	41	6.6	33	5.8	41	6.9	37	5.9	32	5.0	30	5.0	36	6.3	40	6.4	415	6.3	1.7
MVA	8	1.2	14	2.1	15	2.2	15	2.2	7	1.0	13	1.9	8	1.2	8	1.3	6	1.1	13	2.5	16	2.7	123	1.8	1.1
Accidental Poisoning	3	0.4	6	0.9	3	0.4	3	0.4	3	0.5	2	0.2	7	1.1	3	0.4	4	0.6	1	0.2	1	0.1	36	0.5	2.8
Suicide	9	1.5	5	0.7	8	1.2	9	1.4	8	1.3	8	1.2	11	1.6	11	1.8	7	1.0	10	1.4	7	1.2	93	1.3	1.6
All Causes Male	163	97.2	174	95.5	168	83.2	168	84.9	168	83.7	154	73.1	177	73.3	192	87.3	171	77.8	176	79.9	214	90.4	1,925	83.1	1.1
Female	83	48.4	93	54.8	103	56.5	131	70.0	96	51.0	112	54.8	109	45.1	123	53.5	137	60.9	117	49.1	129	55.5	1,233	54.1	1.2
Total	246	67.4	267	74.6	271	70.4	299	78.2	264	67.3	266	64.4	286	59.0	315	69.7	308	69.8	293	64.0	343	72.8	3,158	68.5	1.2
Alcohol-Related*	10	2.0	18	3.6	19	4.0	24	5.1	27	5.6	38	7.1	29	4.7	25	4.3	31	5.5	26	4.8	31	5.0	278	4.7	3.3
Medically Treatable	2	0.4	2	0.3	5	0.7	2	0.3	1	0.1	1	0.2	1	0.1	1	0.2	4	0.5	2	0.2	-	-	21	0.3	3.3
Drug-Induced	2	0.3	7	1.0	4	0.5	3	0.4	2	0.3	4	0.6	7	1.1	5	0.8	4	0.6	4	0.6	1	0.1	43	0.6	2.7
SAM	48	13.2	56	16.0	60	16.1	64	17.1	59	15.6	53	13.3	56	11.7	79	17.4	67	15.5	60	13.2	71	15.1	673	14.9	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

DOC
BC
V49
D:A626
1992/02
c.3

Regional Analysis of Health Statistics

for Status Indians in British Columbia

Birth Related and Mortality Summaries
for British Columbia and
16 Health Service Delivery Areas

1992-2002

Vital Statistics
British Columbia
Vital Statistics Agency

LEGISLATIVE LIBRARY OF BRITISH COLUMBIA
3 3298 00311 3793

106-04253/

LEGISLATIVE LIBRARY
VICTORIA, B.C.
MAR 0 1 2006

Regional Analysis of Health Statistics For Status Indians in British Columbia 1992-2002

Birth Related and Mortality Summaries For British Columbia and 16 Health Service Delivery Areas

Vital Statistics
British Columbia
Vital Statistics Agency

Jointly Published by
British Columbia Vital Statistics Agency
Knowledge Management and Technology Division
Ministry of Health Services
Province of British Columbia

and

First Nations and Inuit Health Branch
Health Canada

April 2004

National Library of Canada Cataloguing in Publication Data
Main entry under title:
Regional analysis of health statistics for Status Indians in British Columbia. - 1991/1999-

Annual.
Also available on the Internet.
First issue covers the period from 1991-1999.
ISSN 1499-1365 = Regional analysis of health statistics for Status Indians in British Columbia

1. Indians of North America - British Columbia - Statistics, Vital - Periodicals. 2. Health status indicators - British Columbia - Periodicals. I. British Columbia Vital Statistics Agency.

E78.B9R43 2001 614.4'2711'08997 C2001-960199-9

PREFACE

The British Columbia Vital Statistics Agency and the First Nations and Inuit Health Branch of Health Canada are pleased to present *Regional Analysis of Health Statistics for Status Indians in British Columbia, 1992-2002, Birth Related and Mortality Summaries for British Columbia and 16 Health Service Delivery Areas.* The partnership between Vital Statistics and Health Canada to derive Status Indian population estimates and health statistics began more than a decade ago and has resulted in a series of reports presenting provincial level and regional level information.

Aboriginal health has been identified as a key priority for the Government of British Columbia. Consistent and reliable data are essential to assess health needs, and to plan, fund, and deliver health care programs to the province's Aboriginal Peoples. Data are also required to measure the performance of the provincial government's strategy to improve the health status of Aboriginal Peoples, a key segment of the population. This report presents health status indicators for Status Indians, the only group of Aboriginal Peoples where membership could be confirmed.

The regional analyses in this report are provided by Health Service Delivery Areas (HSDA), the data dissemination areas used by the provincial government's Ministry of Health Services. This is the first publication of the Vital Statistics Agency using the 2003 names and revised boundaries for HSDAs. This report provides data for 2002, updates birth and death data for 1992-2001, and uses an improved methodology for deriving population estimates. Numerous tables, figures, and maps present population estimates, life expectancy, and summaries of birth-related and mortality measures for Status Indians compared to other provincial or area residents.

Vital Statistics would like to acknowledge the contribution of many individuals responsible for the accurate recording of benefit entitlements and vital events data used for this publication.

Dr. J. David Martin
Regional Medical Officer
First Nations & Inuit Health Branch
Health Canada

Dr. Meenakshi Dawar
Community Medicine Specialist
First Nations & Inuit Health Branch
Health Canada

Andrew McBride
Chief Executive Officer
British Columbia Vital Statistics Agency

Terry Tuk
Director
Information and Resource Management
British Columbia Vital Statistics Agency

This publication is also available on the Agency website: http://www.vs.gov.bc.ca

Table of Contents

Executive Summary 1
- Highlights of Status Indian Population Estimates 1
- Highlights of Life Expectancy 1
- Highlights of Birth-related Statistics 1
- Highlights of Infant Mortality Statistics 1
- Highlights of Mortality Statistics 2

Introduction 3

Definition of Status Indian 4
- *Figure 1* Percentage of Status Indian Events Identified by Source 4
- *Table 1* Number of Status Indian Live Births Identified by Source 5
- *Table 2* Number of Status Indian Deaths Identified by Source 5

Status Indian Population Estimates 6
- *Table 3* 2002 Population Estimates by Age and Gender 6
- *Figure 2* Population Pyramid 7
- *Figure 3* Map: Health Service Delivery Area 8
- *Figure 4* Map: Status Indian Population Estimates by Health Service Delivery Area 9

Life Expectancy 10
- *Figure 5* Life Expectancy by Health Service Delivery Area 10

Overview of Birth Statistics 11
- Live Births 11
  - *Figure 6* Live Birth Rate 11
  - *Figure 7* Live Birth Rate by Health Service Delivery Area 12
- Low Birth Weight Births 13
  - *Figure 8* Map: Status Indian Low Birth Weight Rate by Health Service Delivery Area 13
  - *Figure 9* Low Birth Weight Rate 14
  - *Figure 10* Low Birth Weight Rate by Health Service Delivery Area 14
- Premature Births 15
  - *Figure 11* Premature Birth Rates 15
  - *Figure 12* Premature Birth Rate by Health Service Delivery Area 15
- Births by Cesarean Section 16
  - *Figure 13* Cesarean Section Rate 16
  - *Figure 14* Cesarean Section Rate by Health Service Delivery Area 16

Births to Teenage Mothers 17
Figure 15 Live Birth Rate to Teenage Mothers 17
Figure 16 Live Birth Rate to Teenage Mothers by Health Service Delivery Area 17
Figure 17 Map: Status Indian Live Birth Rate to Teenage Mothers by Health Service Delivery Area 18
Births to Older Mothers 19
Figure 18 Live Birth Rate to Mothers 35+ Years Old 19
Figure 19 Live Birth Rate to Mothers 35+ Years Old by Health Service Delivery Area 19
Stillbirths 20
Figure 20 Stillbirth Rate 20
Figure 21 Stillbirth Rate by Health Service Delivery Area 20

Overview of Infant Mortality Statistics 21
Infant Mortality 21
Figure 22 Infant Mortality Rate 21
Figure 23 Rate of SIDS Deaths 22
Figure 24 Infant Mortality Rate by Health Service Delivery Area 23
Figure 25 Map: Status Indian Infant Deaths by Health Service Delivery Area 24
Causes of Infant Deaths 25
Infant Mortality by Age of Mother and Birth Weight 25
Table 4 Selected Causes of Infant Deaths and Stillbirths 26
Table 5 Infant Mortality by Age of Mother and Birth Weight 27

Overview of Mortality Statistics 27
All Causes of Death 28
Figure 26 ASMRs for All Causes of Death 28
Figure 27 Mortality by Age Groups 28
Figure 28 ASMR for All Causes of Death by Health Service Delivery Area 29
Figure 29 Map: Status Indian ASMR, All Causes of Death by Health Service Delivery Area 30
Cause of Death Trends 31
Leading Causes of Death 31
Figure 30 Major Causes of Death 31
Table 6 Leading Causes of Death Ranked by ASMR 32
Table 7 Leading Causes of Death in Each Health Service Delivery Area Ranked by ASMR 33
Infectious/Parasitic Diseases 34
Figure 31 ASMRs for Infectious/Parasitic Disease Deaths 34
Figure 32 ASMRs for Infectious/Parasitic Disease Deaths by Health Service Delivery Area 35
Cancer 36
Figure 33 ASMRs for Cancer Deaths 36
Figure 34 ASMRs for Cancer Deaths by Health Service Delivery Area 36
Figure 35 Map: Status Indian ASMR, Cancer Deaths by Health Service Delivery Area 37
Endocrine/Nutritional/Metabolic Diseases 38
Figure 36 ASMRs for All Endocrine/Nutritional/Metabolic Disease Deaths 38

CIRCULATORY SYSTEM DISEASES 39
FIGURE 37 ASMRS ALL CIRCULATORY SYSTEM DISEASE DEATHS 39
FIGURE 38 ASMRS FOR ISCHEMIC HEART DISEASE DEATHS BY HEALTH SERVICE DELIVERY AREA 39
FIGURE 39 MAP: STATUS INDIAN ASMR, DEATHS DUE TO ISCHEMIC HEART DISEASE BY HEALTH SERVICE DELIVERY AREA 40
RESPIRATORY SYSTEM DISEASES 40
FIGURE 40 ASMRS FOR RESPIRATORY SYSTEM DISEASE DEATHS 41
FIGURE 41 ASMRS FOR PNEUMONIA/INFLUENZA DEATHS BY HEALTH SERVICE DELIVERY AREA 41
DIGESTIVE SYSTEM DISEASES 42
FIGURE 42 ASMRS FOR DIGESTIVE SYSTEM DISEASE DEATHS 42
FIGURE 43 ASMRS FOR CHRONIC LIVER DISEASE / CIRRHOSIS DEATHS BY HEALTH SERVICE DELIVERY AREA 42
CONGENITAL ANOMALIES 43
PERINATAL CONDITIONS 43
EXTERNAL CAUSES OF DEATH 43
FIGURE 44 ASMRS FOR EXTERNAL CAUSES OF DEATH 43
FIGURE 45 PYLLS FOR EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA 44
FIGURE 46 MAP: STATUS INDIAN ASMR, EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA 45
MOTOR VEHICLE ACCIDENTS 46
FIGURE 47 ASMRS FOR MOTOR VEHICLE ACCIDENTS 46
FIGURE 48 ASMRS FOR MOTOR VEHICLE ACCIDENTS BY HEALTH SERVICE DELIVERY AREA 46
FIGURE 49 MAP: STATUS INDIAN ASMR, DEATHS DUE TO MOTOR VEHICLE ACCIDENTS BY HEALTH SERVICE DELIVERY AREA 47
ACCIDENTAL POISONING 48
ACCIDENTAL FALLS 48
SUICIDE 48
FIGURE 50 ASMRS FOR SUICIDES 48
FIGURE 51 ASMRS FOR SUICIDES BY HEALTH SERVICE DELIVERY AREA 49
FIGURE 52 MAP: STATUS INDIAN ASMR, DEATHS DUE TO SUICIDE BY HEALTH SERVICE DELIVERY AREA 50
HOMICIDE 51
FIGURE 53 ASMRS FOR HOMICIDES 51
FIRE AND FLAMES 51
FIGURE 54 ASMRS FOR DEATHS DUE TO FIRE AND FLAMES 51
DEATHS DUE TO ALCOHOL, DRUGS, SMOKING, OR MEDICALLY TREATABLE DISEASES 52
ALCOHOL-RELATED DEATHS 52
FIGURE 55 ASMRS FOR ALCOHOL-RELATED DEATHS 52
FIGURE 56 ASMRS FOR ALCOHOL-RELATED DEATHS BY HEALTH SERVICE DELIVERY AREA 53
FIGURE 57 MAP: STATUS INDIAN ASMRS, ALCOHOL-RELATED DEATHS BY HEALTH SERVICE DELIVERY AREA 54
DRUG-INDUCED DEATHS 54
FIGURE 58 ASMRS FOR DRUG-INDUCED DEATHS 55
FIGURE 59 ASMRS FOR DRUG-INDUCED DEATHS BY HEALTH SERVICE DELIVERY AREA 55
SMOKING ATTRIBUTABLE MORTALITY (SAM) 56
DEATHS DUE TO MEDICALLY TREATABLE DISEASES 56
FIGURE 60 ASMRS FOR DEATHS DUE TO MEDICALLY TREATABLE DISEASES 56

Highlights of Health Service Delivery Area Statistics 57

Glossary 61

Appendix 1- Population Estimates by Health Service Delivery Area, Gender and Age Group 67

Appendix 2 - Life Expectancy by Health Service Delivery Area and Gender 91

Appendix 3 - Birth and Death-Related Statistical Summaries by Health Service Delivery Area 93

Appendix 4 - Age Standardized Mortality Rates by Health Service Delivery Area 127

Appendix 5 - Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area 145

Appendix 6 - Causes of Death by Health Service Delivery Area, Gender and Age Group 163

Appendix 7 - ASMR Trends for Selected Causes of Death 197

Appendix 8 - External Causes of Death by Health Service Delivery Area, Gender and Age Group 201

Executive Summary

This report presents summaries of birth-related and mortality measures to be used as health status indicators for British Columbia's Status Indian population. Data from 1992 to 2002 were analyzed and comparisons were made between Status Indian and Other Residents. This section provides provincial level information while subsequent sections of this report provide information at the Health Service Delivery Area level. All rates and counts referred to in the analysis are from supporting tables or appendices presented in the report.

Highlights of Status Indian Population Estimates

- In 2002, one in 28 B.C. residents was a Status Indian (3.7 % of the provincial population).
- The Status Indian population is younger than other residents.
- Children (age 19 or younger) made up almost two fifths of the Status Indian population compared to almost a quarter of Other Residents.
- Less than one in 20 Status Indians was a senior (65 years of age or older), compared to more than one in eight for Other Residents.

Highlights of Life Expectancy

- Status Indians in B.C. had a life expectancy of 73.9 years, compared to 82.2 years for Other Residents.

Highlights of Birth-Related Statistics

- Over the period 1992 to 2002, one out of every 13 babies born in the province was a Status Indian. There were 34,399 Status Indian live births, or 23.6 per 1,000 Status Indian population, more than twice the rate for Other Residents.
- The Status Indian low birth weight (LBW) rate was always slightly higher than LBW rate for Other Residents.
- One out of 10 premature live births in B.C. in 1992-2002 was a Status Indian baby.
- The Status Indian cesarean section rate was 20% lower than the rate for Other Residents for 1992-2002.
- From 1992 to 2002, more than one in four teenage mothers in the province was a Status Indian. There were 6,346 live births to Status Indian women under the age of 20 years old in this period of time. The Status Indian live birth rate for teenage mothers was almost five times the rate for Other Residents.
- The Status Indian population accounted for one in 29 live births to women 35 or older in 1992-2002. The Status Indian elderly gravida rate was half the rate for Other Residents.
- The Status Indian stillbirth rate was slightly higher than the stillbirth rate for Other Residents.

Highlights of Infant Mortality Statistics

- From 1992-2002, one out of eight infant deaths in the province was a Status Indian baby. There were 292 Status Indian infant deaths. The Status Indian infant mortality rate was 8.5 per 1,000 live births; one and three quarters the rate for Other Residents. However, these statistics disguise the progress made in infant mortality over the period.
- The infant mortality rate for Status Indians was almost three times the rate for Other Residents in 1992. Over the next five years, Status Indian infant mortality rates remained higher than those for Other Residents but the gap between the rates closed. From 1998 through 2002, Status Indian infant mortality rates were only slightly higher than those for Other Residents.

- Approximately three out of five Status Indian infant deaths occurred between 28 and 364 days after birth compared to three out of ten for Other Residents. The Status Indian post neonatal death rate was almost four times the rate for Other Residents.

- Sudden Infant Death Syndrome (SIDS) was the leading cause of infant mortality in the Status Indian population, accounting for almost a third of all infant deaths. The 1992-2002 infant mortality rate for SIDS in the Status Indian population was more than five times the rate for Other Residents; however, the rate of SIDS in the Status Indian population dropped over the 11 year period.

- Most of the recent gains in Status Indian infant mortality rates have occurred in the post neonatal period. The Status Indian post neonatal death rate peaked in 1995, but decreased each subsequent year, reaching a low in 2000. Rates of Sudden Infant Death Syndrome (SIDS) followed the same pattern as post neonatal deaths.

Highlights of Mortality Statistics

- Over the period 1992 to 2002, one out of every 37 deaths in the province was a Status Indian, for a total of 8,102 Status Indian deaths. The Status Indian Age Standardized Mortality Rate (ASMR) was more than one and a three quarters the rate for Other Residents. However, these statistics do not indicate the changes that have occurred over the 11 year period.

- In 1992, the Status Indian ASMR for all causes of death was two and a third times the rate for Other Residents. Over the next ten years, the rates showed a substantial decreasing trend for Status Indians and a small decreasing trend for Other Residents, although the Status Indian ASMRs were always higher than those for Other Residents. By 2002, the Status Indian ASMR for all causes of death had dropped to about half of the 1992 Status Indian rate and less than one and a half times the 2002 rate for Other Residents.

- The Status Indian population had higher mortality in the younger age groups. In the 11 year period, roughly one out of 12 Status Indian deaths was a child, compared to less than one in 66 for Other Residents.

- The causes of death responsible for the largest number of Status Indian deaths in 1992-2002 were ischemic heart disease (832 deaths), motor vehicle accidents (496) accidental poisoning (485), cerebrovascular disease (424), and suicide (412).

- The leading causes of death for Status Indians based on age standardized mortality rates were ischemic heart disease, cerebrovascular disease, gastrointestinal cancers, pneumonia/ influenza, and cancer of the respiratory system. These were also the top five causes of death for Other Residents in a slightly different order, with cancer of the respiratory system ranked higher than gastrointestinal cancers and pneumonia/ influenza. Together, these five categories accounted for more than a quarter of Status Indian deaths and almost half of the deaths to Other Residents between 1992 and 2002.

- There were 1,886 Status Indian deaths from circulatory system diseases in the 1992-2002 period. This cause of death was responsible for almost a quarter of Status Indian deaths and over a third of deaths of Other Residents. The Status Indian ASMR for deaths from circulatory system diseases was one and a half times the rate for Other Residents.

- Chronic liver disease/cirrhosis was ranked eighth in the list of age standardized causes of death for Status Indians, compared to twenty-third for Other Residents.

- External causes of death accounted for 2,068 Status Indian deaths or one in four Status Indian deaths in the 11 years. Among Other Residents, only one in 14 deaths was from external causes. The Status Indian ASMR for external causes was three and a half times the rate for Other Residents.

- The average Potential Years of Life Lost for deaths from external causes was 39.7 years for Status Indians compared to 34.6 years for Other Residents.

- Motor vehicle accidents were responsible for the largest number of Status Indian deaths from external causes (496 deaths) in 1992-2002. The Status Indian ASMR for motor vehicle accidents was almost four times the rate for Other Residents.

- Accidental poisoning was responsible for 485 Status Indian deaths in 1992-2002 and had the second highest ASMR among external causes of death (after motor vehicle accidents). The Status Indian ASMR for accidental poisoning was four and a half times the rate for Other Residents.

- There were 412 Status Indian suicides in the 11 year period. The Status Indian ASMR for suicide was more than two and a half times the rate for Other Residents.

- Status Indians were, on average, 11 years younger than Other Residents who committed suicide before age 75; the average PYLL for suicide was 43.0 years for Status Indians compared to 32.0 years for Other Residents.

- Between 1992 and 2002, there were 137 Status Indian homicides. The Status Indian ASMR for homicides was five times the rate for Other Residents.

- More than one in five accidental deaths from fire and flames in 1992 to 2002 were Status Indians; and the Status Indian ASMR was six times the rate for Other Residents.

- There were 2,052 alcohol-related deaths in the Status Indian population between 1992 and 2002. The Status Indian ASMR for alcohol-related deaths was more than six times the rate for Other Residents. However, the Status Indian ASMR for alcohol-related deaths has been decreasing since 1995.

- There were 501 drug-induced deaths in the Status Indian population in the 11 year period and the ASMR for drug-induced deaths was three and a half times the rate for Other Residents.

Introduction

This report was produced by the British Columbia Vital Statistics Agency and the First Nations and Inuit Health Branch of Health Canada as part of an on-going joint project. It replaces *Regional Analysis of Health Statistics for Status Indians in British Columbia, 1991-2001, Birth Related and Mortality Summaries for British Columbia and 16 Health service Delivery Areas*.

The need for population estimates and health statistics for the First Nations population is acute. Consistent and reliable data are essential to monitor health status, to assess health needs, and to plan, fund, and deliver health care programs to the province's aboriginal people. This report presents indicators for one section of that broad population, provincial residents who are registered as *Status Indian*. A unique methodology was used to produce provincial and regional Status Indian population estimates and to identify Status Indian births and deaths in British Columbia. Analyses based on these birth-related and mortality summaries provide Health Authorities with baseline information for the Status Indian populations in their areas.

This publication uses an improved methodology for deriving population estimates, resulting in updated population estimates. The report includes data for 2002 and updates birth and death data for earlier years (1992-2001). Regional analyses are presented by Health Service Delivery Areas (HSDA), the data dissemination areas used by the Ministry of Health Services. These have also been updated, reflecting name changes and changes in the boundaries as of June 2003. This is the first publication of the British Columbia Vital Statistics Agency presenting data using the revised boundaries. Thus readers should be careful comparing information in this report with previous Status Indian reports or with the Vital Statistics 2002 Annual Report.

Figure 1
Percentage of Status Indian Events Identified by Source
British Columbia, 1992-2002

Definition of Status Indian

Status Indians are one part of the broad group of First Nations people in British Columbia. There is considerable interest in the health status of First Nations people whether Status, Non-Status, or Metis, but in most cases, relevant data exist only for Status Indians. In order to analyze the characteristics of any group or population, there needs to be a way to clearly define group membership and identify the events (births, deaths, hospitalizations, etc.) that occur in that group. Information to identify Status Indian births and deaths was obtained from the British Columbia Vital Statistics Agency, British Columbia Medical Services Plan, and the First Nations and Inuit Health Branch of Health Canada. Status Indians were the only First Nations group that could be identified.

This report presents summaries of birth-related and mortality measures as health status indicators for the Status Indian population who were resident in the province, with comparisons to Other Residents. The major source of birth and death data was the British Columbia Vital Statistics Agency's statistical database (VS). Information from registrations of birth include a Status Indian flag based on parent information; registrations of death include band numbers for Status Indians. Another database used to identify Status Indians in the Province was the Indian Status Verification File (SVF) of the First Nations and Inuit Health Branch, Health Canada, originating from the Department of Indian Affairs and Northern Development. It should be noted that this database of Status Indians resident in British Columbia includes Status Indians born and registered in other provinces. A third database used to identify Status Indians in the Province was the Status Indian Entitlement files from the British Columbia Medical Services Plan (MSP). Using an extensive computer matching process, a birth or death in the VS database was considered to be a Status Indian event if the individual was identified as a Status Indian in any of the three sources.

TABLE 1
NUMBER OF STATUS INDIAN LIVE BIRTHS IDENTIFIED BY SOURCE
BRITISH COLUMBIA, 1992-2002

Source	Year of Birth										Total	
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	Number	Percent
VS only	131	198	251	290	296	419	362	387	682	750	652	4,418	12.8
MSP only	19	28	24	31	36	21	55	29	32	38	20	333	1.0
SVF only	968	633	352	257	244	114	253	77	75	18	24	3,015	8.8
MSP & SVF	646	842	419	309	306	337	218	204	111	93	96	3,581	10.4
VS & SVF	518	382	535	569	510	365	363	366	159	158	154	4,079	11.9
VS & MSP	8	7	6	12	13	55	40	51	45	95	72	404	1.2
VS, MSP & SVF	861	1,034	1,610	1,722	1,844	1,700	1,748	1,711	2,147	2,077	2,115	18,569	54.0
Total	**3,151**	**3,124**	**3,197**	**3,190**	**3,249**	**3,011**	**3,039**	**2,825**	**3,251**	**3,229**	**3,133**	**34,399**	**100.0**

TABLE 2
NUMBER OF STATUS INDIAN DEATHS IDENTIFIED BY SOURCE
BRITISH COLUMBIA, 1992-2002

Source	Year of Death										Total	
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	Number	Percent
VS only	242	187	106	54	96	158	100	79	67	84	56	1,229	15.2
MSP only	39	33	43	40	35	24	46	44	30	29	18	381	4.7
SVF only	65	89	117	119	60	49	103	45	72	47	70	836	10.3
MSP & SVF	62	189	203	241	185	184	152	155	140	128	26	1,665	20.6
VS & SVF	109	63	37	35	50	85	66	84	54	64	61	708	8.7
VS & MSP	42	34	19	22	19	27	31	27	22	26	160	429	5.3
VS, MSP & SVF	225	187	169	163	252	284	290	277	304	350	353	2,854	35.2
Total	**784**	**782**	**694**	**674**	**697**	**811**	**788**	**711**	**689**	**728**	**744**	**8,102**	**100.0**

Notes: VS indicates that the event was identified by the BC Vital Statistics Agency.
MSP indicates that the event was identified by the BC Medical Services Plan.
SVF indicates that the event was identified by the Indian Status Verification File.

Using a combination of VS, MSP, and SVF files, 34,399 live births were identified as Status Indian events in the 11 year period 1992-2002 (see Table 1). More than half (54.0%) of the live births were identified by all three sources. Almost a quarter were identified by two sources (23.5%) or by only one of the three sources (22.6%).

A total of 8,102 deaths were identified by VS, MSP, SVF, or a combination of these sources for the years 1992 through 2002 (see Table 2). Slightly more than a third of the deaths were identified by all three sources (35.2%), with a similar percentage identified by two sources (34.6%) or by only one source (30.2%).

Since this report's definition of Status Indian is determined by a compilation of these three data sources, the data presented in this report may not match data reported by other sources. It is also important to note that this definition is not equivalent to the broader terms such as Aboriginal or First Nations people.

Status Indian Population Estimates

The population estimates presented in this report were created by the British Columbia Vital Statistics Agency specifically for this project. The starting point was the Status Indian Entitlement files from the B.C. Medical Services Plan (MSP). These files contain the age and usual residence of Status Indians who have registered to have their MSP premiums funded by the federal government, and are considered the best available source for estimating the Status Indian population living in British Columbia.

The MSP files were adjusted for births and deaths by cross matching with annual files from Vital Statistics. Year-to-year comparisons were made to ensure that births from one year were excluded from the next year's population estimates when death records were found. The Indian Status Verification File (SVF) was also used to make further adjustments to the population estimates.

To improve the quality of the data, duplicate records were identified and removed from the files. Next, almost 16,000 records without valid postal codes were manually reviewed. Records for non-residents were excluded; the remainder were assigned to specific geographic areas within the province. The procedures used to create Status Indian population estimates in previous reports did not include these procedures.

Readers are reminded that the population estimates are intended for research purposes only.

Table 3 provides 2002 provincial population estimates by age group and gender for Status Indians and Other Residents. Appendix 1 provides population estimates by Health Service Delivery Area (HSDA), gender, and age group for each year from 1992 to 2002. A map showing HSDAs is provided as an aid to readers who are not familiar with these areas (see Figure 3). Geographic areas are assigned based on the usual residence postal code of the mother for live births and stillbirths, and the usual residence postal code of the decedent for deaths. Usual residence city is used when the usual residence postal code is missing or invalid.

Table 3
2002 Population Estimates by Age and Gender
Status Indian and Other Residents

Age Group (Years)	Status Indians			Other Residents			Total B.C. Population			Status Indian % of B.C. Population		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
< 1	1,617	1,598	3,216	18,803	17,625	36,427	20,420	19,223	39,643	7.9	8.3	8.1
1 - 4	6,498	6,221	12,725	79,926	75,774	155,694	86,424	81,995	168,419	7.5	7.6	7.6
5 - 9	8,481	8,019	16,504	118,169	111,737	229,902	126,650	119,756	246,406	6.7	6.7	6.7
10-14	7,849	7,316	15,165	127,582	120,911	248,493	135,431	128,227	263,658	5.8	5.7	5.8
15-19	6,221	5,952	12,173	135,794	128,150	263,944	142,015	134,102	276,117	4.4	4.4	4.4
20-24	5,648	5,431	11,079	136,065	134,023	270,088	141,713	139,454	281,167	4.0	3.9	3.9
25-29	5,860	5,853	11,713	130,028	128,690	258,718	135,888	134,543	270,431	4.3	4.4	4.3
30-34	5,948	6,217	12,166	146,149	146,870	293,018	152,097	153,087	305,184	3.9	4.1	4.0
35-39	5,981	6,722	12,703	164,650	162,911	327,561	170,631	169,633	340,264	3.5	4.0	3.7
40-44	5,612	6,275	11,887	171,405	170,814	342,219	177,017	177,089	354,106	3.2	3.5	3.4
45-49	4,385	5,202	9,587	160,876	163,047	323,923	165,261	168,249	333,510	2.7	3.1	2.9
50-54	3,289	3,657	6,946	145,948	145,065	291,013	149,237	148,722	297,959	2.2	2.5	2.3
55-59	2,347	2,660	5,008	114,564	114,490	229,053	116,911	117,150	234,061	2.0	2.3	2.1
60-64	1,719	1,875	3,594	86,306	88,627	174,933	88,025	90,502	178,527	2.0	2.1	2.0
65-69	1,221	1,324	2,545	73,836	75,706	149,542	75,057	77,030	152,087	1.6	1.7	1.7
70-74	890	995	1,885	65,848	70,564	136,412	66,738	71,559	138,297	1.3	1.4	1.4
75+	1,293	1,594	2,887	102,283	156,266	258,549	103,576	157,860	261,436	1.2	1.0	1.1
Total	**74,859**	**76,911**	**151,783**	**1,978,232**	**2,011,270**	**3,989,489**	**2,053,091**	**2,088,181**	**4,141,272**	**3.6**	**3.7**	**3.7**

Note: Status Indian percent is based on the specified gender and age group of Total BC Population. Cases with unknown gender are included in Totals.

HSDAs 11 East Kootenay and 12 Kootenay Boundary were combined to avoid small numbers that would result in unreliable rates. It should be noted that the Health Service Delivery Areas do not sum to the provincial Status Indian population due to records with unknown addresses included in provincial counts.

The major highlights of the population estimates are summarized below:

- In 2002, one in 28 B.C. residents was a Status Indian. The population of Status Indians in the province was estimated at 151,783 or 3.7 % of the provincial population.
- In 2002, there were 59,783 Status Indian children (age 19 years or younger) in the province. Almost two fifths (39.4%) of the Status Indian population and one quarter (23.4%) of Other Residents were in this young age group. Although overall Status Indians made up 3.7% of the provincial population, they comprised 6.0% of the B.C. population under age 20.
- In 2002, just over one in five Status Indians was over 44 years of age (21.4%) and less than one in 20 was aged 65 or older (4.8%). For Other Residents, the proportions were almost two in five over 44 years of age (39.2%) and more than one in eight aged 65 or older (13.6%).

A graphical comparison of these age distributions can be seen in the population pyramids that show the percentage of the total population in each five-year age group, with males shown on the left and females on the right. For Status Indians, the population pyramid is roughly triangular in shape, with a wide base indicating high birth rates and population growth. The pyramid for Other Residents is characterized by the baby boomer bulge in the middle age groups, and a narrowing base resulting from declining birth rates in the last 35 years.

FIGURE 2
POPULATION PYRAMID
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 2002



FIGURE 3
HEALTH SERVICE DELIVERY AREAS
BRITISH COLUMBIA, 2002



FIGURE 4

STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 2002



Note: Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

FIGURE 4

STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 2002



Note: Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Life Expectancy

Appendix 2 provides 1998-2002 life expectancy at birth for Status Indians and Other Residents. This information is provided for males, females, and both genders combined at the provincial and Health Service Delivery Area levels.

- Status Indians in B.C. had a life expectancy of 73.9 years, 8.3 years less than the life expectancy of 82.2 years for Other Residents. The difference in life expectancy between Status Indian and Other Resident males (71.3 for Status Indian males and 79.2 for other male residents) was 7.9 years. Life expectancy for Status Indian and Other Resident females was 76.6 and 85.2 years respectively, a difference of 8.6 years.

- 22 Fraser North was the HSDA with the lowest life expectancy for Status Indians (66.1 years). This was 15.6 years less than the life expectancy for Other Residents in the area (81.7 years) and was the greatest relative difference between the two populations of all of the areas in the province.

Figure 5
Life Expectancy by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1998 - 2002



- Status Indians in the HSDA 51 Northwest had the highest life expectancy of all Status Indians in the province (77.8 years). Other Residents in this area had a life expectancy of 79.4 years.

- The life expectancy for Status Indians was lower than the life expectancy for Other Residents in all Health Service Delivery Areas. The difference ranged from 1.6 years in HSDA 51 Northwest to 15.6 in 22 Fraser North.

Overview of Birth Statistics

This section examines the birth-related statistics for Status Indians and Other Residents at the provincial and Health Service Delivery Area (HSDA) levels. Live births and stillbirths are assigned to geographic areas based on the usual residence postal code of the mother at the time she gave birth. If the usual residence postal code is missing or invalid, the usual residence city is used. Birth-related statistics are provided in Appendix 3 and include live births by gender, low birth weight, premature, cesarean section, teenage mothers, elderly gravida, and stillbirths. Causes of stillbirth are shown in Table 4 in the infant mortality section.

Live Births

- Over the period 1992 to 2002, one out of 13 babies born in the province was a Status Indian. There were 34,399 Status Indian live births: 17,642 males and 16,756 females (and one birth with unknown gender). The Status Indian live birth rate for 1992-2002 was 23.6 per 1,000 Status Indian population, more than twice the rate of 10.8 per 1,000 for Other Residents.

Figure 6
Live Birth Rate
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

- The live birth rate for Status Indians decreased each year from 1992 until 1999. The 2000 live birth rate for Status Indians was slightly higher than the 1997 rate. This was followed by a decrease each year from 2000 until 2002, when the rate was almost as low as in 1999. The live birth rate for Other Residents declined each year from 1992 to 2002 and was always lower than Status Indian rate.

- In the 11 year period HSDA 51 North West had the highest number of Status Indian live births (4,822 live births or 14.0 per cent of the provincial total). HSDA 14 Thompson Cariboo Shuswap and 42 Central Vancouver Island followed at 3,814 and 3,756 respectively. HSDA 31 Richmond had the lowest number of Status Indian live births at 238.

- The 1992-2002 live birth rates for Status Indians were higher than the rates for Other Residents in all areas. HSDA 23 Fraser South had the highest live birth rate among Status Indians at 41.8 per 1,000 population, while 33 North Shore/ Coast Garibaldi had the lowest at 19.0 per 1,000 population.

Figure 7
Live Birth Rate by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Low Birth Weight Births

Low birth weight live births have a weight of less than 2,500 grams.

- There were 1,906 Status Indian live births with low birth weight in the period 1992-2002. This resulted in a Status Indian low birth weight (LBW) rate of 55.4 per 1,000 live births, slightly higher than the LBW rate of 50.2 for Other Residents. The Status Indian population accounted for one out of 13 low birth weight births in the province.

- Low birth weight rates fluctuated over the 1992 to 2002 period, but the Status Indian LBW rate was always slightly higher than LBW rate for Other Residents.

- Status Indian low birth weight rates for 1992-2002 ranged from a low of 43.3 per 1,000 live births in HSDA 51 Northwest to a high of 74.0 in 32 Vancouver.

Figure 8
Status Indian Low Birth Weight Rate by Health Service Delivery Area
British Columbia, 1992 - 2002



Notes: Low Birth Weight <2,500 grams.
Rate per 1,000 live births.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

- The live birth rate for Status Indians decreased each year from 1992 until 1999. The 2000 live birth rate for Status Indians was slightly higher than the 1997 rate. This was followed by a decrease each year from 2000 until 2002, when the rate was almost as low as in 1999. The live birth rate for Other Residents declined each year from 1992 to 2002 and was always lower than Status Indian rate.

- In the 11 year period HSDA 51 North West had the highest number of Status Indian live births (4,822 live births or 14.0 per cent of the provincial total). HSDA 14 Thompson Cariboo Shuswap and 42 Central Vancouver Island followed at 3,814 and 3,756 respectively. HSDA 31 Richmond had the lowest number of Status Indian live births at 238.

- The 1992-2002 live birth rates for Status Indians were higher than the rates for Other Residents in all areas. HSDA 23 Fraser South had the highest live birth rate among Status Indians at 41.8 per 1,000 population, while 33 North Shore/ Coast Garibaldi had the lowest at 19.0 per 1,000 population.

FIGURE 7
LIVE BIRTH RATE BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Low Birth Weight Births

Low birth weight live births have a weight of less than 2,500 grams.

- There were 1,906 Status Indian live births with low birth weight in the period 1992-2002. This resulted in a Status Indian low birth weight (LBW) rate of 55.4 per 1,000 *live births, slightly higher than* the LBW rate of 50.2 for Other Residents. The Status Indian population accounted for one out of 13 low birth weight births in the province.

- Low birth weight rates fluctuated over the 1992 to 2002 period, but the Status Indian LBW rate was always slightly higher than LBW rate for Other Residents.

- Status Indian low birth weight rates for 1992-2002 ranged from a low of 43.3 per 1,000 live births in HSDA 51 Northwest to a high of 74.0 in 32 Vancouver.

Figure 8
Status Indian Low Birth Weight Rate by Health Service Delivery Area
British Columbia, 1992 - 2002



Notes: Low Birth Weight <2,500 grams.
Rate per 1,000 live births.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

FIGURE 9
LOW BIRTH WEIGHT RATE
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 10
LOW BIRTH WEIGHT RATE BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Premature Births

Premature live births have a gestational age of less than 37 weeks.

- Status Indians had 3,124 premature live births between 1992-2002. The Status Indian premature birth rate was 90.8 per 1,000 live births, one and a half times the rate of 62.6 for Other Residents. One out of 10 premature live births in B.C. was a Status Indian baby.
- The premature live birth rate showed a slight increasing trend for both Status Indians and Other Residents over the 11 year period. The Status Indian premature rate was always higher than rate for Other Residents.

Figure 11
Premature Birth Rates
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Figure 12
Premature Birth Rates by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDA with less that five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 premature rates for Status Indian live births were higher than the rates for Other Residents in all areas. Status Indian premature rates ranged from 61.6 per 1,000 live births in HSDA 53 Northeast to 123.3 in 32 Vancouver. Residents of 11/12 East Kootenay/ Kootenay Boundary and 53 Northeast may give birth in Alberta hospitals, resulting in an undercount of premature births in these HSDAs.

FIGURE 9
LOW BIRTH WEIGHT RATE
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 10
LOW BIRTH WEIGHT RATE BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Premature Births

Premature live births have a gestational age of less than 37 weeks.

- Status Indians had 3,124 premature live births between 1992-2002. The Status Indian premature birth rate was 90.8 per 1,000 live births, one and a half times the rate of 62.6 for Other Residents. One out of 10 premature live births in B.C. was a Status Indian baby.
- The premature live birth rate showed a slight increasing trend for both Status Indians and Other Residents over the 11 year period. The Status Indian premature rate was always higher than rate for Other Residents.

Figure 11
Premature Birth Rates
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Figure 12
Premature Birth Rates by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDA with less that five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 premature rates for Status Indian live births were higher than the rates for Other Residents in all areas. Status Indian premature rates ranged from 61.6 per 1,000 live births in HSDA 53 Northeast to 123.3 in 32 Vancouver. Residents of 11/12 East Kootenay/ Kootenay Boundary and 53 Northeast may give birth in Alberta hospitals, resulting in an undercount of premature births in these HSDAs.

BIRTHS BY CESAREAN SECTION

- A total of 6,140 Status Indian live births were delivered by cesarean section in B.C. in 1992-2002. The Status Indian cesarean section rate of 178.5 per 1,000 live births was 20% lower than the rate for Other Residents (222.5). One out of 17 live births delivered by cesarean section was a Status Indian.

- The cesarean section live birth rate showed an increasing trend for both Status Indians and Other Residents over the 11 year period. The Status Indian C-section rate was always lower than the rate for Other Residents.

FIGURE 13
CESAREAN SECTION RATE
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 14
CESAREAN SECTION RATE BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 cesarean section rates for Status Indian live births were lower than the rates for Other Residents in all areas except 11/12 East Kootenay/Kootenay Boundary, 31 Richmond, and 53 Northeast. The highest Status Indian cesarean section rate was 243.7 per 1,000 live births in HSDA 31 Richmond; the lowest rate was 146.1 in 32 Vancouver.

Births to Teenage Mothers

A teenage mother is less than 20 years of age at the time of delivery of her baby.

- From 1992 to 2002, more than one in four teenage mothers in the province was a Status Indian. There were 6,346 live births to Status Indian women under the age of 20 years old in this period of time. The Status Indian live birth rate for teenage mothers was 184.5 per 1,000 live births, almost five times the rate for Other Residents (38.8).

Figure 15
Live Birth Rate to Teenage Mothers
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 16
Live Birth Rate to Teenage Mothers by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The rate of live births to teenage mothers showed a slight decrease for both Status Indians and Other Residents over the 11 year period, with substantially higher rates for Status Indians than for Other Residents.

- The 1992-2002 teenage mother birth rates for Status Indians range from more than twice as high as the rates for Other Residents (in HSDA 11/12 East Kootenay/Kootenay Boundary) to nine and a half times the rate for Other Residents (in 32 Vancouver). The highest Status Indian rate of live births to teenage mothers was in HSDA 43 North Vancouver Island, with a rate of 230.2 per 1,000 live births; the lowest was in 31 Richmond with a rate of 63.0.

Births by Cesarean Section

- A total of 6,140 Status Indian live births were delivered by cesarean section in B.C. in 1992-2002. The Status Indian cesarean section rate of 178.5 per 1,000 live births was 20% lower than the rate for Other Residents (222.5). One out of 17 live births delivered by cesarean section was a Status Indian.

- The cesarean section live birth rate showed an increasing trend for both Status Indians and Other Residents over the 11 year period. The Status Indian C-section rate was always lower than the rate for Other Residents.

Figure 13
Cesarean Section Rate
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 14
Cesarean Section Rate by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 cesarean section rates for Status Indian live births were lower than the rates for Other Residents in all areas except 11/12 East Kootenay/Kootenay Boundary, 31 Richmond, and 53 Northeast. The highest Status Indian cesarean section rate was 243.7 per 1,000 live births in HSDA 31 Richmond; the lowest rate was 146.1 in 32 Vancouver.

Births to Teenage Mothers

A teenage mother is less than 20 years of age at the time of delivery of her baby.

- From 1992 to 2002, more than one in four teenage mothers in the province was a Status Indian. There were 6,346 live births to Status Indian women under the age of 20 years old in this period of time. The Status Indian live birth rate for teenage mothers was 184.5 per 1,000 live births, almost five times the rate for Other Residents (38.8).

Figure 15
Live Birth Rate to Teenage Mothers
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 16
Live Birth Rate to Teenage Mothers by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The rate of live births to teenage mothers showed a slight decrease for both Status Indians and Other Residents over the 11 year period, with substantially higher rates for Status Indians than for Other Residents.

- The 1992-2002 teenage mother birth rates for Status Indians range from more than twice as high as the rates for Other Residents (in HSDA 11/12 East Kootenay/Kootenay Boundary) to nine and a half times the rate for Other Residents (in 32 Vancouver). The highest Status Indian rate of live births to teenage mothers was in HSDA 43 North Vancouver Island, with a rate of 230.2 per 1,000 live births; the lowest was in 31 Richmond with a rate of 63.0.

Figure 17

Status Indian Live Birth Rate to Teenage Mothers by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: Teenage Mothers <20 years old.
Rate per 1,000 live births.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Births to Older Mothers (Elderly Gravida)

An older mother (elderly gravida) is any woman who was 35 years of age or older at the time of delivery of her baby.

- There were 2,693 babies born to Status Indian women aged 35 years or older in 1992-2002, for an elderly gravida rate of 78.3 per 1,000 live births. This rate was half the elderly gravida rate for Other Residents (167.4). The Status Indian population accounted for one in 29 live births to women aged 35 or older.

Figure 18
Live Birth Rate to Mothers 35+ Years Old
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 19
Live Birth Rate to Mothers 35+ Years Old by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.Status Indian rate with 95% confidence interval.

- The live birth rate for Status Indian women aged 35 or older increased each year from 1992 until 2000, then decreased in 2001 and 2002. The elderly gravida rate for Other Residents increased each year from 1992 to 2002. The Status Indian elderly gravida rate was always lower than the rate for Other Residents, and the differences between the rates for Status Indians and Other Residents have been increasing.

- The 1992-2002 elderly gravida rates for Status Indians ranged from less than half the rate for Other Residents (in HSDA 32 Vancouver and 33 North Shore/Coast Garibaldi) to three quarters the rate for Other Residents (in 11/12 East Kootenay/Kootenay Boundary). The highest Status Indian elderly gravida rate was 121.8 per 1,000 live births in HSDA 31 Richmond; the lowest was 49.0 in 52 Northern Interior.

Figure 17

Status Indian Live Birth Rate to Teenage Mothers by Health Service Delivery Area

British Columbia, 1992 - 2002







Notes: Teenage Mothers <20 years old
Rate per 1,000 live births
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats

Births to Older Mothers (Elderly Gravida)

An older mother (elderly gravida) is any woman who was 35 years of age or older at the time of delivery of her baby.

- There were 2,693 babies born to Status Indian women aged 35 years or older in 1992-2002, for an elderly gravida rate of 78.3 per 1,000 live births. This rate was half the elderly gravida rate for Other Residents (167.4). The Status Indian population accounted for one in 29 live births to women aged 35 or older.

Figure 18
Live Birth Rate to Mothers 35+ Years Old
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval

Figure 19
Live Birth Rate to Mothers 35+ Years Old by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.Status Indian rate with 95% confidence interval

- The live birth rate for Status Indian women aged 35 or older increased each year from 1992 until 2000, then decreased in 2001 and 2002. The elderly gravida rate for Other Residents increased each year from 1992 to 2002. The Status Indian elderly gravida rate was always lower than the rate for Other Residents, and the differences between the rates for Status Indians and Other Residents have been increasing.

- The 1992-2002 elderly gravida rates for Status Indians ranged from less than half the rate for Other Residents (in HSDA 32 Vancouver and 33 North Shore Coast Garibaldi) to three quarters the rate for Other Residents (in 11,12 East Kootenay Kootenay Boundary). The highest Status Indian elderly gravida rate was 121.8 per 1,000 live births in HSDA 31 Richmond; the lowest was 49.0 in 52 Northern Interior.

Stillbirths

- Over the period 1992 to 2002, one out of 12 stillbirths was a Status Indian. In 1992-2002, there were 275 Status Indian stillbirths for a rate of 7.9 per 1,000 total births (live births plus stillbirths) in the Status Indian population. The Status Indian stillbirth rate was slightly higher than the rate for Other Residents (6.7).

- Stillbirth rates fluctuated over the 1992 to 2002 period, but the Status Indian stillbirth rate was always slightly higher than the stillbirth rate for Other Residents.

Figure 20
Stillbirth Rate
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 21
Stillbirth Rate by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The highest 1992-2002 Status Indian stillbirth rate was in HSDA 43 North Vancouver Island (14.8 per 1,000 total births), and the second highest was in 33 North Shore/Coast Garibaldi (12.1). HSDA 23 Fraser South, with a rate of 3.9 stillbirths per 1,000 total births, had the lowest Status Indian stillbirth rate based on at least five stillbirths.

Stillbirths

- Over the period 1992 to 2002, one out of 12 stillbirths was a Status Indian. In 1992-2002, there were 275 Status Indian stillbirths for a rate of 7.9 per 1,000 total births (live births plus stillbirths) in the Status Indian population. The Status Indian stillbirth rate was slightly higher than the rate for Other Residents (6.7).

- Stillbirth rates fluctuated over the 1992 to 2002 period, but the Status Indian stillbirth rate was always slightly higher than the stillbirth rate for Other Residents.

Figure 20
Stillbirth Rate
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 21
Stillbirth Rate by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The highest 1992-2002 Status Indian stillbirth rate was in HSDA 43 North Vancouver Island (14.8 per 1,000 total births), and the second highest was in 33 North Shore/Coast Garibaldi (12.1). HSDA 23 Fraser South, with a rate of 3.9 stillbirths per 1,000 total births, had the lowest Status Indian stillbirth rate based on at least five stillbirths.

Overview of Infant Mortality Statistics

Infant mortality refers to the death of a child less than one year of age, and is a widely used measure of health status. This section examines infant mortality for Status Indians and Other Residents at the provincial and Health Service Delivery Area (HSDA) levels. Deaths are assigned to geographic areas based on the usual residence postal code. If the usual residence postal code is missing or invalid, the usual residence city is used. The mother's usual residence address is used for geographic assignment for infants who did not leave the hospital. Appendix 3 provides the number of infant deaths and mortality rates in the early neonatal, neonatal, and post neonatal periods. Selected causes of infant deaths and stillbirths are presented in Table 4, and infant mortality by age of mother and birth weight is shown in Table 5.

Infant Mortality

- From 1992-2002, one out of eight infant deaths (age under one year old) in the province was a Status Indian baby. There were 292 Status Indian infant deaths out of a total of 2,342 infant deaths in B.C. over the 11 year period. The Status Indian infant mortality rate was 8.5 infant deaths per 1,000 live births; one and three quarters the rate of 4.6 for Other Residents. However, these statistics disguise the progress made in infant mortality over the period.
- The infant mortality rate for Status Indians was almost three times the rate for Other Residents in 1992. Over the next five years, Status Indian infant mortality rates remained higher than those for Other Residents but the gap between the rates closed. From 1998 through 2002, Status Indian infant mortality rates were only slightly higher than those for Other Residents.

Figure 22
Infant Mortality Rate
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

- In the 11 year period, there were 121 Status Indian infant deaths in the neonatal period (age at death less than 28 days old), including 99 in the early neonatal period (age at death less than 7 days old). The Status Indian neonatal mortality rate (3.5 deaths per 1,000 live births) and the early neonatal mortality rate (2.9) were only slightly higher than the rates for Other Residents (3.2 and 2.7 respectively).

- The major difference in the pattern of infant deaths in the Status Indian and other populations can be seen in the post neonatal period. Approximately three out of five Status Indian infant deaths occurred between 28 and 364 days after birth (171 of the 292 infant deaths or 58.6%) compared to three out of ten (599 out of 2,050 infant deaths or 29.2%) for Other Residents. The Status Indian post neonatal death rate was 5.0 per 1,000 live births, almost four times the rate for Other Residents (1.3).

FIGURE 23
RATE OF SIDS DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

- Most of the recent gains in Status Indian infant mortality rates have occurred in the post neonatal period. The Status Indian post neonatal death rate peaked at 10.7 per 1,000 live births in 1995, but decreased each subsequent year to a low of 1.2 in 2000, rising slightly since then.

- Rates of Sudden Infant Death Syndrome (SIDS) followed the same pattern as post neonatal deaths.

FIGURE 24
INFANT MORTALITY RATE BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- Status Indian infant mortality rates for 1992-2002 were higher than those for Other Residents in all areas except HSDA 13 Okanagan. HSDA 43 North Vancouver Island had the highest Status Indian infant mortality rate at 15.0 deaths per 1,000 live births, almost three and a half times the lowest rate of 4.4 in 13 Okanagan.

Figure 24
Infant Mortality Rate by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- Status Indian infant mortality rates for 1992-2002 were higher than those for Other Residents in all areas except HSDA 13 Okanagan. HSDA 43 North Vancouver Island had the highest Status Indian infant mortality rate at 15.0 deaths per 1,000 live births, almost three and a half times the lowest rate of 4.4 in 13 Okanagan.

Figure 25

Status Indian Infant Deaths by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: Rate per 1,000 live births
Includes infant deaths with gender unknown. Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

FIGURE 25

STATUS INDIAN INFANT DEATHS BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: Rate per 1,000 live births.
Includes infant deaths with gender unknown. Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Causes of Infant Deaths

- Congenital anomalies were responsible for almost one in eight Status Indian infant deaths (35 out of 292 deaths or 12.0%) in 1992-2002. The Status Indian infant mortality rate for congenital anomalies, 10.2 deaths per 10,000 live births, was below the rate of 12.9 for Other Residents.

- Perinatal complications were responsible for three out of ten (30.8%) Status Indian infant deaths in 1992-2002. The Status Indian infant mortality rate from perinatal complications was 26.2 deaths per 10,000 live births, slightly higher than the rate for Other Residents (21.7). Since the majority of infant deaths from perinatal complications occur in the first 27 days after birth, perinatal complications are the major cause of neonatal mortality.

- Although there were only 10 Status Indian infant deaths from pneumonia/ influenza in the 11 year period, the Status Indian mortality rate (2.9 per 10,000 live births) was fourteen and a half times the rate for Other Residents (0.2).

- Sudden Infant Death Syndrome (SIDS) was the leading cause of Status Indian infant mortality, accounting for almost a third (32.9%) of all Status Indian infant deaths. Between 1992 and 2002, 96 of the 326 SIDS deaths in the province were Status Indian children. The Status Indian SIDS mortality rate was 27.9 deaths per 10,000 live births, five and a half times the rate of 5.1 for Other Residents. Since almost all SIDS deaths occur between 28 and 364 days after birth, SIDS is the major cause of post neonatal mortality.

Infant Mortality by Age of Mother and Birth Weight

- In the 1992-2002 period, there were 215 infant deaths where the mother was under 20 years of age, and three out of ten (65 deaths or 30.2%) were Status Indians. The Status Indian infant mortality rate for teenage mothers was 10.2 infant deaths per 1,000 live births, only slightly higher than the rate of 8.6 for Other Residents. Of all maternal age groups, teenage mothers had the highest infant mortality rates in both populations.

- Status Indian mothers tend to be younger than other B.C. mothers, therefore it is not surprising that more than half the Status Indian infant deaths (158 out of 292 deaths or 54.1%) were to mothers under 25 years of age, compared to a quarter (516 out of 2,034 deaths or 25.4%) for Other Residents.

- Low birth weight is less of a factor in infant deaths for Status Indians than it is for Other Residents. Approximately two out of five Status Indian infant deaths in 1992-2002 had birth weights below 2,500 grams (117 out of 292 deaths or 40.1%), compared to three out of five (1,175 out of 2,034 deaths or 57.8%) for Other Residents.

TABLE 4
SELECTED CAUSES OF INFANT DEATHS AND STILLBIRTHS
BRITISH COLUMBIA, 1992-2002

		Status Indians							Other Residents							Status/Other	
		Infant deaths (age in days)					Stillbirths		Infant deaths (age in days)					Stillbirths		Infant Death	Stillbirth
Cause of Infant Death or Stillbirth	ICD10 Codes	<7	7-27	28-364	Total	Rate[1]	Number	Rate[2]	<7	7-27	28-364	Total	Rate[1]	Number	Rate[2]	Ratio	Ratio
Congenital anomalies																	
- of the nervous system	Q00-Q07	3	1	3	7	2.0	4	1.2	49	8	13	70	1.6	88	2.0	1.3	0.6
- of the eye, ear, face & neck	Q10-Q18	-	-	-	-	-	-	-	1	-	-	1	0.0	-	-	-	-
- of the heart and circulatory system	Q20-Q28	3	3	5	11	3.2	4	1.2	89	59	71	219	4.9	41	0.9	0.7	1.3
- of the respiratory system	Q30-Q34	4	-	-	4	1.2	-	-	64	9	10	83	1.9	3	0.1	0.6	-
- of the digestive system	Q35-Q45	-	-	3	3	0.9	-	-	4	1	8	13	0.3	1	0.0	3.0	-
- of the genital organs	Q50-Q56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- of the urinary system	Q60-Q64	1	-	-	1	0.3	-	-	17	2	2	21	0.5	29	0.6	0.6	-
- of the musculoskeletal system	Q65-Q79	-	1	1	2	0.6	3	0.9	31	4	5	40	0.9	26	0.6	0.7	1.5
Other and multiple system syndromes	Q80-Q89	2	-	1	3	0.9	6	1.7	38	3	10	51	1.1	81	1.8	0.8	0.9
Chromosomal anomalies	Q90-Q99	2	1	1	4	1.2	6	1.7	43	14	20	77	1.7	117	2.6	0.7	0.7
Total deaths due to congenital anomalies	**Q00-Q99**	**15**	**6**	**14**	**35**	**10.2**	**23**	**6.7**	**336**	**100**	**139**	**575**	**12.9**	**386**	**8.6**	**0.8**	**0.8**
Perinatal complications																	
Infant affected by maternal factors	P00-P04	22	-	1	23	6.7	138	40.0	307	4	4	315	7.0	1,357	30.3	1.0	1.3
Premature/postmature and fetal growth disorders	P05-P08	12	-	-	12	3.5	13	3.8	145	1	2	148	3.3	99	2.2	1.1	1.7
Birth trauma	P10-P15	5	-	-	5	1.5	-	-	26	1	-	27	0.6	2	0.0	2.5	-
Respiratory and cardiovascular disorder	P20-P29	28	2	5	35	10.2	8	2.3	244	28	22	294	6.6	106	2.4	1.5	1.0
Infections specific to the perinatal period	P35-P39	2	2	-	4	1.2	2	0.6	26	16	6	48	1.1	9	0.2	1.1	3.0
Hemorrhage and hematological disorders	P50-P61	3	2	-	5	1.5	4	1.2	34	8	1	43	1.0	16	0.4	1.5	3.0
Transitory endocrine and metabolic disorders	P70-P74	-	-	-	-	-	2	0.6	2	1	-	3	0.1	6	0.1	-	6.0
Digestive system disorders of fetal and newborn	P75-P78	1	-	-	1	0.3	-	-	5	9	4	18	0.4	-	-	0.8	-
Other disorders originating in the perinatal period3	P80-P94, P96	3	1	-	4	1.2	22	6.4	62	10	3	75	1.7	434	9.7	0.7	0.7
Fetal death of unknown cause3	P95	1	-	-	1	0.3	61	17.7	-	-	-	-	-	559	12.5	-	1.4
Total deaths due to perinatal complications	**P00-P96**	**77**	**7**	**6**	**90**	**26.2**	**250**	**72.2**	**851**	**78**	**42**	**971**	**21.7**	**2,588**	**57.6**	**1.2**	**1.3**
Pneumonia/influenza	J10-J18.1, J18.8-J18.9	1	1	8	10	2.9	-	-	1	-	9	10	0.2	-	-	14.5	-
Sudden infant death syndrome (SIDS)3	R95	-	4	92	96	27.9	-	-	2	14	214	230	5.1	-	-	5.5	-
Other causes[3]		6	4	51	61	17.7	2	0.6	35	34	195	264	5.9	56	1.3	3.0	0.5
TOTAL		99	22	171	292	84.9	275	79.3	1,225	226	599	2,050	45.9	3,030	67.3	1.8	1.2

Notes: Rate[1] per 10,000 live births.
Rate[2] per 10,000 total births (live births plus stillbirths).
[3]Some of the infant deaths that were still under investigation (ICD-10 code R99) may later be identified as SIDS.
Status/Other is the ratio of the Status Indian rate to the rate of Other Residents.

Table 5
Infant Mortality by Age of Mother and Birth Weight
British Columbia, 1992-2002

Status Indians

Age of Mother (in years)	Birth Weight (in grams)							Status/ Other
	<1500	1500-2499	< 2500	2500+	N.S.	Total	Rate	
<20	17	13	30	34	1	65	10.2	1.2
20-24	24	12	36	57	-	93	8.6	1.7
25-29	18	12	30	36	2	68	7.7	2.0
30-34	9	6	15	14	2	31	5.4	1.3
35-39	5	1	6	4	-	10	4.4	1.0
40+	-	-	-	1	-	1	++	-
N.S.	-	-	-	-	24	24	-	-
TOTAL	**73**	**44**	**117**	**146**	**29**	**292**	**8.5**	**1.8**
Percent	**25.0**	**15.1**	**40.1**	**50.0**	**9.9**	**100.0**		

Other Residents

Age of Mother (in years)	Birth Weight (in grams)							Status/ Other
	<1500	1500-2499	< 2500	2500+	N.S.	Total	Rate	
<20	58	20	78	70	2	150	8.6	1.2
20-24	135	64	199	163	4	366	5.0	1.7
25-29	238	72	310	215	1	526	3.8	2.0
30-34	277	86	363	214	5	582	4.1	1.3
35-39	139	38	177	91	-	268	4.2	1.0
40+	38	9	47	17	-	64	5.7	-
N.S.	1	-	-	1	76	78	-	-
TOTAL	**886**	**289**	**1,175**	**771**	**88**	**2,034**	**4.6**	**1.8**
Percent	**43.6**	**14.2**	**57.8**	**37.9**	**4.3**	**100.0**		

Notes: N.S. - Not Stated
Rates per 1,000 live births in the specified age group.
Status/Other is the ratio of the Status Indian rate to the rate of OtherResidents.
++ Rate not shown for less than three deaths.

Overview of Mortality Statistics

This section examines the mortality statistics for each of the major cause of death categories for Status Indians and Other Residents at the provincial and Health Service Delivery Area (HSDA) levels. Deaths are assigned to geographic areas based on the usual residence postal code of the decedent. If the usual residence postal code is missing or invalid, the usual residence city is used. Annual data by Health Service Delivery Areas are provided in Appendix 3 Birth and Death Related Summary Statistics, but are generally not included in the analysis because of the small numbers involved.

Table 6 shows leading causes of death for Status Indians and Other Residents ranked by age standardized mortality rate (ASMR), and Table 7 presents leading causes of death for Status Indian and Other Residents in each HSDA for 1992-2002. Appendix 4 presents age standardized mortality rates by HSDA and gender; Appendix 5 provides potential years of life lost (age under 75 years) by HSDA and gender. Causes of death by age group, gender, and HSDA can be found in Appendix 6. Appendix 7 has ASMR trends analysis for selected causes of death and also provides the ICD-10 codes for all the cause of death categories used in this report. External causes of death by age group, gender, and HSDA can be found in Appendix 8.

All Causes of Death

- Over the period 1992 to 2002, there were 8,102 Status Indian deaths, or about one out of 37 deaths in the province. The Status Indian Age Standardized Mortality Rate (ASMR) was 102.9 per 10,000 standard population, one and three quarters the rate of 60.0 for Other Residents. However, these statistics do not indicate the changes that have occurred over the 11 year period.

- In 1992, the Status Indian ASMR for all causes of death was 146.4 per 10,000 standard population, two and a third times the rate of 63.7 for Other Residents. Over the next ten years, the rates showed a substantial decreasing trend for Status Indians and a small decreasing trend for Other Residents, although the Status Indian ASMRs were always higher than those for Other Residents. By 2002, the Status Indian ASMR for all causes of death had dropped to 79.1, half of what it had been in 1992 and less than one and a half times the 2002 rate of 55.2 for Other Residents.

Figure 26
ASMRs for All Causes of Death
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 27
Mortality by Age Groups
British Columbia, 1992-2002

Status Indians



Other Residents



- The Status Indian population had higher mortality in the younger age groups. In the 11 year period, roughly one out of 12 Status Indian deaths (8.0%) were children (age 19 years or younger) compared to less than one in 66 deaths (1.5%) for Other Residents. Similarly, seniors (age 65 or older) accounted for 39.8% of Status Indian deaths but 77.9% for Other Residents.

- There were 6,232 Status Indians who were under the age of 75 years at the time of death. This represented 4.9% of the 126,503 'premature' deaths in the province in 1992-2002. However, since the Status Indians are generally in the younger age groups, the Status Indian deaths accounted for 8.2% of the potential years of life lost in the province.

FIGURE 28
ASMR FOR ALL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The highest Status Indian ASMRs for all causes of death in 1992-2002 were 298.8 per 10,000 standard population in HSDA 22 Fraser North and 226.2 in 31 Richmond. These HSDAs had Status Indian ASMRs that were more than four and a half times the rates for Other Residents (62.0 and 49.3 respectively). HSDA 51 Northwest had the lowest Status Indian ASMR rate for all causes of death (79.3 per 10,000 standard population).

- There were 21 maternal deaths to all B.C. residents during the 11 year period from 1992 to 2002; two were Status Indian women.

- The Status Indian population had higher mortality in the younger age groups. In the 11 year period, roughly one out of 12 Status Indian deaths (8.0%) were children (age 19 years or younger) compared to less than one in 66 deaths (1.5%) for Other Residents. Similarly, seniors (age 65 or older) accounted for 39.8% of Status Indian deaths but 77.9% for Other Residents.

- There were 6,232 Status Indians who were under the age of 75 years at the time of death. This represented 4.9% of the 126,503 'premature' deaths in the province in 1992-2002. However, since the Status Indians are generally in the younger age groups, the Status Indian deaths accounted for 8.2% of the potential years of life lost in the province.

FIGURE 28
ASMR FOR ALL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The highest Status Indian ASMRs for all causes of death in 1992-2002 were 298.8 per 10,000 standard population in HSDA 22 Fraser North and 226.2 in 31 Richmond. These HSDAs had Status Indian ASMRs that were more than four and a half times the rates for Other Residents (62.0 and 49.3 respectively).

HSDA 51 Northwest had the lowest Status Indian ASMR rate for all causes of death (79.3 per 10,000 standard population).

- There were 21 maternal deaths to all B.C. residents during the 11 year period from 1992 to 2002; two were Status Indian women.

Figure 29

Status Indian ASMR, All Causes of Death by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

FIGURE 29

STATUS INDIAN ASMR, ALL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

CAUSE OF DEATH TRENDS

- The 1992-2002 ASMRs for all causes of death, cancer deaths, deaths due to circulatory system diseases, and deaths due to respiratory system diseases showed statistically significant decreasing trends for both Status Indians and Other Residents.

- Many subgroups of cancer deaths, deaths due to circulatory system diseases, and deaths due to respiratory system diseases also showed statistically significant decreasing trends in the 1992-2002 ASMRs for both Status Indians and Other Residents. These included deaths due to lung cancer and female breast cancer, deaths due to ischemic heart disease, cerebrovascular disease, and diseases of the arteries, and deaths due to pneumonia/ influenza and asthma.

- External causes of death, as well as motor vehicle accidents, suicide, and homicide, also showed statistically significant decreasing trends for both Status Indians and Other Residents over the 11 year period.

- The 1992-2002 ASMRs for deaths due to infectious/parasitic diseases showed a statistically significant increasing trend for Status Indians and a statistically significant decreasing trend Other Residents.

- Status Indians had a statistically significant decreasing trend in the 1992-2002 rates of deaths due to accidental poisoning and drug induced deaths. This trend was not seen for Other Residents.

FIGURE 30
MAJOR CAUSES OF DEATH
BRITISH COLUMBIA, 1992-2002



LEADING CAUSES OF DEATH

- The causes of death responsible for the largest number of Status Indian deaths in 1992-2002 were ischemic heart disease (832 deaths), motor vehicle accidents (496) accidental poisoning (485), cerebrovascular disease (424), and suicide (412).

- The leading causes of death for Status Indians based on age standardized mortality rates were ischemic heart disease, cerebrovascular disease,

Table 6
Leading Causes of Death Ranked by ASMR
British Columbia, 1992-2002

		Status Indians			Other Residents			
Leading Causes of Death	ICD-10 Code(s)	No.	ASMR	Rank	No.	ASMR	Rank	Status/ Other
Ischemic Heart Disease	I20-I25	832	14.1	1	53,412	10.9	1	1.3
Cerebrovascular Disease	I60-I69	424	7.1	2	23,610	4.7	2	1.5
Gastrointestinal Cancer	C00-C26	376	6.0	3	21,180	4.4	4	1.4
Pneumonia/Influenza	J10-J18.1, J18.8-J18.9	313	5.0	4	13,250	2.6	5	1.9
Cancer of Respiratory System	C30-C39	274	4.3	5	21,407	4.5	3	1.0
Motor Vehicle Accidents*	V02-V04,V09,V12-V14..Y85.0	496	3.8	6	4,264	1.0	16	3.8
Accidental Poisoning	X40-X49	485	3.6	7	3,453	0.8	19	4.5
Chronic Liver Disease/Cirrhosis	K70, K73-K74, K76.0-K76.1	300	3.4	8	2,740	0.6	23	5.7
Suicide	X60-X84, Y87.0	412	2.9	9	4,872	1.1	15	2.6
Chronic Lung Disease	J40-J44	155	2.8	10	12,087	2.4	7	1.2
Congestive Heart Failure	I50	150	2.8	11	7,391	1.5	11	1.9
Diabetes	E10-E14	169	2.6	12	6,573	1.4	14	1.9
Prostate Cancer	C61	66	2.6	13	5,249	2.6	6	1.0
Female Breast Cancer	C50.0-C50.9	102	2.4	14	6,180	2.4	8	1.0
Colorectal Cancer	C18-C21	124	2.0	15	7,194	1.5	10	1.3
Renal Failure, Nephritis, Nephrosis	N00-N19, N25-N27	115	1.9	16	3,337	0.7	22	2.7
Accidental Falls	W00-W19	145	1.9	17	3,599	0.7	21	2.7
Conduction/Cardiac Dysrhythmia	I44-I49	111	1.8	18	4,878	1.0	17	1.8
Cancer of Female Repoductive System	C51-C58	70	1.8	19	3,488	1.4	13	1.3
Cancer of Blood/Lymph System	C81-C96	120	1.7	20	7,292	1.5	9	1.1
Other Causes of Death of Interest								
Diseases of Arteries	I26, I28, I70-I78	102	1.5	21	7,067	1.4	12	1.1
Cardiomyopathies	I42	109	1.4	22	2,126	0.4	24	3.1
HIV Disease	B20-B24	176	1.3	23	1,914	0.4	25	3.3
Homicide	X85-Y09, Y87.1	137	1.0	24	875	0.2	26	5.0
Bladder, Kidney and Urinary Cancer	C64-C68	50	0.7	25	3,624	0.8	20	0.9
Accidents Caused by Fire and Flames	X00-X09	64	0.6	26	291	0.1	29	6.0
Accidental Drowning and Submersion	W65-W74	61	0.4	27	479	0.1	27	4.0
Alzheimer's Disease	G30	21	0.4	28	4,488	0.9	18	0.4
Sudden Infant Death Syndrome (SIDS)	R95	97	0.4	29	236	0.1	28	4.0

Notes: ASMR - Age Standardized Mortality Rates per 10,000 standard population. Deaths with gender unknown are excluded.
Status/Other is the ratio of the Status Indian 1991-2001 ASMR to the rate of Other Residents.
Order based on the ASMR rank for Status Indians. In case of ties, the cause with the larger number of deaths has the higher rank.
*ICD-10 codes V02-V04, V09, V12-V14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-V82.1, V82.3-V89.0, V89.2, V89.9, Y85.0.

gastrointestinal cancer, pneumonia/ influenza, and cancer of the respiratory system. These were also the top five causes of death for Other Residents in a slightly different order, with cancer of the respiratory system ranked higher than gastrointestinal cancer and pneumonia/ influenza. Together, these five categories accounted for more than a quarter (27.4%) of Status Indian deaths and almost half (46.0%) of the deaths to Other Residents between 1992 and 2002.

- The other causes of death in the Status Indian top ten causes based on ASMR were, from sixth to tenth place respectively, motor vehicle accidents, accidental poisoning, chronic liver disease/cirrhosis, suicide, and chronic lung disease. Chronic lung disease ranked seventh for Other Residents. Motor vehicle accidents, accidental poisoning, chronic liver disease/cirrhosis and suicide were not among the top ten causes of death for Other Residents.

- Overall, external causes of death (motor vehicle accidents, accidental poisoning, suicide, and accidental falls) ranked higher in the Status Indian list of age standardized causes of death, and had ASMRs that were more than double the rates for Other Residents. Chronic liver disease/cirrhosis and renal failure, nephritis, and nephrosis also ranked

TABLE 7
LEADING CAUSES OF DEATH IN EACH HEALTH SERVICE DELIVERY AREA RANKED BY ASMR
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002

Status Indians	PROVINCIAL TOTAL	11/12 East Kootenay/Kootenay Boundary	13 Okanagan	14 Thompson Cariboo Shuswap	21 Fraser East	22 Fraser North	23 Fraser South	31 Richmond	32 Vancouver	33 North Shore/Coast Garibaldi	41 South Vancouver Island	42 Central Vancouver Island	43 North Vancouver Island	51 Northwest	52 Northern Interior	53 Northeast
Ischemic Heart Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrovascular Disease	2	3	2	2	2	2	2	4	3	2	4	2	3	3	3	6
Gastrointestinal Cancer	3	5	3	4	4	6	3	10	4	3	2	3	2	2	2	4
Pneumonia/Influenza	4	6	7	5	9	5	6	15	7	4	9	5	11	4	6	3
Cancer of Respiratory System	5	2	8	8	6	3	4	2	9	11	3	12	4	5	5	5
Motor Vehicle Accidents	6	14	4	3	3	23	20	6	18	6	14	6	13	11	4	2
Accidental Poisoning	7	18	19	17	8	12	11	14	2	12	8	16	7	18	10	14
Chronic Liver Disease/Cirrhosis	8	9	5	6	5	16	14	16	6	7	16	7	16	19	7	13
Suicide	9	16	9	7	11	15	19	13	17	10	11	4	12	10	8	21
Chronic Lung Disease	10	10	6	15	14	4	7	5	13	19	5	11	6	17	15	7
Congestive Heart Failure	11	12	10	13	15	13	5	9	11	14	23	8	8	6	12	16
Diabetes	12	7	11	9	13	7	9	18	16	5	22	10	5	16	19	25
Prostate Cancer	13	27	13	16	10	8	13	17	8	8	7	13	14	7	9	15
Female Breast Cancer	14	4	15	10	7	22	10	8	15	15	6	25	10	9	22	28
Colorectal Cancer	15	20	16	19	24	19	8	19	14	9	19	15	9	13	17	9
Other Residents																
Ischemic Heart Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrovascular Disease	2	4	3	3	2	2	2	3	2	2	2	3	3	3	3	4
Gastrointestinal Cancer	4	3	4	4	4	4	3	2	3	3	4	4	4	4	4	3
Pneumonia/Influenza	5	7	6	8	6	5	8	5	5	5	8	8	8	5	7	7
Cancer of Respiratory System	3	2	2	2	3	3	4	4	4	4	3	2	2	2	2	2
Motor Vehicle Accidents	16	10	13	9	14	21	15	19	24	20	24	14	16	12	10	9
Accidental Poisoning	19	24	23	21	20	20	20	23	9	22	19	20	20	23	23	23
Chronic Liver Disease/Cirrhosis	23	22	24	22	24	23	22	22	21	23	22	23	22	22	21	22
Suicide	15	15	14	12	16	16	16	16	16	15	14	15	13	15	17	19
Chronic Lung Disease	7	6	8	5	7	6	7	7	6	8	7	6	5	6	5	5
Congestive Heart Failure	11	9	12	10	15	10	14	14	14	9	11	12	12	7	9	10
Diabetes	14	12	16	14	10	11	11	12	13	14	15	16	11	11	11	11
Prostate Cancer	6	5	5	6	5	8	5	8	8	7	6	5	6	9	6	6
Female Breast Cancer	8	8	7	7	8	7	6	6	7	6	5	7	7	8	8	8
Colorectal Cancer	10	14	11	13	11	9	10	9	11	11	12	11	18	13	14	15

Notes: Causes of death are the top 15 for Status Indians based on the ASMR..
Provincial total represents the rank for the specified cause of death for Status Indians or Other Residents.

higher among Status Indian deaths, and had ASMRs that were more than twice the rates for Other Residents. On the other hand, the ASMRs for cancers were generally similar in the two populations, and ranked lower in the Status Indian list of leading causes. Gastrointestinal cancer, however, did not follow this pattern.

- Among other causes of death of interest, the Status Indian populations had ASMRs for homicide, accidents caused by fire and flames, and accidental drowning and submersion that ranged from four to six times the rates for Other Residents.

- Ischemic heart disease was the leading cause of death based on ASMR for both Status Indians and Other Residents in every HSDA.

INFECTIOUS/PARASITIC DISEASES

Infectious and parasitic diseases include HIV disease, tuberculosis, hepatitis, septicemia, and other infections.

- In the 11 year period, there were 324 Status Indian deaths from infectious and parasitic diseases. The Status Indian ASMR for infectious/parasitic diseases was 3.1 per 10,000 standard population, three times the rate for Other Residents (1.0).

- HIV disease accounted for approximately half (54.3%) of the Status Indian deaths from infectious and parasitic diseases. The Status Indian ASMR for deaths from HIV disease was 1.3 deaths per 10,000 standard population. In comparison, HIV disease accounted for two fifths (40.2%) of infectious and parasitic disease deaths among Other Residents, and the ASMR was 0.4.

FIGURE 31
ASMRs FOR INFECTIOUS/PARASITIC DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 32
ASMRs FOR INFECTIOUS/PARASITIC DISEASE DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 Status Indian ASMRs for deaths from infectious and parasitic diseases were higher than the rates for Other Residents in all areas with at least five deaths from this cause. HSDA 32 Vancouver had the highest mortality rates for infectious/parasitic diseases for both Status Indians (at 9.7 per 10,000 standard population) and Other Residents (with an ASMR of 2.6). This area also had the highest ASMRs for HIV deaths for both Status Indians and Other Residents. The lowest Status Indian ASMRs for infectious and parasitic diseases based on at least five deaths were in 14 Thompson Cariboo Shuswap and 23 Fraser South and (both 1.6).

FIGURE 32
ASMRs FOR INFECTIOUS/PARASITIC DISEASE DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 Status Indian ASMRs for deaths from infectious and parasitic diseases were higher than the rates for Other Residents in all areas with at least five deaths from this cause. HSDA 32 Vancouver had the highest mortality rates for infectious/parasitic diseases for both Status Indians (at 9.7 per 10,000 standard population) and Other Residents (with an ASMR of 2.6). This area also had the highest ASMRs for HIV deaths for both Status Indians and Other Residents. The lowest Status Indian ASMRs for infectious and parasitic diseases based on at least five deaths were in 14 Thompson Cariboo Shuswap and 23 Fraser South and (both 1.6).

Cancer

- There were 1,242 Status Indian deaths from cancer (malignant neoplasms) in the 1992-2002 period or about one in seven Status Indian deaths. The Status Indian ASMR for cancer (18.6 deaths per 10,000 standard population) was slightly higher than the rate of 16.6 for Other Residents.

- Of all the Health Service Delivery Areas, 22 Fraser North had the highest 1992-2002 Status Indian ASMR for cancers (67.2 per 10,000 standard population); 42 Central Vancouver Island had the lowest rate for Status Indians (11.4).

Figure 33
ASMRs for Cancer Deaths
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 34
ASMRs for Cancer Deaths by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- Colorectal cancer claimed 124 Status Indian lives between 1992 and 2002. The ASMR for this specific cause of death was 2.0 deaths per 10,000 standard population, slightly above the rate of 1.5 for Other Residents.

FIGURE 35
STATUS INDIAN ASMR, DEATHS DUE TO CANCER BY HEALTH SERVICE DELIVERY AREA
BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

- In the 11 year period, 102 Status Indian women died from breast cancer and 26 died from cervical cancer. The Status Indian ASMR for female breast cancer was the same as the rate for Other Residents (2.4 per 10,000 standard population), while the rate for cervical cancer (0.5) was two and a half times the rate for Other Residents (0.2).

- There were 66 Status Indian deaths from prostate cancer in the 1992-2002 period. The Status Indian ASMR for prostate cancer was the same as the rate for Other Residents, 2.6 per 10,000 standard population.

Cancer

- There were 1,242 Status Indian deaths from cancer (malignant neoplasms) in the 1992-2002 period or about one in seven Status Indian deaths. The Status Indian ASMR for cancer (18.6 deaths per 10,000 standard population) was slightly higher than the rate of 16.6 for Other Residents.

- Of all the Health Service Delivery Areas, 22 Fraser North had the highest 1992-2002 Status Indian ASMR for cancers (67.2 per 10,000 standard population); 42 Central Vancouver Island had the lowest rate for Status Indians (11.4).

Figure 33
ASMRs for Cancer Deaths
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval

Figure 34
ASMRs for Cancer Deaths by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- Colorectal cancer claimed 124 Status Indian lives between 1992 and 2002. The ASMR for this specific cause of death was 2.0 deaths per 10,000 standard population, slightly above the rate of 1.5 for Other Residents.

FIGURE 35
STATUS INDIAN ASMR, DEATHS DUE TO CANCER BY HEALTH SERVICE DELIVERY AREA
BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

- In the 11 year period, 102 Status Indian women died from breast cancer and 26 died from cervical cancer. The Status Indian ASMR for female breast cancer was the same as the rate for Other Residents (2.4 per 10,000 standard population), while the rate for cervical cancer (0.5) was two and a half times the rate for Other Residents (0.2).

- There were 66 Status Indian deaths from prostate cancer in the 1992-2002 period. The Status Indian ASMR for prostate cancer was the same as the rate for Other Residents, 2.6 per 10,000 standard population.

ENDOCRINE/NUTRITIONAL/METABOLIC DISEASES

Endocrine, nutritional, and metabolic diseases and immunity disorders include diabetes, cystic fibrosis, and nutritional deficiencies.

- There were 234 Status Indian deaths from endocrine, nutritional, and metabolic diseases and immunity disorders in the 1992-2002 period. The Status Indian ASMR for endocrine/nutritional/ metabolic diseases was 3.5 deaths per 10,000 standard population, almost twice the rate for Other Residents (1.8).
- Diabetes was responsible for most of the deaths from endocrine, nutritional, and metabolic diseases and immunity disorders (72.2% of Status Indian and 75.6% of Other Resident deaths). There were 169 Status Indian deaths from diabetes between 1992 and 2002. The ASMR for diabetes in the Status Indian population (2.6 per 10,000 standard population) was almost twice the rate for Other Residents (1.4).

FIGURE 36
ASMRs FOR ALL ENDOCRINE/NUTRITIONAL/METABOLIC DISEASE DEATHS STATUS INDIAN AND OTHER RESIDENTS BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

CIRCULATORY SYSTEM DISEASES

Circulatory system diseases include heart disease, cardiovascular disease, diseases of the arteries, cardiac dysrhythmias, cardiomyopathies, and congestive heart failure.

- There were 1,886 Status Indian deaths from circulatory system diseases in the 1992-2002 period. This cause of death was responsible for almost a quarter (23.3%) of Status Indian deaths and over a third (36.6%) of deaths of Other Residents. The Status Indian ASMR for deaths from circulatory system diseases (31.1 deaths per 10,000 standard population) was one and a half times the rate of 21.3 for Other Residents.
- Ischemic heart disease was the leading cause of death based on ASMR for Status Indians and Other Residents at the provincial level and in every health service delivery area. There were 832 Status Indian deaths from ischemic heart disease in 1992-2002, producing an ASMR of 14.1 per 10,000 standard population, compared to an ASMR of 10.9 for Other Residents.

- Cerebrovascular disease was second leading cause of death based on ASMR for both Status Indians and Other Residents. There were 424 Status Indian deaths in 1992-2002 from cerebrovascular disease, producing an ASMR of 7.1 per 10,000 standard population), compared to 4.7 for Other Residents. In both populations, the ASMRs for cerebrovascular disease were approximately half the rates for ischemic heart disease.

- The 1992-2002 Status Indian ASMRs for ischemic heart disease deaths were higher than the rates for Other Residents in all areas except HSDA 14 Thompson Cariboo Shuswap, and the HSDAs in the Northern Health Authority (51 Northwest, 52 Northern Interior, and 53 Northeast). HSDA 31 Richmond had only seven Status Indian deaths due to ischemic heart disease in the 11 year time period, but it had the highest Status Indian ASMR for this cause (73.6 per 10,000 standard population) and a rate almost eight times that for Other Residents (9.6). HSDA 22 Fraser North had the second highest Status Indian ASMR for ischemic heart disease deaths (59.9) and a rate five times that for Other Residents (12.0).

FIGURE 37
ASMRs FOR CIRCULATORY SYSTEM DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 38
ASMRs FOR ISCHEMIC HEART DISEASE DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- Cerebrovascular disease was second leading cause of death based on ASMR for both Status Indians and Other Residents. There were 424 Status Indian deaths in 1992-2002 from cerebrovascular disease, producing an ASMR of 7.1 per 10,000 standard population), compared to 4.7 for Other Residents. In both populations, the ASMRs for cerebrovascular disease were approximately half the rates for ischemic heart disease.

- The 1992-2002 Status Indian ASMRs for ischemic heart disease deaths were higher than the rates for Other Residents in all

FIGURE 37
ASMRs FOR CIRCULATORY SYSTEM DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 38
ASMRs FOR ISCHEMIC HEART DISEASE DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

areas except HSDA 14 Thompson Cariboo Shuswap, and the HSDAs in the Northern Health Authority (51 Northwest, 52 Northern Interior, and 53 Northeast). HSDA 31 Richmond had only seven Status Indian deaths due to ischemic heart disease in the 11 year time period, but it had the highest Status Indian ASMR for this cause (73.6 per 10,000 standard population) and a rate almost eight times that for Other Residents (9.6). HSDA 22 Fraser North had the second highest Status Indian ASMR for ischemic heart disease deaths (59.9) and a rate five times that for Other Residents (12.0).

FIGURE 39

STATUS INDIAN ASMR, DEATHS DUE TO ISCHEMIC HEART DISEASE BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

RESPIRATORY SYSTEM DISEASES

Respiratory system diseases include pneumonia, influenza, chronic bronchitis, emphysema, asthma, and other chronic airway obstructions.

- There were 617 Status Indian deaths from respiratory system diseases in the 11 year period. The Status Indian ASMR for this cause of death was 10.1 per 10,000 standard population, compared to a rate of 6.1 for Other Residents of the province.

- More than half (50.7%) of the Status Indian deaths from respiratory system diseases were from pneumonia/influenza (313 deaths). Pneumonia/influenza was the fourth leading cause of death in the Status Indian population with an ASMR of 5.0 per 10,000 standard population, almost double the rate of 2.6 for Other Residents.

- Chronic lung disease (chronic bronchitis, emphysema and chronic obstructive pulmonary disease) caused 155 deaths in the Status Indian population between 1992 and 2002. The Status Indian ASMR was 2.8 deaths per 10,000 standard population, slightly higher than the rate of 2.4 for Other Residents.

- The Status Indian ASMR for pneumonia/influenza deaths was higher than the rate for Other Residents in every HSDA except 31 Richmond, where there were no Status Indian deaths from this cause in 1992-2002. HSDA 22 Fraser North had the highest rate of Status Indian deaths from pneumonia/influenza (18.0 per 10,000 standard population), six times the ASMR for Other Residents in this area (3.0).

FIGURE 41
ASMRs FOR PNEUMONIA/INFLUENZA DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

FIGURE 40
ASMRs FOR RESPIRATORY SYSTEM DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 39

Status Indian ASMR, Deaths Due to Ischemic Heart Disease by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Respiratory System Diseases

Respiratory system diseases include pneumonia, influenza, chronic bronchitis, emphysema, asthma, and other chronic airway obstructions.

- There were 617 Status Indian deaths from respiratory system diseases in the 11 year period. The Status Indian ASMR for this cause of death was 10.1 per 10,000 standard population, compared to a rate of 6.1 for Other Residents of the province.

- More than half (50.7%) of the Status Indian deaths from respiratory system diseases were from pneumonia influenza (313 deaths). Pneumonia influenza was the fourth leading cause of death in the Status Indian population with an ASMR of 5.0 per 10,000 standard population, almost double the rate of 2.6 for Other Residents.

- Chronic lung disease (chronic bronchitis, emphysema and chronic obstructive pulmonary disease) caused 155 deaths in the Status Indian population between 1992 and 2002. The Status Indian ASMR was 2.8 deaths per 10,000 standard population, slightly higher than the rate of 2.4 for Other Residents.

- The Status Indian ASMR for pneumonia influenza deaths was higher than the rate for Other Residents in every HSDA except 31 Richmond, where there were no Status Indian deaths from this cause in 1992-2002. HSDA 22 Fraser North had the highest rate of Status Indian deaths from pneumonia influenza (18.0 per 10,000 standard population), six times the ASMR for Other Residents in this area (3.0).

FIGURE 41
ASMRs FOR PNEUMONIA/INFLUENZA DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

FIGURE 40
ASMRs FOR RESPIRATORY SYSTEM DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002

Note: Status Indian rate with 95% confidence interval.

Digestive System Diseases

Digestive system diseases include chronic liver disease/cirrhosis, ulcers, enteritis and colitis, and gastrointestinal hemorrhage.

- There were 597 deaths in the Status Indian population from digestive system diseases in the 1992-2002 period. The Status Indian ASMR for this broad category was 7.6 deaths per 10,000 standard population, three and a half times the rate of 2.2 for Other Residents.

Figure 42
ASMRs for Digestive System Disease Deaths
Status Indian and Other Residents
British Columbia, 1992-2002



Note: Status Indian rate with 95% confidence interval.

Figure 43
ASMRs for Chronic Liver Disease / Cirrhosis Deaths by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The largest sub-category of digestive system diseases was chronic liver disease/cirrhosis which ranked eighth in the list of leading causes of death by ASMR for Status Indians, compared to twenty-third for Other Residents. There were 300 Status Indian deaths from this cause in the 1992-2002 period for an ASMR of 3.4 deaths per 10,000 standard population, almost six times the ASMR of 0.6 for Other Residents.

DIGESTIVE SYSTEM DISEASES

Digestive system diseases include chronic liver disease/cirrhosis, ulcers, enteritis and colitis, and gastrointestinal hemorrhage.

- There were 597 deaths in the Status Indian population from digestive system diseases in the 1992-2002 period. The Status Indian ASMR for this broad category was 7.6 deaths per 10,000 standard population, three and a half times the rate of 2.2 for Other Residents.

FIGURE 42
ASMRs FOR DIGESTIVE SYSTEM DISEASE DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992-2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 43
ASMRs FOR CHRONIC LIVER DISEASE / CIRRHOSIS DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The largest sub-category of digestive system diseases was chronic liver disease/cirrhosis which ranked eighth in the list of leading causes of death by ASMR for Status Indians, compared to twenty-third for Other Residents. There were 300 Status Indian deaths from this cause in the 1992-2002 period for an ASMR of 3.4 deaths per 10,000 standard population, almost six times the ASMR of 0.6 for Other Residents.

- HSDA 32 Vancouver and 13 Okanagan had the highest Status Indian ASMRs for chronic liver disease/cirrhosis deaths in 1992-2002 (6.6 and 5.1 per 10,000 standard population, respectively) and rates that were more than nine times those for Other Residents (0.7 and 0.5). The lowest Status Indian ASMR based on at least five deaths was in 51 Northwest with a rate of 1.1; the rate for Other Residents in this area was 0.6.

Congenital Anomalies

This category consists of birth defects and chromosomal anomalies including Down's Syndrome.

- In the 1992-2002 period, there were 69 deaths from congenital anomalies in the Status Indian population. The ASMR for this cause was 0.4 per 10,000 standard population for Status Indians and 0.3 for Other Residents.

Perinatal Conditions

Deaths from conditions originating in the perinatal period (perinatal complications) include obstetric complications, immaturity, birth asphyxia, and respiratory distress syndrome.

- There were 90 Status Indian deaths from perinatal conditions in the 1992-2002 period, for an ASMR of 0.4 per 10,000 standard population, and the rate for Other Residents was 0.3.

External Causes of Death

Deaths from external causes include motor vehicle accidents, accidental deaths from drowning and submersion, poisoning, falls, and fire and flames, as well as deaths from intentional injuries (suicide and homicide).

Figure 44
ASMRs for External Causes of Death
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

- External causes of death accounted for 2,068 Status Indian deaths or one in four Status Indian deaths (25.5%) in the 11 years. Among Other Residents, only one in 14 deaths (7.1%) was from external causes. The Status Indian ASMR for external causes, 16.6 deaths per 10,000 standard population, was three and a half times the rate for Other Residents (4.7).

- Most deaths due to external causes are under age 75 years old. Almost all (96.9%) of the 1992-2002 Status Indian deaths due to external causes were under age 75, compared to four fifths (79.0%) of Other Resident deaths due to these causes.

- Approximately seven out of ten deaths from external causes were males (67.2% of Status Indian and 70.0% of Other Resident deaths).

- The average Potential Years of Life Lost (PYLL) for deaths from external causes (calculated by dividing the total PYLL by the number of deaths under 75 years of age) was 39.7 years for Status Indians compared to 34.6 years for Other Residents.

FIGURE 45
PYLLSR FOR EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- HSDA 51 Northwest had the lowest 1992-2002 Status Indian PYLL for external causes of death (34.6 per 1,000 standard population), almost twice the rate for Other Residents (19.8). The difference between the Status Indian PYLLs for external causes of death and those for Other Residents was even greater in other areas. HSDA 32 Vancouver had the highest Status Indian PYLL for external causes of death (94.0), almost six times the rate for Other Residents (15.8).

FIGURE 46

STATUS INDIAN ASMR, EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

- External causes of death accounted for 2,068 Status Indian deaths or one in four Status Indian deaths (25.5%) in the 11 years. Among Other Residents, only one in 14 deaths (7.1%) was from external causes. The Status Indian ASMR for external causes, 16.6 deaths per 10,000 standard population, was three and a half times the rate for Other Residents (4.7).

- Most deaths due to external causes are under age 75 years old. Almost all (96.9%) of the 1992-2002 Status Indian deaths due to external causes were under age 75, compared to four fifths (79.0%) of Other Resident deaths due to these causes.

- Approximately seven out of ten deaths from external causes were males (67.2% of Status Indian and 70.0% of Other Resident deaths).

- The average Potential Years of Life Lost (PYLL) for deaths from external causes (calculated by dividing the total PYLL by the number of deaths under 75 years of age) was 39.7 years for Status Indians compared to 34.6 years for Other Residents.

Figure 45
PYLLSR for External Causes of Death by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- HSDA 51 Northwest had the lowest 1992-2002 Status Indian PYLL for external causes of death (34.6 per 1,000 standard population), almost twice the rate for Other Residents (19.8). The difference between the Status Indian PYLLs for external causes of death and those for Other Residents was even greater in other areas. HSDA 32 Vancouver had the highest Status Indian PYLL for external causes of death (94.0), almost six times the rate for Other Residents (15.8).

FIGURE 46

STATUS INDIAN ASMR, EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

MOTOR VEHICLE ACCIDENTS

- Motor vehicle accidents were responsible for the largest number of Status Indian deaths from external causes (496 deaths) in 1992-2002. The Status Indian ASMR for motor vehicle accidents, 3.8 deaths per 10,000 standard population, was almost four times the rate for Other Residents (1.0).

- Two thirds of motor vehicle accident fatalities were males (66.5% of Status Indian and 69.9% of Other Resident deaths in 1992-2002).

FIGURE 47
ASMRs FOR MOTOR VEHICLE ACCIDENTS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 48
ASMRs FOR MOTOR VEHICLE ACCIDENTS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 Status Indian ASMRs for motor vehicle accident fatalities were higher than the rates for Other Residents in all areas. The Status Indian ASMR for motor vehicle accident fatalities was highest in the HSDA 53 Northeast (9.4 per 10,000 standard population) and lowest in 22 Fraser North (1.8).

FIGURE 49

STATUS INDIAN ASMR, DEATHS DUE TO MOTOR VEHICLE ACCIDENTS BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Motor Vehicle Accidents

- Motor vehicle accidents were responsible for the largest number of Status Indian deaths from external causes (496 deaths) in 1992-2002. The Status Indian ASMR for motor vehicle accidents, 3.8 deaths per 10,000 standard population, was almost four times the rate for Other Residents (1.0).

- Two thirds of motor vehicle accident fatalities were males (66.5% of Status Indian and 69.9% of Other Resident deaths in 1992-2002).

Figure 47
ASMRs for Motor Vehicle Accidents
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Figure 48
ASMRs for Motor Vehicle Accidents by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The 1992-2002 Status Indian ASMRs for motor vehicle accident fatalities were higher than the rates for Other Residents in all areas. The Status Indian ASMR for motor vehicle accident fatalities was highest in the HSDA 53 Northeast (9.4 per 10,000 standard population) and lowest in 22 Fraser North (1.8).

FIGURE 49

STATUS INDIAN ASMR, DEATHS DUE TO MOTOR VEHICLE ACCIDENTS BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Health Service Delivery Areas

Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Accidental Poisoning

Accidental poisoning includes poisoning deaths caused by food, plants, chemicals, alcohol, and drugs.

- Accidental poisoning was responsible for 485 Status Indian deaths in 1992-2002 and had the second highest ASMR among external causes of death (after motor vehicle accidents). The Status Indian ASMR for accidental poisoning (3.6 per 10,000 standard population) was four and a half times the rate for Other Residents (0.8).
- Rates of accidental poisoning from 1992 to 2002 followed the same pattern as ASMRs for drug-induced deaths due to a high degree of overlap between the two causes.
- The 1992-2002 average PYLL for accidental poisoning deaths was 37.0 years for Status Indians, similar to the average PYLL years for Other Residents (35.3 years).
- The 1992-2002 ASMRs for Status Indian accidental poisoning deaths ranged from two to nine times the rates for Other Residents in the area. HSDA 32 Vancouver had the highest ASMRs for accidental poisoning (14.2 per 10,000 standard population for Status Indians and 1.8 for Other Residents). The second highest Status Indian ASMR for accidental poisoning deaths, 6.3 per 10,000 standard population in HSDA 22 Fraser North, was less than half the Vancouver rate.

Accidental Falls

- There were 145 Status Indian deaths from accidental falls in 1992-2002, and almost three quarters of these (73.1%) were less than 75 years old. In comparison, only one quarter (24.2%) of Other Resident deaths from accidental falls were under 75 years of age.
- The ASMR for deaths from accidental falls for 1992-2002 was 1.9 per 10,000 standard population for Status Indians and 0.7 for Other Residents.
- The 1992-2002 average PYLL for premature deaths from accidental falls (under 75 years of age) was 27.4 years for Status Indians compared to 22.5 years for Other Residents.

Suicide

- There were 412 Status Indian suicides in the 11 year period; all were less than 75 years old. The Status Indian ASMR for suicide (2.9 per 10,000 standard population) was more than two and a half times the rate for Other Residents (1.1). For Status Indians, suicide was the third highest external cause of death after motor vehicle accidents and accidental

Figure 50
ASMRs for Suicides
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

FIGURE 51
ASMRs FOR SUICIDES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

poisoning. Suicide was responsible for the largest number of Other Resident deaths due to external causes.

- Males accounted for roughly three quarters of the suicide deaths between 1992 and 2002 (73.5% of Status Indian and 77.6% of Other Resident deaths).

- Status Indians were, on average, 11 years younger than Other Residents who committed suicide before age 75; the average PYLL for suicide was 43.0 years for Status Indians compared to 32.0 years for Other Residents.

- The ASMRs for Status Indian suicides were higher than the rates for Other Residents in all areas with at least five deaths from this cause. HSDA 42 Central Vancouver Island and HSDA 22 Fraser North had the highest Status Indian suicide rates (both 4.5 per 10,000 standard population). The Status Indian ASMR was almost four times the rate for Other Residents in 42 Central Vancouver Island (1.2) and four and a half times the rate for Other Residents in 22 Fraser North (1.0).

FIGURE 51
ASMRs FOR SUICIDES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

poisoning. Suicide was responsible for the largest number of Other Resident deaths due to external causes.

- Males accounted for roughly three quarters of the suicide deaths between 1992 and 2002 (73.5% of Status Indian and 77.6% of Other Resident deaths).

- Status Indians were, on average, 11 years younger than Other Residents who committed suicide before age 75; the average PYLL for suicide was 43.0 years for Status Indians compared to 32.0 years for Other Residents.

- The ASMRs for Status Indian suicides were higher than the rates for Other Residents in all areas with at least five deaths from this cause. HSDA 42 Central Vancouver Island and HSDA 22 Fraser North had the highest Status Indian suicide rates (both 4.5 per 10,000 standard population). The Status Indian ASMR was almost four times the rate for Other Residents in 42 Central Vancouver Island (1.2) and four and a half times the rate for Other Residents in 22 Fraser North (1.0).

Figure 52

Status Indian ASMR, Deaths Due to Suicide by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population
Cases with unknown usual residence are excluded. Cases with unknown gender are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

FIGURE 52

STATUS INDIAN ASMR, DEATHS DUE TO SUICIDE BY HEALTH SERVICE DELIVERY AREA

BRITISH COLUMBIA, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with unknown gender are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Homicide

- Between 1992 and 2002, there were 137 Status Indian homicides. The Status Indian ASMR for homicides (1.0 per 10,000 standard population) was five times the rate for Other Residents (0.2).
- Most homicide victims were male (62.8% of Status Indians and 68.9% of Other Residents in 1992-2002).

Figure 53
ASMRs for Homicides
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Figure 54
ASMRs for Deaths Due To Fire and Flames
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Fire and Flames

- Almost one in five (18.0%) accidental deaths from fire and flames in 1992 to 2002 were Status Indians (64 Status Indians out of a total of 355 deaths from this cause). Although the Status Indian ASMR was only 0.6 deaths per 10,000 standard population, this rate was six times the rate for Other Residents (0.1).

Deaths Due To Alcohol, Drugs, Smoking, or Medically Treatable Diseases

Drug-induced deaths include several underlying causes of death. Alcohol-related deaths, smoking attributable mortality (SAM), and deaths due to medically treatable diseases represent ways of grouping deaths based on criteria other than the underlying causes. These groupings are not mutually exclusive; a death due to cervical cancer could be indirectly due to alcohol, counted in SAM, and also be due to a medically treatable disease.

Alcohol-Related Deaths

Alcohol-related deaths include both deaths where the underlying cause of death was directly related to alcohol, such as liver disease/cirrhosis, and 'indirect' alcohol deaths where alcohol was noted on the medical certification of death but the underlying cause of death was not due to alcohol.

Figure 55
ASMRs for Alcohol-Related Deaths
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.
In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993.

In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. The revised forms were not used for the majority of deaths until several years later. As a result, the number of deaths due to alcohol prior to 1993 is not directly comparable to data form 1993 on.

- There were 2,052 alcohol-related deaths in the Status Indian population between 1992 and 2002. The Status Indian ASMR for alcohol-related deaths was 21.7 per 10,000 standard population, more than six times the rate of 3.5 for Other Residents. However, the Status Indian ASMR for alcohol-related deaths has been decreasing since 1998.

- The ASMRs for Status Indian alcohol-related deaths were more than three times the rates for Other Residents in all areas. HSDA 32 Vancouver, with 39.3 deaths per 10,000 standard population, had the highest Status Indian ASMR for alcohol-related deaths and a rate that was more than nine times that of Other Residents (4.3). HSDA 23 Fraser South had the lowest Status Indian rate for alcohol-related deaths based on at least five deaths from this cause (12.5).

FIGURE 56
ASMRs FOR ALCOHOL-RELATED DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

- The ASMRs for Status Indian alcohol-related deaths were more than three times the rates for Other Residents in all areas. HSDA 32 Vancouver, with 39.3 deaths per 10,000 standard population, had the highest Status Indian ASMR for alcohol-related deaths and a rate that was more than nine times that of Other Residents (4.3). HSDA 23 Fraser South had the lowest Status Indian rate for alcohol-related deaths based on at least five deaths from this cause (12.5).

FIGURE 56
ASMRs FOR ALCOHOL-RELATED DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Figure 57

Status Indian ASMR, Alcohol-Related Deaths by Health Service Delivery Area

British Columbia, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with unknown gender are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Drug-Induced Deaths

Drug-induced deaths are limited to underlying causes of death, such as drug use/abuse, accidental poisoning by drugs, suicide by drugs, assault by drugs, and adverse effects of drugs and medications. The majority of drug-induced deaths are due to accidental poisoning.

- There were 501 drug-induced deaths in the Status Indian population in the 11 year period. The ASMR for drug-induced deaths was 3.8 per 10,000 standard population for Status Indians, three and a half times the rate for Other Residents (1.1). The highest Status Indian drug-induced death rate occurred in 1993 (6.9), followed by 1998 (5.2). For Other Residents, the highest rates were also in 1993 (1.3) and 1998 (1.4).

- The 1992-2002 Status Indian ASMRs for drug-induced deaths were equal to or higher than the rates for Other Residents in all areas. HSDA 32 Vancouver had the highest ASMRs for drug-induced deaths for both Status Indians (13.7 per 10,000 standard population) and Other Residents(2.0). HSDA 22 Fraser North had the second highest Status Indian ASMR for drug-induced deaths (8.9) and a rate almost nine times that for Other Residents (1.0). HSDA 13 Okanagan had the lowest ASMR for Status Indian drug-induced deaths (0.9) and a Status Indian rate that was equal to the rate for Other Residents.

Figure 58
ASMRs for Drug-Induced Deaths
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

Figure 59
ASMRs for Drug-Induced Deaths by Health Service Delivery Area
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

Figure 57
Status Indian ASMR, Alcohol-Related Deaths by Health Service Delivery Area
British Columbia, 1992 - 2002



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population
Cases with unknown usual residence are excluded. Cases with unknown gender are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Drug-Induced Deaths

Drug-induced deaths are limited to underlying causes of death, such as drug use/abuse, accidental poisoning by drugs, suicide by drugs, assault by drugs, and adverse effects of drugs and medications. The majority of drug-induced deaths are due to accidental poisoning.

- There were 501 drug-induced deaths in the Status Indian population in the 11 year period. The ASMR for drug-induced deaths was 3.8 per 10,000 standard population for Status Indians, three and a half times the rate for Other Residents (1.1). The highest Status Indian drug-induced death rate occurred in 1993 (6.9), followed by 1998 (5.2). For Other Residents, the highest rates were also in 1993 (1.3) and 1998 (1.4).

- The 1992-2002 Status Indian ASMRs for drug-induced deaths were equal to or higher than the rates for Other Residents in all areas. HSDA 32 Vancouver had the highest ASMRs for drug-induced deaths for both Status Indians (13.7 per 10,000

FIGURE 58
ASMRs FOR DRUG-INDUCED DEATHS
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002

Note: Status Indian rate with 95% confidence interval

FIGURE 59
ASMRs FOR DRUG-INDUCED DEATHS BY HEALTH SERVICE DELIVERY AREA
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1992 - 2002

Note: HSDAs with less than five cases are not shown.
Status Indian rate with 95% confidence interval.

standard population) and Other Residents(2.0). HSDA 22 Fraser North had the second highest Status Indian ASMR for drug-induced deaths (8.9) and a rate almost nine times that for Other Residents (1.0). HSDA 13 Okanagan had the lowest ASMR for Status Indian drug-induced deaths (0.9) and a Status Indian rate that was equal to the rate for Other Residents.

Smoking Attributable Mortality (SAM)

Smoking Attributable Mortality (SAM) is an estimate of the impact of smoking on mortality. Calculation of SAM uses a specified proportion of deaths due to selected cancer, circulatory system diseases, and respiratory system diseases among those aged 35 years or older. The methodology assumes that tobacco use in health service delivery areas is the same as the provincial prevalence.

Note: The values of smoking attributable mortality used in calculations may not be integers, although the tables in this report show the values rounded to integers.

- In the 11 year period, 1,000 Status Indian deaths were attributed to smoking. The provincial ASMR was 15.9 per 10,000 standard population for Status Indians and 12.4 for Other Residents.

Deaths Due To Medically Treatable Diseases

The classification of deaths due to medically treatable diseases was proposed as a way to monitor the health of a population, and consists of deaths that could **potentially** have been avoided through appropriate medical intervention. The cause of death categories include Hodgkin's disease, chronic rheumatic heart disease, pneumonia, influenza, bronchitis, asthma, acute respiratory infections, tuberculosis, bacterial infections, anemia due to nutritional deficiencies, abdominal hernias, appendicitis, cervical cancer, and hypertensive disease. Young children (under the age of five) and seniors (aged 65 years or older) are excluded from all cause of death categories used for this classification, additional age restrictions apply to some causes. See the Glossary for more details.

- There were 147 Status Indian deaths due to medically treatable diseases in the 11 year period. The ASMR for deaths due to medically treatable diseases was 1.2 per 10,000 standard population for Status Indians, four times the rate for Other Residents (0.3).

Figure 60
ASMRs for Deaths Due To Medically Treatable Diseases
Status Indian and Other Residents
British Columbia, 1992 - 2002



Note: Status Indian rate with 95% confidence interval.

HEALTH SERVICE DELIVERY AREA STATISTICS

11/12 EAST KOOTENAY/KOOTENAY BOUNDARY

Health Service Delivery Areas 11 East Kootenay and 12 Kootenay Boundary were combined to avoid small numbers that would result in unreliable rates.

Note: Residents of 11/12 East Kootenay/ Kootenay Boundary may give birth or die in Alberta hospitals, resulting in an undercount of births and deaths in this HSDA.

- The 2,592 Status Indian residents in this area in 2002 represented 1.6% of the population in the HSDA.
- There were 665 Status Indian live births in HSDA 11/12 East Kootenay/ Kootenay Boundary over the 11 years. The Status Indian live birth rate was 29.2 per 1,000 Status Indian population, more than three times the rate for Other Residents in the area (9.2).
- From 1992-2002 the Status Indian population in 11/12 East Kootenay/ Kootenay Boundary had 140 deaths with an ASMR of 146.5 per 10,000 standard population, almost two and a half times the rate of 62.2 for Other Residents.

13 OKANAGAN

- The 8,098 Status Indian residents in this area in 2002 represented 2.6% of the population in the HSDA.
- There were 1,826 Status Indian live births in HSDA 13 Okanagan over the 11 years. The Status Indian live birth rate was 24.6 per 1,000 Status Indian population, more than two and a half times the rate for Other Residents in the area (9.3).
- From 1992-2002 the Status Indian population in 13 Okanagan had 419 deaths with an ASMR of 97.5 per 10,000 standard population, more than one and a half times the rate of 56.6 for Other Residents

14 THOMPSON CARIBOO SHUSWAP

- The 19,933 Status Indian residents in this area in 2002 represented 9.2% of the population in the HSDA.
- There were 3,814 Status Indian live births in HSDA 14 Thompson Cariboo Shuswap over the 11 years. The Status Indian live birth rate was 19.6 per 1,000 Status Indian population, twice the rate for Other Residents in the area (9.6).
- From 1992-2002 the Status Indian population in 14 Thompson Cariboo Shuswap had 1,051 deaths with an ASMR of 86.6 per 10,000 standard population, one and a third times the rate of 65.1 for Other Residents.

21 FRASER EAST

- The 9,703 Status Indian residents in this area in 2002 represented 3.8% of the population in the HSDA.
- There were 2,332 Status Indian live births in HSDA 21 Fraser East over the 11 years. The Status Indian live birth rate was 25.5 per 1,000 Status Indian population, twice the rate for Other Residents in the area (13.0).
- From 1992-2002 the Status Indian population n 21 Fraser East had 468 deaths with an ASMR of 96.3 per 10,000 standard population, more than one and a half times the rate of 61.5 for Other Residents.

22 FRASER NORTH

- The 5,671 Status Indian residents in this area in 2002 represented 1.0% of the population in the HSDA.
- There were 1,836 Status Indian live births in HSDA 22 Fraser North over the 11 years. The Status Indian live birth rate was 37.2 per 1,000 Status Indian population, more than three times the rate for Other Residents in the area (11.6).
- From 1992-2002 the Status Indian population in 22 Fraser North had 363 deaths with an ASMR of 298.8 per 10,000 standard population, almost five times the rate of 62.0 for Other Residents.

23 Fraser South

- The 6,137 Status Indian residents in this area in 2002 represented 1.0% of the population in the HSDA.
- There were 2,057 Status Indian live births in HSDA 23 Fraser South over the 11 years. The Status Indian live birth rate was 41.8 per 1,000 Status Indian population, more than three times the rate for Other Residents in the area (13.1).
- From 1992-2002 the Status Indian population in 23 Fraser South had 282 deaths with an ASMR of 179.5 per 10,000 standard population, more than three times the rate of 56.5 for Other Residents.

31 Richmond

- The 755 Status Indian residents in this area in 2002 represented 0.4% of the population in the HSDA.
- There were 238 Status Indian live births in HSDA 31 Richmond over the 11 years. The Status Indian live birth rate was 32.8 per 1,000 Status Indian population, more than three times the rate for Other Residents in the area (10.4).
- From 1992-2002 the Status Indian population in 31 Richmond had 40 deaths with an ASMR of 226.2 per 10,000 standard population, more than four and a half times the rate of 49.3 for Other Residents.

32 Vancouver

- The 13,417 Status Indian residents in this area in 2002 represented 2.3% of the population in the HSDA.
- There were 2,677 Status Indian live births in HSDA 32 Vancouver over the 11 years. The Status Indian live birth rate was 20.1 per 1,000 Status Indian population, almost twice the rate for Other Residents in the area (10.5).
- From 1992-2002 the Status Indian population in 32 Vancouver had 1,093 deaths with an ASMR of 148.8 per 10,000 standard population, almost two and a half times the rate of 63.3 for Other Residents.

33 North Shore/Coast Garibaldi

- The 11,093 Status Indian residents in this area in 2002 represented 4.1% of the population in the HSDA.
- There were 2,128 Status Indian live births in HSDA 33 North Shore/Coast Garibaldi over the 11 years. The Status Indian live birth rate was 19.0 per 1,000 Status Indian population, almost twice the rate for Other Residents in the area (9.9).
- From 1992-2002 the Status Indian population in 33 North Shore/Coast Garibaldi had 631 deaths with an ASMR of 97.2 per 10,000 standard population, ,more than one and half times the rate of 56.4 for Other Residents.

41 South Vancouver Island

Note: the boundaries of this HSDA reflect changes as of June, 2003.

- The 7,745 Status Indian residents in this area in 2002 represented 2.3% of the population in the HSDA.
- There were 1,890 Status Indian live births in HSDA 41 South Vancouver Island over the 11 years. The Status Indian live birth rate was 25.9 per 1,000 Status Indian population, almost three times the rate for Other Residents in the area (8.9).
- From 1992-2002 the Status Indian population in 41 South Vancouver Island had 405 deaths with an ASMR of 120.8 per 10,000 standard population, twice the rate of 59.1 for Other Residents.

42 Central Vancouver Island

Note: the boundaries of this HSDA reflect changes as of June, 2003.

- The 16,151 Status Indian residents in this area in 2002 represented 6.7% of the population in the HSDA.

- There were 3,756 Status Indian live births in HSDA 42 Central Vancouver Island over the 11 years. The Status Indian live birth rate was 24.1 per 1,000 Status Indian population, more than two and a half times the rate for Other Residents in the area (9.1).
- From 1992-2002 the Status Indian population in 42 Central Vancouver Island had 780 deaths with an ASMR of 95.8 per 10,000 standard population, more than one and a half times the rate of 60.0 for Other Residents.

43 North Vancouver Island

Note: the boundaries of this HSDA reflect changes as of June, 2003.

- The 7,768 Status Indian residents in this area in 2002 represented 6.8% of the population in the HSDA.
- There were 1,729 Status Indian live births in HSDA 43 North Vancouver Island over the 11 years. The Status Indian live birth rate was 22.8 per 1,000 Status Indian population, two and a third times the rate for Other Residents in the area (10.0).
- From 1992-2002 the Status Indian population in 43 North Vancouver Island had 435 deaths with an ASMR of 115.9 per 10,000 standard population, almost twice the rate of 62.3 for Other Residents.

51 Northwest

- The 23,914 Status Indian residents in this area in 2002 represented 28.3% of the population in the HSDA.
- There were 4,822 Status Indian live births in HSDA 51 Northwest over the 11 years. The Status Indian live birth rate was 19.7 per 1,000 Status Indian population, more than one and a half times the rate for Other Residents in the area (12.6).
- From 1992-2002 the Status Indian population in 51 Northwest had 1,131 deaths with an ASMR of 79.3 per 10,000 standard population, slightly higher than the rate of 68.5 for Other Residents.

52 Northern Interior

- The 13,720 Status Indian residents in this area in 2002 represented 9.1% of the population in the HSDA.
- There were 3,225 Status Indian live births in HSDA 52 Northern Interior over the 11 years. The Status Indian live birth rate was 24.8 per 1,000 Status Indian population, more than twice the rate for Other Residents in the area (11.8).
- From 1992-2002 the Status Indian population in 52 Northern Interior had 653 deaths with an ASMR of 95.6 per 10,000 standard population, almost one and a half times the rate of 68.9 for Other Residents.

53 Northeast

Note: Residents of 53 Northeast may give birth or die in Alberta hospitals, resulting in an undercount of births and deaths in this HSDA.

- The 5,061 Status Indian residents in this area in 2002 represented 7.8% of the population in the HSDA.
- There were 1,347 Status Indian live births in HSDA 53 Northeast over the 11 years. The Status Indian live birth rate was 29.6 per 1,000 Status Indian population, more than twice the rate for Other Residents in the area (14.1).
- From 1992-2002 the Status Indian population in 53 Northeast had 190 deaths with an ASMR of 83.4 per 10,000 standard population, slightly higher than the rate of 66.9 for Other Residents.

GLOSSARY

AGE STANDARDIZATION

Age standardized is a method of calculation which adjusts a statistical measure for differences in the age/gender structures between populations. With standardized measures, more meaningful comparisons can be made between genders, different time periods, or geographic areas, because the age standardized statistic is calculated as if all populations had the same age/gender age population distribution.

AGE STANDARDIZED MORTALITY RATE (ASMR)

A summary of age adjusted death rates by age and gender, which have been standardized to a 'standard' population (1991 Canada Census) for the purpose of rate comparisons between genders, different time periods, or different geographic locations. The ASMR is the theoretical number of deaths that would occur per 10,000 population, if the specific population had the same age structure as the standard population.

ALCOHOL-RELATED DEATHS

Alcohol-related deaths are based on the ICD-10 diagnostic categories listed below, for which the resulting deaths are directly attributed to the use or abuse of alcohol. Coding practices from 1995 to 1999 may have produced over-counting of alcohol-related mortality. With the introduction of ICD-10 in 2000, more specific codes are available. Currently produced data should not be used in combination with data produced prior to 2000.

Directly Related to Alcohol

Cause of Death Directly	ICD-10 Code(s)
Alcoholic intoxication	F10.0-F10.1
Alcoholic psychoses and dependence	F10.2-F10.9
Alcoholic liver disease	K70
Alcoholic neurological disorders	G31.2, G62.1, G72.1
Alcoholic cardiomyopathy	I42.6
Alcoholic gastritis	K29.2
Alcoholic chronic pancreatitis	K86.0
Alcohol poisoning	X45, X65
Other causes	E24.4, O35.4, P04.3, Q86.0, R78.0, T51.0-T51.2, T51.9

Alcohol is considered to be a direct cause of death if one of the above conditions is listed as the underlying cause of death on the medical certification of death. If, however, any of the above conditions are listed on the certificate as antecedent causes giving rise to the underlying cause or other significant conditions contributing to the death, the death is considered to be indirectly related to alcohol. ICD-10 codes for deaths indirectly related to alcohol are listed below:

Indirectly Related to Alcohol (excludes codes for directly related to alcohol)

Cause of Death	ICD-10 Code(s)
Infectious/parasitic diseases	A00-B99
Neoplasms	C00-D48
Endocrine/nutritional/metabolic diseases	E00-E24.3, E24.8-E89
Mental and behavioural disorders	F00-F09, F11-F99
Nervous system diseases	G00-G31.1, G31.8-G62.0, G62.2-G72.0, G72.2-G99
Circulatory system diseases	I00-I42.5, I42.7-I99
Respiratory system diseases	J00-J99
Digestive system diseases	K00-K29.1, K29.3-K69, K71.0-K85, K86.1-K92
Genitourinary system diseases	N00-N39, N99.0-N99.1, N99.5
Unintentional injury/accidents	V01-X44, X46-X59, Y40-Y86, Y88
Suicide	X60-X64, X66-X84, Y87.0
Homicide	X85-Y09, Y87.1
Other causes	

ASMR
See **Age Standardized Mortality Rate**

Birth Weight
The first weight of the fetus or newborn after birth. For live births this weight should be measured within the first hour of life before significant postnatal weight loss has occurred. Hospitals in B.C. measure weight in grams; the approximate equivalents in imperial measures are included below for comparisons to other jurisdictions. For statistical and risk assessment purposes, birth weights are grouped as:

Extremely Low Birth Weight	less than 500 grams (< 1 lb 2 oz)
Very Low Birth Weight	less than 1,500 grams (< 3 lb 5 oz)
Low Birth Weight (LBW)	less than 2,500 grams (< 5 lb 8 oz)
"Normal" Birth Weight	2,500 to 4,499 grams (5 lb 8 oz to 9 lb 15 oz)
High Birth Weight	4,500 grams or more (> 9 lb 15 oz)

Cesarean Section (C-Section)
A delivery involving the surgical incision of the abdomen and uterine walls

Confidence Interval
A range of values that includes the true value of a statistic. In this report, 95% confidence intervals are shown (i.e. the true rate will fall within the specified range 95 times out of 100).

Congenital Anomalies
Physical defects that existed or date from birth.

Crude Rates
For live births: the number of births divided by the mid-year population and converted to a rate per 1,000 population.
For birth-related statistics (teenage mother, elderly gravida, C-section, low birth weight, and pre-term): the number of these births divided by the number of live births and converted to a rate per 1,000 live births.
For stillbirths: the number of stillbirths divided by the number of total births (live births plus stillbirths) and converted to a rate per 1,000 total births.
For infant deaths: the number of infant deaths divided by the number of live births and converted to a rate per 1,000 live births.

Drug Induced Deaths
Deaths due to drug induced causes. This category of deaths excludes causes indirectly related to drug use. The causes of death classified as being drug-induced (as shown below) are based on those used by the National Center for Health Statistics[1].

Cause of Death	ICD-10 Code(s)
Psychoactive substance and drug use/abuse	F11-F16, F19
Accidental poisoning by drugs and medicaments	X40-X44
Suicide by drugs and medicaments	X60-X64
Assault by drugs and medicaments	X85
Poisoning by drugs and medicaments, undetermined if accident or intentional	Y10-Y14
Adverse effects of drugs and medicaments	Y40-Y56, Y57.0-Y57.4, Y57.7-Y57.9, Y88.0

[1] National Center for Health Statistics (1993). Technical notes. Monthly Vital Statistics Report. 41 (Suppl. 7), 48.

Early Neonatal Death
Death of a child under seven days of age.

Elderly Gravida
Any woman who was 35 years of age or older at the time of delivery of a live born infant.

External Causes of Death (ICD-10 Codes V01-Y98)

Deaths due to accidents and violence including environmental events, circumstances and conditions as the cause of injury, poisoning, and other adverse effects. Broad categories include accidents, suicides, medical misadventures or abnormal reactions, homicide, legal intervention, and injury from war operations.

Gestational Age

Fetal age or duration of pregnancy measured from the first day of the last normal menstrual period. Gestational age is expressed in completed days or completed weeks (e.g., events occurring 280 to 286 days after the onset of the last normal menstrual period are considered to have occurred at 40 weeks of gestation). Measurements of fetal growth, as they represent continuous variables, are expressed in relation to a specific week of gestational age as follows:

Extremely premature	gestational age of less than 28 weeks
Moderately premature	gestational age of 28 to 36 weeks
Pre-term/Premature	gestational age of less than 37 weeks
Term	gestational age of 37 to 41 weeks
Post-term/Postmature	gestational age of 42 weeks or more

Health Service Delivery Area (HSDA)

A geographic subdivision of the province used by the Health Authorities for administrative purposes.

HIV Disease

In 1987, the World Health Organization added new codes to the *International Classification of Diseases* (ICD) to identify Acquired Immunodeficiency Syndrome (AIDS) and Human Immunodeficiency Virus (HIV). In ICD-10, these conditions are coded to B20-B24 and are called HIV disease.

ICD-10 Codes

The World Health Organization's *International Classification of Diseases and Related Health Problems, Tenth Revision*, implemented by the B.C. Vital Statistics Agency on January 1, 2000 for classification of morbidity and mortality.

Infant Death/Mortality

Death of children under one year of age.

Infant Mortality Rate

The number of deaths of children under one year of age expressed as a rate per 1,000 live births. The infant mortality rate is an internationally accepted indicator of the health status of a population.

LBW

See Low Birth Weight

Live Birth

The *Vital Statistics Act* defines a live birth as "The complete expulsion or extraction from its mother, irrespective of the duration of the pregnancy, of a product of conception in which, after the expulsion or extraction, there is:

(a) breathing;
(b) beating of the heart;
(c) pulsation of the umbilical cord; or
(d) unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta attached.

Low Birth Weight (LBW)

A birth weight of less than 2,500 grams. Low birth weight babies have increased risks of morbidity and premature death.

Medically Treatable Diseases, Deaths Due To

Deaths due to medically treatable diseases are based on Charlton's[2] classification. The disease categories (shown below) are ones for which mortality could **potentially** have been avoided through appropriate medical intervention. The calculation of this measure is based on deaths of a specified age where the underlying cause stated on the medical certification of death falls into one of these categories.

Cause of Death (Age)	ICD-10 Code(s)
Hypertensive disease (5-64)	I10-I15
Cervical cancer (5-64)	C53
Pneumonia and unqualified bronchitis (5-49)	J12-J18.1, J18.8-J18.9, J40
Tuberculosis (5-64)	A15-A19, B90
Asthma (5-49)	J45, J46
Chronic rheumatic heart disease (5-44)	I05-I09
Acute respiratory infections and influenza (5-49)	J00-J06, J20-J22, J10-J11
Bacterial infections (5-64)	A00-A05, A20-A49, B95-B96, G00, H66, H70, H95.0-H95.1, I00-I01, I02.0, I02.9, L01-L08, M00, M02.8, M02.9, M46.2, M86, M87.1
Hodgkin's disease (5-34)	C81
Abdominal hernias, cholecystitis and cholelithiasis, appendicitis (5-64)	K40-K46, K80-K81, K35-K37
Deficiency nutritional anemias (5-64)	D50-D53

[2] Charlton, J.R.H.(1987), Avoidable Deaths and Diseases as Monitors of Health Population. In Abelin,T., Brzezinski,Z.J. & Carstairs, V. (Eds.), Measurement in Health Promotion and Protection (pp 467-479), Copenhagen, Denmark: World Health Organization, Regional Office for Europe.

MVA Deaths
Motor Vehicle Accidental Deaths.

Neonatal Death
Death of a child under 28 days of age.

Observed PYLL
The actual number of potential years of life lost (to age 75) from deaths that occurred in the province to residents of a geographic area in a specified time period.

P-Value
The p-value is the probability of rejecting the null hypothesis when a specified test procedure is used on a given data set. This probability is the smallest level of significance at which the null hypothesis would be rejected. Once the p-value has been determined, the conclusion at any particular level a results from comparing the p-value to a (e.g., 0.05):

(a) p-value < or =α =>reject null hypothesis at level α,

b) p-value >α => do not reject the null hypothesis at level α,
and we call the data statistically significant when the null hypothesis is rejected and not significant otherwise.

Perinatal
Pertaining to or occurring in the period shortly before, during, and after birth.

Population
Mid-year population estimates used in this report were obtained from BC STATS, Ministry of Management Services.

Post Neonatal Death
Death of a child between the ages of 28 days and less than one year.

Potential Years of Life Lost (PYLL)
The number of years of life lost when a person dies before a specified age (75 years). In this report, all deaths are assumed to occur at the midpoint of five-year age groups.

Premature or Pre-Term Birth
See **Gestational Age**

SAM
See **Smoking Attributable Mortality**

SIDS
Sudden Infant Death Syndrome.

Smoking Attributable Mortality

The absence on death certifications of complete and reliable data on smoking as a contributing factor requires that estimation or other techniques be used to approximate the extent of smoking attributable deaths. The method used here is based on the concept of attributable risk. The number of adult (35+ years of age) smoking deaths in British Columbia were estimated for the disease categories listed below and weighted by a percentage reflecting the proportion of these deaths attributed to smoking:

Cause of Death ICD-10 Code(s)
Malignant Neoplasms
Malignant neoplasm of lip, oral cavity, and pharynx C00-C14
Malignant neoplasm of esophagus C15
Malignant neoplasm of pancreas C25
Malignant neoplasm of larynx C32
Malignant neoplasm of trachea, lung, and bronchus C33-C34
Malignant neoplasm of cervix, uterus C53-C55
Malignant neoplasm of urinary bladder C67
Malignant neoplasm of kidney and other unspecified urinary organs C64-C66, C68
Circulatory System Diseases
Hypertension I10-I13
Ischemic heart disease I20-I25
Other heart diseases I01-I09, I27, I30-I52
Cerebrovascular disease I60-I69
Atherosclerosis I70
Aortic aneurysm I71
Other arterial diseases I26, I28, I72-I78
Respiratory System Diseases
Pneumonia/influenza J10-J18.1, J18.8-J18.9
Bronchitis, emphysema J40-J43
Chronic obstructive pulmonary disease J44
Other respiratory diseases A15-A19, J45-J46

The American Society's Cancer Prevention Study (CPS-II) 1982–1988[3] established the age groups and the classification of smokers (current, former, and never) for which smoking prevalence data were required. B.C. prevalence rates for smoking were provided in the *Tobacco Use in B.C. (1997)* survey commissioned by the B.C. and Yukon Health and Stroke Foundation[4].

[3] Centers for Disease Control (1990). *Smoking and health: A national status report*. (DHSS publication no. (CDC) 87–8396). 2nd Edition. Rockville, MD: U.S. Department of Health and Human Services.

[4] Tobacco Use in B.C., ANGUS REID GROUP survey results, September 1997.

Standard Population

A reference population of known age distribution used in the calculation of standardized indicators to adjust for variations in population age structures in different geographic areas or time periods. The 1991 Canadian Census is used as the standard population in the calculation of ASMR.

Stillbirth

The *Vital Statistics Act* defines a stillbirth as "The complete expulsion or extraction from its mother after at least 20 weeks of pregnancy, or after attaining a weight of at least 500 grams, of a product of conception in which, after the expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle."

Stillbirth Rate
See **Crude Rates**

Teenage Mothers
Mothers less than 20 years of age at the time of delivery.

Total Births
The number of live births plus stillbirths.

Total PYLL
The total number of potential years of life lost prior to an established cut-off point of 75 years.

UCOD
See **Underlying Cause of Death**.

Underlying Cause of Death (UCOD)
The World Health Organization defines the underlying cause of death as "(a) the disease of injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury".

APPENDIX 1

POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

1992 Status Indian Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	23	67	86	71	70	72	69	64	47	51	21	24	19	8	11	3	10	716
	F	30	103	60	62	57	71	88	83	57	37	40	20	14	11	7	6	17	763
	T	53	170	146	133	127	143	157	147	104	88	61	44	33	19	18	9	27	1,479
13 Okanagan	M	66	243	269	244	240	216	233	222	196	169	125	89	66	58	43	29	36	2,544
	F	77	248	249	221	226	233	297	264	239	190	110	108	58	63	41	26	38	2,688
	T	143	491	518	465	466	449	530	486	435	359	235	197	124	121	84	55	74	5,232
14 Thompson Cariboo Shuswap	M	185	731	720	689	701	718	749	693	566	467	326	255	193	175	117	75	129	7,489
	F	180	644	692	657	664	708	801	716	655	459	342	255	182	162	121	76	142	7,456
	T	365	1,375	1,412	1,346	1,365	1,426	1,550	1,409	1,221	926	668	510	375	337	238	151	271	14,945
21 Fraser East	M	111	354	351	310	309	274	301	304	249	189	158	107	81	54	39	33	37	3,261
	F	99	303	319	333	299	301	325	359	308	215	144	92	90	75	30	34	53	3,379
	T	210	657	670	643	608	575	626	663	557	404	302	199	171	129	69	67	90	6,640
22 Fraser North	M	71	179	132	125	105	157	171	124	103	75	48	29	21	18	4	3	6	1,371
	F	70	179	121	102	99	190	188	161	122	90	63	56	33	15	17	11	6	1,523
	T	141	358	253	227	204	347	359	285	225	165	111	85	54	33	21	14	12	2,894
23 Fraser South	M	83	214	123	106	85	119	127	134	79	57	40	30	20	22	14	7	9	1,269
	F	72	166	132	94	102	143	180	143	109	86	59	52	37	24	17	5	4	1,425
	T	155	380	255	200	187	262	307	277	188	143	99	82	57	46	31	12	13	2,694
31 Richmond	M	13	37	23	13	23	26	30	18	21	8	13	6	5	4	0	2	0	242
	F	17	28	25	14	22	16	31	32	24	17	19	8	9	5	2	1	2	272
	T	30	65	48	27	45	42	61	50	45	25	32	14	14	9	2	3	2	514
32 Vancouver	M	163	472	465	447	420	422	572	595	496	325	240	160	107	55	31	14	23	5,007
	F	151	478	418	407	418	481	598	599	518	378	271	152	97	53	41	32	36	5,128
	T	314	950	883	854	838	903	1,170	1,194	1,014	703	511	312	204	108	72	46	59	10,135
33 North Shore/ Coast Garibaldi	M	130	452	479	405	407	402	468	481	359	280	209	180	126	102	73	41	67	4,661
	F	102	376	475	394	394	387	517	517	400	272	208	144	111	103	74	45	62	4,581
	T	232	828	954	799	801	790	985	998	759	552	417	324	237	205	147	86	129	9,243
41 South Vancouver Island	M	87	252	273	259	247	251	238	229	194	164	98	62	44	33	30	15	35	2,511
	F	69	272	249	249	246	304	314	288	260	158	102	76	71	39	24	18	28	2,767
	T	156	524	522	508	493	555	552	517	454	322	200	138	115	72	54	33	63	5,278
42 Central Vancouver Island	M	201	701	707	601	582	561	512	501	392	311	215	145	122	102	60	41	66	5,820
	F	179	606	656	595	601	632	637	594	523	337	216	173	113	93	64	51	92	6,162
	T	380	1,307	1,363	1,196	1,183	1,193	1,149	1,095	915	648	431	318	235	195	124	92	158	11,982
43 North Vancouver Island	M	75	305	300	309	264	252	257	241	240	188	131	116	78	50	38	21	39	2,904
	F	95	288	298	261	285	245	312	379	282	179	145	93	79	42	44	30	34	3,091
	T	170	593	598	570	549	497	569	620	522	367	277	209	157	92	82	51	73	5,996
51 Northwest	M	281	1,015	1,020	922	1,002	964	955	915	761	560	476	322	273	214	153	117	178	10,128
	F	241	878	1,005	779	927	1,007	1,053	1,019	880	600	426	309	228	202	133	119	186	9,992
	T	522	1,893	2,025	1,701	1,929	1,971	2,008	1,934	1,641	1,160	902	631	501	416	286	236	364	20,120
52 Northern Interior	M	156	517	564	478	506	496	445	433	334	226	173	134	89	85	60	47	86	4,829
	F	163	518	497	492	486	497	556	453	353	252	179	148	94	84	64	43	71	4,950
	T	319	1,035	1,061	970	992	993	1,001	886	687	478	352	282	183	169	124	90	157	9,779
53 Northeast	M	50	210	156	150	123	133	134	146	87	89	51	44	31	19	21	12	17	1,473
	F	53	185	163	123	155	180	160	143	119	79	70	44	28	28	22	13	22	1,587
	T	103	395	319	273	278	313	294	289	206	168	121	88	59	47	43	25	39	3,060
Provincial Total	**M**	**1,695**	**5,749**	**5,668**	**5,129**	**5,086**	**5,064**	**5,263**	**5,100**	**4,125**	**3,161**	**2,325**	**1,703**	**1,275**	**999**	**694**	**460**	**738**	**54,234**
	F	**1,598**	**5,272**	**5,359**	**4,785**	**4,981**	**5,395**	**6,057**	**5,750**	**4,850**	**3,349**	**2,394**	**1,730**	**1,244**	**999**	**702**	**510**	**794**	**55,769**
	T	**3,293**	**11,021**	**11,027**	**9,914**	**10,067**	**10,460**	**11,320**	**10,850**	**8,975**	**6,510**	**4,720**	**3,433**	**2,519**	**1,998**	**1,396**	**970**	**1,532**	**110,005**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1992 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
11/12 East Kootenay/ Kootenay Boundary	M	930	4,033	5,657	5,782	5,325	4,437	4,357	5,911	6,546	6,207	4,995	3,876	3,615	3,652	3,127	2,371	3,493	74,314
	F	895	3,848	5,446	5,350	4,840	4,006	4,416	5,781	6,327	5,876	4,503	3,731	3,332	3,277	3,276	2,810	4,502	72,216
	T	1,825	7,881	11,103	11,132	10,165	8,443	8,773	11,692	12,873	12,083	9,498	7,607	6,947	6,929	6,403	5,181	7,995	146,530
13 Okanagan	M	1,491	6,422	8,620	8,403	7,933	7,335	7,636	9,427	9,405	9,057	7,545	6,336	6,351	7,099	7,072	6,054	8,417	124,603
	F	1,364	6,024	8,204	8,002	7,429	6,841	7,734	9,733	10,001	9,156	7,799	6,729	6,535	7,408	8,000	7,103	10,632	128,694
	T	2,855	12,446	16,824	16,405	15,362	14,176	15,370	19,160	19,406	18,213	15,344	13,065	12,886	14,507	15,072	13,157	19,049	253,297
14 Thompson Cariboo Shuswap	M	1,126	4,830	6,946	6,952	6,547	5,412	5,447	6,852	7,317	7,241	6,077	5,010	4,580	4,488	3,768	2,603	3,020	88,216
	F	1,018	4,643	6,379	6,621	5,916	5,010	5,506	7,027	7,319	6,913	5,785	4,676	4,157	3,995	3,649	2,832	3,770	85,216
	T	2,144	9,473	13,325	13,573	12,463	10,422	10,953	13,879	14,636	14,154	11,862	9,686	8,737	8,483	7,417	5,435	6,790	173,432
21 Fraser East	M	1,590	6,439	7,954	7,208	6,426	6,333	7,561	8,494	7,843	6,826	5,533	4,273	4,020	4,328	4,141	3,556	4,624	97,149
	F	1,457	6,098	7,447	6,669	5,835	5,843	7,050	8,053	7,485	6,348	5,222	4,223	4,044	4,387	4,824	4,059	6,277	95,321
	T	3,047	12,537	15,401	13,877	12,261	12,176	14,611	16,547	15,328	13,174	10,755	8,496	8,064	8,715	8,965	7,615	10,901	192,470
22 Fraser North	M	3,028	12,079	13,827	12,831	13,102	17,297	20,524	21,703	19,307	17,086	13,789	10,634	9,196	8,471	7,054	5,292	7,316	212,536
	F	2,859	11,468	13,348	12,095	12,502	16,968	19,666	20,938	18,788	16,847	13,468	10,531	8,890	8,611	8,140	7,430	12,830	215,379
	T	5,887	23,547	27,175	24,926	25,604	34,265	40,190	42,641	38,095	33,933	27,257	21,165	18,086	17,082	15,194	12,722	20,146	427,915
23 Fraser South	M	3,695	12,502	18,312	16,977	16,502	16,524	18,220	21,009	20,475	19,026	16,462	12,111	9,630	8,698	7,708	6,288	8,051	232,190
	F	3,562	12,289	17,189	16,303	15,578	15,587	17,769	20,889	21,003	19,227	15,464	11,012	9,204	8,876	8,923	7,883	11,897	232,655
	T	7,257	24,791	35,501	33,280	32,080	32,111	35,989	41,898	41,478	38,253	31,926	23,123	18,834	17,574	16,631	14,171	19,948	464,845
31 Richmond	M	878	3,588	4,661	4,866	4,692	4,887	5,303	5,649	5,750	5,865	4,800	3,617	2,918	2,537	2,010	1,632	2,131	65,784
	F	818	3,387	4,401	4,467	4,322	4,695	5,452	6,023	6,267	6,294	4,937	3,512	2,953	2,651	2,481	2,183	3,440	68,283
	T	1,696	6,975	9,062	9,333	9,014	9,582	10,755	11,672	12,017	12,159	9,737	7,129	5,871	5,188	4,491	3,815	5,571	134,067
32 Vancouver	M	2,574	10,055	11,438	11,092	12,805	21,000	28,800	26,565	22,155	20,386	15,165	11,885	11,120	11,055	8,818	7,000	11,355	243,268
	F	2,364	9,506	10,869	10,661	12,738	21,712	26,293	24,829	21,435	19,368	14,774	11,667	10,559	10,921	10,020	9,830	20,315	247,861
	T	4,938	19,561	22,307	21,753	25,543	42,712	55,093	51,394	43,590	39,754	29,939	23,552	21,679	21,976	18,838	16,830	31,670	491,129
33 North Shore/ Coast Garibaldi	M	1,464	5,716	7,082	6,621	6,830	7,561	8,091	9,544	9,712	9,420	8,675	6,522	5,555	5,448	4,498	3,495	4,467	110,701
	F	1,344	5,628	6,804	6,458	6,405	7,268	8,195	9,817	9,995	9,641	8,436	6,419	5,517	5,437	5,143	4,378	7,579	114,464
	T	2,808	11,344	13,886	13,079	13,235	14,828	16,286	19,361	19,707	19,061	17,111	12,941	11,072	10,885	9,641	7,873	12,046	225,164
41 South Vancouver Island	M	1,743	7,084	8,900	8,601	8,820	11,298	12,312	12,506	12,126	11,844	9,838	7,133	6,456	6,845	7,187	6,708	9,551	148,952
	F	1,669	6,908	8,539	8,217	8,475	10,797	11,438	12,769	12,856	12,227	9,846	7,564	6,794	7,564	9,103	8,762	16,268	159,796
	T	3,412	13,992	17,439	16,818	17,295	22,095	23,750	25,275	24,982	24,071	19,684	14,697	13,250	14,409	16,290	15,470	25,819	308,748
42 Central Vancouver Island	M	1,186	5,125	6,716	6,713	6,151	5,332	5,815	7,445	7,891	7,688	6,479	5,234	4,732	5,353	5,301	4,125	4,736	96,022
	F	1,131	5,024	6,494	6,512	5,728	5,004	5,758	7,508	8,168	7,289	6,199	4,945	4,684	5,255	5,530	4,714	6,250	96,193
	T	2,317	10,149	13,210	13,225	11,879	10,336	11,573	14,953	16,059	14,977	12,678	10,179	9,416	10,608	10,831	8,839	10,986	192,215
43 North Vancouver Island	M	637	2,884	4,062	3,851	3,165	2,718	3,427	4,375	4,374	4,142	3,560	2,667	2,429	2,214	1,758	1,277	1,439	48,979
	F	619	2,797	3,738	3,666	2,917	2,532	3,328	4,185	4,254	3,913	3,082	2,351	2,094	1,799	1,905	1,470	1,941	46,591
	T	1,256	5,681	7,800	7,517	6,082	5,250	6,755	8,560	8,628	8,055	6,641	5,018	4,523	4,013	3,663	2,747	3,380	95,569
51 Northwest	M	528	2,341	3,009	2,872	2,549	2,393	2,776	3,427	3,336	2,991	2,449	1,858	1,424	1,241	736	496	475	34,901
	F	519	2,292	2,884	2,722	2,230	2,104	2,474	3,036	2,817	2,482	2,024	1,440	1,127	897	734	503	614	30,899
	T	1,047	4,633	5,893	5,594	4,779	4,497	5,250	6,463	6,153	5,473	4,473	3,298	2,551	2,138	1,470	999	1,089	65,800
52 Northern Interior	M	976	4,494	5,913	5,895	5,334	4,884	5,328	6,267	6,375	5,622	4,644	3,533	2,869	2,504	1,716	1,034	1,135	68,523
	F	964	4,100	5,661	5,607	5,083	4,554	5,163	5,994	6,128	5,103	4,120	3,039	2,345	1,906	1,495	1,125	1,359	63,746
	T	1,940	8,594	11,574	11,502	10,417	9,438	10,491	12,261	12,503	10,725	8,764	6,572	5,214	4,410	3,211	2,159	2,494	132,269
53 Northeast	M	489	2,086	2,754	2,453	2,189	2,255	2,702	3,085	2,763	2,096	1,710	1,316	1,216	934	701	433	568	29,750
	F	463	2,017	2,535	2,275	2,044	2,008	2,460	2,792	2,421	1,857	1,523	1,169	1,013	772	566	474	727	27,116
	T	952	4,103	5,289	4,728	4,233	4,263	5,162	5,877	5,184	3,953	3,233	2,485	2,229	1,706	1,267	907	1,295	56,866
Provincial Total	**M**	**22,335**	**89,678**	**115,851**	**111,117**	**108,368**	**119,665**	**138,297**	**152,259**	**145,374**	**135,495**	**111,720**	**86,005**	**76,111**	**74,867**	**65,595**	**52,364**	**70,778**	**1,675,879**
	F	**21,046**	**86,029**	**109,938**	**105,623**	**102,042**	**114,929**	**132,702**	**149,374**	**145,263**	**132,541**	**107,182**	**83,008**	**73,248**	**73,756**	**73,788**	**65,556**	**108,400**	**1,684,425**
	T	**43,381**	**175,707**	**225,789**	**216,740**	**210,410**	**234,593**	**270,999**	**301,633**	**290,637**	**268,036**	**218,901**	**169,013**	**149,359**	**148,623**	**139,383**	**117,920**	**179,178**	**3,360,302**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1993 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																	
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	30	74	85	77	70	68	79	66	48	57	27	25	16	15	11	4	10	762
	F	23	106	77	57	66	73	75	99	67	37	46	22	16	13	9	6	19	811
	T	53	180	162	134	136	141	154	165	115	94	73	47	32	28	20	10	29	1,573
13 Okanagan	M	94	262	276	250	259	239	223	239	201	190	133	94	72	63	42	33	40	2,710
	F	85	281	255	248	224	243	297	284	256	208	131	108	67	64	51	24	42	2,868
	T	179	543	531	498	483	482	520	523	457	398	264	202	139	127	93	57	82	5,578
14 Thompson Cariboo Shuswap	M	186	770	746	717	701	737	725	722	619	465	361	272	199	183	131	76	138	7,748
	F	171	684	724	672	687	703	740	818	631	528	379	260	201	171	128	86	152	7,735
	T	357	1,454	1,470	1,389	1,388	1,440	1,465	1,540	1,250	993	740	532	400	354	259	162	290	15,483
21 Fraser East	M	113	395	365	337	325	299	306	337	253	208	180	113	86	68	38	38	42	3,503
	F	102	345	347	337	324	289	340	390	308	257	167	100	89	82	35	39	56	3,607
	T	215	740	712	674	649	588	646	727	561	465	347	213	175	150	73	77	98	7,110
22 Fraser North	M	98	228	160	128	120	163	187	156	96	83	54	33	25	23	4	2	6	1,566
	F	83	222	136	106	105	211	219	186	121	98	75	56	44	18	17	9	10	1,716
	T	181	450	296	234	225	374	406	342	217	181	129	89	69	41	21	11	16	3,282
23 Fraser South	M	77	274	157	125	101	123	144	152	107	67	48	36	23	23	18	10	8	1,493
	F	80	234	146	96	119	158	172	187	125	95	68	54	49	24	23	6	5	1,641
	T	157	508	303	221	220	281	316	339	232	162	116	90	72	47	41	16	13	3,134
31 Richmond	M	9	43	20	17	25	27	35	20	16	11	12	7	7	5	0	2	0	256
	F	15	41	25	16	16	19	30	40	23	22	20	10	8	6	3	1	2	297
	T	24	84	45	33	41	46	65	60	39	33	32	17	15	11	3	3	2	553
32 Vancouver	M	135	565	511	441	444	487	580	671	543	377	263	182	116	70	41	18	25	5,469
	F	144	529	469	372	469	519	584	671	539	411	300	193	122	64	45	34	40	5,505
	T	279	1,094	980	813	913	1,006	1,164	1,342	1,082	788	563	375	238	134	86	52	65	10,974
33 North Shore/ Coast Garibaldi	M	91	470	479	429	386	412	439	483	353	295	226	178	131	106	76	47	66	4,669
	F	117	378	462	396	405	370	455	551	400	291	207	165	118	97	80	53	61	4,606
	T	208	848	941	825	791	783	894	1,034	753	586	435	343	249	203	156	100	127	9,276
41 South Vancouver Island	M	81	306	276	273	264	265	245	254	188	172	113	63	56	33	28	19	32	2,668
	F	83	302	252	269	248	317	311	314	265	184	116	85	66	52	29	19	31	2,943
	T	164	608	528	542	512	582	556	568	453	356	229	148	122	85	57	38	63	5,611
42 Central Vancouver Island	M	202	724	736	624	580	594	521	517	409	349	233	149	130	106	67	43	67	6,051
	F	171	660	636	607	619	621	628	630	544	371	241	172	128	110	63	59	95	6,355
	T	373	1,384	1,372	1,231	1,199	1,215	1,149	1,147	953	720	474	321	258	216	130	102	162	12,406
43 North Vancouver Island	M	82	309	301	305	286	243	254	254	230	197	136	109	88	54	41	25	37	2,951
	F	79	314	306	262	282	245	289	379	278	206	153	104	84	54	38	36	39	3,148
	T	161	623	607	567	568	488	543	633	508	403	290	213	172	108	79	61	76	6,100
51 Northwest	M	242	1,034	1,050	928	1,004	955	919	971	778	583	493	353	285	218	161	115	194	10,283
	F	227	943	1,006	828	898	960	1,022	1,097	871	668	460	330	261	185	167	118	192	10,233
	T	469	1,977	2,056	1,756	1,902	1,915	1,941	2,068	1,649	1,251	953	683	546	403	328	233	386	20,516
52 Northern Interior	M	160	573	578	510	510	511	453	461	341	256	179	134	103	87	53	51	87	5,047
	F	135	576	512	523	509	483	577	495	357	290	185	160	105	92	65	46	80	5,190
	T	295	1,149	1,090	1,033	1,019	994	1,030	956	698	546	364	294	208	179	118	97	167	10,237
53 Northeast	M	67	224	171	158	139	125	136	155	102	99	67	44	31	21	18	16	19	1,592
	F	68	211	180	126	165	181	176	154	130	94	67	57	33	30	26	16	22	1,736
	T	135	435	351	284	304	306	312	309	232	193	134	101	64	51	44	32	41	3,328
Provincial Total	**M**	**1,667**	**6,251**	**5,911**	**5,319**	**5,215**	**5,249**	**5,247**	**5,459**	**4,285**	**3,411**	**2,527**	**1,793**	**1,368**	**1,075**	**730**	**500**	**771**	**56,778**
	F	**1,583**	**5,826**	**5,533**	**4,917**	**5,136**	**5,392**	**5,915**	**6,295**	**4,916**	**3,760**	**2,615**	**1,876**	**1,391**	**1,062**	**781**	**552**	**847**	**58,397**
	T	**3,250**	**12,077**	**11,444**	**10,236**	**10,351**	**10,642**	**11,162**	**11,754**	**9,201**	**7,171**	**5,143**	**3,669**	**2,759**	**2,137**	**1,511**	**1,052**	**1,618**	**115,177**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1993 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

Health Region	Gender	Age Group (in years)																	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
11/12 East Kootenay/ Kootenay Boundary	M	840	4,085	5,607	5,971	5,284	4,596	4,287	5,799	6,678	6,358	5,404	4,070	3,681	3,672	3,276	2,485	3,528	75,621
	F	815	3,889	5,379	5,565	4,763	4,133	4,269	5,834	6,525	5,977	4,880	3,948	3,447	3,335	3,296	2,879	4,733	73,667
	T	1,655	7,974	10,986	11,536	10,047	8,729	8,556	11,633	13,203	12,335	10,284	8,018	7,128	7,007	6,572	5,364	8,261	149,288
13 Okanagan	M	1,439	6,659	8,969	8,925	8,246	7,774	7,815	9,895	10,164	9,538	8,242	6,789	6,669	7,193	7,167	6,336	8,666	130,486
	F	1,480	6,167	8,648	8,353	7,719	7,288	7,801	10,236	10,717	9,756	8,478	7,251	6,869	7,557	7,964	7,465	11,185	134,934
	T	2,919	12,826	17,617	17,278	15,965	15,062	15,616	20,131	20,881	19,294	16,720	14,040	13,538	14,750	15,131	13,801	19,851	265,420
14 Thompson Cariboo Shuswap	M	1,070	4,893	6,969	7,163	6,616	5,881	5,413	7,023	7,581	7,392	6,522	5,305	4,666	4,600	3,914	2,758	3,074	90,840
	F	991	4,594	6,464	6,823	5,926	5,416	5,436	7,105	7,662	7,181	6,181	4,973	4,323	4,042	3,726	3,026	4,007	87,876
	T	2,061	9,487	13,433	13,986	12,542	11,297	10,849	14,128	15,243	14,573	12,703	10,278	8,989	8,642	7,640	5,784	7,081	178,716
21 Fraser East	M	1,536	6,644	8,287	7,617	6,734	6,628	7,621	8,941	8,409	7,133	5,971	4,621	4,086	4,427	4,188	3,695	4,803	101,341
	F	1,578	6,201	7,770	7,057	6,088	6,160	7,181	8,371	8,001	6,721	5,632	4,569	4,157	4,458	4,878	4,259	6,510	99,591
	T	3,114	12,845	16,057	14,674	12,822	12,788	14,802	17,312	16,410	13,854	11,603	9,190	8,243	8,885	9,066	7,954	11,313	200,932
22 Fraser North	M	3,059	12,290	14,319	13,455	13,596	17,232	20,541	22,509	20,278	17,657	14,758	11,214	9,387	8,610	7,152	5,509	7,440	219,006
	F	2,769	11,643	13,669	12,828	12,802	16,787	19,483	21,634	19,879	17,489	14,518	11,219	9,069	8,780	8,161	7,626	13,234	221,590
	T	5,828	23,933	27,988	26,283	26,398	34,019	40,024	44,143	40,157	35,146	29,276	22,433	18,456	17,390	15,313	13,135	20,674	440,596
23 Fraser South	M	3,706	13,889	18,350	17,855	17,072	17,312	18,606	21,772	21,339	19,415	17,646	13,200	10,051	8,939	7,946	6,631	8,472	242,201
	F	3,584	13,682	17,439	17,097	15,850	16,405	17,843	21,567	21,846	19,781	17,028	12,157	9,669	9,017	8,970	8,396	12,435	242,766
	T	7,290	27,571	35,789	34,952	32,922	33,717	36,449	43,339	43,185	39,196	34,674	25,357	19,720	17,956	16,916	15,027	20,907	484,967
31 Richmond	M	868	3,643	4,720	5,051	4,989	4,918	5,311	5,778	5,885	6,050	5,217	3,776	2,963	2,699	2,087	1,771	2,266	67,992
	F	841	3,417	4,459	4,637	4,503	4,719	5,325	6,248	6,521	6,545	5,367	3,732	3,010	2,798	2,569	2,347	3,589	70,627
	T	1,709	7,060	9,179	9,688	9,492	9,637	10,636	12,026	12,406	12,595	10,584	7,508	5,973	5,497	4,656	4,118	5,855	138,619
32 Vancouver	M	2,748	10,078	11,573	11,248	12,693	20,651	28,281	27,557	22,755	20,528	16,301	12,096	10,904	11,101	8,950	7,130	11,187	245,781
	F	2,545	9,329	10,944	10,823	13,008	21,528	26,458	25,162	21,781	19,669	15,703	11,892	10,652	10,914	9,868	9,774	20,109	250,159
	T	5,293	19,407	22,517	22,071	25,701	42,179	54,739	52,719	44,536	40,197	32,004	23,988	21,556	22,015	18,818	16,904	31,296	495,940
33 North Shore/ Coast Garibaldi	M	1,427	5,921	7,142	7,020	6,957	7,679	8,082	9,656	10,000	9,561	9,108	6,876	5,607	5,399	4,585	3,568	4,565	113,153
	F	1,285	5,649	7,096	6,754	6,392	7,305	8,111	9,939	10,410	9,917	8,898	6,810	5,558	5,494	5,043	4,552	7,765	116,978
	T	2,712	11,570	14,238	13,774	13,349	14,983	16,193	19,595	20,410	19,478	18,006	13,686	11,165	10,893	9,628	8,120	12,330	230,130
41 South Vancouver Island	M	1,742	7,058	8,921	8,930	9,047	11,538	12,270	12,911	12,341	12,157	10,435	7,623	6,449	6,772	6,866	6,931	9,673	151,664
	F	1,582	6,879	8,621	8,510	8,689	11,065	11,477	12,863	13,078	12,524	10,780	7,875	6,922	7,351	8,779	9,037	16,661	162,693
	T	3,324	13,937	17,542	17,440	17,736	22,603	23,747	25,774	25,419	24,681	21,215	15,498	13,371	14,123	15,645	15,968	26,334	314,357
42 Central Vancouver Island	M	1,166	5,241	6,888	7,065	6,381	5,644	5,881	7,648	8,249	8,018	7,004	5,686	4,945	5,455	5,403	4,374	4,894	99,942
	F	1,114	5,076	6,756	6,855	5,785	5,410	5,850	7,671	8,539	7,677	6,750	5,499	4,869	5,365	5,480	4,982	6,599	100,277
	T	2,280	10,317	13,644	13,920	12,166	11,054	11,731	15,319	16,788	15,695	13,754	11,185	9,814	10,820	10,883	9,356	11,493	200,219
43 North Vancouver Island	M	615	2,909	4,142	4,068	3,282	2,819	3,347	4,493	4,654	4,305	3,775	2,928	2,508	2,303	1,797	1,326	1,519	50,790
	F	645	2,824	3,837	3,815	2,976	2,691	3,265	4,314	4,531	4,024	3,410	2,596	2,149	1,916	1,850	1,585	2,009	48,437
	T	1,260	5,733	7,979	7,883	6,258	5,510	6,612	8,807	9,185	8,329	7,184	5,524	4,657	4,219	3,647	2,911	3,528	99,226
51 Northwest	M	502	2,271	2,994	2,914	2,534	2,436	2,740	3,299	3,398	3,034	2,480	1,936	1,416	1,230	780	517	469	34,950
	F	499	2,218	2,771	2,749	2,214	2,167	2,376	2,991	2,947	2,500	2,078	1,551	1,092	920	692	534	642	30,941
	T	1,001	4,489	5,765	5,663	4,748	4,603	5,116	6,290	6,345	5,534	4,558	3,487	2,508	2,150	1,472	1,051	1,111	65,891
52 Northern Interior	M	956	4,303	5,968	5,972	5,447	5,081	5,269	6,402	6,466	5,775	4,897	3,743	2,929	2,608	1,795	1,072	1,221	69,904
	F	946	4,110	5,582	5,688	5,140	4,785	5,087	6,090	6,240	5,314	4,399	3,142	2,393	1,964	1,554	1,182	1,451	65,067
	T	1,902	8,413	11,550	11,660	10,587	9,866	10,356	12,492	12,706	11,089	9,296	6,885	5,322	4,572	3,349	2,254	2,672	134,971
53 Northeast	M	452	2,080	2,673	2,504	2,200	2,280	2,560	3,051	2,854	2,172	1,742	1,362	1,207	958	723	448	576	29,842
	F	500	1,966	2,533	2,322	2,005	2,009	2,341	2,786	2,451	1,921	1,608	1,174	1,027	802	572	512	721	27,250
	T	952	4,046	5,206	4,826	4,205	4,289	4,901	5,837	5,305	4,093	3,350	2,536	2,234	1,760	1,295	960	1,297	57,092
Provincial Total	**M**	**22,126**	**91,964**	**117,522**	**115,758**	**111,077**	**122,468**	**138,023**	**156,733**	**151,050**	**139,091**	**119,502**	**91,224**	**77,468**	**75,966**	**66,628**	**54,550**	**72,353**	**1,723,503**
	F	**21,174**	**87,644**	**111,968**	**109,874**	**103,860**	**117,868**	**132,303**	**152,811**	**151,127**	**136,996**	**115,710**	**86,388**	**75,206**	**74,713**	**73,400**	**68,156**	**111,649**	**1,732,847**
	T	**43,300**	**179,608**	**229,490**	**225,632**	**214,937**	**240,335**	**270,326**	**309,544**	**302,177**	**276,087**	**235,211**	**179,612**	**152,674**	**150,679**	**140,028**	**122,706**	**184,002**	**3,456,348**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1994 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
11/12 East Kootenay/ Kootenay Boundary	M	38	101	72	86	81	72	97	68	57	57	29	27	19	17	9	7	11	848
	F	33	111	76	65	64	81	79	106	77	49	53	31	16	17	7	6	22	893
	T	71	212	148	151	145	153	176	174	134	106	82	58	35	34	16	13	33	1,741
13 Okanagan	M	90	312	306	273	280	262	229	256	200	205	154	100	74	75	50	33	47	2,946
	F	94	328	275	250	232	243	313	328	254	230	157	108	83	63	55	31	47	3,091
	T	184	640	581	523	512	505	542	584	454	435	311	208	157	138	105	64	94	6,037
14 Thompson Cariboo Shuswap	M	207	782	788	746	738	773	742	789	625	520	387	290	206	194	144	83	153	8,167
	F	173	734	729	714	700	767	697	875	678	558	416	276	231	181	144	95	174	8,142
	T	380	1,516	1,517	1,460	1,438	1,540	1,439	1,664	1,303	1,078	803	566	437	375	288	178	327	16,309
21 Fraser East	M	97	453	389	337	323	334	299	340	278	227	183	125	90	77	46	38	55	3,691
	F	91	402	349	373	309	320	343	395	333	274	179	121	91	90	48	35	61	3,814
	T	189	855	738	710	632	654	642	735	611	501	362	246	181	167	94	73	116	7,506
22 Fraser North	M	83	300	167	144	140	177	221	187	130	85	61	40	29	19	11	3	7	1,804
	F	82	278	170	121	126	208	254	212	158	115	86	60	55	19	20	10	11	1,985
	T	165	578	337	265	266	385	475	399	288	200	147	100	84	38	31	13	18	3,789
23 Fraser South	M	90	329	171	132	115	158	165	149	122	77	62	37	26	24	17	12	8	1,694
	F	88	285	169	123	132	160	184	217	159	104	87	57	54	27	21	13	7	1,887
	T	178	614	340	255	247	318	349	366	281	181	149	94	80	51	38	25	15	3,581
31 Richmond	M	14	45	19	23	21	21	38	26	17	17	11	10	7	6	0	0	1	276
	F	9	54	25	16	14	28	32	45	27	24	22	7	14	3	3	1	2	326
	T	23	99	44	39	35	49	70	71	44	41	33	17	21	9	3	1	3	602
32 Vancouver	M	167	575	504	456	464	492	573	732	558	407	306	192	138	68	49	21	34	5,736
	F	140	560	498	412	495	541	600	650	589	438	323	217	151	72	56	43	45	5,830
	T	307	1,135	1,002	868	959	1,033	1,173	1,382	1,147	845	629	409	289	140	105	64	79	11,566
33 North Shore/ Coast Garibaldi	M	101	447	502	464	388	422	429	494	382	323	241	187	152	107	80	55	77	4,851
	F	102	404	471	441	389	376	440	568	438	344	210	185	130	91	91	56	75	4,811
	T	203	851	973	905	777	799	869	1,062	820	667	451	372	282	198	171	111	152	9,663
41 South Vancouver Island	M	95	341	271	305	285	275	255	280	189	177	135	70	58	36	30	20	32	2,854
	F	81	334	263	276	259	318	334	330	281	208	135	92	71	66	29	21	41	3,139
	T	176	675	534	581	544	593	589	610	470	385	270	162	129	102	59	41	73	5,993
42 Central Vancouver Island	M	156	779	797	643	574	617	556	529	418	371	259	168	142	114	78	47	82	6,330
	F	198	696	677	638	613	637	627	644	562	415	274	192	148	104	77	60	100	6,662
	T	355	1,475	1,474	1,281	1,187	1,254	1,183	1,173	980	786	533	360	290	218	155	107	182	12,993
43 North Vancouver Island	M	83	319	333	306	300	259	242	267	261	179	155	113	89	66	37	29	33	3,071
	F	85	330	316	270	287	261	279	365	299	227	168	126	91	59	40	38	54	3,295
	T	168	649	649	576	587	520	521	632	560	406	324	239	180	125	77	67	87	6,367
51 Northwest	M	260	1,025	1,141	920	988	987	929	1,005	808	650	493	382	307	232	171	124	207	10,629
	F	246	955	1,024	897	850	971	992	1,108	928	712	511	370	255	190	189	115	223	10,536
	T	506	1,980	2,165	1,817	1,838	1,958	1,921	2,113	1,736	1,362	1,004	752	562	422	360	239	430	21,165
52 Northern Interior	M	150	633	585	559	480	521	484	469	366	285	187	139	106	101	59	57	104	5,285
	F	143	641	498	532	505	504	571	536	380	319	199	175	120	99	62	55	86	5,425
	T	294	1,274	1,083	1,091	985	1,025	1,055	1,005	746	604	386	314	226	200	121	112	190	10,711
53 Northeast	M	80	250	189	170	139	132	129	168	119	94	85	52	28	28	14	21	20	1,718
	F	53	254	190	124	168	190	182	177	139	111	69	69	39	27	29	18	25	1,864
	T	133	504	379	294	307	322	311	345	258	205	154	121	67	55	43	39	45	3,582
Provincial Total	**M**	**1,711**	**6,691**	**6,234**	**5,564**	**5,317**	**5,504**	**5,388**	**5,760**	**4,531**	**3,675**	**2,748**	**1,933**	**1,471**	**1,164**	**796**	**551**	**871**	**59,909**
	F	**1,618**	**6,366**	**5,730**	**5,254**	**5,143**	**5,605**	**5,927**	**6,557**	**5,303**	**4,128**	**2,889**	**2,066**	**1,549**	**1,108**	**871**	**599**	**974**	**61,707**
	T	**3,332**	**13,057**	**11,964**	**10,818**	**10,460**	**11,110**	**11,315**	**12,317**	**9,834**	**7,803**	**5,638**	**4,019**	**3,020**	**2,272**	**1,667**	**1,150**	**1,845**	**121,621**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1994 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

Health Region	Gender	Age Group (in years)																Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
11/12 East Kootenay/ Kootenay Boundary	M	829	4,021	5,598	6,105	5,469	4,601	4,269	5,840	6,724	6,579	5,772	4,309	3,847	3,664	3,395	2,571	3,615	77,208
	F	809	3,801	5,379	5,781	4,852	4,179	4,192	5,967	6,559	6,242	5,295	4,175	3,644	3,277	3,364	2,980	4,919	75,415
	T	1,638	7,822	10,977	11,886	10,321	8,780	8,461	11,807	13,283	12,821	11,067	8,484	7,491	6,941	6,759	5,551	8,534	152,623
13 Okanagan	M	1,505	6,636	9,213	9,391	8,577	8,030	7,892	10,177	10,742	10,041	8,854	7,214	6,926	7,314	7,366	6,577	8,997	135,452
	F	1,454	6,310	8,739	8,930	8,102	7,465	7,804	10,524	11,237	10,320	9,054	7,790	7,234	7,610	8,068	7,767	11,867	140,275
	T	2,959	12,946	17,952	18,321	16,679	15,495	15,696	20,701	21,979	20,361	17,908	15,004	14,160	14,924	15,434	14,344	20,864	275,727
14 Thompson Cariboo Shuswap	M	1,083	4,884	7,002	7,403	6,882	6,059	5,556	7,147	7,871	7,675	6,962	5,594	4,927	4,689	4,043	2,930	3,107	93,814
	F	1,030	4,556	6,558	6,972	6,206	5,501	5,484	7,301	7,962	7,478	6,626	5,276	4,610	4,122	3,784	3,198	4,263	90,927
	T	2,113	9,440	13,560	14,375	13,088	11,560	11,040	14,448	15,833	15,153	13,588	10,870	9,537	8,811	7,827	6,128	7,370	184,741
21 Fraser East	M	1,571	6,682	8,539	8,046	7,096	6,853	7,813	9,358	8,916	7,489	6,455	4,938	4,293	4,436	4,352	3,800	4,929	105,566
	F	1,528	6,327	8,051	7,485	6,468	6,319	7,317	8,710	8,375	7,115	6,176	4,948	4,362	4,494	4,880	4,494	6,836	103,885
	T	3,098	13,009	16,590	15,531	13,564	13,172	15,130	18,068	17,291	14,604	12,631	9,886	8,655	8,930	9,232	8,294	11,765	209,450
22 Fraser North	M	2,967	12,195	15,014	14,023	14,457	17,393	20,927	23,348	21,261	18,602	15,730	11,968	9,640	8,856	7,253	5,741	7,639	227,014
	F	2,838	11,682	13,880	13,649	13,437	16,892	19,710	22,255	20,893	18,396	15,731	11,911	9,537	8,879	8,226	7,751	13,636	229,303
	T	5,805	23,877	28,894	27,672	27,894	34,285	40,637	45,603	42,154	36,998	31,461	23,879	19,177	17,735	15,479	13,492	21,275	456,317
23 Fraser South	M	3,956	15,053	18,673	18,580	17,576	17,546	18,865	22,460	22,097	20,123	18,342	14,067	10,442	9,125	7,956	7,016	8,982	250,859
	F	3,704	14,788	17,813	17,628	16,431	16,701	17,951	22,062	22,404	20,430	18,214	13,237	10,098	9,098	9,130	8,703	13,198	251,590
	T	7,660	29,841	36,486	36,208	34,007	34,247	36,816	44,522	44,501	40,553	36,556	27,304	20,540	18,223	17,086	15,719	22,180	502,449
31 Richmond	M	825	3,621	4,742	5,193	5,399	5,048	5,300	5,989	6,041	6,186	5,635	4,001	3,098	2,840	2,146	1,848	2,354	70,266
	F	822	3,390	4,473	4,829	4,825	4,735	5,326	6,286	6,796	6,848	5,815	4,051	3,123	2,911	2,599	2,446	3,754	73,029
	T	1,647	7,011	9,215	10,022	10,224	9,783	10,626	12,275	12,837	13,034	11,450	8,052	6,221	5,751	4,745	4,294	6,108	143,295
32 Vancouver	M	2,774	9,905	11,806	11,467	13,142	20,974	28,551	28,805	23,360	20,873	17,495	12,610	10,951	11,261	9,137	7,376	11,092	251,579
	F	2,497	9,148	11,238	11,063	13,223	21,798	26,888	26,009	22,287	20,223	17,139	12,439	10,965	10,913	9,775	9,915	20,111	255,631
	T	5,271	19,053	23,044	22,530	26,365	42,772	55,439	54,814	45,647	41,096	34,634	25,049	21,916	22,174	18,912	17,291	31,203	507,210
33 North Shore/ Coast Garibaldi	M	1,319	5,939	7,306	7,345	7,130	7,800	8,077	9,752	10,217	9,852	9,448	7,342	5,696	5,448	4,680	3,818	4,698	115,867
	F	1,328	5,603	7,257	7,007	6,696	7,139	8,119	9,975	10,670	10,232	9,382	7,336	5,746	5,460	5,052	4,755	7,920	119,677
	T	2,647	11,542	14,563	14,352	13,826	14,938	16,196	19,727	20,887	20,084	18,830	14,678	11,442	10,908	9,732	8,573	12,618	235,543
41 South Vancouver Island	M	1,646	7,007	8,944	9,104	9,162	11,404	12,061	13,160	12,648	12,388	11,151	8,094	6,622	6,728	6,666	7,000	9,877	153,662
	F	1,571	6,724	8,750	8,789	8,740	10,960	11,369	12,941	13,367	12,902	11,416	8,444	7,110	7,151	8,350	9,259	17,008	164,851
	T	3,217	13,731	17,694	17,893	17,902	22,364	23,430	26,101	26,015	25,290	22,567	16,538	13,732	13,879	15,016	16,259	26,885	318,513
42 Central Vancouver Island	M	1,262	5,254	7,129	7,372	6,720	5,690	6,040	7,964	8,629	8,549	7,584	6,058	5,169	5,481	5,543	4,624	5,025	104,093
	F	1,052	5,125	6,930	7,146	6,053	5,537	5,856	7,970	8,918	8,301	7,304	5,996	5,171	5,405	5,538	5,261	6,986	104,549
	T	2,313	10,379	14,059	14,518	12,773	11,227	11,896	15,934	17,547	16,850	14,888	12,054	10,340	10,886	11,081	9,885	12,011	208,641
43 North Vancouver Island	M	628	2,935	4,210	4,216	3,519	2,942	3,394	4,718	4,917	4,588	4,095	3,133	2,642	2,367	1,874	1,399	1,603	53,180
	F	556	2,893	3,931	4,036	3,250	2,768	3,269	4,537	4,855	4,266	3,710	2,846	2,280	2,037	1,813	1,684	2,119	50,850
	T	1,184	5,828	8,141	8,252	6,769	5,710	6,663	9,255	9,772	8,854	7,804	5,979	4,922	4,404	3,687	3,083	3,722	104,029
51 Northwest	M	469	2,220	2,888	2,974	2,583	2,383	2,678	3,215	3,432	3,031	2,585	2,050	1,377	1,267	812	538	492	34,994
	F	457	2,122	2,763	2,780	2,251	2,165	2,357	2,910	2,981	2,548	2,137	1,575	1,148	925	727	551	672	31,069
	T	926	4,342	5,651	5,754	4,834	4,548	5,035	6,125	6,413	5,579	4,722	3,625	2,525	2,192	1,539	1,089	1,164	66,063
52 Northern Interior	M	1,033	4,234	5,907	6,058	5,649	5,168	5,358	6,498	6,457	6,056	5,037	3,927	3,072	2,608	1,846	1,149	1,273	71,330
	F	909	4,093	5,528	5,775	5,247	4,915	5,100	6,160	6,282	5,559	4,719	3,346	2,425	1,995	1,580	1,277	1,554	66,464
	T	1,941	8,327	11,435	11,833	10,896	10,083	10,458	12,658	12,739	11,615	9,756	7,273	5,497	4,603	3,426	2,426	2,827	137,793
53 Northeast	M	468	1,995	2,672	2,559	2,279	2,221	2,542	3,023	2,926	2,291	1,830	1,380	1,167	985	759	461	579	30,137
	F	487	1,950	2,552	2,393	1,993	2,043	2,290	2,746	2,572	1,979	1,674	1,239	1,015	836	605	494	746	27,614
	T	955	3,945	5,224	4,952	4,272	4,264	4,832	5,769	5,498	4,270	3,504	2,619	2,182	1,821	1,364	955	1,325	57,751
Provincial Total	**M**	**22,335**	**92,581**	**119,643**	**119,836**	**115,639**	**124,110**	**139,323**	**161,453**	**156,237**	**144,322**	**126,975**	**96,684**	**79,869**	**77,069**	**67,827**	**56,847**	**74,262**	**1,775,012**
	F	**21,042**	**88,512**	**113,842**	**114,261**	**107,774**	**119,117**	**133,032**	**156,352**	**156,157**	**142,839**	**124,392**	**94,609**	**78,468**	**75,113**	**73,491**	**70,533**	**115,588**	**1,785,122**
	T	**43,374**	**181,093**	**233,485**	**234,097**	**223,413**	**243,226**	**272,355**	**317,805**	**312,394**	**287,161**	**251,366**	**191,293**	**158,337**	**152,182**	**141,318**	**127,380**	**189,850**	**3,560,129**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1995 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																	
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	37	115	85	95	88	82	89	75	72	53	45	25	22	19	8	9	10	929
	F	26	121	99	71	71	83	81	117	89	54	57	33	23	17	9	4	17	972
	T	63	236	184	166	159	165	170	192	161	107	102	58	45	36	17	13	27	1,901
13 Okanagan	M	99	322	319	309	278	259	250	275	225	229	167	97	89	72	44	43	46	3,123
	F	96	342	327	259	234	258	293	365	262	240	168	130	92	67	59	35	54	3,281
	T	195	664	646	568	512	517	543	640	487	469	335	227	181	139	103	78	100	6,404
14 Thompson Cariboo Shuswap	M	182	789	844	794	721	828	736	781	664	541	451	308	205	199	162	89	143	8,437
	F	168	713	795	737	704	752	706	895	733	607	451	305	249	178	138	112	173	8,416
	T	350	1,502	1,639	1,531	1,425	1,580	1,442	1,676	1,397	1,148	902	613	454	377	300	201	316	16,853
21 Fraser East	M	109	440	420	364	332	324	327	358	284	245	184	120	111	73	52	33	59	3,835
	F	108	397	405	352	336	318	357	406	354	290	201	141	90	87	66	32	57	3,997
	T	217	838	825	716	668	642	684	764	638	535	385	261	201	160	118	65	116	7,833
22 Fraser North	M	100	318	214	152	143	164	236	199	152	113	69	46	23	29	9	4	9	1,980
	F	77	312	208	137	132	225	261	234	180	135	99	65	60	28	19	13	13	2,198
	T	177	630	422	289	275	389	497	433	332	248	168	111	83	57	28	17	22	4,178
23 Fraser South	M	91	330	247	147	135	155	180	168	135	101	64	43	30	24	19	10	9	1,888
	F	79	323	212	145	143	162	193	243	185	115	97	60	57	32	22	23	10	2,101
	T	171	653	459	292	278	317	373	411	320	216	161	103	87	56	41	33	19	3,990
31 Richmond	M	13	49	32	22	21	30	38	29	20	20	12	12	9	7	0	0	1	315
	F	10	47	28	18	19	26	32	46	33	25	23	7	15	3	3	2	2	339
	T	23	96	60	40	40	56	70	75	53	45	35	19	24	10	3	2	3	654
32 Vancouver	M	135	618	508	463	468	498	596	726	594	437	317	196	145	83	49	25	33	5,891
	F	137	568	529	442	495	542	576	643	626	440	349	233	166	92	64	41	52	5,995
	T	272	1,186	1,037	905	963	1,040	1,172	1,369	1,220	877	666	429	311	175	113	66	85	11,886
33 North Shore/ Coast Garibaldi	M	93	427	527	488	388	417	406	513	411	323	253	188	152	111	80	61	67	4,905
	F	91	417	438	470	372	389	404	590	455	366	235	192	134	102	95	55	85	4,890
	T	184	844	965	958	760	807	810	1,103	866	689	488	380	286	213	175	116	152	9,796
41 South Vancouver Island	M	106	357	306	296	291	292	273	271	213	184	148	75	58	36	31	21	29	2,987
	F	91	329	307	278	290	330	348	337	305	235	147	94	77	72	34	20	42	3,336
	T	197	686	613	574	581	622	621	608	518	419	295	169	135	108	65	41	71	6,323
42 Central Vancouver Island	M	189	753	827	681	582	624	589	540	459	368	284	192	146	119	87	44	77	6,561
	F	191	712	700	658	622	633	625	660	576	484	282	218	157	112	89	65	97	6,881
	T	380	1,465	1,527	1,339	1,204	1,257	1,214	1,200	1,035	852	566	410	303	231	176	109	174	13,442
43 North Vancouver Island	M	87	332	344	307	292	274	273	272	262	196	148	132	94	73	41	19	34	3,180
	F	76	331	348	294	274	277	257	368	336	240	184	137	98	67	36	39	56	3,418
	T	163	663	692	601	566	551	530	640	598	436	333	269	192	140	77	58	90	6,599
51 Northwest	M	232	1,034	1,160	994	966	979	972	987	872	699	501	401	306	231	183	122	203	10,842
	F	202	972	1,086	940	846	935	1,023	1,113	949	791	535	416	273	207	189	124	218	10,819
	T	434	2,006	2,246	1,934	1,812	1,914	1,995	2,100	1,821	1,490	1,036	817	579	438	372	246	421	21,661
52 Northern Interior	M	180	630	626	596	498	525	487	490	398	310	201	157	122	98	59	59	95	5,531
	F	166	614	573	541	502	533	550	547	427	340	224	181	136	101	66	43	90	5,634
	T	346	1,245	1,199	1,137	1,000	1,058	1,037	1,037	825	650	425	338	258	199	125	102	185	11,166
53 Northeast	M	73	270	226	167	148	149	141	167	137	97	87	51	35	28	10	17	21	1,824
	F	66	245	222	165	151	192	190	197	151	127	89	74	41	28	32	21	23	2,014
	T	139	515	448	332	299	341	331	364	288	224	176	125	76	56	42	38	44	3,838
Provincial Total	**M**	**1,726**	**6,784**	**6,685**	**5,875**	**5,351**	**5,602**	**5,593**	**5,852**	**4,899**	**3,916**	**2,931**	**2,045**	**1,547**	**1,202**	**834**	**558**	**836**	**62,236**
	F	**1,584**	**6,443**	**6,277**	**5,507**	**5,191**	**5,655**	**5,896**	**6,761**	**5,661**	**4,489**	**3,141**	**2,286**	**1,668**	**1,193**	**921**	**631**	**990**	**64,294**
	T	**3,311**	**13,229**	**12,962**	**11,382**	**10,542**	**11,258**	**11,489**	**12,613**	**10,560**	**8,405**	**6,073**	**4,331**	**3,215**	**2,395**	**1,755**	**1,189**	**1,826**	**126,535**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1995 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
11/12 East Kootenay/ Kootenay Boundary	M	818	3,856	5,655	6,240	5,687	4,562	4,342	5,797	6,845	6,841	6,156	4,481	3,950	3,708	3,445	2,558	3,769	78,710
	F	855	3,733	5,341	5,930	5,104	4,137	4,226	5,894	6,632	6,471	5,723	4,391	3,782	3,333	3,384	3,000	5,142	77,078
	T	1,673	7,589	10,996	12,170	10,791	8,699	8,568	11,691	13,477	13,312	11,879	8,872	7,732	7,041	6,829	5,558	8,911	155,788
13 Okanagan	M	1,510	6,577	9,307	9,669	8,890	7,963	8,023	10,163	11,071	10,422	9,448	7,410	7,039	7,372	7,590	6,660	9,441	138,555
	F	1,411	6,317	8,799	9,274	8,428	7,425	7,777	10,531	11,597	10,751	9,662	8,057	7,435	7,618	8,109	7,831	12,644	143,666
	T	2,921	12,894	18,106	18,943	17,318	15,388	15,800	20,694	22,668	21,173	19,110	15,467	14,474	14,990	15,699	14,491	22,085	282,221
14 Thompson Cariboo Shuswap	M	1,101	4,866	7,054	7,608	7,177	6,108	5,798	7,255	8,156	8,042	7,457	5,796	5,122	4,761	4,184	3,045	3,321	96,851
	F	1,049	4,564	6,643	7,094	6,569	5,584	5,505	7,431	8,303	7,753	7,132	5,619	4,793	4,286	3,874	3,248	4,576	94,023
	T	2,150	9,430	13,697	14,702	13,746	11,692	11,303	14,686	16,459	15,795	14,589	11,415	9,915	9,047	8,058	6,293	7,897	190,874
21 Fraser East	M	1,643	6,747	8,685	8,402	7,429	6,979	7,792	9,738	9,387	7,870	6,912	5,236	4,345	4,523	4,425	3,819	5,103	109,125
	F	1,483	6,440	8,184	7,890	6,785	6,446	7,422	8,852	8,834	7,529	6,635	5,221	4,623	4,498	4,847	4,616	7,265	107,570
	T	3,126	13,186	16,869	16,292	14,214	13,425	15,214	18,590	18,221	15,399	13,547	10,457	8,968	9,021	9,272	8,435	12,458	216,694
22 Fraser North	M	3,098	12,313	15,241	14,879	14,821	17,394	21,028	23,856	22,334	19,691	16,997	12,384	9,930	8,891	7,474	5,862	7,951	234,144
	F	2,885	11,663	14,235	14,291	14,001	16,573	19,907	22,609	21,887	19,377	17,025	12,471	9,997	8,944	8,333	7,706	14,129	236,033
	T	5,983	23,976	29,476	29,170	28,822	33,967	40,935	46,465	44,221	39,068	34,022	24,855	19,927	17,835	15,807	13,568	22,080	470,177
23 Fraser South	M	3,992	15,928	19,202	19,232	18,416	17,825	19,680	23,042	23,116	20,949	19,335	15,011	11,024	9,415	8,223	7,177	9,440	261,007
	F	3,644	15,286	18,375	18,186	17,209	17,172	18,783	22,378	23,078	21,236	19,485	14,403	10,708	9,434	9,273	9,001	14,181	261,832
	T	7,635	31,214	37,577	37,418	35,625	34,997	38,463	45,420	46,194	42,185	38,820	29,414	21,732	18,849	17,496	16,178	23,621	522,838
31 Richmond	M	867	3,528	4,787	5,366	5,737	5,204	5,438	6,088	6,218	6,419	6,157	4,292	3,194	2,900	2,287	1,881	2,489	72,852
	F	780	3,385	4,505	4,946	5,196	4,894	5,336	6,423	6,996	7,065	6,437	4,314	3,309	3,000	2,722	2,503	3,971	75,782
	T	1,647	6,913	9,292	10,312	10,933	10,098	10,774	12,511	13,214	13,484	12,594	8,606	6,503	5,900	5,009	4,384	6,460	148,634
32 Vancouver	M	2,912	9,782	11,691	11,735	13,658	21,079	29,332	29,843	24,139	21,117	18,983	13,118	11,189	11,176	9,378	7,380	10,994	257,506
	F	2,592	9,137	11,224	11,253	13,210	21,780	27,861	26,735	23,008	21,023	18,465	13,018	11,421	10,868	9,848	9,802	20,228	261,473
	T	5,504	18,919	22,915	22,988	26,868	42,859	57,193	56,578	47,147	42,140	37,448	26,136	22,610	22,044	19,226	17,182	31,222	518,979
33 North Shore/ Coast Garibaldi	M	1,386	5,822	7,434	7,538	7,142	7,796	8,105	9,704	10,414	10,134	9,815	7,711	5,887	5,436	4,732	3,878	4,975	117,909
	F	1,328	5,492	7,423	7,215	6,840	6,984	8,068	9,915	10,786	10,560	9,798	7,709	5,943	5,452	5,131	4,819	8,191	121,654
	T	2,714	11,314	14,857	14,753	13,982	14,779	16,173	19,619	21,200	20,694	19,613	15,420	11,830	10,888	9,863	8,697	13,166	239,562
41 South Vancouver Island	M	1,628	6,917	8,818	9,304	9,339	11,297	12,045	13,213	12,893	12,677	11,769	8,569	6,766	6,676	6,587	6,846	10,284	155,628
	F	1,545	6,590	8,760	8,879	8,846	11,021	11,328	12,799	13,462	13,312	12,230	8,928	7,291	7,107	8,047	9,101	17,750	166,996
	T	3,173	13,507	17,578	18,183	18,185	22,318	23,373	26,012	26,355	25,989	23,999	17,497	14,057	13,783	14,634	15,947	28,034	322,624
42 Central Vancouver Island	M	1,167	5,288	7,302	7,589	7,086	5,715	6,006	8,096	8,903	8,898	8,129	6,320	5,429	5,488	5,643	4,772	5,500	107,331
	F	1,065	4,961	7,124	7,340	6,465	5,524	5,956	7,983	9,124	8,765	7,834	6,379	5,480	5,388	5,583	5,379	7,549	107,899
	T	2,232	10,249	14,426	14,929	13,551	11,239	11,962	16,079	18,027	17,663	15,963	12,699	10,909	10,876	11,226	10,151	13,049	215,230
43 North Vancouver Island	M	642	2,868	4,234	4,387	3,718	2,948	3,361	4,776	5,108	4,770	4,414	3,304	2,689	2,424	1,957	1,476	1,720	54,796
	F	641	2,791	4,012	4,179	3,472	2,748	3,175	4,589	5,055	4,565	3,931	3,072	2,366	2,150	1,809	1,737	2,242	52,534
	T	1,283	5,659	8,246	8,566	7,190	5,696	6,536	9,365	10,163	9,335	8,344	6,376	5,055	4,574	3,766	3,213	3,962	107,329
51 Northwest	M	507	2,132	2,908	2,843	2,601	2,406	2,627	3,283	3,356	3,184	2,688	2,150	1,471	1,237	872	571	545	35,381
	F	504	2,021	2,729	2,763	2,357	2,105	2,328	2,842	3,106	2,531	2,323	1,640	1,166	917	797	576	711	31,416
	T	1,011	4,153	5,637	5,606	4,958	4,511	4,955	6,125	6,462	5,715	5,011	3,790	2,637	2,154	1,669	1,147	1,256	66,797
52 Northern Interior	M	915	4,200	5,892	6,141	5,794	5,167	5,500	6,508	6,682	6,223	5,313	4,175	3,186	2,637	1,936	1,206	1,346	72,821
	F	951	4,063	5,467	5,823	5,429	4,919	5,159	6,195	6,367	5,849	4,975	3,547	2,522	2,039	1,667	1,301	1,688	67,961
	T	1,866	8,262	11,359	11,964	11,223	10,086	10,659	12,703	13,049	12,072	10,288	7,722	5,708	4,676	3,603	2,507	3,034	140,781
53 Northeast	M	492	1,981	2,661	2,600	2,355	2,236	2,546	3,039	2,984	2,461	1,894	1,476	1,140	1,012	769	486	597	30,729
	F	423	2,002	2,505	2,442	2,110	2,050	2,312	2,794	2,640	2,126	1,719	1,329	1,025	851	639	489	771	28,227
	T	915	3,983	5,166	5,042	4,465	4,286	4,858	5,833	5,624	4,587	3,613	2,805	2,165	1,863	1,408	975	1,368	58,956
Provincial Total	**M**	**22,678**	**92,805**	**120,871**	**123,533**	**119,850**	**124,677**	**141,623**	**164,400**	**161,605**	**149,696**	**135,467**	**101,431**	**82,361**	**77,656**	**69,502**	**57,615**	**77,565**	**1,823,337**
	F	**21,156**	**88,445**	**115,326**	**117,505**	**112,021**	**119,362**	**135,143**	**157,970**	**160,875**	**148,913**	**133,374**	**100,098**	**81,861**	**75,885**	**74,063**	**71,107**	**121,037**	**1,834,141**
	T	**43,833**	**181,248**	**236,197**	**241,038**	**231,871**	**244,038**	**276,766**	**322,370**	**322,480**	**298,611**	**268,840**	**201,529**	**164,222**	**153,541**	**143,565**	**128,722**	**198,602**	**3,657,473**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1996 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
11/12 East Kootenay/ Kootenay Boundary	M	38	131	93	89	94	87	77	86	72	52	52	26	27	17	9	11	10	971
	F	22	110	126	82	72	81	80	109	105	62	47	46	28	17	9	6	22	1,024
	T	60	241	219	171	166	168	157	195	177	114	99	72	55	34	18	17	32	1,995
13 Okanagan	M	76	352	338	298	286	277	240	269	251	222	177	115	90	73	55	39	52	3,210
	F	80	363	327	264	256	259	283	348	294	248	195	130	107	71	63	41	61	3,390
	T	156	715	665	562	542	536	523	617	545	470	372	245	197	144	118	80	113	6,600
14 Thompson Cariboo Shuswap	M	195	777	910	789	732	837	750	821	709	571	472	323	245	203	166	98	163	8,761
	F	177	700	825	783	692	778	721	890	766	645	487	345	262	180	169	110	202	8,732
	T	372	1,477	1,735	1,572	1,424	1,615	1,471	1,711	1,475	1,216	959	668	507	383	335	208	365	17,493
21 Fraser East	M	112	435	457	389	313	337	318	361	299	268	185	139	104	85	53	37	62	3,954
	F	118	411	413	372	338	327	351	393	374	319	210	149	95	93	66	29	61	4,119
	T	230	847	870	761	651	664	669	754	673	587	395	288	199	178	119	66	123	8,074
22 Fraser North	M	93	343	239	181	143	157	231	215	164	116	80	48	28	29	12	5	11	2,095
	F	64	321	266	148	129	212	254	240	198	147	93	72	53	35	20	18	13	2,283
	T	157	664	505	329	272	369	485	455	362	263	173	120	81	64	32	23	24	4,378
23 Fraser South	M	77	343	274	161	143	134	192	173	158	104	66	49	28	26	19	13	11	1,971
	F	86	339	241	160	147	169	192	243	193	134	95	67	64	43	19	23	15	2,230
	T	163	683	515	321	290	303	384	416	351	238	161	116	92	69	38	36	26	4,202
31 Richmond	M	12	49	44	22	14	29	30	36	19	21	6	14	12	8	2	0	1	319
	F	10	49	32	18	14	24	36	44	31	24	22	12	15	5	1	4	2	343
	T	22	98	76	40	28	53	66	80	50	45	28	26	27	13	3	4	3	662
32 Vancouver	M	136	587	574	478	474	485	607	762	612	492	328	229	144	98	49	27	37	6,119
	F	122	568	562	446	468	528	573	641	631	487	363	261	161	110	70	48	57	6,096
	T	258	1,155	1,136	924	942	1,013	1,180	1,403	1,243	979	691	490	305	208	119	75	94	12,215
33 North Shore/ Coast Garibaldi	M	107	420	550	488	414	425	384	498	440	343	261	208	171	109	93	65	76	5,052
	F	110	411	459	470	372	398	393	568	489	399	252	202	133	112	103	65	89	5,025
	T	217	831	1,009	958	786	824	777	1,066	929	742	513	410	304	221	196	130	165	10,078
41 South Vancouver Island	M	92	373	341	276	290	300	287	267	238	186	150	87	61	40	36	21	34	3,079
	F	103	322	346	270	292	320	341	351	295	257	158	97	87	76	37	23	43	3,418
	T	195	695	687	546	582	620	628	618	533	443	308	184	148	116	73	44	77	6,497
42 Central Vancouver Island	M	190	732	890	718	592	642	600	548	499	393	305	215	151	133	95	50	94	6,847
	F	180	732	755	664	633	663	647	665	604	525	312	236	164	123	92	76	108	7,179
	T	370	1,464	1,645	1,382	1,225	1,305	1,247	1,213	1,103	918	617	451	315	256	187	126	202	14,026
43 North Vancouver Island	M	90	335	345	316	291	269	271	280	244	206	165	126	99	67	46	25	35	3,210
	F	93	329	353	294	265	261	279	367	332	266	189	146	91	71	43	40	58	3,477
	T	183	664	698	610	556	530	550	647	576	472	354	273	190	138	89	65	93	6,688
51 Northwest	M	257	986	1,240	1,041	916	1,004	940	976	909	762	526	439	302	253	208	129	232	11,120
	F	221	927	1,120	981	825	951	1,020	1,092	970	837	587	435	292	214	187	137	247	11,043
	T	478	1,913	2,360	2,022	1,741	1,955	1,960	2,068	1,879	1,599	1,113	874	594	467	395	266	479	22,163
52 Northern Interior	M	176	660	669	622	500	557	506	488	447	314	229	166	129	105	68	61	103	5,800
	F	153	620	639	529	532	530	564	576	444	370	252	190	144	100	79	47	95	5,864
	T	329	1,281	1,308	1,151	1,032	1,087	1,070	1,064	891	684	481	356	273	205	147	108	198	11,665
53 Northeast	M	71	274	252	166	167	151	153	160	156	95	88	52	40	30	13	20	23	1,911
	F	60	251	248	183	157	181	198	194	156	143	89	78	47	33	31	24	26	2,099
	T	131	525	500	349	324	332	351	354	312	238	177	130	87	63	44	44	49	4,010
Provincial Total	**M**	**1,723**	**6,799**	**7,219**	**6,040**	**5,372**	**5,693**	**5,590**	**5,942**	**5,220**	**4,146**	**3,091**	**2,239**	**1,631**	**1,276**	**926**	**602**	**945**	**64,454**
	F	**1,600**	**6,455**	**6,714**	**5,666**	**5,193**	**5,682**	**5,935**	**6,724**	**5,884**	**4,864**	**3,352**	**2,467**	**1,743**	**1,284**	**990**	**692**	**1,102**	**66,347**
	T	**3,323**	**13,257**	**13,933**	**11,706**	**10,565**	**11,376**	**11,525**	**12,666**	**11,104**	**9,010**	**6,443**	**4,707**	**3,374**	**2,560**	**1,916**	**1,294**	**2,047**	**130,806**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1996 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																	
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	865	3,755	5,584	6,334	6,072	4,537	4,477	5,537	6,933	7,063	6,486	4,727	4,092	3,778	3,445	2,602	3,793	80,080
	F	789	3,703	5,296	6,001	5,456	4,134	4,356	5,723	6,834	6,682	6,105	4,531	3,937	3,496	3,341	2,976	5,273	78,633
	T	1,654	7,458	10,880	12,335	11,528	8,671	8,833	11,260	13,767	13,745	12,591	9,258	8,029	7,274	6,786	5,578	9,066	158,713
13 Okanagan	M	1,527	6,442	9,363	9,956	9,314	8,067	8,198	9,902	11,369	10,865	9,888	7,738	7,066	7,433	7,727	6,785	9,870	141,510
	F	1,507	6,257	8,791	9,527	8,795	7,586	7,914	10,387	11,826	11,137	10,072	8,330	7,723	7,577	8,160	7,891	13,417	146,897
	T	3,034	12,699	18,154	19,483	18,109	15,653	16,112	20,289	23,195	22,002	19,960	16,068	14,789	15,010	15,887	14,676	23,287	288,407
14 Thompson Cariboo Shuswap	M	1,087	4,894	7,011	7,733	7,586	6,264	5,969	7,095	8,469	8,420	7,896	6,047	5,187	4,905	4,400	3,056	3,548	99,567
	F	1,077	4,546	6,704	7,137	7,042	5,675	5,796	7,340	8,569	8,125	7,491	5,878	4,971	4,462	3,937	3,250	4,820	96,820
	T	2,164	9,440	13,715	14,870	14,628	11,939	11,765	14,435	17,038	16,545	15,387	11,925	10,158	9,367	8,337	6,306	8,368	196,387
21 Fraser East	M	1,695	6,795	8,763	8,710	7,879	7,062	8,028	9,791	9,661	8,428	7,219	5,500	4,539	4,532	4,520	3,767	5,428	112,317
	F	1,522	6,519	8,238	8,079	7,248	6,662	7,629	9,037	9,127	7,979	6,952	5,513	4,829	4,536	4,852	4,624	7,609	110,955
	T	3,217	13,313	17,001	16,789	15,127	13,724	15,657	18,828	18,788	16,407	14,171	11,013	9,368	9,068	9,372	8,391	13,037	223,271
22 Fraser North	M	3,217	12,465	15,423	15,455	15,702	17,623	21,394	23,916	23,459	20,767	18,228	12,993	10,283	9,026	7,687	5,950	8,294	241,882
	F	3,049	11,630	14,470	14,743	14,764	17,026	20,226	22,848	22,835	20,403	18,176	12,965	10,525	9,048	8,479	7,687	14,502	243,376
	T	6,266	24,095	29,893	30,198	30,466	34,649	41,620	46,764	46,294	41,170	36,404	25,958	20,808	18,074	16,166	13,637	22,796	485,258
23 Fraser South	M	4,086	16,460	19,779	19,812	19,046	18,219	19,804	23,295	23,886	21,706	20,061	15,619	11,886	9,496	8,445	7,244	9,968	268,812
	F	3,787	15,475	19,249	18,246	17,765	17,768	19,275	22,521	23,579	21,877	20,316	15,179	11,447	9,697	9,326	9,046	15,141	269,694
	T	7,873	31,934	39,028	38,058	36,811	35,987	39,079	45,816	47,465	43,583	40,377	30,798	23,333	19,193	17,771	16,290	25,109	538,505
31 Richmond	M	915	3,524	4,696	5,498	6,125	5,571	5,728	6,019	6,339	6,702	6,685	4,527	3,369	2,988	2,454	1,924	2,580	75,644
	F	829	3,315	4,510	4,997	5,590	5,249	5,519	6,397	7,114	7,434	6,930	4,686	3,471	3,026	2,856	2,544	4,232	78,699
	T	1,744	6,839	9,206	10,495	11,715	10,820	11,247	12,416	13,453	14,136	13,615	9,213	6,840	6,014	5,310	4,468	6,812	154,343
32 Vancouver	M	2,698	9,921	11,571	12,235	14,397	21,478	31,028	30,421	24,864	21,426	20,274	13,870	11,434	10,967	9,732	7,547	11,058	264,921
	F	2,757	9,092	11,168	11,528	13,870	22,633	29,546	27,301	23,609	21,695	19,737	13,824	11,777	10,546	10,125	9,606	20,261	269,075
	T	5,455	19,013	22,739	23,763	28,267	44,111	60,574	57,722	48,473	43,121	40,011	27,694	23,211	21,513	19,857	17,153	31,319	533,996
33 North Shore/ Coast Garibaldi	M	1,389	5,805	7,542	7,728	7,565	7,882	8,189	9,619	10,713	10,477	10,182	8,124	6,078	5,337	4,895	3,968	5,180	120,673
	F	1,251	5,522	7,360	7,437	7,186	7,141	8,142	9,941	11,042	10,852	10,307	7,996	6,206	5,401	5,235	4,796	8,574	124,389
	T	2,640	11,327	14,902	15,165	14,751	15,022	16,331	19,560	21,755	21,329	20,489	16,120	12,284	10,738	10,130	8,764	13,754	245,061
41 South Vancouver Island	M	1,648	6,823	8,830	9,315	9,348	10,895	12,205	12,882	12,995	12,895	12,508	8,967	6,978	6,566	6,554	6,695	10,758	156,862
	F	1,451	6,438	8,687	8,840	9,050	11,114	11,455	12,417	13,600	13,681	12,919	9,424	7,540	7,050	7,734	8,821	18,181	168,402
	T	3,099	13,261	17,517	18,155	18,398	22,009	23,660	25,299	26,595	26,576	25,427	18,391	14,518	13,616	14,288	15,516	28,939	325,264
42 Central Vancouver Island	M	1,129	5,263	7,225	7,743	7,410	5,880	5,983	7,870	9,112	9,005	8,594	6,560	5,661	5,488	5,727	4,807	5,929	109,386
	F	1,109	4,784	7,072	7,416	6,877	5,531	6,035	7,872	9,107	9,182	8,157	6,619	5,667	5,436	5,673	5,363	8,147	110,047
	T	2,238	10,047	14,297	15,159	14,287	11,411	12,018	15,742	18,219	18,187	16,751	13,179	11,328	10,924	11,400	10,170	14,076	219,433
43 North Vancouver Island	M	643	2,765	4,270	4,461	3,992	3,020	3,373	4,632	5,214	5,028	4,601	3,515	2,729	2,493	2,079	1,513	1,810	56,138
	F	625	2,778	3,974	4,245	3,756	2,821	3,192	4,517	5,150	4,705	4,253	3,212	2,491	2,170	1,827	1,729	2,474	53,919
	T	1,268	5,543	8,244	8,706	7,748	5,841	6,565	9,149	10,364	9,733	8,854	6,726	5,220	4,663	3,906	3,242	4,284	110,056
51 Northwest	M	511	2,157	2,807	2,885	2,806	2,410	2,643	3,273	3,423	3,272	2,853	2,193	1,531	1,190	920	572	537	35,983
	F	500	1,989	2,673	2,809	2,510	2,129	2,436	2,800	3,111	2,730	2,315	1,765	1,222	985	775	606	711	32,066
	T	1,011	4,146	5,480	5,694	5,316	4,539	5,079	6,073	6,534	6,002	5,168	3,958	2,753	2,175	1,695	1,178	1,248	68,049
52 Northern Interior	M	970	4,132	5,901	6,201	6,020	5,216	5,695	6,416	6,956	6,426	5,570	4,275	3,318	2,597	2,022	1,254	1,371	74,340
	F	967	3,962	5,447	5,877	5,581	4,998	5,332	6,171	6,475	6,073	5,191	3,778	2,715	2,137	1,694	1,282	1,824	69,504
	T	1,937	8,093	11,348	12,078	11,601	10,214	11,027	12,587	13,431	12,499	10,761	8,053	6,033	4,734	3,716	2,536	3,195	143,843
53 Northeast	M	486	2,031	2,585	2,731	2,438	2,289	2,626	3,074	3,054	2,627	1,965	1,551	1,168	1,076	779	496	594	31,570
	F	485	1,971	2,564	2,474	2,267	2,123	2,408	2,752	2,756	2,280	1,828	1,375	1,033	875	665	497	788	29,141
	T	971	4,002	5,149	5,205	4,705	4,412	5,034	5,826	5,810	4,907	3,793	2,926	2,201	1,951	1,444	993	1,382	60,711
Provincial Total	**M**	**22,865**	**93,230**	**121,347**	**126,791**	**125,697**	**126,411**	**145,336**	**163,740**	**166,444**	**155,106**	**143,009**	**106,203**	**85,319**	**77,872**	**71,384**	**58,179**	**80,717**	**1,869,650**
	F	**21,704**	**87,979**	**116,201**	**119,354**	**117,756**	**122,590**	**139,258**	**158,021**	**164,732**	**154,834**	**140,748**	**105,074**	**85,554**	**76,441**	**74,678**	**70,717**	**125,951**	**1,881,592**
	T	**44,569**	**181,206**	**237,548**	**246,145**	**243,453**	**249,000**	**284,594**	**321,761**	**331,176**	**309,940**	**283,757**	**211,276**	**170,873**	**154,313**	**146,062**	**128,896**	**206,668**	**3,751,237**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1997 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	25	143	105	100	83	99	87	82	76	54	63	28	35	18	10	9	11	1,028
	F	21	107	137	85	84	83	96	108	101	87	48	48	30	22	12	6	20	1,095
	T	46	250	242	185	167	182	183	190	177	141	111	76	65	40	22	15	31	2,123
13 Okanagan	M	88	352	347	304	284	279	256	281	257	220	188	135	89	74	62	37	58	3,311
	F	75	362	362	265	236	265	282	333	297	275	211	130	127	71	73	43	71	3,478
	T	163	714	709	569	520	544	538	614	554	495	399	265	216	145	135	80	129	6,789
14 Thompson Cariboo Shuswap	M	216	783	964	786	742	799	780	803	734	621	490	345	270	199	181	111	166	8,990
	F	171	708	888	768	728	736	757	885	778	689	506	378	268	196	176	121	210	8,963
	T	387	1,491	1,852	1,554	1,470	1,535	1,537	1,688	1,512	1,310	996	723	538	395	357	232	376	17,953
21 Fraser East	M	118	434	507	393	325	337	331	339	343	262	192	159	113	93	55	35	66	4,102
	F	96	430	442	383	348	362	343	377	399	324	223	163	109	97	74	27	68	4,265
	T	214	865	949	776	673	699	674	716	742	586	415	322	222	190	129	62	134	8,368
22 Fraser North	M	87	354	314	186	147	163	239	216	184	119	84	54	34	22	23	5	12	2,243
	F	96	307	288	182	127	189	278	245	219	156	99	78	63	38	24	19	14	2,422
	T	183	661	602	368	274	352	517	461	403	275	183	132	97	60	47	24	26	4,665
23 Fraser South	M	73	335	323	174	143	138	190	195	177	113	77	59	34	24	19	17	13	2,104
	F	78	345	303	170	155	163	199	248	205	157	108	75	57	48	28	28	15	2,382
	T	151	681	626	344	298	301	389	443	382	270	185	134	91	72	47	45	28	4,487
31 Richmond	M	6	46	49	29	11	24	26	39	24	17	8	14	8	8	3	0	1	313
	F	10	46	44	19	9	23	34	38	39	25	21	15	11	12	0	3	3	352
	T	16	92	93	48	20	47	60	77	63	42	29	29	19	20	3	3	4	665
32 Vancouver	M	120	556	626	475	442	508	582	705	652	513	332	242	160	101	56	29	37	6,136
	F	116	538	622	459	427	536	600	604	608	528	395	285	176	112	77	44	64	6,191
	T	236	1,094	1,248	934	869	1,044	1,182	1,309	1,260	1,041	727	527	336	213	133	73	101	12,327
33 North Shore/ Coast Garibaldi	M	106	401	574	486	417	433	388	482	467	356	280	206	170	115	89	69	82	5,121
	F	91	407	484	463	405	393	390	511	522	410	289	214	144	120	101	79	90	5,113
	T	198	808	1,058	949	822	826	779	993	989	766	569	420	314	235	190	148	172	10,236
41 South Vancouver Island	M	96	378	366	287	298	293	306	265	270	194	164	98	59	50	37	24	37	3,222
	F	86	359	347	278	278	326	346	340	314	289	178	107	92	76	48	22	46	3,532
	T	182	737	713	565	576	619	652	605	584	483	342	205	151	126	85	46	83	6,754
42 Central Vancouver Island	M	149	715	905	739	612	607	621	546	524	397	325	225	161	131	97	60	94	6,908
	F	178	725	793	665	625	653	654	673	618	521	344	249	175	120	100	68	121	7,282
	T	327	1,440	1,698	1,404	1,237	1,260	1,275	1,219	1,142	918	669	474	336	251	197	128	215	14,190
43 North Vancouver Island	M	83	352	382	314	300	287	275	281	256	232	186	120	105	84	45	31	38	3,371
	F	62	330	397	296	266	261	266	340	380	289	195	153	114	75	45	40	61	3,570
	T	145	682	779	610	566	548	541	621	636	521	381	274	219	159	90	71	99	6,942
51 Northwest	M	227	979	1,279	1,042	959	980	964	961	936	781	559	465	321	264	223	133	242	11,315
	F	224	891	1,132	1,042	845	912	1,001	1,058	1,029	886	619	458	315	233	190	135	259	11,229
	T	451	1,870	2,411	2,084	1,804	1,892	1,965	2,019	1,965	1,667	1,178	923	636	497	413	268	501	22,544
52 Northern Interior	M	152	676	719	604	528	535	547	489	471	349	251	166	134	90	83	53	111	5,958
	F	142	607	699	528	515	546	545	606	484	369	280	201	155	99	83	56	94	6,009
	T	294	1,284	1,418	1,132	1,043	1,081	1,092	1,095	955	718	531	367	289	189	166	109	205	11,968
53 Northeast	M	80	291	268	183	164	144	167	150	168	106	90	57	45	28	18	20	28	2,007
	F	59	253	260	201	149	176	217	193	175	146	89	88	56	31	30	25	30	2,178
	T	139	544	528	384	313	320	384	343	343	252	179	145	101	59	48	45	58	4,185
Provincial Total	**M**	**1,626**	**6,797**	**7,730**	**6,104**	**5,459**	**5,627**	**5,761**	**5,834**	**5,541**	**4,336**	**3,289**	**2,375**	**1,739**	**1,301**	**1,003**	**633**	**997**	**66,152**
	F	**1,505**	**6,420**	**7,199**	**5,805**	**5,199**	**5,624**	**6,009**	**6,561**	**6,169**	**5,153**	**3,606**	**2,643**	**1,893**	**1,351**	**1,062**	**717**	**1,168**	**68,084**
	T	**3,132**	**13,220**	**14,929**	**11,909**	**10,658**	**11,251**	**11,771**	**12,395**	**11,710**	**9,489**	**6,895**	**5,019**	**3,632**	**2,652**	**2,065**	**1,350**	**2,165**	**134,242**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1997 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

Health Region	Gender	Age Group (in years)																Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
11/12 East Kootenay/ Kootenay Boundary	M	811	3,615	5,495	6,201	5,919	4,600	4,424	5,265	6,742	7,133	6,548	5,175	4,057	3,735	3,667	2,755	3,847	79,989
	F	701	3,534	5,163	5,838	5,377	4,161	4,288	5,382	6,716	6,831	6,174	4,790	4,039	3,448	3,458	3,102	5,545	78,547
	T	1,512	7,149	10,658	12,039	11,296	8,761	8,712	10,647	13,458	13,964	12,722	9,965	8,096	7,183	7,125	5,857	9,392	158,536
13 Okanagan	M	1,451	6,447	9,405	10,123	9,275	8,012	8,208	9,568	11,630	11,195	10,140	8,393	7,260	7,301	8,252	7,001	10,462	144,123
	F	1,388	6,295	8,926	9,510	8,977	7,656	7,896	10,045	12,034	11,609	10,350	8,980	7,996	7,588	8,493	8,012	14,230	149,985
	T	2,839	12,742	18,331	19,633	18,252	15,668	16,104	19,613	23,664	22,804	20,490	17,373	15,256	14,889	16,745	15,013	24,692	294,108
14 Thompson Cariboo Shuswap	M	1,043	4,725	6,927	7,746	7,476	6,282	5,945	6,853	8,433	8,583	7,977	6,537	5,353	4,787	4,640	3,323	3,766	100,396
	F	995	4,476	6,579	7,174	7,070	5,780	5,709	7,020	8,539	8,333	7,565	6,437	5,109	4,505	4,171	3,384	5,130	97,976
	T	2,038	9,201	13,506	14,920	14,546	12,062	11,654	13,873	16,972	16,916	15,542	12,974	10,462	9,292	8,811	6,707	8,896	198,372
21 Fraser East	M	1,529	6,882	8,919	8,900	8,083	7,227	8,037	9,560	9,898	8,889	7,411	5,999	4,689	4,435	4,745	3,914	5,715	114,832
	F	1,478	6,486	8,382	8,198	7,601	6,765	7,702	8,902	9,325	8,409	7,115	5,927	4,954	4,635	4,892	4,794	8,017	113,582
	T	3,007	13,367	17,301	17,098	15,684	13,992	15,739	18,462	19,223	17,298	14,526	11,926	9,643	9,070	9,637	8,708	13,732	228,413
22 Fraser North	M	3,013	12,831	15,862	15,890	16,528	17,531	21,399	23,892	24,373	21,799	18,975	14,248	10,729	9,257	7,675	6,021	8,402	248,425
	F	2,799	11,966	14,863	15,020	15,535	16,950	20,733	22,786	23,792	21,380	18,699	14,196	10,843	9,372	8,334	7,699	15,262	250,229
	T	5,812	24,797	30,725	30,910	32,063	34,481	42,132	46,678	48,165	43,179	37,674	28,444	21,572	18,629	16,009	13,720	23,664	498,654
23 Fraser South	M	3,857	16,835	20,660	20,381	19,697	18,659	19,871	23,331	25,192	22,827	20,509	17,053	12,618	9,625	8,956	7,360	10,615	278,046
	F	3,543	15,775	20,036	18,774	18,485	18,205	19,975	22,833	24,412	23,193	20,624	16,681	12,138	9,867	9,646	9,078	16,014	279,279
	T	7,400	32,609	40,696	39,155	38,182	36,864	39,846	46,164	49,604	46,020	41,133	33,734	24,756	19,492	18,602	16,438	26,629	557,324
31 Richmond	M	890	3,667	4,853	5,415	6,320	5,929	5,866	6,287	6,754	6,907	6,902	5,074	3,650	3,232	2,074	1,653	2,575	78,048
	F	750	3,445	4,577	5,147	5,761	5,565	5,815	6,712	7,411	7,657	7,203	5,312	3,658	3,338	2,422	2,310	4,269	81,352
	T	1,640	7,112	9,430	10,562	12,081	11,494	11,681	12,999	14,165	14,564	14,105	10,386	7,308	6,570	4,496	3,963	6,844	159,400
32 Vancouver	M	2,892	10,104	11,635	12,353	14,973	22,158	31,337	30,965	25,595	21,841	20,944	15,132	11,611	11,080	9,107	7,089	11,211	270,027
	F	2,731	9,700	11,076	11,723	14,603	22,588	30,301	27,959	24,334	22,346	20,503	15,123	12,024	10,890	9,247	8,880	20,284	274,312
	T	5,623	19,804	22,711	24,076	29,576	44,746	61,638	58,924	49,929	44,187	41,447	30,255	23,635	21,970	18,354	15,969	31,495	544,339
33 North Shore/ Coast Garibaldi	M	1,282	5,821	7,780	7,981	7,975	7,971	8,372	9,399	10,895	10,876	10,116	8,776	6,285	5,269	5,020	4,036	5,557	123,411
	F	1,260	5,461	7,509	7,757	7,511	7,368	8,170	9,799	11,284	11,230	10,316	8,632	6,388	5,326	5,343	4,796	9,024	127,174
	T	2,541	11,282	15,289	15,738	15,486	15,339	16,541	19,198	22,179	22,106	20,432	17,408	12,673	10,595	10,363	8,832	14,581	250,583
41 South Vancouver Island	M	1,423	6,743	8,973	9,373	9,813	11,049	11,543	12,558	13,000	13,068	12,458	9,990	7,329	6,512	6,815	6,522	11,234	158,403
	F	1,495	6,182	8,761	8,929	9,539	11,156	11,144	11,999	13,552	13,769	13,007	10,344	7,909	6,996	7,824	8,770	18,858	170,234
	T	2,918	12,925	17,734	18,302	19,352	22,205	22,687	24,557	26,552	26,837	25,465	20,334	15,238	13,508	14,639	15,292	30,092	328,637
42 Central Vancouver Island	M	1,082	5,090	7,302	7,762	7,359	5,876	5,999	7,431	9,200	9,231	8,712	7,166	5,933	5,423	5,978	5,070	6,380	110,994
	F	1,017	4,715	7,052	7,427	7,044	5,598	5,893	7,463	9,181	9,446	8,331	7,217	5,955	5,478	5,907	5,468	8,803	111,995
	T	2,099	9,805	14,354	15,189	14,403	11,474	11,892	14,894	18,381	18,677	17,043	14,383	11,888	10,901	11,885	10,538	15,183	222,989
43 North Vancouver Island	M	607	2,682	4,101	4,466	4,037	3,060	3,206	4,341	5,207	5,143	4,639	3,782	2,847	2,455	2,197	1,607	1,949	56,326
	F	571	2,662	3,947	4,252	3,828	2,830	3,094	4,234	5,126	4,870	4,365	3,457	2,614	2,181	1,894	1,794	2,700	54,419
	T	1,178	5,344	8,048	8,718	7,865	5,890	6,300	8,575	10,333	10,013	9,004	7,238	5,461	4,636	4,091	3,401	4,649	110,744
51 Northwest	M	450	2,077	2,799	2,909	2,697	2,331	2,564	3,083	3,425	3,292	2,917	2,317	1,673	1,145	993	609	553	35,834
	F	417	1,980	2,599	2,809	2,466	2,145	2,336	2,695	3,014	2,785	2,361	1,874	1,323	979	809	618	778	31,988
	T	867	4,057	5,398	5,718	5,163	4,476	4,900	5,778	6,439	6,077	5,278	4,191	2,996	2,124	1,802	1,227	1,331	67,822
52 Northern Interior	M	937	4,090	5,746	6,213	5,923	5,217	5,568	6,209	6,878	6,653	5,703	4,567	3,504	2,589	2,151	1,418	1,430	74,796
	F	907	3,889	5,306	5,812	5,595	5,013	5,303	5,900	6,497	6,307	5,218	4,151	2,925	2,172	1,799	1,336	1,957	70,087
	T	1,844	7,978	11,052	12,025	11,518	10,230	10,871	12,109	13,375	12,960	10,921	8,718	6,429	4,761	3,950	2,754	3,387	144,882
53 Northeast	M	412	1,972	2,600	2,664	2,465	2,225	2,515	2,917	3,112	2,749	2,038	1,634	1,194	1,101	784	561	632	31,575
	F	403	1,972	2,515	2,496	2,250	2,088	2,335	2,660	2,779	2,352	1,810	1,479	1,053	882	723	485	842	29,124
	T	815	3,944	5,115	5,160	4,715	4,313	4,850	5,577	5,891	5,101	3,848	3,113	2,247	1,983	1,507	1,046	1,474	60,699
Provincial Total	**M**	**21,679**	**93,579**	**123,055**	**128,374**	**128,536**	**128,126**	**144,852**	**161,659**	**170,333**	**160,183**	**145,989**	**115,842**	**88,731**	**77,946**	**73,052**	**58,939**	**84,327**	**1,905,202**
	F	**20,455**	**88,532**	**117,290**	**120,865**	**121,640**	**123,866**	**140,694**	**156,387**	**167,994**	**160,516**	**143,639**	**114,600**	**88,927**	**77,656**	**74,961**	**70,525**	**131,711**	**1,920,260**
	T	**42,133**	**182,108**	**240,345**	**249,239**	**250,176**	**251,994**	**285,545**	**318,046**	**338,327**	**320,699**	**289,628**	**230,441**	**177,658**	**155,602**	**148,013**	**129,464**	**216,038**	**3,825,456**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1998 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	36	139	120	102	85	103	81	93	79	52	64	35	35	16	13	8	12	1,073
	F	28	103	134	97	71	91	102	95	125	86	46	52	30	22	14	5	17	1,118
	T	64	242	254	199	156	194	183	188	204	138	110	87	65	38	27	13	29	2,191
13 Okanagan	M	102	343	382	305	285	291	281	262	264	228	206	144	92	83	58	33	58	3,417
	F	76	347	384	277	254	255	278	331	323	281	228	150	122	77	75	52	72	3,582
	T	178	690	766	582	539	546	559	593	587	509	434	294	214	160	133	85	130	6,999
14 Thompson Cariboo Shuswap	M	163	814	996	822	771	761	804	781	772	654	481	368	284	193	179	115	154	9,112
	F	211	695	934	781	744	742	753	830	876	666	552	393	263	213	167	126	199	9,145
	T	374	1,509	1,930	1,603	1,515	1,503	1,557	1,611	1,648	1,320	1,033	761	547	406	346	241	353	18,257
21 Fraser East	M	122	431	554	399	348	335	334	342	356	269	204	174	113	91	62	36	62	4,232
	F	102	424	466	402	354	371	337	379	428	325	257	176	122	92	88	31	61	4,415
	T	224	856	1,020	801	702	706	671	721	784	594	461	350	235	183	150	67	123	8,648
22 Fraser North	M	83	347	350	187	142	164	238	217	203	120	84	55	38	21	23	5	9	2,286
	F	92	327	332	175	128	186	277	257	215	150	108	97	62	47	25	18	15	2,511
	T	175	674	682	362	270	350	515	474	418	270	192	152	100	68	48	23	24	4,797
23 Fraser South	M	114	336	352	182	167	138	165	206	182	115	82	69	45	24	23	14	12	2,226
	F	112	337	349	187	154	170	210	223	247	157	113	83	63	57	29	30	16	2,537
	T	226	674	701	369	321	308	375	429	429	272	195	152	108	81	52	44	28	4,764
31 Richmond	M	7	42	54	31	16	25	25	45	22	17	11	13	6	9	5	0	1	329
	F	6	37	55	24	12	17	30	37	38	32	27	15	11	13	1	2	2	359
	T	13	79	109	55	28	42	55	82	60	49	38	28	17	22	6	2	3	688
32 Vancouver	M	109	538	642	488	422	491	582	676	677	506	352	251	157	100	67	31	35	6,124
	F	121	512	649	479	388	564	567	572	632	523	387	293	190	121	67	51	56	6,172
	T	230	1,050	1,291	967	810	1,055	1,149	1,248	1,309	1,029	739	544	347	221	134	82	91	12,296
33 North Shore/ Coast Garibaldi	M	88	406	566	505	454	409	413	422	488	347	303	216	167	121	93	64	72	5,134
	F	103	388	500	465	417	402	382	463	571	407	313	218	165	123	97	74	92	5,180
	T	192	795	1,066	970	871	811	796	885	1,059	754	616	434	332	244	190	138	164	10,317
41 South Vancouver Island	M	95	380	397	293	289	312	310	264	271	190	167	121	59	54	40	22	35	3,299
	F	70	355	391	258	294	334	338	325	348	296	192	112	99	67	56	23	44	3,602
	T	165	735	788	551	583	646	648	589	619	486	359	233	158	121	96	45	79	6,901
42 Central Vancouver Island	M	161	672	933	770	636	615	639	546	537	413	363	243	160	124	94	58	84	7,048
	F	171	732	840	678	627	653	658	655	642	538	376	265	177	131	112	62	119	7,436
	T	332	1,404	1,773	1,448	1,263	1,268	1,297	1,201	1,179	951	739	508	337	255	206	120	203	14,484
43 North Vancouver Island	M	81	354	408	323	301	293	266	271	263	231	200	127	105	84	47	27	32	3,413
	F	91	316	404	316	269	272	271	322	397	286	216	162	116	84	53	32	59	3,666
	T	172	670	812	639	570	565	537	593	660	517	416	290	221	168	100	59	91	7,080
51 Northwest	M	219	957	1,272	1,077	950	985	954	915	985	796	585	482	340	266	214	131	229	11,357
	F	207	874	1,152	1,033	875	872	956	1,035	1,100	861	684	484	336	258	172	159	240	11,298
	T	426	1,831	2,424	2,110	1,825	1,857	1,910	1,950	2,085	1,657	1,269	966	676	524	386	290	469	22,655
52 Northern Interior	M	165	647	757	610	542	536	538	482	485	368	268	182	133	107	82	48	99	6,049
	F	148	615	735	539	525	545	540	595	523	384	308	207	158	103	90	51	89	6,155
	T	313	1,263	1,492	1,149	1,067	1,081	1,078	1,077	1,008	752	576	389	291	210	172	99	188	12,205
53 Northeast	M	64	304	301	192	167	160	155	155	168	116	95	69	46	27	17	16	31	2,083
	F	47	247	291	208	144	189	215	200	174	152	104	80	67	34	33	25	34	2,244
	T	111	551	592	400	311	349	370	355	342	268	199	149	113	61	50	41	65	4,327
Provincial Total	**M**	**1,609**	**6,713**	**8,085**	**6,268**	**5,580**	**5,619**	**5,786**	**5,678**	**5,753**	**4,426**	**3,466**	**2,550**	**1,782**	**1,320**	**1,017**	**609**	**925**	**67,206**
	F	**1,585**	**6,313**	**7,618**	**5,922**	**5,259**	**5,665**	**5,916**	**6,320**	**6,640**	**5,146**	**3,912**	**2,788**	**1,962**	**1,442**	**1,080**	**742**	**1,116**	**69,446**
	T	**3,195**	**13,030**	**15,703**	**12,210**	**10,839**	**11,284**	**11,703**	**11,998**	**12,393**	**9,572**	**7,378**	**5,339**	**3,764**	**2,762**	**2,097**	**1,351**	**2,041**	**136,659**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1998 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

Health Region	Gender	Age Group (in years)																Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
11/12 East Kootenay/ Kootenay Boundary	M	761	3,459	5,124	5,877	5,901	5,156	4,413	4,667	6,245	6,982	6,788	5,665	4,176	3,834	3,631	2,941	3,930	79,550
	F	711	3,108	5,037	5,492	5,458	4,663	4,046	4,789	6,419	6,805	6,288	5,277	4,137	3,605	3,406	3,179	5,768	78,188
	T	1,472	6,567	10,161	11,369	11,359	9,819	8,459	9,456	12,664	13,787	13,076	10,942	8,313	7,439	7,037	6,120	9,698	157,738
13 Okanagan	M	1,382	6,256	9,096	10,111	9,886	8,472	8,308	9,046	11,246	11,618	10,700	9,019	7,282	7,143	8,165	7,064	10,732	145,526
	F	1,350	6,057	8,721	9,485	9,356	8,342	8,057	9,094	11,899	12,196	10,917	9,335	8,067	7,491	8,427	8,060	14,998	151,852
	T	2,732	12,313	17,817	19,596	19,242	16,814	16,365	18,140	23,145	23,814	21,617	18,354	15,349	14,634	16,592	15,124	25,730	297,378
14 Thompson Cariboo Shuswap	M	948	4,465	6,527	7,504	7,488	6,482	6,072	6,338	7,919	8,516	8,102	6,951	5,452	4,864	4,789	3,600	4,136	100,153
	F	803	4,385	6,176	7,019	6,899	6,083	5,733	6,259	8,282	8,592	7,600	6,616	5,341	4,588	4,401	3,642	5,643	98,062
	T	1,751	8,850	12,703	14,523	14,387	12,565	11,805	12,597	16,201	17,108	15,702	13,567	10,793	9,452	9,190	7,242	9,779	198,215
21 Fraser East	M	1,476	6,737	8,950	9,032	8,543	7,462	7,579	8,733	10,280	9,405	7,778	6,342	4,876	4,254	4,671	3,876	5,747	115,741
	F	1,461	6,255	8,491	8,409	7,907	7,012	7,331	8,430	9,483	8,927	7,387	6,215	5,000	4,529	4,692	4,665	8,414	114,608
	T	2,937	12,991	17,441	17,441	16,450	14,474	14,910	17,163	19,763	18,332	15,165	12,557	9,876	8,783	9,363	8,541	14,161	230,348
22 Fraser North	M	3,026	12,742	16,263	16,251	17,322	17,219	20,176	23,600	25,262	23,045	19,914	15,539	11,100	9,416	7,587	5,914	8,419	252,795
	F	2,746	11,808	15,293	14,966	16,580	16,737	19,951	22,827	24,494	22,795	19,414	15,617	11,328	9,599	8,154	7,592	14,985	254,886
	T	5,772	24,550	31,556	31,217	33,902	33,956	40,127	46,427	49,756	45,840	39,328	31,156	22,428	19,015	15,741	13,506	23,404	507,681
23 Fraser South	M	3,580	16,543	21,364	20,703	20,136	18,751	19,468	22,311	25,104	23,770	20,854	17,440	13,689	10,240	9,632	7,830	11,957	283,372
	F	3,365	15,496	20,717	19,812	18,857	17,735	19,084	22,196	25,108	23,865	20,662	17,523	13,198	10,024	10,047	9,512	17,897	285,098
	T	6,945	32,038	42,081	40,515	38,993	36,486	38,552	44,507	50,212	47,635	41,516	34,963	26,887	20,264	19,679	17,342	29,854	568,469
31 Richmond	M	831	3,835	4,807	5,168	6,016	6,221	5,993	6,523	7,081	6,803	6,671	5,800	4,023	3,356	2,257	1,700	2,706	79,791
	F	737	3,423	4,561	4,832	5,618	5,924	6,127	6,690	7,479	7,573	7,234	6,047	4,161	3,589	2,506	2,322	4,537	83,360
	T	1,568	7,258	9,368	10,000	11,634	12,145	12,120	13,213	14,560	14,376	13,905	11,847	8,184	6,945	4,763	4,022	7,243	163,151
32 Vancouver	M	2,691	11,124	12,338	12,191	14,437	20,905	30,491	32,562	28,291	22,711	20,224	16,704	11,298	10,441	8,977	7,296	10,745	273,426
	F	2,736	10,606	11,425	11,738	14,371	20,987	30,410	30,130	26,084	22,760	20,535	16,564	11,516	10,941	9,298	8,606	19,203	277,910
	T	5,427	21,730	23,763	23,929	28,808	41,892	60,901	62,692	54,375	45,471	40,759	33,268	22,814	21,382	18,275	15,902	29,948	551,336
33 North Shore/ Coast Garibaldi	M	1,257	5,718	7,757	8,101	8,305	7,609	8,630	8,940	10,428	11,032	10,286	9,039	6,994	5,450	4,921	4,090	5,943	124,500
	F	1,199	5,306	7,397	7,823	7,833	7,482	7,981	9,257	11,075	11,294	10,545	8,969	7,077	5,546	5,256	4,855	9,419	128,314
	T	2,455	11,023	15,154	15,924	16,138	15,091	16,610	18,197	21,503	22,326	20,831	18,008	14,071	10,996	10,177	8,945	15,362	252,811
41 South Vancouver Island	M	1,402	6,380	9,031	9,254	10,131	10,400	11,818	11,629	13,539	13,100	12,722	10,866	8,002	6,645	6,580	5,932	11,409	158,840
	F	1,447	5,976	8,544	9,209	9,852	10,434	11,992	11,237	13,548	13,815	13,455	11,459	8,491	7,226	7,360	7,880	18,954	170,879
	T	2,849	12,356	17,575	18,463	19,983	20,834	23,810	22,866	27,087	26,915	26,177	22,325	16,493	13,871	13,940	13,812	30,363	329,719
42 Central Vancouver Island	M	964	4,634	7,051	7,792	7,482	6,416	5,695	6,593	8,702	9,237	8,939	7,679	6,168	5,417	5,993	5,258	7,093	111,113
	F	979	4,444	6,647	7,469	7,096	5,920	5,792	6,810	8,816	9,369	8,831	7,419	6,287	5,487	5,871	5,542	9,724	112,503
	T	1,943	9,078	13,698	15,261	14,578	12,336	11,487	13,403	17,518	18,606	17,770	15,098	12,455	10,904	11,864	10,800	16,817	223,616
43 North Vancouver Island	M	517	2,620	3,780	4,459	4,010	3,275	2,871	3,576	5,030	5,085	4,623	4,009	3,085	2,653	2,447	1,744	2,257	56,041
	F	484	2,610	3,699	4,105	3,830	2,942	2,809	3,683	4,911	5,108	4,392	3,548	2,854	2,262	2,254	1,749	3,126	54,366
	T	1,001	5,230	7,479	8,564	7,840	6,217	5,680	7,259	9,941	10,193	9,015	7,556	5,939	4,915	4,701	3,493	5,383	110,406
51 Northwest	M	393	1,868	2,683	2,909	2,465	2,113	2,293	2,797	3,299	3,176	3,067	2,266	1,832	1,163	1,070	753	722	34,869
	F	397	1,787	2,566	2,644	2,358	1,934	2,047	2,538	2,830	2,916	2,294	1,902	1,374	923	911	762	1,007	31,190
	T	790	3,655	5,249	5,553	4,823	4,047	4,340	5,335	6,129	6,092	5,361	4,168	3,206	2,086	1,981	1,515	1,729	66,059
52 Northern Interior	M	752	3,927	5,475	6,052	5,885	5,174	5,075	5,812	6,723	6,602	5,918	4,613	3,668	2,817	2,320	1,542	1,582	73,937
	F	723	3,714	5,277	5,497	5,481	4,977	4,983	5,537	6,304	6,132	5,431	4,312	3,099	2,218	1,990	1,519	2,193	69,387
	T	1,475	7,640	10,752	11,549	11,366	10,151	10,058	11,349	13,027	12,734	11,349	8,925	6,767	5,035	4,310	3,061	3,775	143,323
53 Northeast	M	417	1,857	2,611	2,650	2,478	2,225	2,353	2,701	3,028	2,830	2,284	1,627	1,268	963	854	549	655	31,350
	F	425	1,715	2,617	2,445	2,260	2,008	2,164	2,476	2,818	2,428	1,921	1,461	1,140	824	785	551	866	28,904
	T	842	3,572	5,228	5,095	4,738	4,233	4,517	5,177	5,846	5,258	4,205	3,088	2,408	1,787	1,639	1,100	1,521	60,254
Provincial Total	**M**	**20,397**	**92,162**	**122,856**	**128,052**	**130,486**	**127,873**	**141,234**	**155,827**	**172,177**	**163,907**	**148,868**	**123,559**	**92,911**	**78,656**	**73,894**	**60,068**	**88,033**	**1,920,960**
	F	**19,563**	**86,686**	**117,166**	**120,942**	**123,753**	**123,178**	**138,505**	**151,952**	**169,549**	**164,573**	**146,905**	**122,263**	**93,069**	**78,852**	**75,357**	**70,435**	**136,733**	**1,939,481**
	T	**39,959**	**178,844**	**240,022**	**248,994**	**254,239**	**251,051**	**279,738**	**307,779**	**341,726**	**328,480**	**295,773**	**245,821**	**185,980**	**157,508**	**149,251**	**130,523**	**224,766**	**3,860,454**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1999 Status Indian Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	24	139	149	89	91	104	87	97	83	62	62	35	36	21	15	7	15	1,116
	F	36	99	149	93	82	76	103	97	119	96	56	56	31	23	20	5	16	1,157
	T	60	238	298	182	173	180	190	194	202	158	118	91	67	44	35	12	31	2,273
13 Okanagan	M	77	363	400	315	287	298	293	257	281	232	216	156	96	82	71	37	60	3,521
	F	96	342	417	288	264	257	289	316	359	283	250	172	122	94	70	59	79	3,757
	T	173	705	817	603	551	555	582	573	640	515	466	328	218	176	141	96	139	7,278
14 Thompson Cariboo Shuswap	M	171	773	1,042	856	792	785	791	776	807	663	532	392	300	198	190	126	163	9,357
	F	168	731	975	777	755	744	790	769	924	717	567	427	270	235	170	130	210	9,359
	T	339	1,504	2,017	1,633	1,547	1,529	1,581	1,545	1,731	1,380	1,099	819	570	433	360	256	373	18,716
21 Fraser East	M	120	454	572	410	354	334	374	330	362	280	225	181	123	93	72	34	64	4,382
	F	91	427	498	382	386	350	351	377	414	346	276	181	131	98	89	46	61	4,504
	T	211	881	1,071	792	740	684	725	707	776	626	501	362	254	191	161	80	125	8,887
22 Fraser North	M	81	341	385	190	153	172	223	238	221	131	96	65	38	25	19	10	8	2,396
	F	85	338	358	187	147	172	257	274	226	169	110	101	63	55	21	23	16	2,602
	T	166	679	743	377	300	344	480	512	447	300	206	166	101	80	40	33	24	4,998
23 Fraser South	M	91	369	420	191	159	148	165	195	184	141	89	72	44	30	26	14	15	2,353
	F	86	354	408	190	162	164	207	224	260	183	117	105	60	62	36	27	24	2,669
	T	178	724	828	381	321	312	372	419	444	324	206	177	104	92	62	41	39	5,024
31 Richmond	M	10	33	60	23	27	21	24	37	25	18	15	11	9	7	6	0	1	327
	F	7	40	56	26	12	18	30	33	39	31	22	22	9	14	1	2	3	365
	T	17	73	116	49	39	39	54	70	64	49	37	33	18	21	7	2	4	692
32 Vancouver	M	118	499	95	484	437	501	584	666	696	543	377	268	170	113	72	36	36	6,295
	F	101	485	679	489	402	540	582	571	614	545	424	309	207	140	75	59	58	6,280
	T	219	984	1,374	973	839	1,041	1,166	1,237	1,310	1,088	801	577	377	253	147	95	94	12,575
33 North Shore/ Coast Garibaldi	M	112	394	550	524	479	406	419	422	483	366	327	230	174	134	94	65	73	5,252
	F	104	401	513	474	445	402	384	446	562	437	357	209	183	125	94	77	99	5,312
	T	217	797	1,063	998	924	808	804	868	1,045	803	684	439	357	259	188	142	172	10,568
41 South Vancouver Island	M	95	394	426	281	310	327	309	282	284	197	168	138	66	54	40	27	34	3,422
	F	85	344	417	265	295	321	336	353	352	298	214	125	99	66	59	23	50	3,702
	T	180	728	843	546	605	648	645	635	636	495	382	263	165	120	99	50	84	7,124
42 Central Vancouver Island	M	166	688	927	800	664	592	641	575	548	427	373	261	172	123	106	61	95	7,219
	F	158	714	891	705	667	632	661	651	662	567	412	285	189	145	109	72	122	7,642
	T	325	1,402	1,818	1,505	1,331	1,224	1,302	1,226	1,210	994	785	546	361	268	215	133	217	14,862
43 North Vancouver Island	M	90	352	411	353	288	293	269	256	277	256	187	151	113	84	49	32	32	3,493
	F	68	314	428	319	281	278	274	293	381	304	240	176	129	86	56	34	61	3,722
	T	158	666	839	672	569	571	543	549	658	560	427	328	242	170	105	66	93	7,216
51 Northwest	M	198	902	1,295	1,147	945	944	965	931	1,000	805	635	489	363	281	219	137	239	11,495
	F	216	839	1,176	1,040	907	843	956	1,005	1,102	917	707	519	370	254	174	173	246	11,444
	T	414	1,741	2,471	2,187	1,852	1,787	1,921	1,936	2,102	1,722	1,342	1,008	733	535	393	310	485	22,939
52 Northern Interior	M	132	654	796	611	569	510	551	496	488	385	288	193	142	110	89	48	102	6,164
	F	111	620	783	534	543	545	541	578	570	395	354	212	173	119	91	51	92	6,312
	T	243	1,274	1,580	1,145	1,112	1,055	1,092	1,074	1,058	780	642	405	315	229	180	99	194	12,477
53 Northeast	M	59	295	332	211	181	157	154	168	178	124	89	84	50	27	19	11	33	2,172
	F	62	238	319	223	149	189	212	203	191	155	120	84	74	38	33	24	38	2,352
	T	121	533	651	434	330	346	366	371	369	279	209	168	124	65	52	35	71	4,524
Provincial Total	**M**	**1,544**	**6,641**	**8,460**	**6,485**	**5,740**	**5,593**	**5,850**	**5,727**	**5,917**	**4,635**	**3,679**	**2,727**	**1,898**	**1,382**	**1,087**	**646**	**970**	**68,981**
	F	**1,474**	**6,287**	**8,069**	**5,993**	**5,498**	**5,532**	**5,974**	**6,191**	**6,776**	**5,444**	**4,227**	**2,984**	**2,112**	**1,554**	**1,099**	**805**	**1,177**	**71,196**
	T	**3,021**	**12,931**	**16,531**	**12,478**	**11,238**	**11,125**	**11,825**	**11,918**	**12,693**	**10,079**	**7,906**	**5,712**	**4,010**	**2,936**	**2,186**	**1,451**	**2,147**	**140,187**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

1999 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	742	3,367	5,187	5,795	5,827	4,667	4,271	4,658	6,430	7,087	6,830	5,866	4,340	3,782	3,572	2,911	4,039	79,371
	F	650	3,177	4,868	5,478	5,363	4,229	4,133	4,706	6,560	6,890	6,374	5,434	4,307	3,647	3,263	3,111	5,893	78,083
	T	1,392	6,544	10,055	11,273	11,190	8,896	8,404	9,364	12,990	13,977	13,204	11,300	8,647	7,429	6,835	6,022	9,932	157,454
13 Okanagan	M	1,316	6,119	9,130	10,123	9,708	8,049	7,794	8,727	11,468	11,783	10,726	9,383	7,848	7,425	8,052	7,266	11,071	145,988
	F	1,263	5,926	8,780	9,454	9,231	7,780	7,695	8,962	12,078	12,194	11,083	9,836	8,745	7,826	8,380	7,988	15,502	152,723
	T	2,579	12,045	17,910	19,577	18,939	15,829	15,489	17,689	23,546	23,977	21,809	19,219	16,593	15,251	16,432	15,254	26,573	298,711
14 Thompson Cariboo Shuswap	M	875	4,286	6,404	7,384	7,386	6,030	5,633	6,054	7,954	8,609	8,033	7,266	5,806	4,940	4,716	3,535	4,158	99,069
	F	928	4,107	6,047	6,914	6,932	5,719	5,416	6,181	8,241	8,534	7,846	6,920	5,600	4,638	4,224	3,501	5,694	97,442
	T	1,803	8,393	12,451	14,298	14,318	11,749	11,049	12,235	16,195	17,143	15,879	14,186	11,406	9,578	8,940	7,036	9,852	196,511
21 Fraser East	M	1,435	6,662	8,930	9,014	8,495	7,507	7,536	8,845	10,196	9,396	7,892	6,727	5,196	4,480	4,701	4,020	6,104	117,136
	F	1,399	6,173	8,395	8,468	7,881	7,052	7,299	8,465	9,611	8,885	7,593	6,687	5,385	4,714	4,777	4,733	8,727	116,244
	T	2,834	12,835	17,324	17,482	16,376	14,559	14,835	17,310	19,807	18,281	15,485	13,414	10,581	9,194	9,478	8,753	14,831	233,379
22 Fraser North	M	2,932	12,451	16,255	16,702	17,496	18,381	19,845	22,913	25,562	23,512	20,402	16,298	11,778	9,536	7,937	6,310	9,171	257,481
	F	2,634	11,695	15,456	15,176	16,769	17,361	19,796	22,393	24,794	23,295	20,105	16,342	11,894	9,815	8,435	7,881	16,192	260,033
	T	5,566	24,146	31,711	31,878	34,265	35,742	39,641	45,306	50,356	46,807	40,507	32,640	23,672	19,351	16,372	14,191	25,363	517,514
23 Fraser South	M	3,689	16,396	21,257	20,934	20,780	19,414	19,086	22,117	25,640	24,378	21,536	19,058	14,240	10,302	9,254	7,581	11,796	287,458
	F	3,472	15,357	20,685	19,716	19,429	18,654	19,255	22,047	25,504	24,333	21,687	18,923	13,792	10,356	9,594	9,239	17,795	289,838
	T	7,160	31,752	41,942	40,650	40,209	38,068	38,341	44,164	51,144	48,711	43,223	37,981	28,032	20,658	18,848	16,820	29,591	577,294
31 Richmond	M	819	3,691	4,972	5,436	6,419	6,350	5,530	6,034	7,162	7,151	7,032	6,007	3,987	3,378	2,440	1,855	2,954	81,217
	F	768	3,318	4,686	5,054	6,045	5,925	5,638	6,575	7,627	8,012	7,645	6,123	4,125	3,591	2,690	2,454	4,776	85,052
	T	1,587	7,009	9,658	10,490	12,464	12,275	11,168	12,609	14,789	15,163	14,677	12,130	8,112	6,969	5,130	4,309	7,730	166,269
32 Vancouver	M	2,609	10,321	11,784	12,424	14,751	22,364	29,921	30,916	27,948	22,877	21,248	17,506	12,138	10,916	9,511	7,603	11,846	276,683
	F	2,551	9,891	10,925	11,781	14,704	22,921	29,851	28,479	25,775	22,826	21,179	17,467	12,468	11,390	9,573	8,889	20,910	281,580
	T	5,160	20,212	22,709	24,205	29,455	45,285	59,772	59,395	53,723	45,703	42,427	34,973	24,606	22,306	19,084	16,492	32,756	558,263
33 North Shore/ Coast Garibaldi	M	1,253	5,429	7,793	7,941	8,423	7,798	8,000	8,707	10,634	11,217	10,424	9,495	7,057	5,414	5,001	4,154	6,096	124,836
	F	1,161	5,101	7,430	7,859	7,974	7,416	7,475	9,200	11,238	11,556	10,699	9,387	7,164	5,525	5,273	4,704	9,651	128,813
	T	2,413	10,528	15,223	15,800	16,397	15,214	15,474	17,907	21,872	22,773	21,123	18,882	14,221	10,939	10,274	8,858	15,747	253,645
41 South Vancouver Island	M	1,377	6,179	8,896	9,160	10,048	10,853	11,078	11,420	13,307	13,030	12,872	11,300	8,186	6,649	6,602	6,239	11,997	159,193
	F	1,279	5,899	8,354	8,966	9,925	11,037	11,192	11,057	13,401	13,930	13,607	11,880	8,702	7,198	7,295	7,956	19,837	171,515
	T	2,656	12,078	17,250	18,126	19,973	21,890	22,270	22,477	26,708	26,960	26,479	23,180	16,888	13,847	13,897	14,195	31,834	330,708
42 Central Vancouver Island	M	951	4,558	7,040	7,533	7,377	5,905	5,439	6,536	8,754	9,292	8,975	8,003	6,548	5,474	5,998	5,332	7,139	110,854
	F	870	4,330	6,665	7,273	7,130	5,548	5,580	6,575	8,897	9,556	8,859	7,967	6,638	5,646	5,808	5,454	9,843	112,639
	T	1,820	8,888	13,705	14,806	14,507	11,453	11,019	13,111	17,651	18,848	17,834	15,970	13,186	11,120	11,806	10,786	16,982	223,492
43 North Vancouver Island	M	532	2,477	3,725	4,303	3,913	2,987	2,825	3,604	4,971	5,054	4,655	4,109	3,169	2,575	2,285	1,672	2,225	55,081
	F	529	2,395	3,618	4,029	3,711	2,840	2,773	3,615	4,862	5,032	4,415	3,834	2,940	2,295	2,042	1,718	3,090	53,738
	T	1,061	4,872	7,343	8,332	7,624	5,827	5,598	7,219	9,833	10,086	9,070	7,942	6,109	4,870	4,327	3,390	5,315	108,818
51 Northwest	M	385	1,853	2,537	2,646	2,556	2,133	2,203	2,654	3,147	3,280	2,967	2,459	1,857	1,095	1,023	659	649	34,103
	F	320	1,719	2,419	2,560	2,369	1,930	2,057	2,318	2,817	2,829	2,455	2,041	1,393	985	840	639	898	30,589
	T	705	3,572	4,956	5,206	4,925	4,063	4,260	4,972	5,964	6,109	5,422	4,500	3,250	2,080	1,863	1,298	1,547	64,692
52 Northern Interior	M	871	3,635	5,400	5,917	5,776	5,036	5,000	5,513	6,716	6,527	5,972	4,861	3,717	2,697	2,248	1,454	1,561	72,901
	F	806	3,543	4,987	5,359	5,448	4,851	4,900	5,380	6,271	6,212	5,410	4,565	3,128	2,187	1,896	1,379	2,229	68,551
	T	1,677	7,178	10,386	11,276	11,224	9,887	9,900	10,893	12,987	12,739	11,382	9,426	6,845	4,884	4,144	2,833	3,790	141,451
53 Northeast	M	418	1,796	2,474	2,558	2,477	2,231	2,348	2,585	3,029	2,846	2,220	1,784	1,299	1,059	845	561	666	31,196
	F	352	1,705	2,439	2,397	2,318	2,031	2,218	2,417	2,733	2,486	1,918	1,566	1,138	863	726	527	896	28,730
	T	770	3,501	4,913	4,955	4,795	4,262	4,566	5,002	5,762	5,332	4,138	3,350	2,437	1,922	1,571	1,088	1,562	59,926
Provincial Total	**M**	**20,204**	**89,219**	**121,784**	**127,870**	**131,428**	**129,704**	**136,508**	**151,282**	**172,918**	**166,034**	**151,784**	**130,121**	**97,164**	**79,722**	**74,185**	**61,151**	**91,472**	**1,932,550**
	F	**18,982**	**84,335**	**115,752**	**120,483**	**125,228**	**125,293**	**135,277**	**148,369**	**170,408**	**166,569**	**150,874**	**128,971**	**97,417**	**80,676**	**74,815**	**70,173**	**141,931**	**1,955,553**
	T	**39,183**	**173,551**	**237,534**	**248,353**	**256,656**	**254,997**	**271,784**	**299,651**	**343,326**	**332,603**	**302,658**	**259,091**	**194,581**	**160,398**	**149,000**	**131,324**	**233,403**	**3,888,093**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2000 Status Indian Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	34	124	166	92	101	90	102	95	94	68	56	49	33	23	18	8	17	1,170
	F	43	110	146	108	91	80	91	101	124	104	61	58	35	27	19	10	16	1,224
	T	77	234	312	200	192	170	193	196	218	172	117	107	68	50	37	18	33	2,394
13 Okanagan	M	84	351	417	326	323	294	279	280	292	250	237	174	90	89	77	42	65	3,670
	F	85	332	438	322	270	254	288	303	385	294	259	174	145	103	72	62	90	3,876
	T	169	683	855	648	593	548	567	583	677	544	496	348	235	192	149	104	155	7,546
14 Thompson Cariboo Shuswap	M	177	735	1,017	907	824	754	816	767	811	706	550	436	319	207	185	143	190	9,544
	F	148	724	936	847	770	723	784	760	952	757	588	461	305	244	171	138	231	9,539
	T	325	1,459	1,953	1,754	1,594	1,477	1,600	1,527	1,763	1,463	1,138	897	624	451	356	281	421	19,083
21 Fraser East	M	112	465	560	438	374	353	348	357	365	300	239	187	126	114	70	47	66	4,521
	F	104	412	507	414	374	354	343	377	418	357	298	200	148	99	86	58	69	4,618
	T	216	877	1,068	852	748	707	691	734	783	657	537	387	274	213	156	105	135	9,140
22 Fraser North	M	95	341	394	239	170	179	204	263	233	145	109	72	46	28	24	10	11	2,563
	F	75	331	400	208	160	181	237	278	229	185	131	107	72	58	32	21	21	2,726
	T	170	672	794	447	330	360	441	541	462	330	240	179	118	86	56	31	32	5,289
23 Fraser South	M	127	373	449	251	162	152	162	204	185	153	112	70	50	36	28	17	16	2,547
	F	110	357	421	230	170	181	217	218	275	214	127	115	59	68	42	24	32	2,860
	T	237	731	871	481	332	333	379	422	460	367	239	185	109	104	70	41	48	5,409
31 Richmond	M	13	34	53	35	25	24	27	34	27	19	17	14	10	7	7	0	1	347
	F	13	31	57	29	19	17	25	31	41	33	25	22	9	15	3	2	4	376
	T	26	65	110	64	44	41	52	65	68	52	42	36	19	22	10	2	5	723
32 Vancouver	M	116	474	722	491	449	507	571	644	712	567	406	291	175	122	76	45	44	6,412
	F	114	462	667	517	421	529	595	564	614	581	438	339	220	149	88	62	64	6,424
	T	230	936	1,389	1,008	870	1,036	1,166	1,208	1,326	1,148	844	630	395	271	164	107	108	12,836
33 North Shore/ Coast Garibaldi	M	108	409	528	541	489	408	416	395	501	392	332	255	184	142	104	63	87	5,354
	F	94	414	515	459	469	387	411	407	578	471	364	232	186	137	92	91	113	5,420
	T	202	826	1,043	1,000	958	795	828	802	1,079	863	696	487	370	279	196	154	200	10,778
41 South Vancouver Island	M	78	380	449	308	296	315	330	288	285	232	181	145	76	57	46	29	39	3,534
	F	86	352	414	299	304	310	333	348	353	309	243	144	100	76	61	29	54	3,815
	T	164	732	863	607	600	625	663	636	638	541	424	289	176	133	107	58	93	7,349
42 Central Vancouver Island	M	192	678	942	840	689	601	627	597	561	467	380	297	192	132	120	71	103	7,489
	F	183	694	904	728	667	654	654	642	684	575	478	284	219	151	112	82	131	7,842
	T	375	1,373	1,846	1,568	1,356	1,255	1,281	1,239	1,245	1,042	858	581	411	283	232	153	234	15,332
43 North Vancouver Island	M	71	337	447	352	310	273	282	287	263	265	192	150	128	88	61	30	34	3,570
	F	96	316	417	346	307	269	271	279	379	339	251	187	146	96	62	32	68	3,861
	T	167	653	864	698	617	542	553	566	642	604	443	338	274	184	123	62	102	7,432
51 Northwest	M	232	880	1,246	1,168	996	928	953	947	988	855	690	483	394	288	230	161	250	11,689
	F	200	866	1,130	1,086	909	848	909	1,017	1,082	934	772	541	409	266	193	175	273	11,610
	T	433	1,746	2,376	2,254	1,905	1,776	1,862	1,964	2,070	1,789	1,462	1,024	803	554	423	336	523	23,300
52 Northern Interior	M	143	622	813	634	615	507	549	511	495	425	311	205	162	122	85	52	112	6,363
	F	152	573	787	613	559	533	554	566	579	437	379	234	171	126	100	58	96	6,517
	T	295	1,195	1,601	1,247	1,174	1,040	1,103	1,077	1,074	862	690	439	333	248	185	110	208	12,881
53 Northeast	M	58	281	352	220	191	163	170	163	170	143	100	88	54	34	20	11	34	2,252
	F	50	236	319	244	178	181	207	210	201	164	135	98	73	44	35	27	40	2,442
	T	108	517	671	464	369	344	377	373	371	307	235	186	127	78	55	38	74	4,694
Provincial Total	**M**	**1,640**	**6,485**	**8,555**	**6,842**	**6,015**	**5,548**	**5,836**	**5,833**	**5,982**	**4,991**	**3,912**	**2,917**	**2,041**	**1,489**	**1,151**	**730**	**1,069**	**71,036**
	F	**1,553**	**6,211**	**8,060**	**6,451**	**5,669**	**5,502**	**5,920**	**6,102**	**6,894**	**5,754**	**4,551**	**3,197**	**2,298**	**1,660**	**1,169**	**871**	**1,304**	**73,166**
	T	**3,194**	**12,701**	**16,618**	**13,293**	**11,684**	**11,050**	**11,757**	**11,935**	**12,876**	**10,745**	**8,463**	**6,115**	**4,339**	**3,149**	**2,320**	**1,601**	**2,373**	**144,213**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2000 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	744	3,291	4,885	5,693	5,905	4,630	4,199	4,574	6,140	7,050	6,931	6,220	4,451	3,841	3,525	2,988	4,122	79,189
	F	623	2,956	4,751	5,327	5,458	4,143	4,066	4,577	6,310	6,813	6,556	5,791	4,485	3,689	3,225	3,063	6,055	77,888
	T	1,367	6,247	9,636	11,020	11,363	8,773	8,265	9,151	12,450	13,863	13,487	12,011	8,936	7,530	6,750	6,051	10,177	157,077
13 Okanagan	M	1,319	5,901	8,912	10,083	9,884	8,185	7,475	8,588	11,126	11,958	10,881	9,995	8,061	7,581	8,034	7,332	11,464	146,779
	F	1,207	5,783	8,562	9,466	9,496	7,796	7,492	8,706	11,873	12,412	11,407	10,416	8,967	8,073	8,219	8,025	16,018	153,918
	T	2,526	11,684	17,474	19,549	19,380	15,981	14,967	17,294	22,999	24,370	22,288	20,411	17,028	15,654	16,253	15,357	27,482	300,697
14 Thompson Cariboo Shuswap	M	859	4,069	6,269	7,270	7,445	6,082	5,507	6,058	7,850	8,569	8,245	7,664	5,996	5,044	4,681	3,665	4,349	99,622
	F	822	3,963	5,964	6,843	7,035	5,846	5,307	6,037	8,040	8,698	8,049	7,313	5,886	4,806	4,231	3,549	5,935	98,324
	T	1,681	8,032	12,233	14,113	14,480	11,928	10,814	12,095	15,890	17,267	16,294	14,977	11,882	9,850	8,912	7,214	10,284	197,946
21 Fraser East	M	1,438	6,420	8,983	8,978	8,756	7,617	7,439	8,518	10,293	9,557	8,063	7,160	5,355	4,471	4,719	4,111	6,283	118,161
	F	1,390	6,046	8,345	8,516	8,027	7,188	7,154	8,361	9,536	9,136	7,835	7,050	5,483	4,882	4,687	4,652	9,087	117,375
	T	2,828	12,466	17,327	17,494	16,783	14,805	14,593	16,879	19,829	18,693	15,898	14,210	10,838	9,353	9,406	8,763	15,370	235,535
22 Fraser North	M	2,976	12,131	16,480	16,818	18,196	19,115	19,406	22,790	25,662	24,049	21,256	17,578	12,226	9,664	8,033	6,529	9,589	262,498
	F	2,624	11,355	15,549	15,573	17,211	18,145	19,170	22,590	24,998	23,998	20,964	17,570	12,329	10,071	8,497	7,918	16,785	265,347
	T	5,600	23,486	32,029	32,391	35,407	37,260	38,576	45,380	50,660	48,047	42,220	35,148	24,555	19,735	16,530	14,447	26,374	527,845
23 Fraser South	M	3,484	16,001	21,603	21,094	21,186	20,031	18,657	21,898	25,632	24,917	22,253	19,966	15,017	10,845	9,188	7,818	12,266	291,856
	F	3,263	14,980	20,677	20,127	19,968	19,139	18,762	21,925	25,376	24,903	22,472	20,082	14,656	10,875	9,596	9,172	18,687	294,660
	T	6,747	30,980	42,279	41,221	41,154	39,170	37,419	43,823	51,008	49,820	44,725	40,048	29,673	21,720	18,784	16,990	30,953	586,514
31 Richmond	M	797	3,616	4,947	5,448	6,469	6,577	5,278	5,892	7,085	7,339	7,116	6,425	4,177	3,295	2,594	1,999	3,168	82,222
	F	722	3,255	4,702	5,054	6,013	6,219	5,376	6,501	7,720	8,014	7,711	6,591	4,279	3,592	2,820	2,572	5,117	86,258
	T	1,519	6,871	9,649	10,502	12,482	12,796	10,654	12,393	14,805	15,353	14,827	13,016	8,456	6,887	5,414	4,571	8,285	168,480
32 Vancouver	M	2,610	9,967	12,136	12,556	14,592	22,580	29,215	30,861	28,861	23,589	21,435	18,865	12,360	10,769	9,571	7,998	12,159	280,124
	F	2,558	9,789	11,236	11,783	14,396	23,266	29,265	28,910	26,311	23,037	21,681	18,608	12,654	11,382	9,787	9,034	21,444	285,141
	T	5,168	19,756	23,372	24,339	28,988	45,846	58,480	59,771	55,172	46,626	43,116	37,473	25,014	22,151	19,358	17,032	33,603	565,265
33 North Shore/ Coast Garibaldi	M	1,197	5,244	7,743	8,008	8,538	7,660	7,725	8,611	10,394	11,242	10,599	9,748	7,445	5,551	4,919	4,203	6,290	125,117
	F	1,120	4,912	7,304	7,902	8,075	7,379	7,191	8,949	11,009	11,610	10,913	9,692	7,540	5,720	5,163	4,742	9,943	129,164
	T	2,317	10,153	15,047	15,910	16,613	15,039	14,915	17,560	21,403	22,852	21,512	19,440	14,985	11,271	10,082	8,945	16,233	254,277
41 South Vancouver Island	M	1,360	5,983	8,767	9,060	9,918	11,025	10,643	11,213	13,293	13,013	12,994	11,886	8,736	6,748	6,506	6,136	12,228	159,509
	F	1,332	5,661	8,191	8,890	9,802	11,081	11,154	10,937	13,213	13,862	13,830	12,650	9,130	7,282	7,149	7,696	20,070	171,930
	T	2,692	11,644	16,958	17,950	19,720	22,106	21,797	22,150	26,506	26,875	26,824	24,536	17,866	14,030	13,655	13,832	32,298	331,439
42 Central Vancouver Island	M	874	4,298	6,771	7,402	7,487	5,736	5,188	6,238	8,462	9,252	8,982	8,435	6,742	5,750	5,858	5,389	7,604	110,468
	F	890	4,105	6,317	7,272	7,175	5,556	5,239	6,484	8,507	9,503	9,046	8,345	6,860	5,887	5,694	5,450	10,331	112,661
	T	1,764	8,402	13,088	14,674	14,662	11,292	10,427	12,722	16,969	18,755	18,028	16,780	13,602	11,637	11,552	10,839	17,935	223,128
43 North Vancouver Island	M	471	2,364	3,461	4,173	3,921	2,884	2,617	3,259	4,761	5,020	4,628	4,324	3,264	2,623	2,296	1,750	2,324	54,140
	F	448	2,244	3,457	3,897	3,712	2,649	2,669	3,340	4,666	4,962	4,510	3,953	3,051	2,332	2,110	1,713	3,257	52,970
	T	919	4,608	6,918	8,070	7,633	5,533	5,286	6,599	9,427	9,982	9,138	8,276	6,315	4,955	4,406	3,463	5,581	107,109
51 Northwest	M	333	1,634	2,351	2,533	2,376	1,828	1,902	2,346	2,905	3,004	2,923	2,489	1,910	1,168	968	680	680	32,030
	F	346	1,478	2,223	2,341	2,266	1,711	1,866	2,123	2,535	2,699	2,262	2,116	1,385	968	789	685	954	28,747
	T	678	3,112	4,574	4,874	4,642	3,539	3,768	4,469	5,440	5,703	5,185	4,605	3,295	2,136	1,757	1,365	1,634	60,776
52 Northern Interior	M	758	3,472	5,150	5,767	5,790	4,973	4,786	5,356	6,526	6,488	6,089	5,060	3,876	2,827	2,210	1,540	1,657	72,325
	F	649	3,374	4,814	5,172	5,437	4,833	4,736	5,244	6,094	6,168	5,600	4,759	3,286	2,311	1,887	1,453	2,300	68,117
	T	1,407	6,846	9,963	10,939	11,227	9,806	9,522	10,600	12,620	12,656	11,689	9,819	7,162	5,138	4,097	2,993	3,957	140,441
53 Northeast	M	396	1,724	2,355	2,515	2,502	2,261	2,330	2,492	2,983	2,793	2,304	1,852	1,354	1,024	825	545	703	30,958
	F	394	1,584	2,359	2,328	2,303	2,002	2,111	2,287	2,709	2,508	1,975	1,617	1,220	890	745	521	907	28,460
	T	790	3,308	4,714	4,843	4,805	4,263	4,441	4,779	5,692	5,301	4,279	3,469	2,574	1,914	1,570	1,066	1,610	59,418
Provincial Total	**M**	**19,616**	**86,114**	**120,813**	**127,398**	**132,964**	**131,184**	**132,367**	**148,693**	**171,973**	**167,836**	**154,699**	**137,666**	**100,968**	**81,201**	**73,927**	**62,682**	**94,886**	**1,944,987**
	F	**18,368**	**81,484**	**114,449**	**120,490**	**126,373**	**126,952**	**131,557**	**145,970**	**168,897**	**168,323**	**154,809**	**136,552**	**101,210**	**82,759**	**74,598**	**70,245**	**146,888**	**1,970,944**
	T	**38,003**	**167,593**	**235,259**	**247,888**	**259,337**	**258,136**	**263,923**	**295,663**	**340,870**	**336,159**	**309,508**	**274,217**	**202,178**	**163,960**	**148,525**	**132,927**	**241,774**	**3,915,920**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2001 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	29	118	174	99	96	99	110	85	97	78	55	59	29	30	15	12	17	1,202
	F	39	133	132	127	92	85	88	92	126	108	72	56	48	27	19	10	19	1,273
	T	68	251	306	226	188	184	198	177	223	186	127	115	77	57	34	22	36	2,475
13 Okanagan	M	84	364	424	347	333	307	279	280	288	275	229	183	112	88	72	51	66	3,782
	F	74	332	462	349	280	268	298	304	374	327	263	201	136	113	78	68	98	4,025
	T	158	696	886	696	613	575	577	584	662	602	492	384	248	201	150	119	164	7,807
14 Thompson Cariboo Shuswap	M	168	722	1,006	960	823	747	837	749	843	722	582	453	322	238	182	141	201	9,696
	F	161	706	921	871	793	733	782	766	923	777	638	486	338	256	170	159	233	9,713
	T	329	1,428	1,927	1,831	1,616	1,480	1,619	1,515	1,766	1,499	1,220	939	660	494	352	300	434	19,409
21 Fraser East	M	123	470	564	482	391	325	367	357	363	321	262	193	134	111	81	46	66	4,656
	F	89	401	543	425	394	351	364	369	414	380	318	217	147	102	94	61	74	4,743
	T	212	871	1,108	907	785	676	731	726	777	701	580	410	281	213	175	107	140	9,400
22 Fraser North	M	90	339	429	249	180	173	191	264	254	158	109	83	53	33	24	12	12	2,653
	F	93	345	381	242	170	180	242	282	231	194	142	100	85	56	39	19	25	2,826
	T	183	684	810	491	350	353	433	546	485	352	251	183	138	89	63	31	37	5,479
23 Fraser South	M	151	430	449	290	186	166	139	203	198	179	120	69	59	33	31	19	21	2,743
	F	142	394	439	270	180	200	221	221	282	219	156	106	74	69	50	26	35	3,084
	T	293	825	889	560	366	366	360	424	480	398	276	175	133	102	81	45	56	5,829
31 Richmond	M	8	34	52	42	25	19	27	32	33	20	17	8	15	7	7	2	1	349
	F	18	33	56	37	21	14	26	29	39	34	24	21	14	15	6	1	5	393
	T	26	67	108	79	46	33	53	61	72	54	41	29	29	22	13	3	6	742
32 Vancouver	M	111	452	691	543	471	509	548	626	726	574	466	300	205	119	83	50	48	6,522
	F	124	457	679	543	424	498	572	569	614	595	467	363	237	140	109	65	72	6,528
	T	235	909	1,370	1,086	895	1,007	1,120	1,195	1,340	1,169	933	663	442	259	192	115	120	13,050
33 North Shore/ Coast Garibaldi	M	79	411	524	549	493	418	421	378	488	421	342	268	195	156	100	68	92	5,403
	F	91	385	520	469	474	378	394	390	570	485	398	245	191	139	98	88	122	5,437
	T	171	799	1,044	1,018	967	796	816	768	1,058	906	740	513	386	295	198	156	214	10,845
41 South Vancouver Island	M	94	371	470	328	294	323	333	300	273	249	188	144	88	62	49	31	41	3,638
	F	90	334	413	339	288	306	336	351	348	315	269	158	103	86	61	35	54	3,886
	T	184	705	883	667	582	629	669	651	621	564	457	302	191	148	110	66	95	7,524
42 Central Vancouver Island	M	171	689	946	894	714	591	653	615	566	495	389	311	204	142	121	81	105	7,687
	F	145	710	905	788	661	650	660	676	666	588	512	314	229	158	116	84	138	8,000
	T	316	1,400	1,851	1,682	1,375	1,241	1,313	1,291	1,232	1,083	901	625	433	300	237	165	243	15,688
43 North Vancouver Island	M	90	321	432	378	320	287	276	283	276	257	208	170	128	97	61	32	35	3,651
	F	71	314	436	357	318	278	264	287	379	352	265	194	152	96	67	37	74	3,941
	T	161	635	868	735	638	565	540	570	655	609	473	364	281	193	128	69	109	7,593
51 Northwest	M	214	854	1,210	1,230	1,021	883	958	911	965	915	736	496	432	284	240	180	253	11,782
	F	195	844	1,101	1,114	958	788	908	1,002	1,066	955	812	586	431	279	201	172	282	11,694
	T	409	1,699	2,311	2,344	1,979	1,671	1,866	1,913	2,031	1,870	1,548	1,082	863	563	441	352	535	23,477
52 Northern Interior	M	160	606	835	680	619	526	571	518	492	451	320	230	165	128	90	61	112	6,564
	F	154	562	794	662	553	558	546	571	608	450	404	266	183	136	91	66	104	6,708
	T	314	1,168	1,630	1,342	1,172	1,084	1,117	1,089	1,100	901	724	496	348	264	181	127	216	13,273
53 Northeast	M	66	254	360	256	185	183	173	170	171	158	105	92	55	41	25	13	37	2,344
	F	57	227	328	261	190	174	195	228	201	172	157	95	75	50	37	26	39	2,512
	T	123	481	688	517	375	357	368	398	372	330	262	187	130	91	62	39	76	4,856
Provincial Total	**M**	**1,638**	**6,435**	**8,567**	**7,327**	**6,152**	**5,556**	**5,883**	**5,772**	**6,033**	**5,277**	**4,126**	**3,060**	**2,196**	**1,569**	**1,181**	**799**	**1,107**	**72,682**
	F	**1,543**	**6,177**	**8,113**	**6,855**	**5,797**	**5,462**	**5,896**	**6,138**	**6,841**	**5,951**	**4,899**	**3,409**	**2,444**	**1,723**	**1,236**	**917**	**1,376**	**74,777**
	T	**3,182**	**12,618**	**16,683**	**14,182**	**11,949**	**11,018**	**11,780**	**11,910**	**12,874**	**11,226**	**9,027**	**6,469**	**4,643**	**3,292**	**2,417**	**1,716**	**2,483**	**147,471**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2001 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

		Age Group (in years)																
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	660	3,217	4,778	5,503	5,977	4,546	4,124	4,657	5,782	6,937	7,085	6,428	4,722	3,966	3,458	3,009	4,191	79,040
	F	686	2,815	4,559	5,198	5,540	3,959	4,037	4,622	5,945	6,741	6,654	6,106	4,584	3,820	3,251	2,985	6,201	77,703
	T	1,346	6,032	9,337	10,701	11,517	8,505	8,161	9,279	11,727	13,678	13,739	12,534	9,306	7,786	6,709	5,994	10,392	156,743
13 Okanagan	M	1,234	5,678	8,746	10,023	10,100	8,272	7,248	8,498	10,749	12,083	11,090	10,379	8,388	7,793	7,950	7,494	11,895	147,620
	F	1,181	5,419	8,578	9,425	9,716	7,802	7,275	8,612	11,545	12,487	11,794	10,720	9,268	8,576	7,990	8,075	16,609	155,072
	T	2,415	11,097	17,324	19,448	19,816	16,074	14,523	17,110	22,294	24,570	22,884	21,099	17,656	16,369	15,940	15,569	28,504	302,692
14 Thompson Cariboo Shuswap	M	854	3,754	5,950	6,941	7,438	5,873	5,065	5,876	7,358	8,471	8,259	7,921	6,243	5,123	4,664	3,879	4,470	98,139
	F	732	3,686	5,697	6,659	6,879	5,696	5,021	5,884	7,572	8,661	8,090	7,561	6,034	4,986	4,209	3,581	6,199	97,147
	T	1,586	7,440	11,647	13,600	14,317	11,569	10,086	11,760	14,930	17,132	16,349	15,482	12,277	10,109	8,873	7,460	10,669	195,286
21 Fraser East	M	1,369	6,251	9,014	9,041	9,034	7,890	7,415	8,618	10,308	9,727	8,470	7,429	5,676	4,675	4,569	4,183	6,472	120,141
	F	1,285	5,956	8,415	8,633	8,282	7,381	7,047	8,492	9,640	9,342	8,188	7,363	5,730	5,099	4,627	4,576	9,355	119,411
	T	2,654	12,207	17,428	17,674	17,316	15,271	14,462	17,110	19,948	19,069	16,658	14,792	11,406	9,774	9,196	8,759	15,827	239,551
22 Fraser North	M	2,781	11,952	16,669	17,237	18,425	20,095	19,070	22,820	25,576	24,646	22,158	18,664	12,713	9,712	8,258	6,765	10,100	267,641
	F	2,663	11,028	15,722	16,000	17,376	19,025	18,663	22,692	25,219	24,741	21,931	18,550	12,780	10,237	8,665	8,028	17,358	270,678
	T	5,444	22,980	32,391	33,237	35,801	39,120	37,733	45,512	50,795	49,387	44,089	37,214	25,493	19,949	16,923	14,793	27,458	538,319
23 Fraser South	M	3,501	15,345	22,031	21,206	21,731	20,560	18,682	21,756	25,421	25,650	23,013	20,819	15,781	11,644	9,222	7,947	12,805	297,114
	F	3,202	14,366	20,743	20,573	20,209	19,846	19,071	21,837	25,209	25,334	23,263	21,021	15,461	11,676	9,783	9,160	19,588	300,342
	T	6,703	29,710	42,773	41,779	41,940	40,406	37,753	43,593	50,630	50,984	46,276	41,840	31,242	23,320	19,005	17,107	32,393	597,454
31 Richmond	M	794	3,416	5,085	5,440	6,481	6,910	5,305	5,804	7,005	7,406	7,307	6,828	4,345	3,227	2,800	2,233	3,401	83,787
	F	773	3,131	4,731	5,133	5,979	6,585	5,304	6,514	7,719	8,034	7,976	6,956	4,518	3,511	2,996	2,705	5,453	88,018
	T	1,567	6,547	9,816	10,573	12,460	13,495	10,609	12,318	14,724	15,440	15,283	13,784	8,863	6,738	5,796	4,938	8,854	171,805
32 Vancouver	M	2,658	9,526	12,371	12,740	14,776	22,789	28,980	30,998	29,275	24,351	21,615	20,081	12,855	10,566	9,724	8,325	12,746	284,376
	F	2,517	9,350	11,532	11,901	14,311	23,824	29,328	29,459	26,509	23,517	21,997	19,710	13,127	11,166	9,944	9,322	21,996	289,510
	T	5,175	18,876	23,903	24,641	29,087	46,613	58,308	60,457	55,784	47,868	43,612	39,791	25,982	21,732	19,668	17,647	34,742	573,886
33 North Shore/ Coast Garibaldi	M	1,149	4,997	7,784	8,083	8,589	7,943	7,328	8,584	10,204	11,306	10,834	9,959	7,788	5,678	4,832	4,351	6,516	125,925
	F	1,059	4,766	7,240	7,914	8,191	7,559	7,087	8,761	10,812	11,796	10,912	10,088	7,749	5,938	5,137	4,808	10,248	130,065
	T	2,207	9,760	15,024	15,997	16,780	15,502	14,414	17,345	21,016	23,102	21,746	20,047	15,537	11,616	9,969	9,159	16,764	255,985
41 South Vancouver Island	M	1,267	5,688	8,590	9,069	10,101	11,591	10,653	11,366	12,865	12,903	12,992	12,581	9,228	6,983	6,334	6,037	12,457	160,705
	F	1,289	5,581	8,068	8,850	9,898	11,969	10,433	11,099	12,843	13,890	14,086	13,325	9,724	7,556	6,995	7,408	20,321	173,335
	T	2,556	11,269	16,658	17,919	19,999	23,560	21,086	22,465	25,708	26,793	27,078	25,906	18,952	14,539	13,329	13,445	32,778	334,040
42 Central Vancouver Island	M	841	4,061	6,631	7,330	7,564	5,634	4,924	6,149	8,066	9,259	9,019	8,823	6,956	6,158	5,782	5,482	8,012	110,691
	F	807	3,881	6,152	7,234	7,302	5,574	4,961	6,379	8,257	9,398	9,376	8,698	7,138	6,186	5,651	5,459	10,803	113,256
	T	1,648	7,941	12,783	14,564	14,866	11,208	9,885	12,528	16,323	18,657	18,395	17,521	14,094	12,344	11,433	10,941	18,815	223,946
43 North Vancouver Island	M	449	2,183	3,301	4,040	4,090	2,738	2,540	3,157	4,423	5,023	4,728	4,436	3,435	2,671	2,291	1,833	2,423	53,761
	F	432	2,070	3,302	3,815	3,808	2,576	2,579	3,160	4,471	4,922	4,587	4,194	3,190	2,442	2,111	1,723	3,434	52,816
	T	881	4,253	6,603	7,855	7,898	5,314	5,119	6,317	8,894	9,945	9,315	8,630	6,624	5,113	4,402	3,556	5,857	106,576
51 Northwest	M	362	1,565	2,359	2,480	2,505	1,713	1,806	2,293	2,821	3,004	2,926	2,661	1,930	1,308	925	732	726	32,116
	F	278	1,430	2,177	2,294	2,304	1,682	1,832	2,198	2,474	2,666	2,395	2,165	1,506	1,048	833	656	999	28,937
	T	640	2,994	4,536	4,774	4,809	3,395	3,638	4,491	5,295	5,670	5,321	4,826	3,436	2,356	1,758	1,388	1,725	61,052
52 Northern Interior	M	648	3,363	4,887	5,553	5,760	4,778	4,506	5,257	6,101	6,448	6,099	5,245	3,898	2,885	2,186	1,626	1,732	70,972
	F	705	3,149	4,581	4,985	5,335	4,541	4,552	5,082	5,876	6,031	5,691	4,818	3,392	2,450	1,908	1,493	2,358	66,947
	T	1,353	6,512	9,467	10,538	11,095	9,319	9,058	10,339	11,977	12,479	11,790	10,063	7,290	5,335	4,094	3,119	4,090	137,918
53 Northeast	M	352	1,708	2,269	2,376	2,591	2,221	2,316	2,426	2,904	2,736	2,378	1,853	1,398	1,010	855	582	722	30,697
	F	380	1,535	2,286	2,285	2,217	2,014	2,126	2,218	2,539	2,474	2,045	1,690	1,204	912	755	535	967	28,182
	T	732	3,243	4,555	4,661	4,808	4,235	4,442	4,644	5,443	5,210	4,423	3,543	2,602	1,922	1,610	1,117	1,689	58,879
Provincial Total	**M**	**18,919**	**82,704**	**120,464**	**127,062**	**135,161**	**133,553**	**129,962**	**148,258**	**168,858**	**169,946**	**157,973**	**144,106**	**105,354**	**83,399**	**73,850**	**64,478**	**98,668**	**1,962,715**
	F	**17,989**	**78,163**	**113,780**	**120,898**	**127,346**	**130,032**	**129,316**	**147,008**	**166,630**	**170,034**	**158,983**	**142,964**	**105,404**	**85,602**	**74,855**	**70,514**	**151,887**	**1,991,405**
	T	**36,907**	**160,861**	**234,241**	**247,960**	**262,507**	**263,585**	**259,277**	**295,266**	**335,488**	**339,980**	**316,956**	**287,070**	**210,757**	**169,001**	**148,705**	**134,992**	**250,555**	**3,954,108**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2002 STATUS INDIAN POPULATION ESTIMATES BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

		Age Group (in years)																	
Health Region	**Gender**	**<1**	**1-4**	**5-9**	**10-14**	**15-19**	**20-24**	**25-29**	**30-34**	**35-39**	**40-44**	**45-49**	**50-54**	**55-59**	**60-64**	**65-69**	**70-74**	**75+**	**Total**
11/12 East Kootenay/ Kootenay Boundary	M	41	121	175	111	103	85	118	93	91	86	58	67	26	38	17	10	19	1,259
	F	32	151	132	137	89	98	87	102	122	105	86	55	51	27	25	11	23	1,333
	T	73	272	307	248	192	183	205	195	213	191	144	122	77	65	42	21	42	2,592
13 Okanagan	M	79	369	448	368	327	310	289	283	300	277	246	193	139	85	75	59	72	3,919
	F	100	341	458	381	293	268	304	308	353	338	298	208	137	125	79	73	114	4,178
	T	180	710	906	749	620	578	593	591	653	615	544	401	276	210	154	132	186	8,098
14 Thompson Cariboo Shuswap	M	158	684	1,012	1,015	814	772	803	802	833	744	626	484	340	261	183	157	233	9,921
	F	189	695	913	940	776	750	745	786	924	804	688	501	383	274	196	169	279	10,012
	T	347	1,379	1,925	1,955	1,590	1,522	1,548	1,588	1,757	1,548	1,314	985	723	535	379	326	512	19,933
21 Fraser East	M	119	479	554	525	396	349	355	367	362	359	267	187	157	122	84	46	75	4,803
	F	117	396	531	456	397	368	382	353	402	410	334	230	162	106	103	71	81	4,899
	T	236	875	1,086	981	793	717	737	720	764	769	601	417	319	228	187	117	156	9,703
22 Fraser North	M	77	350	433	292	166	167	193	265	269	187	109	93	56	40	20	18	14	2,749
	F	96	353	403	259	184	187	217	303	246	186	146	102	88	65	39	22	26	2,922
	T	173	703	836	551	350	354	410	568	515	373	255	195	144	105	59	40	40	5,671
23 Fraser South	M	103	498	447	341	206	152	158	191	205	185	124	86	61	37	32	23	25	2,874
	F	101	458	453	317	195	184	223	240	274	238	186	116	80	71	53	33	39	3,261
	T	204	957	901	658	401	336	381	431	479	423	310	202	141	108	85	56	64	6,137
31 Richmond	M	12	34	49	43	35	17	27	27	30	23	19	9	16	8	6	5	2	362
	F	2	42	47	47	23	11	30	27	34	41	28	19	15	12	9	0	6	393
	T	14	76	96	90	58	28	57	54	64	64	47	28	31	20	15	5	8	755
32 Vancouver	M	88	445	673	617	473	476	563	634	726	642	501	320	223	146	87	57	57	6,728
	F	80	461	633	603	469	456	571	604	594	610	502	400	274	153	116	76	87	6,689
	T	168	906	1,306	1,220	942	932	1,134	1,238	1,320	1,252	1,003	720	497	299	203	133	144	13,417
33 North Shore/ Coast Garibaldi	M	104	393	498	584	495	422	422	381	467	451	367	282	199	163	106	75	122	5,531
	F	101	381	504	497	467	397	390	388	522	516	411	286	211	141	107	93	145	5,557
	T	205	777	1,003	1,081	962	819	812	770	989	967	778	568	410	304	213	168	267	11,093
41 South Vancouver Island	M	101	368	479	368	307	316	329	326	268	258	199	151	96	58	54	32	48	3,758
	F	77	329	431	355	297	303	343	352	340	326	291	175	112	91	65	44	56	3,987
	T	178	697	910	723	604	619	672	678	608	584	490	326	208	149	119	76	104	7,745
42 Central Vancouver Island	M	195	706	905	924	754	639	623	636	554	541	406	330	220	163	122	84	128	7,930
	F	192	668	940	816	671	642	664	674	680	615	521	340	249	182	114	90	162	8,220
	T	387	1,375	1,845	1,740	1,425	1,281	1,287	1,310	1,234	1,156	927	670	469	345	236	174	290	16,151
43 North Vancouver Island	M	88	338	428	392	309	294	294	275	276	259	228	189	120	102	73	33	46	3,744
	F	75	327	399	390	312	280	262	289	345	393	293	199	157	111	71	42	78	4,023
	T	163	665	827	782	621	574	556	564	621	652	521	388	278	213	144	75	124	7,768
51 Northwest	M	214	853	1,165	1,270	1,021	910	956	930	939	941	765	550	460	310	247	201	275	12,007
	F	217	821	1,077	1,112	1,010	797	861	992	1,045	1,006	863	624	460	307	216	171	327	11,906
	T	431	1,675	2,242	2,382	2,031	1,707	1,817	1,922	1,984	1,947	1,628	1,174	920	617	463	372	602	23,914
52 Northern Interior	M	156	606	833	723	618	552	560	556	498	479	348	252	174	138	88	75	136	6,792
	F	156	573	764	733	558	529	584	570	623	499	403	295	195	154	91	76	124	6,927
	T	312	1,179	1,598	1,456	1,176	1,081	1,144	1,126	1,121	978	751	547	369	292	179	151	260	13,720
53 Northeast	M	82	254	381	276	196	187	170	181	163	177	121	96	58	47	27	15	41	2,472
	F	63	225	332	273	209	159	190	229	216	188	151	105	86	55	40	24	44	2,589
	T	145	479	713	549	405	346	360	410	379	365	272	201	144	102	67	39	85	5,061
Provincial Total	**M**	**1,617**	**6,498**	**8,481**	**7,849**	**6,221**	**5,648**	**5,860**	**5,948**	**5,981**	**5,612**	**4,385**	**3,289**	**2,347**	**1,719**	**1,221**	**890**	**1,293**	**74,859**
	F	**1,598**	**6,221**	**8,019**	**7,316**	**5,952**	**5,431**	**5,853**	**6,217**	**6,722**	**6,275**	**5,202**	**3,657**	**2,660**	**1,875**	**1,324**	**995**	**1,594**	**76,911**
	T	**3,216**	**12,725**	**16,504**	**15,165**	**12,173**	**11,079**	**11,713**	**12,166**	**12,703**	**11,887**	**9,587**	**6,946**	**5,008**	**3,594**	**2,545**	**1,885**	**2,887**	**151,783**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

2002 Other Population Estimates by Health Service Delivery Area, Gender, and Age Group

Health Region	Gender	Age Group (in years)																	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
11/12 East Kootenay/ Kootenay Boundary	M	647	3,045	4,637	5,476	5,993	4,650	3,973	4,535	5,545	6,852	7,099	6,505	5,223	3,975	3,598	3,117	4,329	79,199
	F	593	2,795	4,286	5,083	5,638	4,173	3,889	4,619	5,596	6,662	6,798	6,149	4,901	3,992	3,433	3,026	6,360	77,993
	T	1,240	5,840	8,923	10,559	11,631	8,823	7,862	9,154	11,141	13,514	13,897	12,654	10,124	7,967	7,031	6,143	10,689	157,192
13 Okanagan	M	1,230	5,348	8,413	10,014	10,368	8,453	7,073	8,342	10,077	11,988	11,191	10,370	8,780	7,723	8,184	7,885	12,560	147,999
	F	1,090	5,071	8,311	9,472	9,816	8,218	7,088	8,415	10,856	12,480	11,955	10,792	9,631	8,676	8,342	8,259	17,310	155,782
	T	2,319	10,419	16,724	19,486	20,184	16,671	14,161	16,757	20,933	24,468	23,146	21,162	18,411	16,399	16,526	16,144	29,870	303,780
14 Thompson Cariboo Shuswap	M	773	3,611	5,743	6,872	7,615	6,139	5,118	5,689	6,954	8,417	8,392	7,830	6,636	5,342	4,793	4,005	4,821	98,750
	F	702	3,477	5,516	6,556	7,125	5,919	5,019	5,755	7,278	8,556	8,201	7,533	6,507	5,133	4,454	3,663	6,507	97,901
	T	1,475	7,088	11,259	13,428	14,740	12,058	10,137	11,444	14,232	16,973	16,593	15,363	13,143	10,475	9,247	7,668	11,328	196,651
21 Fraser East	M	1,401	6,003	8,992	9,242	9,330	8,274	7,437	8,616	10,041	9,996	8,858	7,563	6,212	4,794	4,609	4,323	6,835	122,526
	F	1,324	5,717	8,438	8,723	8,530	7,885	7,108	8,543	9,456	9,526	8,625	7,424	6,208	5,207	4,870	4,596	9,852	122,032
	T	2,725	11,720	17,429	17,965	17,860	16,159	14,545	17,159	19,497	19,522	17,483	14,987	12,420	10,001	9,479	8,919	16,687	244,557
22 Fraser North	M	2,776	11,706	16,593	17,497	18,325	20,566	19,345	22,616	25,468	25,319	22,951	19,412	14,107	10,180	7,895	6,715	10,168	271,639
	F	2,651	10,840	15,614	16,249	17,384	19,630	18,668	22,880	25,087	25,435	22,857	19,299	14,143	10,694	8,435	7,779	17,619	275,264
	T	5,427	22,546	32,207	33,746	35,709	40,196	38,013	45,496	50,555	50,754	45,808	38,711	28,250	20,874	16,330	14,494	27,787	546,903
23 Fraser South	M	3,487	14,919	21,772	21,629	21,923	21,099	19,014	21,341	24,862	26,109	23,496	21,085	17,134	12,315	9,779	8,376	13,846	302,186
	F	3,275	13,974	20,399	21,027	20,305	20,526	19,041	21,743	24,702	25,495	24,068	21,302	17,000	12,297	10,480	9,472	20,955	306,061
	T	6,762	28,892	42,170	42,656	42,228	41,625	38,055	43,084	49,564	51,604	47,564	42,387	34,134	24,612	20,259	17,848	34,801	608,245
31 Richmond	M	821	3,325	4,974	5,439	6,377	7,220	5,818	5,788	6,933	7,536	7,521	7,142	5,017	3,482	2,227	1,914	3,160	84,694
	F	776	3,092	4,614	5,015	6,038	6,921	5,686	6,495	7,723	8,142	8,253	7,397	5,192	3,715	2,490	2,310	5,309	89,168
	T	1,597	6,417	9,588	10,454	12,415	14,141	11,504	12,283	14,656	15,678	15,774	14,539	10,209	7,197	4,717	4,224	8,469	173,862
32 Vancouver	M	2,797	9,572	12,424	12,653	14,618	22,338	28,973	31,240	29,641	24,990	22,026	20,722	14,109	10,703	8,814	8,072	12,506	286,198
	F	2,537	9,342	11,736	11,648	14,239	24,048	29,231	30,250	26,968	24,024	22,645	20,435	14,361	11,382	8,990	8,815	21,341	291,992
	T	5,334	18,914	24,160	24,301	28,857	46,386	58,204	61,490	56,609	49,014	44,671	41,157	28,470	22,085	17,804	16,887	33,847	578,190
33 North Shore/ Coast Garibaldi	M	1,020	4,847	7,547	8,224	8,626	8,199	7,204	8,224	9,884	11,209	11,083	9,922	8,524	5,989	4,810	4,467	6,889	126,668
	F	1,071	4,511	7,080	7,940	8,295	7,872	6,946	8,456	10,446	11,802	11,217	10,093	8,355	6,187	5,139	4,962	10,749	131,121
	T	2,091	9,355	14,626	16,164	16,921	16,071	14,150	16,679	20,330	23,011	22,300	20,015	16,879	12,176	9,949	9,429	17,638	257,784
41 South Vancouver Island	M	1,267	5,464	8,255	9,027	9,787	11,275	10,651	10,994	12,380	12,806	12,860	12,341	10,091	7,222	6,454	6,236	12,857	159,967
	F	1,265	5,459	7,735	8,799	9,402	11,624	10,464	11,011	12,387	13,659	13,886	13,259	10,545	7,879	7,076	7,467	20,956	172,873
	T	2,532	10,923	15,990	17,826	19,189	22,899	21,115	22,005	24,767	26,465	26,746	25,600	20,636	15,101	13,530	13,703	33,813	332,840
42 Central Vancouver Island	M	842	3,779	6,308	7,394	7,634	5,989	4,800	5,938	7,545	9,101	9,053	8,767	7,392	6,245	6,152	5,650	8,400	110,989
	F	719	3,630	5,895	7,126	7,444	6,076	4,842	6,148	7,729	9,286	9,518	8,639	7,587	6,349	6,009	5,556	11,299	113,852
	T	1,561	7,408	12,203	14,520	15,078	12,065	9,642	12,086	15,274	18,387	18,571	17,406	14,979	12,594	12,161	11,206	19,699	224,840
43 North Vancouver Island	M	441	2,042	3,212	3,852	4,234	2,918	2,382	3,007	4,090	4,955	4,786	4,390	3,676	2,802	2,448	1,918	2,544	53,697
	F	393	1,912	3,164	3,784	3,936	2,716	2,430	3,082	4,208	4,847	4,658	4,188	3,382	2,531	2,278	1,780	3,613	52,902
	T	834	3,954	6,376	7,636	8,170	5,634	4,812	6,089	8,298	9,802	9,444	8,578	7,057	5,333	4,726	3,698	6,157	106,598
51 Northwest	M	303	1,505	2,259	2,440	2,604	1,769	1,661	2,164	2,658	2,968	2,915	2,666	2,054	1,419	930	771	739	31,825
	F	289	1,401	2,140	2,287	2,400	1,689	1,837	2,206	2,344	2,498	2,355	2,093	1,586	1,077	872	685	985	28,744
	T	592	2,905	4,399	4,727	5,004	3,458	3,498	4,370	5,002	5,466	5,270	4,759	3,640	2,496	1,802	1,456	1,724	60,568
52 Northern Interior	M	654	3,095	4,844	5,384	5,795	4,844	4,324	5,133	5,794	6,343	6,163	5,290	4,130	3,075	2,241	1,742	1,860	70,711
	F	602	3,008	4,541	4,847	5,302	4,668	4,333	5,007	5,630	5,889	5,833	4,794	3,752	2,582	2,004	1,609	2,438	66,839
	T	1,256	6,103	9,384	10,231	11,097	9,512	8,657	10,140	11,424	12,232	11,996	10,084	7,882	5,657	4,245	3,351	4,298	137,549
53 Northeast	M	344	1,665	2,197	2,439	2,566	2,332	2,255	2,523	2,778	2,819	2,483	1,943	1,481	1,041	902	657	769	31,194
	F	338	1,545	2,270	2,355	2,298	2,060	2,108	2,260	2,503	2,513	2,179	1,670	1,340	927	834	585	976	28,761
	T	682	3,210	4,467	4,794	4,864	4,392	4,363	4,783	5,281	5,332	4,662	3,613	2,821	1,968	1,736	1,242	1,745	59,955
Provincial Total	**M**	**18,803**	**79,926**	**118,169**	**127,582**	**135,794**	**136,065**	**130,028**	**146,149**	**164,650**	**171,405**	**160,876**	**145,948**	**114,564**	**86,306**	**73,636**	**65,848**	**102,283**	**1,978,232**
	F	**17,625**	**75,774**	**111,737**	**120,911**	**128,150**	**134,023**	**128,690**	**146,870**	**162,911**	**170,814**	**163,047**	**145,065**	**114,490**	**88,627**	**75,706**	**70,564**	**156,266**	**2,011,270**
	T	**36,427**	**155,694**	**229,902**	**248,493**	**263,944**	**270,088**	**258,718**	**293,018**	**327,561**	**342,219**	**323,923**	**291,013**	**229,053**	**174,933**	**149,542**	**136,412**	**258,549**	**3,989,489**

Notes: Health Service Delivery Areas will not sum to Provincial total due to cases with unknown addresses.

Appendix 2

Life Expectancy by Health Service Delivery Area and Gender

LIFE EXPECTANCY BY HEALTH SERVICE DELIVERY AREA AND GENDER
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1998 - 2002

			Status Indians					Other Residents				
Health Region		Gender	Deaths	Rate	Live Births	Rate	L-EXP	Deaths	Rate	Live Births	Rate	L-EXP
11/12	East Kootenay/ Kootenay Boundary	M	38	6.5	162	27.8	67.4	3,254	8.2	3,352	8.5	78.4
		F	29	4.8	175	28.7	72.5	2,795	7.2	3,091	7.9	84.8
		T	67	5.6	337	28.3	70.0	6,049	7.7	6,444	8.2	81.5
13	Okanagan	M	124	6.8	419	22.9	69.4	7,314	10.0	6,341	8.6	79.7
		F	84	4.3	420	21.6	79.7	6,591	8.6	6,048	7.9	86.0
		T	208	5.5	840	22.3	74.3	13,905	9.2	12,393	8.2	82.8
14	Thompson Cariboo Shuswap	M	275	5.8	834	17.5	73.9	3,994	8.1	4,229	8.5	77.4
		F	237	5.0	862	18.0	77.3	3,126	6.4	3,978	8.1	84.1
		T	512	5.4	1,696	17.8	75.5	7,120	7.2	8,207	8.3	80.6
21	Fraser East	M	123	5.4	588	26.0	72.0	4,613	7.8	7,108	12.0	78.5
		F	87	3.8	510	22.0	78.3	4,158	7.1	6,753	11.5	84.5
		T	210	4.6	1,098	24.0	75.2	8,771	7.4	13,864	11.7	81.5
22	Fraser North	M	69	5.5	426	33.7	64.2	7,965	6.1	14,433	11.0	78.7
		F	80	5.9	435	32.0	67.4	7,875	5.9	13,362	10.1	84.5
		T	149	5.7	861	32.8	66.1	15,840	6.0	27,805	10.5	81.7
23	Fraser South	M	51	4.0	577	45.3	71.5	8,775	6.0	18,041	12.3	80.4
		F	64	4.4	547	38.0	72.1	8,152	5.5	16,780	11.4	86.4
		T	115	4.2	1,124	41.4	71.5	16,927	5.8	34,841	11.9	83.4
31	Richmond	M	5	2.9	51	29.8	72.7	1,975	4.8	4,074	9.9	82.6
		F	9	4.8	45	23.9	74.3	2,041	4.7	3,820	8.8	87.9
		T	14	3.9	96	26.7	72.6	4,016	4.8	7,896	9.4	85.4
32	Vancouver	M	247	7.7	536	16.7	66.1	10,090	7.2	14,084	10.1	77.8
		F	198	6.2	530	16.5	71.8	9,212	6.5	13,359	9.4	85.1
		T	445	6.9	1,066	16.6	68.9	19,302	6.8	27,462	9.7	81.4
33	North Shore/ Coast Garibaldi	M	180	6.7	485	18.2	69.9	4,204	6.7	5,716	9.1	81.2
		F	113	4.2	478	17.8	80.1	4,448	6.9	5,637	8.7	85.4
		T	293	5.5	965	18.0	74.3	8,652	6.8	11,363	8.9	83.4
41	South Vancouver Island	M	99	5.6	457	25.9	69.2	7,537	9.4	6,611	8.3	79.7
		F	73	3.8	405	21.3	77.1	8,404	9.8	6,485	7.5	84.6
		T	172	4.7	862	23.5	73.1	15,941	9.6	13,099	7.9	82.2
42	Central Vancouver Island	M	172	4.6	872	23.3	73.5	5,188	9.4	4,447	8.0	79.7
		F	181	4.6	838	21.4	74.7	4,586	8.1	4,194	7.4	85.4
		T	353	4.6	1,712	22.4	74.2	9,774	8.7	8,645	7.7	82.4
43	North Vancouver Island	M	115	6.4	417	23.3	67.7	1,961	7.2	2,402	8.8	78.6
		F	79	4.1	391	20.4	77.5	1,567	5.9	2,308	8.7	85.1
		T	194	5.2	808	21.8	72.4	3,528	6.5	4,712	8.7	81.7
51	Northwest	M	306	5.2	1,056	18.1	75.0	930	5.6	1,779	10.8	76.4
		F	222	3.8	1,026	17.7	81.1	615	4.1	1,636	11.0	83.2
		T	528	4.5	2,083	17.9	77.8	1,545	4.9	3,419	10.9	79.4
52	Northern Interior	M	164	5.1	750	23.5	73.1	2,034	5.6	3,735	10.4	76.9
		F	136	4.2	713	21.9	76.1	1,499	4.4	3,511	10.3	82.7
		T	300	4.6	1,463	22.7	74.6	3,533	5.0	7,249	10.3	79.6
53	Northeast	M	50	4.4	314	27.7	74.5	782	5.0	1,927	12.4	77.3
		F	49	4.0	277	22.8	77.8	518	3.6	1,860	13.0	84.7
		T	99	4.2	591	25.2	76.1	1,300	4.4	3,790	12.7	80.6
	PROVINCIAL TOTAL	**M**	**2,018**	**5.7**	**7,945**	**22.4**	**71.3**	**70,634**	**7.3**	**98,285**	**10.1**	**79.2**
		F	**1,642**	**4.5**	**7,553**	**20.9**	**76.6**	**65,590**	**6.6**	**92,826**	**9.4**	**85.2**
		T	**3,660**	**5.1**	**15,604**	**21.7**	**73.9**	**136,224**	**6.9**	**191,199**	**9.8**	**82.2**

Notes: Crude rate per 1,000 population. L-EXP=Life Expectancy (Abridged Table).

Appendix 3

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

The tables that follow provide birth and death-related statistics for Status Indians and Other Residents in each Health Service Delivery Area for the years 1991 - 2001. This information is provided for each year individually, as well as for the nine year aggregate. The categories presented are listed below.

Birth-Related and Infant Mortality

Indicator	Definition
Low Birth Weight	<2,500 grams
Premature	<37 weeks gestation
Teenage Mother	<20 years old
Elderly Gravida	35 years or older
Stillbirth	see glossary
Early Neonatal Death	Age at death <7 days
Neonatal Death	Age at death <28 days
Post Neonatal Death	Age at death 28-364 days
Infant Death	Age at death <1 year

Death-Related

Cause of Death	ICD-10 Code
Infectious/Parasitic Diseases	A00-B99
Cancer	C00-C97
Lung	C33-C34
Female Breast	C50.0-C50.9
Endocrine/Nutritional/Metabolic Diseases	E00-E89
Circulatory System Diseases	I00-I99
Ischemic Heart	I20-I25
Cerebrovascular	I60-I69
Respiratory System Diseases	J00-J99
Pneumonia/Influenza	J10-J18.1, J18.8-J18.9
Chronic Lung Disease	J40-J44
Digestive System Diseases	K00-K93
External Causes	V01-Y98
Motor Vehicle Accidents	V02-V04, V09, V12-V14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-V82.1, V82.3-V89.0, V89.2, V89.9, Y85.0.
Suicide	X60-X84,Y87.0
Alcohol-Related Deaths	See glossary
Medical Treatable Diseases	See glossary
Drug-Induced Deaths	See glossary
Smoking Attributable Mortality (SAM)	See glossary

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**110,005**		**115,177**		**121,621**		**126,535**		**130,806**		**134,242**		**136,659**		**140,187**		**144,213**		**147,471**		**151,783**		**1,458,699**		
Live Births[1]: Male	1,618		1,598		1,639		1,652		1,685		1,565		1,538		1,430		1,674		1,664		1,579		17,642		
Female	1,533		1,526		1,557		1,538		1,564		1,446		1,501		1,395		1,577		1,565		1,554		16,756		
Total	**3,151**	**28.6**	**3,124**	**27.1**	**3,197**	**26.3**	**3,190**	**25.2**	**3,249**	**24.8**	**3,011**	**22.4**	**3,039**	**22.2**	**2,825**	**20.2**	**3,251**	**22.5**	**3,229**	**21.9**	**3,133**	**20.6**	**34,399**	**23.6**	**2.2**
Low Birth Weight[2]	180	57.1	176	56.3	176	55.1	191	59.9	183	56.3	166	55.1	159	52.3	148	52.4	170	52.3	176	54.5	181	57.8	1,906	55.4	1.1
Premature[2]	270	85.7	280	89.6	274	85.7	292	91.5	308	94.8	262	87.0	262	86.2	252	89.2	313	96.3	306	94.8	305	97.4	3,124	90.8	1.5
Cesarean Section[2]	515	163.4	525	168.1	518	162.0	489	153.3	558	171.7	487	161.7	513	168.8	474	167.8	635	195.3	701	217.1	725	231.4	6,140	178.5	0.8
Teenage Mother[2]	657	208.5	591	189.2	630	197.1	622	195.0	564	173.6	571	189.6	536	176.4	524	185.5	535	164.6	563	174.4	553	176.5	6,346	184.5	4.8
Elderly Gravida[2]	182	57.8	188	60.2	205	64.1	220	69.0	247	76.0	232	77.1	241	79.3	253	89.6	327	100.6	321	99.4	277	88.4	2,693	78.3	0.5
Stillbirths[3]:	**29**	**9.1**	**22**	**7.0**	**23**	**7.1**	**27**	**8.4**	**21**	**6.4**	**25**	**8.2**	**23**	**7.5**	**24**	**8.4**	**23**	**7.0**	**30**	**9.2**	**28**	**8.9**	**275**	**7.9**	**1.2**
Early Neonatal[2]	16	5.1	10	3.2	14	4.4	11	3.4	12	3.7	11	3.7	3	1.0	2	0.7	7	2.2	6	1.9	7	2.2	99	2.9	1.1
Neonatal[2]	18	5.7	12	3.8	15	4.7	13	4.1	17	5.2	13	4.3	5	1.6	3	1.1	9	2.8	7	2.2	9	2.9	121	3.5	1.1
Post Neonatal[2]	31	9.8	25	8.0	16	5.0	34	10.7	16	4.9	14	4.6	9	3.0	9	3.2	4	1.2	7	2.2	6	1.9	171	5.0	3.8
Infant Deaths[2]	49	15.6	37	11.8	31	9.7	47	14.7	33	10.2	27	9.0	14	4.6	12	4.2	13	4.0	14	4.3	15	4.8	292	8.5	1.8

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	19	2.7	15	2.5	23	2.4	33	3.4	31	3.1	33	3.3	30	3.2	37	3.8	34	3.3	33	3.1	36	3.3	324	3.1	3.1
Cancer	107	24.9	107	23.4	95	18.1	95	17.0	99	16.3	126	20.2	131	22.8	127	19.7	123	17.7	110	15.5	122	14.1	1,242	18.6	1.1
Lung	24	6.0	30	6.8	19	3.6	21	4.1	19	3.7	26	4.4	31	5.5	30	5.1	29	4.2	17	2.4	18	2.3	264	4.2	1.0
Female Breast	7	3.3	8	3.4	11	3.7	11	3.2	6	1.7	13	2.8	10	2.5	9	2.2	5	1.1	11	2.5	11	1.6	102	2.4	1.0
Endo/Nut/Met	12	2.8	16	3.5	14	2.8	21	3.5	22	3.4	17	2.7	21	3.5	31	4.6	17	2.7	33	4.7	30	3.7	234	3.5	1.9
Circulatory System	189	48.4	192	47.6	171	36.6	135	26.2	163	29.7	191	33.3	187	34.6	168	28.8	172	27.3	160	23.6	158	20.6	1,886	31.1	1.5
Ischemic Heart	87	23.1	84	21.4	85	18.6	64	12.9	72	13.4	88	15.8	78	15.0	68	11.7	76	12.2	72	10.7	58	7.9	832	14.1	1.3
Cerebrovascular	49	11.9	42	10.0	32	7.2	33	6.2	28	5.3	38	7.1	44	8.0	40	6.8	45	7.5	30	4.6	43	5.6	424	7.1	1.5
Respiratory System	72	17.3	72	17.3	44	9.1	40	7.2	47	8.6	59	10.6	68	12.2	65	11.3	40	5.9	52	7.8	58	7.8	617	10.1	1.7
Pneumonia/Influenza	37	8.4	41	9.1	24	4.8	20	3.5	22	4.1	31	5.7	37	6.4	36	6.0	20	3.1	23	3.2	22	3.1	313	5.0	1.9
Chronic Lung	22	5.9	15	4.1	12	2.8	6	1.5	9	1.8	18	3.5	16	3.3	11	2.1	11	1.8	15	2.6	20	2.8	155	2.8	1.2
Digestive System	66	12.8	44	8.0	47	8.4	42	6.7	39	5.5	53	7.2	53	7.4	52	7.2	66	8.7	73	7.8	62	6.1	597	7.6	3.5
External Causes	210	21.8	239	23.7	208	19.6	200	19.2	188	17.0	224	19.6	200	17.8	162	13.8	153	12.4	158	12.9	126	9.7	2,068	16.6	3.5
MVA	46	4.4	50	4.8	62	6.1	56	4.8	48	3.9	40	3.2	50	4.3	41	3.2	37	2.9	37	3.2	29	2.4	496	3.8	3.8
Accidental Poisoning	36	3.9	78	7.3	52	4.5	28	2.6	47	3.8	51	4.0	58	4.6	39	3.0	34	2.8	43	3.2	19	1.5	485	3.6	4.5
Suicide	48	4.6	46	4.0	31	2.4	41	3.2	38	3.2	49	3.8	35	2.6	29	2.2	38	2.7	24	1.8	33	2.2	412	2.9	2.6
All Causes Male	480	176.7	434	156.3	404	130.6	376	108.2	400	109.4	464	128.4	461	138.4	379	106.1	395	103.9	401	104.2	382	83.2	4,576	119.1	1.6
Female	304	118.0	348	122.8	290	89.4	298	84.0	297	83.8	347	92.1	327	92.7	332	88.4	294	73.5	327	73.7	362	75.1	3,526	88.1	1.8
Total	**784**	**146.4**	**782**	**139.0**	**694**	**109.3**	**674**	**95.5**	**697**	**96.1**	**811**	**109.6**	**788**	**114.1**	**711**	**96.9**	**689**	**88.0**	**728**	**87.8**	**744**	**79.1**	**8,102**	**102.9**	**1.7**
Alcohol-Related*	117	15.0	183	24.4	177	24.0	171	22.2	216	25.0	216	23.9	220	24.5	176	20.6	179	19.9	203	20.9	194	18.5	2,052	21.7	6.2
Medically Treatable	13	1.6	12	1.4	12	1.4	12	1.0	13	1.1	15	1.3	20	1.8	15	1.2	10	0.7	10	0.8	15	1.1	147	1.2	4.0
Drug-Induced	33	3.5	74	6.9	54	4.5	36	3.2	48	3.9	50	4.4	64	5.2	38	3.1	35	2.8	48	3.6	21	1.4	501	3.8	3.5
SAM	104	26.0	100	23.8	84	17.0	70	13.2	76	13.5	100	17.3	103	18.6	96	15.6	89	13.2	83	12.0	94	11.8	1,000	15.9	1.3

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - Provincial Total
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	3,360,302		3,456,348		3,560,129		3,657,473		3,751,237		3,825,456		3,860,454		3,868,093		3,915,920		3,954,108		3,989,489		41,219,009		
Live Births[1]: Male	21,990		22,007		22,554		22,477		22,017		21,141		20,341		20,116		19,111		19,069		19,013		229,836		
Female	21,004		20,822		21,098		21,033		20,689		20,245		19,482		18,805		18,129		18,093		17,747		217,147		
Total	42,994	12.8	42,829	12.4	43,653	12.3	43,511	11.9	42,706	11.4	41,388	10.8	39,824	10.3	38,921	10.0	37,240	9.5	37,162	9.4	36,760	9.2	446,988	10.8	2.2
Low Birth Weight[2]	2,035	47.3	2,138	49.9	2,193	50.2	2,265	52.1	2,170	50.8	2,156	52.1	1,993	50.0	1,835	47.1	1,910	51.3	1,834	49.4	1,922	52.3	22,451	50.2	1.1
Premature[2]	2,538	59.0	2,498	58.3	2,566	58.8	2,747	63.1	2,684	62.8	2,620	63.3	2,460	61.8	2,416	62.1	2,549	68.4	2,414	65.0	2,506	68.2	27,998	62.6	1.5
Cesarean Section[2]	9,158	213.0	9,032	210.9	8,736	200.1	8,770	201.6	8,864	207.6	8,584	207.4	8,502	213.5	8,805	226.2	8,770	235.5	9,802	263.8	10,419	283.4	99,442	222.5	0.8
Teenage Mother[2]	1,880	43.7	1,862	43.5	1,889	43.3	1,929	44.3	1,702	39.9	1,596	38.6	1,521	38.2	1,442	37.0	1,280	34.4	1,202	32.3	1,055	28.7	17,358	38.8	4.8
Elderly Gravida[2]	5,312	123.6	5,731	133.8	6,134	140.5	6,438	148.0	6,810	159.5	7,085	171.2	7,101	178.3	7,288	187.3	7,521	202.0	7,668	206.3	7,752	210.9	74,840	167.4	0.5
Stillbirths[3]:	270	6.2	263	6.1	289	6.6	323	7.4	271	6.3	310	7.4	255	6.4	270	6.9	258	6.9	253	6.8	268	7.2	3,030	6.7	1.2
Early Neonatal[2]	137	3.2	111	2.6	161	3.7	147	3.4	121	2.8	114	2.8	91	2.3	82	2.1	76	2.0	96	2.6	89	2.4	1,225	2.7	1.1
Neonatal[2]	155	3.6	127	3.0	183	4.2	168	3.9	143	3.3	133	3.2	109	2.7	104	2.7	96	2.6	119	3.2	114	3.1	1,451	3.2	1.1
Post Neonatal[2]	75	1.7	85	2.0	74	1.7	60	1.4	52	1.2	42	1.0	51	1.3	42	1.1	41	1.1	29	0.8	48	1.3	599	1.3	3.8
Infant Deaths[2]	**230**	**5.3**	**212**	**4.9**	**257**	**5.9**	**228**	**5.2**	**195**	**4.6**	**175**	**4.2**	**160**	**4.0**	**146**	**3.8**	**137**	**3.7**	**148**	**4.0**	**162**	**4.4**	**2,050**	**4.6**	**1.8**
	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
Death-Related Cause of Death	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	440	1.2	509	1.4	549	1.5	484	1.2	474	1.2	324	0.8	376	0.9	401	0.9	383	0.8	410	0.9	406	0.8	4,756	1.0	3.1
Cancer	6,323	17.0	6,653	17.4	6,855	17.4	6,881	16.9	7,139	17.0	7,281	16.8	7,340	16.5	7,474	16.4	7,395	15.8	7,677	15.9	7,818	15.8	78,836	16.6	1.1
Lung	1,771	4.8	1,818	4.7	1,771	4.5	1,751	4.3	1,925	4.6	1,929	4.5	1,981	4.5	1,957	4.3	1,921	4.2	1,976	4.1	1,997	4.1	20,797	4.4	1.0
Female Breast	551	2.8	502	2.4	554	2.6	526	2.4	585	2.6	584	2.5	587	2.5	572	2.3	540	2.1	590	2.3	589	2.2	6,180	2.4	1.0
Endo/Nut/Met	587	1.6	663	1.7	685	1.7	763	1.8	720	1.7	771	1.8	801	1.8	770	1.7	870	1.8	973	2.0	1,086	2.1	8,689	1.8	1.9
Circulatory System	9,147	24.0	9,330	23.8	9,385	23.2	9,540	22.8	9,990	23.1	9,650	21.5	9,880	21.2	9,872	20.6	9,517	19.2	9,667	18.9	9,540	18.1	105,518	21.3	1.5
Ischemic Heart	4,822	12.7	4,810	12.3	4,785	11.9	4,826	11.6	5,111	11.9	4,928	11.0	4,849	10.5	4,877	10.3	4,804	9.8	4,900	9.7	4,700	9.0	53,412	10.9	1.3
Cerebrovascular	1,908	5.0	2,028	5.2	2,072	5.1	2,108	5.0	2,191	5.0	2,191	4.8	2,266	4.8	2,275	4.7	2,175	4.3	2,254	4.3	2,140	4.0	23,610	4.7	1.5
Respiratory System	2,411	6.3	2,552	6.5	2,444	6.0	2,608	6.2	2,840	6.5	2,862	6.3	2,909	6.2	3,102	6.4	2,718	5.4	2,797	5.4	2,928	5.5	30,171	6.1	1.7
Pneumonia/Influenza	1,100	2.9	1,173	3.0	1,082	2.7	1,140	2.7	1,201	2.7	1,270	2.8	1,386	2.9	1,427	2.9	1,125	2.2	1,144	2.2	1,202	2.2	13,250	2.6	1.9
Chronic Lung	883	2.3	999	2.5	942	2.3	1,059	2.5	1,170	2.7	1,149	2.6	1,095	2.4	1,197	2.5	1,160	2.4	1,196	2.4	1,237	2.4	12,087	2.4	1.2
Digestive System	912	2.4	925	2.4	955	2.4	921	2.2	940	2.2	915	2.1	999	2.2	940	2.0	1,041	2.2	1,052	2.1	1,035	2.0	10,635	2.2	3.5
External Causes	1,852	5.4	1,938	5.5	1,954	5.4	1,922	5.1	2,034	5.2	2,059	5.1	2,022	4.9	1,866	4.5	1,713	4.0	1,646	3.9	1,462	3.3	20,468	4.7	3.5
MVA	410	1.2	428	1.3	436	1.2	412	1.1	396	1.1	384	1.0	377	1.0	349	0.9	361	0.9	341	0.9	370	0.9	4,264	1.0	3.8
Accidental Poisoning	230	0.7	392	1.1	336	0.9	275	0.7	338	0.9	359	0.9	450	1.1	325	0.8	300	0.7	282	0.7	166	0.4	3,453	0.8	4.5
Suicide	442	1.3	405	1.2	453	1.2	474	1.3	499	1.3	506	1.3	453	1.1	450	1.1	415	1.0	412	1.0	363	0.8	4,872	1.1	2.6
All Causes Male	12,945	79.4	13,424	80.3	13,370	77.8	13,701	77.1	14,273	77.8	14,001	74.0	14,043	72.0	14,355	71.6	13,707	66.5	14,299	67.3	14,230	65.1	152,348	73.2	1.6
Female	10,853	50.6	11,394	51.7	11,763	51.7	11,849	50.0	12,418	50.7	12,447	49.1	12,975	49.6	12,793	47.4	12,912	46.6	13,198	46.3	13,712	46.7	136,314	49.0	1.8
Total	**23,798**	**63.7**	**24,818**	**64.6**	**25,133**	**63.5**	**25,550**	**62.3**	**26,691**	**63.0**	**26,448**	**60.4**	**27,018**	**59.8**	**27,148**	**58.4**	**26,619**	**55.6**	**27,497**	**55.8**	**27,942**	**55.2**	**288,662**	**60.0**	**1.7**
Alcohol-Related*	621	1.7	1,140	3.1	1,299	3.4	1,430	3.6	1,612	4.0	1,603	3.8	1,612	3.7	1,578	3.6	1,610	3.6	1,702	3.7	1,624	3.4	15,831	3.5	6.2
Medically Treatable	94	0.3	107	0.3	105	0.3	105	0.3	101	0.3	104	0.3	93	0.2	140	0.3	108	0.3	119	0.3	113	0.2	1,189	0.3	4.0
Drug-Induced	288	0.8	458	1.3	417	1.2	360	1.0	441	1.1	475	1.2	571	1.4	429	1.0	403	1.0	386	0.9	258	0.6	4,486	1.1	3.5
SAM	5,061	13.5	5,250	13.6	5,141	12.9	5,266	12.8	5,646	13.3	5,591	12.7	5,617	12.4	5,729	12.3	5,466	11.4	5,623	11.4	5,667	11.1	60,058	12.4	1.3

Notes: - [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 11/12 EAST KOOTENAY/KOOTENAY BOUNDARY
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	1,479		1,573		1,741		1,901		1,995		2,123		2,191		2,273		2,394		2,475		2,592		22,737		
Live Births[1]: Male	22		30		36		34		37		22		34		23		35		29		39		341		
Female	27		23		32		25		21		21		27		34		45		39		30		324		
Total	49	33.1	53	33.7	68	39.1	59	31.0	58	29.1	43	20.3	61	27.8	57	25.1	80	33.4	68	27.5	69	26.6	665	29.2	3.2
Low Birth Weight[2]	2	40.8	4	75.5	1	14.7	3	50.8	3	51.7	1	23.3	4	65.6	1	17.5	6	75.0	3	44.1	6	87.0	34	51.1	1.2
Premature[2]	1	20.4	5	94.3	3	44.1	3	50.8	3	51.7	2	46.5	8	131.1	2	35.1	6	75.0	5	73.5	5	72.5	43	64.7	1.3
Cesarean Section[2]	5	102.0	14	264.2	13	191.2	11	186.4	14	241.4	5	116.3	11	180.3	13	228.1	14	175.0	12	176.5	22	318.8	134	201.5	1.1
Teenage Mother[2]	9	183.7	9	169.8	13	191.2	8	135.6	9	155.2	4	93.0	8	131.1	12	210.5	12	150.0	14	205.9	10	144.9	108	162.4	2.3
Elderly Gravida[2]	4	81.6	3	56.6	4	58.8	2	33.9	6	103.4	7	162.8	7	114.8	5	87.7	12	150.0	5	73.5	11	159.4	66	99.2	0.8
Stillbirths[3]:	1	20.0	-	-	-	-	-	-	-	-	1	22.7	-	-	-	-	-	-	1	14.5	1	14.3	4	6.0	1.0
Early Neonatal[2]	-	-	-	-	-	-	-	-	1	17.2	-	-	-	-	-	-	1	12.5	-	-	-	-	2	3.0	1.0
Neonatal[2]	-	-	-	-	-	-	-	-	1	17.2	-	-	-	-	-	-	1	12.5	-	-	-	-	2	3.0	1.0
Post Neonatal[2]	-	-	-	-	-	-	2	33.9	-	-	-	-	1	16.4	-	-	-	-	-	-	-	-	3	4.5	2.3
Infant Deaths[2]	-	-	-	-	-	-	2	33.9	1	17.2	-	-	1	16.4	-	-	1	12.5	-	-	-	-	5	7.5	1.5

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	1	5.4	-	-	-	-	-	-	-	-	-	-	1	0.5	1.0
Cancer	2	26.9	1	19.4	2	47.2	2	21.6	2	34.0	6	71.3	10	153.1	3	28.1	1	8.5	2	18.9	1	6.5	32	36.6	2.2
Lung	1	17.1	-	-	1	24.2	1	11.8	1	12.5	-	-	5	75.6	1	6.6	1	8.5	-	-	1	6.5	12	13.6	3.1
Female Breast	-	-	-	-	1	49.7	-	-	-	-	2	22.4	2	41.9	-	-	-	-	1	15.8	-	-	6	11.5	5.2
Endo/Nut/Met	-	-	-	-	-	-	-	-	-	-	-	-	2	18.2	1	14.9	2	24.5	-	-	-	-	5	5.5	2.6
Circulatory System	3	42.3	3	73.4	6	84.7	-	-	4	57.1	7	77.4	7	123.9	4	52.0	3	33.5	3	39.2	3	30.0	43	54.4	2.4
Ischemic Heart	2	34.2	1	29.8	4	58.2	-	-	2	21.1	4	36.9	4	69.1	2	22.2	2	23.0	2	26.4	1	14.2	24	30.8	2.6
Cerebrovascular	-	-	1	29.8	1	14.0	-	-	1	21.5	1	10.6	1	22.9	1	14.9	1	10.5	-	-	2	15.8	9	12.3	2.8
Respiratory System	1	17.1	2	31.9	1	14.0	1	2.3	-	-	2	37.5	2	18.5	1	11.1	1	14.0	-	-	-	-	11	13.1	2.3
Pneumonia/Influenza	1	17.1	1	15.9	1	14.0	-	-	-	-	1	17.6	2	18.5	-	-	-	-	-	-	-	-	6	7.1	3.1
Chronic Lung	-	-	1	15.9	-	-	-	-	-	-	1	19.9	-	-	1	11.1	-	-	-	-	-	-	3	4.5	1.7
Digestive System	2	21.4	1	15.2	-	-	-	-	-	-	1	14.9	-	-	-	-	2	21.0	4	34.1	-	-	10	10.1	4.4
External Causes	2	15.5	3	25.5	1	7.2	2	34.6	4	45.5	4	18.6	1	4.9	4	18.8	2	9.1	1	5.2	3	14.4	27	17.2	2.9
MVA	-	-	1	5.1	-	-	-	-	1	6.0	1	4.8	1	4.9	2	8.7	1	4.4	-	-	1	4.7	8	3.5	1.8
Accidental Poisoning	-	-	-	-	1	7.2	-	-	-	-	1	4.7	-	-	1	5.3	1	4.7	-	-	1	5.7	5	2.7	6.8
Suicide	1	9.8	1	15.2	-	-	-	-	1	4.4	2	9.0	-	-	-	-	-	-	-	-	1	4.0	6	3.2	2.3
All Causes Male	8	272.4	2	39.3	7	205.1	2	68.5	9	207.7	14	369.9	13	365.8	8	141.2	9	174.9	5	115.9	3	48.6	80	174.2	2.3
Female	3	73.3	8	261.8	6	212.3	4	61.2	3	63.0	7	108.5	10	312.2	6	133.9	4	87.5	5	78.2	4	55.7	60	122.8	2.5
Total	11	140.2	10	165.4	13	184.5	6	60.8	12	153.5	21	225.0	23	325.4	14	139.7	13	126.4	10	97.4	7	50.9	140	146.5	2.4
Alcohol-Related*	3	21.8	3	34.2	5	70.5	2	34.6	6	64.7	4	35.8	3	15.8	5	37.0	2	9.1	4	34.8	3	22.9	40	33.8	7.9
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	1	4.1	-	-	-	-	1	5.7	-	-	2	1.1	3.7
Drug-Induced	-	-	1	15.2	1	7.2	-	-	-	-	2	9.6	-	-	1	5.3	-	-	-	-	1	5.7	6	3.6	6.0
SAM	2	29.1	2	33.5	2	38.6	1	9.0	2	24.0	4	47.6	7	108.0	2	22.1	2	16.3	1	8.1	2	11.7	26	30.3	2.4

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 11/12 East Kootenay/Kootenay Boundary
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	146,530		149,288		152,623		155,788		158,713		158,536		157,738		157,454		157,077		156,743		157,192		1,707,682		
Live Births[1]: Male	840		804		813		797		766		754		724		720		642		646		603		8,109		
Female	759		786		798		724		697		709		667		648		590		603		568		7,549		
Total	1,599	10.9	1,590	10.7	1,611	10.6	1,521	9.8	1,463	9.2	1,463	9.2	1,391	8.8	1,368	8.7	1,232	7.8	1,249	8.0	1,171	7.4	15,658	9.2	3.2
Low Birth Weight[2]	71	44.4	79	49.7	70	43.5	73	48.0	72	49.2	61	41.7	51	36.7	49	35.8	50	40.6	55	44.0	61	52.1	692	44.2	1.2
Premature[2]	82	51.3	78	49.1	75	46.6	65	42.7	74	50.6	73	49.9	57	41.0	62	45.3	69	56.0	70	56.0	71	60.6	776	49.6	1.3
Cesarean Section[2]	289	180.7	292	183.6	313	194.3	254	167.0	257	175.7	246	168.1	260	186.9	277	202.5	234	189.9	242	193.8	300	256.2	2,964	189.3	1.1
Teenage Mother[2]	110	68.8	129	81.1	128	79.5	106	69.7	108	73.8	106	72.5	100	71.9	97	70.9	79	64.1	92	73.7	60	51.2	1,115	71.2	2.3
Elderly Gravida[2]	146	91.3	182	114.5	181	112.4	159	104.5	193	131.9	180	123.0	183	131.6	174	127.2	182	147.7	194	155.3	181	154.6	1,955	124.9	0.8
Stillbirths[3]:	10	6.2	12	7.5	10	6.2	12	7.8	11	7.5	12	8.1	9	6.4	5	3.6	10	8.1	5	4.0	4	3.4	100	6.3	1.0
Early Neonatal[2]	5	3.1	3	1.9	11	6.8	4	2.6	6	4.1	9	6.2	2	1.4	1	0.7	2	1.6	1	0.8	2	1.7	46	2.9	1.0
Neonatal[2]	5	3.1	3	1.9	11	6.8	4	2.6	6	4.1	9	6.2	2	1.4	2	1.5	3	2.4	2	1.6	2	1.7	49	3.1	1.0
Post Neonatal[2]	5	3.1	3	1.9	5	3.1	5	3.3	-	-	2	1.4	5	3.6	1	0.7	1	0.8	2	1.6	2	1.7	31	2.0	2.3
Infant Deaths[2]	10	6.3	6	3.8	16	9.9	9	5.9	6	4.1	11	7.5	7	5.0	3	2.2	4	3.2	4	3.2	4	3.4	80	5.1	1.5

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	7	0.4	10	0.6	9	0.5	11	0.6	7	0.4	10	0.5	14	0.7	8	0.4	9	0.4	8	0.3	18	0.8	111	0.5	1.0
Cancer	287	17.1	314	18.2	316	17.6	293	16.0	327	17.5	306	16.0	322	16.2	359	18.0	333	16.4	340	16.3	315	14.6	3,512	16.7	2.2
Lung	78	4.6	77	4.5	79	4.4	74	4.1	86	4.7	74	3.9	100	5.0	88	4.4	103	5.1	85	4.2	82	3.9	926	4.4	3.1
Female Breast	28	3.2	21	2.5	18	1.9	19	2.1	26	2.7	24	2.4	19	1.8	25	2.4	19	1.7	27	2.4	13	1.1	239	2.2	5.2
Endo/Nut/Met	31	1.8	17	1.0	41	2.3	31	1.7	41	2.2	53	2.7	42	2.1	47	2.3	38	1.8	51	2.4	56	2.6	448	2.1	2.6
Circulatory System	415	24.4	449	25.5	454	25.0	451	24.0	465	24.3	457	23.0	426	20.9	402	19.4	457	21.5	448	20.9	422	19.0	4,846	22.4	2.4
Ischemic Heart	217	12.8	227	12.9	250	13.8	246	13.2	230	12.1	240	12.1	206	10.1	208	10.1	254	11.9	232	10.9	212	9.6	2,522	11.7	2.6
Cerebrovascular	83	4.8	103	5.8	95	5.2	90	4.8	106	5.5	86	4.3	86	4.2	79	3.8	82	3.8	86	4.0	71	3.2	967	4.4	2.8
Respiratory System	101	5.9	96	5.4	117	6.4	108	5.7	105	5.5	129	6.5	125	6.2	111	5.3	125	5.9	112	5.3	105	4.8	1,234	5.7	2.3
Pneumonia/Influenza	43	2.5	40	2.3	48	2.6	39	2.0	49	2.6	51	2.5	55	2.8	40	1.9	42	1.9	50	2.3	44	2.0	501	2.3	3.1
Chronic Lung	44	2.6	41	2.3	55	3.0	47	2.5	46	2.4	68	3.4	48	2.3	51	2.4	64	3.1	46	2.2	49	2.2	559	2.6	1.7
Digestive System	42	2.5	39	2.3	64	3.5	37	2.0	47	2.5	43	2.2	38	1.9	37	1.8	55	2.7	46	2.2	48	2.2	496	2.3	4.4
External Causes	100	6.8	95	6.5	90	5.8	86	5.3	110	6.8	93	5.8	104	6.5	95	5.7	88	5.3	94	5.4	88	5.1	1,043	5.9	2.9
MVA	32	2.4	31	2.2	27	1.7	20	1.4	29	1.9	22	1.5	35	2.2	30	2.0	28	1.9	21	1.3	34	2.2	309	1.9	1.8
Accidental Poisoning	2	0.1	6	0.4	4	0.3	9	0.6	5	0.3	7	0.5	10	0.7	5	0.3	8	0.5	6	0.3	3	0.2	65	0.4	6.8
Suicide	22	1.5	28	1.9	21	1.4	18	1.1	25	1.7	23	1.4	22	1.2	21	1.2	24	1.5	24	1.4	22	1.3	250	1.4	2.3
All Causes Male	607	78.7	643	81.7	673	83.5	651	77.8	683	81.0	660	76.8	632	72.2	643	72.1	657	72.2	680	74.1	642	67.7	7,171	76.0	2.3
Female	472	52.0	476	50.7	527	53.7	490	48.5	548	52.7	544	51.1	548	49.4	530	47.4	583	50.7	556	47.4	578	47.5	5,852	50.1	2.5
Total	1,079	64.7	1,119	65.3	1,200	67.7	1,141	62.2	1,231	66.1	1,204	63.0	1,180	60.1	1,173	58.7	1,240	60.6	1,236	59.6	1,220	57.2	13,023	62.2	2.4
Alcohol-Related*	24	1.5	48	2.9	64	3.7	70	3.9	76	4.2	80	4.6	84	4.7	85	4.5	110	5.8	95	4.9	110	5.6	846	4.3	7.9
Medically Treatable	5	0.3	6	0.4	3	0.2	3	0.2	3	0.2	2	0.1	6	0.4	6	0.3	3	0.2	4	0.3	8	0.4	49	0.3	3.7
Drug-Induced	7	0.4	10	0.7	4	0.3	9	0.6	9	0.5	11	0.7	16	1.0	9	0.5	15	0.8	10	0.5	5	0.4	105	0.6	6.0
SAM	233	13.8	234	13.4	252	14.0	234	12.6	256	13.5	259	13.2	256	12.6	240	11.7	274	13.2	253	12.1	243	11.1	2,733	12.8	2.4

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 13 OKANAGAN
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	5,232		5,578		6,037		6,404		6,600		6,789		6,999		7,278		7,546		7,807		8,098		74,368		
Live Births[1]: Male	70		89		86		92		73		83		94		67		92		88		76		910		
Female	76		89		90		93		80		72		74		87		88		73		94		916		
Total	**146**	**27.9**	**178**	**31.9**	**176**	**29.2**	**185**	**28.9**	**153**	**23.2**	**155**	**22.8**	**168**	**24.0**	**154**	**21.2**	**180**	**23.9**	**161**	**20.6**	**170**	**21.0**	**1,826**	**24.6**	**2.6**
Low Birth Weight[2]	8	54.8	4	22.5	8	45.5	10	54.1	12	78.4	3	19.4	9	53.6	6	39.0	8	44.4	8	49.7	9	52.9	85	46.5	0.9
Premature[2]	9	61.6	10	56.2	16	90.9	14	75.7	13	85.0	6	38.7	11	65.5	12	77.9	14	77.8	10	62.1	12	70.6	127	69.6	1.1
Cesarean Section[2]	32	219.2	37	207.9	34	193.2	28	151.4	27	176.5	24	154.8	26	154.8	22	142.9	45	250.0	30	186.3	38	223.5	343	187.8	0.9
Teenage Mother[2]	28	191.8	32	179.8	25	142.0	33	178.4	20	130.7	13	83.9	18	107.1	35	227.3	24	133.3	21	130.4	25	147.1	274	150.1	2.7
Elderly Gravida[2]	8	54.8	10	56.2	11	62.5	9	48.6	13	85.0	15	96.8	17	101.2	13	84.4	18	100.0	15	93.2	19	111.8	148	81.1	0.6
Stillbirths[3]:	**1**	**6.8**	**1**	**5.6**	**1**	**5.6**	**2**	**10.7**	**1**	**6.5**	-	-	-	-	**2**	**12.8**	**2**	**11.0**	**2**	**12.3**	**1**	**5.8**	**13**	**7.1**	**1.2**
Early Neonatal[2]	-	-	1	5.6	-	-	-	-	1	6.5	-	-	-	-	-	-	-	-	-	-	-	-	2	1.1	0.4
Neonatal[2]	-	-	1	5.6	-	-	-	-	2	13.1	-	-	-	-	-	-	-	-	-	-	-	-	3	1.6	0.5
Post Neonatal[2]	-	-	2	11.2	1	5.7	-	-	-	-	-	-	-	-	1	6.5	-	-	-	-	1	5.9	5	2.7	1.7
Infant Deaths[2]	-	-	**3**	**16.9**	**1**	**5.7**	-	-	**2**	**13.1**	-	-	-	-	**1**	**6.5**	-	-	-	-	**1**	**5.9**	**8**	**4.4**	**1.0**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	-	-	1	2.3	1	1.8	-	-	-	-	1	3.6	1	1.3	-	-	2	3.8	2	4.8	8	1.8	3.0
Cancer	2	8.4	9	34.6	4	13.1	4	14.0	3	10.1	6	17.4	9	26.3	4	7.7	9	19.6	5	8.3	6	11.1	61	15.2	0.9
Lung	-	-	2	11.3	1	4.7	1	3.1	1	4.1	-	-	3	9.1	1	3.3	1	3.0	1	1.2	-	-	11	3.3	0.8
Female Breast	-	-	2	14.6	1	4.4	1	3.2	-	-	-	-	-	-	-	-	1	2.8	-	-	-	-	5	1.7	0.7
Endo/Nut/Met	-	-	2	7.5	-	-	1	3.8	-	-	2	5.1	1	3.6	4	10.1	-	-	3	7.5	2	3.6	15	4.0	2.5
Circulatory System	12	64.5	6	24.8	12	46.5	6	21.1	4	13.1	11	35.6	16	54.1	15	37.6	15	32.4	8	19.5	7	15.6	112	31.3	1.6
Ischemic Heart	8	45.3	1	5.6	8	28.3	3	7.3	2	6.0	4	13.8	10	33.5	6	14.0	9	19.4	6	15.7	2	4.7	59	16.4	1.7
Cerebrovascular	2	8.4	2	9.0	2	9.8	1	4.6	1	4.1	2	7.2	3	10.0	5	11.2	3	8.8	-	-	1	2.0	22	6.4	1.5
Respiratory System	6	30.4	9	43.6	3	12.4	3	12.2	3	5.1	1	3.7	9	24.4	5	10.6	1	3.0	3	5.8	3	6.8	46	12.4	2.2
Pneumonia/Influenza	2	9.8	3	14.6	2	7.7	-	-	2	3.6	-	-	5	11.7	2	3.3	-	-	2	3.0	2	4.7	20	4.8	2.0
Chronic Lung	3	17.1	4	19.2	1	4.7	1	3.8	-	-	1	3.7	3	10.6	2	4.6	-	-	-	-	1	2.0	16	4.8	2.2
Digestive System	2	5.1	2	7.5	2	6.0	1	1.6	4	10.8	3	8.7	5	14.7	3	7.4	3	5.3	6	10.5	2	2.5	33	7.2	3.4
External Causes	8	21.0	15	37.5	9	15.6	12	23.6	6	11.4	10	18.3	8	15.4	7	11.6	10	12.7	6	8.7	6	7.5	97	15.6	3.1
MVA	3	9.2	5	8.5	5	10.0	7	10.1	4	6.4	2	2.8	2	3.0	3	3.9	3	3.8	2	3.2	2	2.6	38	5.4	4.2
Accidental Poisoning	1	1.9	2	6.3	-	-	-	-	-	-	-	-	1	1.6	1	1.5	1	1.2	2	2.7	1	1.2	9	1.4	2.3
Suicide	2	6.3	3	5.0	1	1.6	-	-	1	3.3	3	4.7	2	3.0	2	3.4	3	4.4	1	1.2	-	-	18	2.9	2.2
All Causes Male	20	165.4	28	204.0	24	157.7	20	121.8	16	77.6	19	104.3	36	232.1	22	109.5	29	115.7	21	98.4	16	58.6	251	124.6	1.8
Female	13	113.7	19	124.5	10	66.4	14	73.2	10	46.9	18	91.9	17	97.1	17	67.3	11	45.0	17	56.1	22	79.0	168	74.5	1.6
Total	**33**	**139.6**	**47**	**163.7**	**34**	**110.4**	**34**	**95.7**	**26**	**61.0**	**37**	**98.1**	**53**	**154.0**	**39**	**86.2**	**40**	**77.1**	**38**	**73.6**	**38**	**70.6**	**419**	**97.5**	**1.7**
Alcohol-Related*	4	8.3	12	35.3	7	15.3	8	20.3	13	31.0	13	27.6	16	32.5	10	22.2	7	10.4	13	21.6	10	14.6	113	21.4	5.6
Medically Treatable	1	2.5	-	-	1	3.1	-	-	1	1.6	-	-	1	1.4	-	-	-	-	-	-	-	-	4	0.7	3.5
Drug-Induced	-	-	-	-	-	-	-	-	-	-	-	-	1	1.6	2	3.6	-	-	2	2.7	1	1.2	6	0.9	1.0
SAM	6	29.3	8	38.8	6	23.8	4	13.4	2	6.9	5	15.4	12	37.1	9	19.6	6	13.4	4	7.9	4	8.3	65	17.7	1.5

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 13 Okanagan
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	253,297		265,420		275,727		282,221		288,407		294,108		297,378		298,711		300,697		302,692		303,780		3,162,438		
Live Births[1]: Male	1,391		1,465		1,470		1,524		1,437		1,367		1,279		1,312		1,237		1,308		1,163		14,953		
Female	1,398		1,429		1,412		1,499		1,373		1,312		1,273		1,275		1,169		1,183		1,116		14,439		
Total	**2,789**	**11.0**	**2,894**	**10.9**	**2,883**	**10.5**	**3,023**	**10.7**	**2,810**	**9.7**	**2,679**	**9.1**	**2,552**	**8.6**	**2,587**	**8.7**	**2,406**	**8.0**	**2,491**	**8.2**	**2,279**	**7.5**	**29,393**	**9.3**	**2.6**
Low Birth Weight[2]	145	52.0	136	47.0	129	44.7	160	52.9	147	52.3	130	48.5	140	54.9	121	46.8	131	54.4	123	49.4	122	53.5	1,484	50.5	0.9
Premature[2]	159	57.0	167	57.7	164	56.9	179	59.2	171	60.9	172	64.2	154	60.3	163	63.0	174	72.3	170	68.2	180	79.0	1,853	63.0	1.1
Cesarean Section[2]	621	222.7	665	229.8	575	199.4	600	198.5	597	212.5	547	204.2	458	179.5	606	234.2	549	228.2	590	236.9	619	271.6	6,427	218.7	0.9
Teenage Mother[2]	150	53.8	181	62.5	197	68.3	195	64.5	187	66.5	142	53.0	150	58.8	132	51.0	118	49.0	117	47.0	84	36.9	1,653	56.2	2.7
Elderly Gravida[2]	290	104.0	326	112.6	347	120.4	373	123.4	383	136.3	378	141.1	366	143.4	404	156.2	379	157.5	403	161.8	379	166.3	4,028	137.0	0.6
Stillbirths[3]:	**18**	**6.4**	**13**	**4.5**	**17**	**5.9**	**23**	**7.6**	**12**	**4.3**	**15**	**5.6**	**15**	**5.8**	**17**	**6.5**	**15**	**6.2**	**12**	**4.8**	**19**	**8.3**	**176**	**6.0**	**1.2**
Early Neonatal[2]	8	2.9	7	2.4	9	3.1	11	3.6	9	3.2	6	2.2	3	1.2	9	3.5	2	0.8	6	2.4	6	2.6	76	2.6	0.4
Neonatal[2]	11	3.9	8	2.8	10	3.5	12	4.0	12	4.3	6	2.2	4	1.6	10	3.9	5	2.1	6	2.4	6	2.6	90	3.1	0.5
Post Neonatal[2]	2	0.7	12	4.1	4	1.4	5	1.7	5	1.8	3	1.1	3	1.2	3	1.2	2	0.8	5	2.0	2	0.9	46	1.6	1.7
Infant Deaths[2]	**13**	**4.7**	**20**	**6.9**	**14**	**4.9**	**17**	**5.6**	**17**	**6.0**	**9**	**3.4**	**7**	**2.7**	**13**	**5.0**	**7**	**2.9**	**11**	**4.4**	**8**	**3.5**	**136**	**4.6**	**1.0**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	23	0.8	35	1.1	20	0.5	24	0.7	28	0.8	19	0.4	22	0.5	23	0.5	28	0.6	21	0.4	31	0.7	274	0.6	3.0
Cancer	613	16.4	666	16.9	673	16.7	640	15.0	721	16.5	734	16.1	760	16.6	783	16.3	702	14.2	798	16.0	881	16.9	7,971	16.1	0.9
Lung	157	4.2	171	4.4	165	4.1	160	3.8	191	4.4	180	3.9	215	4.7	190	4.0	171	3.5	210	4.3	249	4.7	2,059	4.2	0.8
Female Breast	54	3.0	50	2.4	48	2.3	47	2.4	43	2.0	63	2.7	56	2.4	58	2.5	47	2.0	57	2.2	58	2.2	581	2.4	0.7
Endo/Nut/Met	36	0.9	57	1.4	63	1.5	61	1.4	66	1.5	81	1.7	58	1.2	79	1.6	96	1.8	86	1.6	121	2.3	804	1.6	2.5
Circulatory System	876	22.1	875	21.1	902	20.9	985	21.6	990	21.1	977	19.7	1,049	20.5	1,032	19.4	924	16.8	1,006	17.7	1,032	17.6	10,648	19.7	1.6
Ischemic Heart	450	11.4	432	10.4	438	10.1	495	11.0	473	10.2	496	10.0	513	10.0	493	9.4	437	8.0	454	8.1	463	8.0	5,144	9.6	1.7
Cerebrovascular	185	4.6	181	4.3	197	4.6	222	4.8	242	5.1	203	4.1	231	4.5	217	4.0	211	3.7	225	3.9	240	4.0	2,354	4.3	1.5
Respiratory System	265	6.6	248	5.9	240	5.5	262	5.6	297	6.2	276	5.5	330	6.3	318	6.0	275	4.9	293	5.0	302	5.0	3,106	5.6	2.2
Pneumonia/Influenza	131	3.2	99	2.3	104	2.4	116	2.5	136	2.8	136	2.7	153	2.8	151	2.8	108	1.9	115	1.9	120	1.9	1,369	2.4	2.0
Chronic Lung	83	2.0	99	2.3	86	1.9	102	2.2	114	2.3	103	2.0	133	2.6	117	2.2	127	2.3	135	2.4	133	2.3	1,232	2.2	2.2
Digestive System	78	2.1	94	2.5	87	2.1	88	2.0	72	1.6	91	1.9	111	2.3	103	2.1	89	1.8	102	2.1	129	2.2	1,044	2.1	3.4
External Causes	139	5.0	167	6.2	167	5.7	174	5.9	166	5.1	171	5.0	147	4.4	163	4.7	147	4.1	155	4.6	152	4.6	1,748	5.0	3.1
MVA	39	1.4	49	2.1	37	1.4	42	1.6	36	1.3	39	1.3	32	1.1	40	1.2	34	1.0	29	0.9	44	1.3	421	1.3	4.2
Accidental Poisoning	11	0.4	14	0.6	11	0.5	8	0.3	12	0.5	12	0.4	20	0.8	13	0.5	16	0.5	25	0.9	23	0.9	165	0.6	2.3
Suicide	36	1.4	30	1.1	50	1.8	44	1.6	43	1.4	44	1.5	31	1.0	43	1.4	38	1.3	39	1.3	28	0.9	426	1.3	2.2
All Causes Male	1,263	73.9	1,334	76.3	1,306	71.9	1,347	71.2	1,421	72.1	1,444	69.6	1,455	69.5	1,520	70.1	1,326	59.5	1,468	64.3	1,545	66.7	15,429	69.3	1.8
Female	948	46.1	1,020	47.4	1,059	46.5	1,113	46.3	1,153	46.7	1,130	43.0	1,269	46.0	1,287	45.7	1,233	42.0	1,309	44.8	1,493	47.9	13,014	45.7	1.6
Total	**2,211**	**59.0**	**2,354**	**60.8**	**2,365**	**58.3**	**2,460**	**57.9**	**2,574**	**58.3**	**2,574**	**55.3**	**2,724**	**56.9**	**2,807**	**56.8**	**2,559**	**50.1**	**2,777**	**53.7**	**3,038**	**56.9**	**28,443**	**56.6**	**1.7**
Alcohol-Related*	44	1.4	128	3.9	131	3.7	128	3.5	154	4.2	165	4.2	164	4.1	153	3.8	166	4.1	184	4.6	166	4.0	1,583	3.8	5.6
Medically Treatable	9	0.4	6	0.2	9	0.3	6	0.2	10	0.3	7	0.2	3	0.1	6	0.2	4	0.1	3	0.1	13	0.4	76	0.2	3.5
Drug-Induced	16	0.6	18	0.7	23	1.0	14	0.5	20	0.7	22	0.7	29	1.0	25	0.9	27	0.9	40	1.4	29	1.1	263	0.9	1.0
SAM	490	12.7	501	12.5	488	11.6	509	11.5	565	12.4	551	11.5	612	12.6	569	11.2	533	10.2	603	11.4	635	11.5	6,057	11.7	1.5

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 14 THOMPSON CARIBOO SHUSWAP
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	14,945		15,483		16,309		16,853		17,493		17,953		18,257		18,716		19,083		19,409		19,933		194,434		
Live Births[1]: Male	174		178		202		181		186		205		164		167		174		166		157		1,954		
Female	169		168		164		164		174		163		194		161		156		164		183		1,860		
Total	**343**	**23.0**	**346**	**22.3**	**366**	**22.4**	**345**	**20.5**	**360**	**20.6**	**368**	**20.5**	**358**	**19.6**	**328**	**17.5**	**330**	**17.3**	**330**	**17.0**	**340**	**17.1**	**3,814**	**19.6**	**2.0**
Low Birth Weight[2]	30	87.5	20	57.8	21	57.4	25	72.5	26	72.2	19	51.6	20	55.9	16	48.8	17	51.5	18	54.5	22	64.7	234	61.4	1.2
Premature[2]	40	116.6	31	89.6	30	82.0	25	72.5	29	80.6	32	87.0	29	81.0	20	61.0	22	66.7	30	90.9	32	94.1	320	83.9	1.3
Cesarean Section[2]	56	163.3	72	208.1	69	188.5	75	217.4	68	188.9	74	201.1	69	192.7	73	222.6	82	248.5	84	254.5	95	279.4	817	214.2	0.8
Teenage Mother[2]	64	186.6	70	202.3	69	188.5	78	226.1	51	141.7	64	173.9	50	139.7	55	167.7	59	178.8	48	145.5	60	176.5	668	175.1	2.7
Elderly Gravida[2]	12	35.0	16	46.2	28	76.5	21	60.9	22	61.1	22	59.8	24	67.0	32	97.6	26	78.8	28	84.8	17	50.0	248	65.0	0.6
Stillbirths[3]:	**6**	**17.2**	**1**	**2.9**	**1**	**2.7**	**6**	**17.1**	**2**	**5.5**	**7**	**18.7**	**1**	**2.8**	**3**	**9.1**	**2**	**6.0**	**3**	**9.0**	**1**	**2.9**	**33**	**8.6**	**1.5**
Early Neonatal[2]	1	2.9	-	-	1	2.7	-	-	-	-	2	5.4	2	5.6	1	3.0	-	-	1	3.0	2	5.9	10	2.6	1.0
Neonatal[2]	1	2.9	-	-	1	2.7	-	-	-	-	2	5.4	2	5.6	1	3.0	-	-	-	-	3	9.1	13	3.4	2.1
Post Neonatal[2]	1	2.9	1	2.9	2	5.5	3	8.7	3	8.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infant Deaths[2]	**2**	**5.8**	**1**	**2.9**	**3**	**8.2**	**3**	**8.7**	**3**	**8.3**	**2**	**5.4**	**2**	**5.6**	**1**	**3.0**	-	-	**4**	**12.1**	**2**	**5.9**	**23**	**6.0**	**1.2**

	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
Death-Related Cause of Death	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	1	2.0	-	-	1	0.6	-	-	1	0.6	3	1.9	1	0.5	3	2.1	3	2.7	8	5.6	1	0.5	22	1.6	2.3
Cancer	13	20.1	10	14.5	5	5.8	15	18.4	14	13.7	15	14.6	14	14.6	14	12.5	15	12.3	16	14.9	20	15.4	151	14.2	0.8
Lung	3	5.0	2	2.8	1	0.8	4	4.5	1	1.4	6	5.8	3	2.6	2	2.3	3	2.1	4	3.7	1	0.9	30	2.8	0.6
Female Breast	1	3.2	1	3.5	1	1.9	2	3.6	1	2.7	2	4.4	-	-	2	2.8	2	2.1	2	3.0	3	2.9	17	2.7	1.1
Endo/Nut/Met	2	3.3	-	-	2	2.0	2	2.0	3	3.3	2	1.7	3	3.7	7	7.3	3	3.2	5	5.2	1	0.8	30	3.0	1.6
Circulatory System	16	22.1	26	37.6	15	20.9	14	16.9	24	28.6	18	19.2	23	24.6	17	18.3	25	25.4	19	17.0	32	26.3	229	23.1	1.0
Ischemic Heart	7	10.4	9	13.6	8	11.2	8	9.8	7	8.8	8	8.4	11	13.0	6	6.1	10	9.4	8	7.1	7	5.8	89	9.1	0.8
Cerebrovascular	5	7.3	10	13.8	6	8.4	3	2.9	7	8.2	2	2.3	3	3.2	5	5.4	8	8.7	5	4.4	11	8.6	65	6.5	1.4
Respiratory System	6	7.6	12	18.0	6	8.4	4	3.8	7	8.4	10	9.4	8	8.9	11	12.8	6	5.8	13	11.1	9	7.3	92	9.2	1.4
Pneumonia/Influenza	3	2.6	9	14.1	3	4.5	3	3.4	3	3.8	1	1.2	7	7.6	5	5.7	3	3.1	7	6.0	2	1.8	46	4.7	2.0
Chronic Lung	2	3.0	1	1.6	2	2.8	-	-	1	1.2	3	3.4	-	-	1	1.2	2	2.1	3	3.0	3	2.4	18	2.0	0.6
Digestive System	9	11.2	11	11.1	7	9.0	9	9.8	3	2.2	7	6.7	11	8.4	4	3.2	7	5.9	15	12.2	8	4.7	91	7.4	3.0
External Causes	29	19.6	29	19.4	28	19.3	28	18.1	32	21.1	40	25.6	27	18.1	22	12.6	26	15.8	27	16.4	19	11.0	307	17.8	2.6
MVA	12	8.2	9	5.2	12	7.8	7	3.9	12	7.3	12	6.9	12	8.4	9	5.2	7	4.2	8	5.3	3	2.1	103	5.8	2.6
Accidental Poisoning	1	0.7	3	2.7	4	2.8	1	0.7	3	1.8	1	0.6	3	1.6	2	1.3	3	1.7	5	2.5	3	1.4	29	1.6	2.0
Suicide	5	3.0	7	3.8	5	2.8	9	5.3	5	3.5	9	5.8	1	0.5	3	1.4	8	4.2	1	0.5	4	1.8	57	2.9	1.9
All Causes Male	45	94.7	53	117.1	36	76.0	54	103.4	53	92.3	68	111.6	53	100.8	41	67.8	57	90.6	69	118.9	55	81.8	584	95.8	1.2
Female	36	91.7	42	98.3	36	68.5	28	54.7	47	90.6	41	72.8	46	83.5	44	79.0	37	64.6	53	80.7	57	77.7	467	77.5	1.5
Total	**81**	**93.1**	**95**	**108.0**	**72**	**71.6**	**82**	**77.0**	**100**	**91.9**	**109**	**92.4**	**99**	**91.0**	**85**	**73.8**	**94**	**77.9**	**122**	**99.2**	**112**	**80.0**	**1,051**	**86.6**	**1.3**
Alcohol-Related*	16	11.9	33	33.2	28	26.5	28	24.5	30	24.8	35	27.3	27	20.3	19	14.0	30	23.0	34	26.2	37	25.0	317	23.5	5.0
Medically Treatable	2	1.5	1	0.7	1	0.6	2	1.3	3	1.8	3	1.7	2	1.0	1	0.5	1	0.5	2	1.3	1	0.5	19	1.0	3.3
Drug-Induced	-	-	1	0.9	2	1.2	1	0.7	3	1.8	2	1.8	2	1.0	2	1.3	4	2.2	3	1.5	2	0.9	22	1.2	1.2
SAM	10	14.7	13	18.4	8	11.1	9	10.6	10	10.9	13	13.9	10	9.6	9	10.0	11	10.4	14	12.6	16	12.3	125	12.1	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 14 Thompson Cariboo Shuswap
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	173,432		178,716		184,741		190,874		196,387		198,372		198,215		196,511		197,946		195,286		196,651		2,107,131		
Live Births[1]: Male	1,015		1,054		1,068		1,021		1,088		1,034		913		883		843		809		760		10,488		
Female	967		938		989		1,024		978		939		989		824		735		703		702		9,788		
Total	**1,982**	**11.4**	**1,992**	**11.1**	**2,057**	**11.1**	**2,045**	**10.7**	**2,066**	**10.5**	**1,973**	**9.9**	**1,902**	**9.6**	**1,707**	**8.7**	**1,578**	**8.0**	**1,512**	**7.7**	**1,462**	**7.4**	**20,276**	**9.6**	**2.0**
Low Birth Weight[2]	104	52.5	110	55.2	98	47.6	95	46.5	107	51.8	97	49.2	105	55.2	85	49.8	78	49.4	93	61.5	83	56.8	1,055	52.0	1.2
Premature[2]	109	55.0	134	67.3	102	49.6	126	61.6	121	58.6	124	62.8	117	61.5	100	58.6	119	75.4	114	75.4	110	75.2	1,276	62.9	1.3
Cesarean Section[2]	480	242.2	567	284.6	514	249.9	526	257.2	568	274.9	508	257.5	490	257.6	438	256.6	430	272.5	460	304.2	433	296.2	5,414	267.0	0.8
Teenage Mother[2]	165	83.2	160	80.3	129	62.7	159	77.8	126	61.0	116	58.8	127	66.8	93	54.5	99	62.7	79	52.2	72	49.2	1,325	65.3	2.7
Elderly Gravida[2]	159	80.2	169	84.8	207	100.6	230	112.5	216	104.5	235	119.1	227	119.3	245	143.5	214	135.6	229	151.5	196	134.1	2,327	114.8	0.6
Stillbirths[3]:	**11**	**5.5**	**10**	**5.0**	**12**	**5.8**	**14**	**6.8**	**9**	**4.3**	**17**	**8.5**	**10**	**5.2**	**12**	**7.0**	**8**	**5.0**	**10**	**6.6**	**6**	**4.1**	**119**	**5.8**	**1.5**
Early Neonatal[2]	5	2.5	6	3.0	3	1.5	7	3.4	5	2.4	4	2.0	4	2.1	2	1.2	3	1.9	6	4.0	6	4.1	51	2.5	1.0
Neonatal[2]	6	3.0	10	5.0	3	1.5	9	4.4	7	3.4	7	3.5	6	3.2	2	1.2	4	2.5	8	5.3	6	4.1	68	3.4	0.8
Post Neonatal[2]	2	1.0	5	2.5	5	2.4	4	2.0	2	1.0	1	0.5	3	1.6	2	1.2	3	1.9	-	-	5	3.4	32	1.6	2.1
Infant Deaths[2]	**8**	**4.0**	**15**	**7.5**	**8**	**3.9**	**13**	**6.4**	**9**	**4.4**	**8**	**4.1**	**9**	**4.7**	**4**	**2.3**	**7**	**4.4**	**8**	**5.3**	**11**	**7.5**	**100**	**4.9**	**1.2**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	9	0.5	11	0.6	9	0.5	14	0.8	14	0.7	16	0.7	14	0.7	21	0.9	12	0.6	17	0.8	17	0.7	154	0.7	2.3
Cancer	313	18.2	317	17.4	352	18.5	346	17.6	358	17.5	349	16.4	370	16.0	382	16.8	395	16.8	387	16.2	439	17.4	4,008	17.1	0.8
Lung	92	5.2	107	5.7	106	5.4	98	5.0	91	4.4	107	5.0	117	5.0	122	5.3	105	4.5	106	4.4	120	4.7	1,171	4.9	0.6
Female Breast	26	2.9	17	1.8	31	3.1	26	2.5	25	2.3	26	2.3	28	2.3	25	2.2	29	2.3	34	2.7	28	2.1	295	2.4	1.1
Endo/Nut/Met	26	1.6	35	2.1	35	2.0	29	1.5	34	1.7	38	1.9	40	1.8	41	1.9	52	2.3	41	1.8	54	2.3	425	1.9	1.6
Circulatory System	413	25.3	433	25.3	452	25.7	463	25.0	444	22.8	509	24.6	481	21.9	505	22.8	514	22.5	484	20.5	508	20.5	5,206	23.2	1.0
Ischemic Heart	214	12.9	230	13.2	236	13.2	232	12.3	225	11.4	262	12.4	232	10.4	231	10.4	247	10.7	241	10.1	214	8.6	2,564	11.3	0.8
Cerebrovascular	81	5.0	72	4.4	88	5.2	96	5.2	74	3.9	92	4.5	83	3.8	114	5.2	100	4.5	102	4.3	120	4.8	1,022	4.6	1.4
Respiratory System	109	6.9	106	6.4	128	7.4	123	6.7	123	6.5	146	7.2	140	6.4	173	7.9	131	5.8	141	6.0	130	5.3	1,450	6.5	1.4
Pneumonia/Influenza	39	2.5	41	2.6	47	2.7	44	2.4	36	1.9	43	2.1	56	2.6	72	3.4	41	1.8	37	1.6	38	1.6	494	2.3	2.0
Chronic Lung	52	3.3	45	2.6	58	3.4	61	3.3	67	3.5	72	3.5	70	3.2	79	3.6	70	3.0	79	3.3	71	2.9	724	3.2	0.6
Digestive System	40	2.4	47	2.7	48	2.6	55	2.8	55	2.7	55	2.6	57	2.5	39	1.7	63	2.7	54	2.3	74	2.9	587	2.5	3.0
External Causes	103	6.2	123	7.5	132	7.5	131	7.0	133	6.9	170	8.9	149	7.5	119	6.1	126	6.3	101	5.0	126	5.9	1,413	6.8	2.6
MVA	35	2.1	43	2.7	46	2.6	46	2.4	42	2.2	45	2.4	40	2.0	37	1.9	40	2.1	36	1.9	44	2.3	454	2.2	2.6
Accidental Poisoning	5	0.3	12	0.7	18	1.0	9	0.5	17	0.9	20	1.1	21	1.1	14	0.7	15	0.8	17	0.9	9	0.5	157	0.8	2.0
Suicide	29	1.7	22	1.2	23	1.3	40	2.0	27	1.4	38	2.0	37	1.8	21	1.1	24	1.1	20	1.0	29	1.3	310	1.5	1.9
All Causes Male	668	84.7	708	86.6	753	89.4	712	80.9	732	79.9	801	82.9	787	76.9	807	79.0	809	76.7	763	71.2	828	73.3	8,368	79.7	1.2
Female	430	49.6	463	51.0	517	54.2	554	55.2	545	51.9	609	55.5	611	51.8	582	49.0	625	51.2	606	47.9	702	53.4	6,244	51.9	1.5
Total	**1,098**	**66.3**	**1,171**	**68.1**	**1,270**	**70.9**	**1,266**	**67.4**	**1,277**	**65.0**	**1,410**	**68.7**	**1,398**	**63.8**	**1,389**	**63.2**	**1,434**	**63.4**	**1,369**	**59.0**	**1,530**	**63.1**	**14,612**	**65.1**	**1.3**
Alcohol-Related*	36	2.1	73	4.0	91	4.9	104	5.3	106	5.2	123	6.0	92	4.2	94	4.3	106	4.8	105	4.6	123	5.2	1,053	4.7	5.0
Medically Treatable	3	0.2	7	0.3	1	0.1	10	0.5	5	0.2	4	0.2	10	0.5	7	0.3	2	0.1	7	0.4	7	0.3	63	0.3	3.3
Drug-Induced	10	0.6	17	0.9	24	1.4	20	1.1	25	1.3	25	1.3	27	1.4	19	1.0	19	1.0	16	0.9	12	0.7	214	1.0	1.2
SAM	256	15.1	273	15.3	281	15.3	278	14.6	283	14.2	309	14.7	311	13.7	332	14.7	306	13.2	307	12.8	323	12.8	3,259	14.1	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 21 FRASER EAST
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**6,640**		**7,110**		**7,506**		**7,833**		**8,074**		**8,368**		**8,648**		**8,887**		**9,140**		**9,400**		**9,703**		**91,309**		
Live Births[1]: Male	106		108		97		107		112		119		116		112		118		124		115		1,234		
Female	97		98		87		105		115		93		101		93		106		94		109		1,098		
Total	**203**	**30.6**	**206**	**29.0**	**184**	**24.5**	**212**	**27.1**	**227**	**28.1**	**212**	**25.3**	**217**	**25.1**	**205**	**23.1**	**224**	**24.5**	**218**	**23.2**	**224**	**23.1**	**2,332**	**25.5**	**2.0**
Low Birth Weight[2]	9	44.3	10	48.5	15	81.5	13	61.3	10	44.1	13	61.3	15	69.1	8	39.0	9	40.2	14	64.2	16	71.4	132	56.6	1.2
Premature[2]	16	78.8	19	92.2	21	114.1	17	80.2	13	57.3	13	61.3	17	78.3	14	68.3	26	116.1	24	110.1	23	102.7	203	87.0	1.5
Cesarean Section[2]	23	113.3	31	150.5	35	190.2	28	132.1	40	176.2	32	150.9	29	133.6	33	161.0	48	214.3	42	192.7	54	241.1	395	169.4	0.8
Teenage Mother[2]	43	211.8	58	281.6	46	250.0	41	193.4	55	242.3	47	221.7	42	193.5	47	229.3	44	196.4	33	151.4	50	223.2	506	217.0	4.1
Elderly Gravida[2]	14	69.0	13	63.1	12	65.2	11	51.9	12	52.9	13	61.3	12	55.3	14	68.3	21	93.8	21	96.3	15	67.0	158	67.8	0.6
Stillbirths[3]:	4	19.3	1	4.8	2	10.8	2	9.3	2	8.7	-	-	2	9.1	-	-	2	8.8	1	4.6	5	21.8	21	8.9	1.2
Early Neonatal[2]	-	-	-	-	1	5.4	2	9.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1.3	0.5
Neonatal[2]	-	-	-	-	1	5.4	2	9.4	-	-	1	4.7	1	4.6	-	-	-	-	-	-	-	-	5	2.1	0.8
Post Neonatal[2]	4	19.7	3	14.6	1	5.4	1	4.7	1	4.4	-	-	1	4.6	-	-	-	-	-	-	-	-	11	4.7	2.5
Infant Deaths[2]	**4**	**19.7**	**3**	**14.6**	**2**	**10.9**	**3**	**14.2**	**1**	**4.4**	**1**	**4.7**	**2**	**9.2**	-	-	-	-	-	-	-	-	**16**	**6.9**	**1.5**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	1	3.3	1	4.7	-	-	-	-	3	4.0	-	-	1	1.3	1	1.2	2	2.2	-	-	4	5.4	13	2.0	2.5
Cancer	5	21.2	9	34.6	7	20.8	9	24.9	2	6.0	8	21.5	6	15.0	7	13.9	7	15.8	3	4.4	6	11.6	69	16.4	1.0
Lung	2	5.3	4	15.6	-	-	1	2.2	-	-	3	7.9	-	-	2	2.3	3	5.7	-	-	2	4.6	17	3.8	0.8
Female Breast	-	-	-	-	1	7.6	2	17.4	1	2.8	1	2.9	1	3.6	1	7.6	-	-	-	-	1	2.1	8	3.7	1.6
Endo/Nut/Met	1	1.3	1	3.9	-	-	2	6.6	2	3.9	-	-	1	1.4	1	3.7	1	2.8	3	4.5	1	1.0	13	2.8	1.4
Circulatory System	15	62.4	9	38.0	14	50.4	8	26.2	9	27.2	9	22.0	17	61.7	10	27.4	9	23.4	13	33.8	10	19.9	123	33.9	1.5
Ischemic Heart	10	42.1	7	30.3	9	32.9	3	10.6	4	13.2	5	10.8	9	32.1	3	7.7	6	17.1	4	11.9	8	16.6	68	19.0	1.5
Cerebrovascular	2	10.8	-	-	2	8.0	4	13.8	3	8.5	3	9.1	3	12.0	3	9.8	2	5.0	4	9.9	1	2.1	27	8.0	1.7
Respiratory System	2	6.3	1	4.7	4	10.8	1	4.0	4	8.3	3	9.7	5	17.0	2	4.9	3	7.9	5	11.5	2	5.5	32	8.2	1.4
Pneumonia/Influenza	1	0.7	-	-	2	5.4	1	4.0	1	1.3	1	3.4	3	8.8	-	-	1	3.4	1	3.3	2	5.5	13	3.5	1.3
Chronic Lung	1	5.6	-	-	1	4.1	-	-	2	6.1	-	-	1	3.8	-	-	-	-	2	4.8	-	-	7	2.0	0.8
Digestive System	3	9.4	2	4.0	3	12.2	5	14.8	4	11.2	2	6.9	1	1.3	6	14.2	4	9.5	3	3.3	4	5.9	37	8.2	3.6
External Causes	9	12.2	10	14.9	16	21.5	15	30.8	12	15.9	12	16.5	13	21.4	11	18.5	8	11.1	9	11.3	5	5.8	120	15.9	3.2
MVA	5	7.3	2	2.5	4	4.2	6	10.8	4	4.7	7	10.3	3	5.0	2	2.2	3	4.2	3	2.8	1	1.2	40	4.8	3.7
Accidental Poisoning	1	1.4	3	4.0	5	7.2	2	4.6	2	2.8	2	2.6	4	5.1	4	4.7	-	-	3	5.3	1	1.0	27	3.5	5.0
Suicide	2	2.3	4	6.0	3	3.7	1	1.6	3	4.2	2	2.7	2	2.6	2	5.0	1	0.8	-	-	1	1.3	21	2.6	2.2
All Causes Male	25	165.7	22	135.4	28	135.7	25	125.0	26	112.6	26	113.6	27	138.3	24	105.6	27	118.7	24	86.7	21	70.9	275	114.8	1.6
Female	17	92.3	18	98.3	23	116.5	21	106.8	14	53.4	13	56.7	20	114.9	17	73.5	11	45.5	17	70.6	22	70.9	193	79.5	1.6
Total	**42**	**126.1**	**40**	**116.5**	**51**	**126.3**	**46**	**116.5**	**40**	**81.4**	**39**	**84.0**	**47**	**124.9**	**41**	**87.5**	**38**	**81.7**	**41**	**77.5**	**43**	**70.3**	**468**	**96.3**	**1.6**
Alcohol-Related*	6	17.1	6	11.6	7	14.0	9	23.9	12	23.8	5	10.8	5	12.2	6	14.6	9	15.6	8	11.3	12	18.2	85	15.6	5.6
Medically Treatable	1	3.3	-	-	1	1.4	-	-	2	2.2	-	-	1	1.3	1	1.2	1	1.1	-	-	1	1.1	8	1.0	3.3
Drug-Induced	1	1.4	2	2.8	4	5.6	2	4.6	3	4.5	2	2.6	6	10.9	5	5.9	-	-	4	6.3	1	1.0	30	4.1	4.1
SAM	7	27.1	7	27.5	5	17.1	4	11.0	5	15.8	6	14.9	7	21.7	5	9.6	7	15.7	5	11.2	5	11.2	62	15.7	1.2

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 21 Fraser East

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	192,470		200,932		209,450		216,694		223,271		228,413		230,348		233,379		235,535		239,551		244,557		2,454,600		
Live Births[1]: Male	1,507		1,463		1,577		1,610		1,596		1,476		1,454		1,429		1,367		1,378		1,429		16,286		
Female	1,483		1,465		1,511		1,448		1,423		1,484		1,400		1,393		1,280		1,362		1,270		15,519		
Total	**2,990**	**15.5**	**2,928**	**14.6**	**3,088**	**14.7**	**3,058**	**14.1**	**3,019**	**13.5**	**2,960**	**13.0**	**2,854**	**12.4**	**2,822**	**12.1**	**2,647**	**11.2**	**2,740**	**11.4**	**2,699**	**11.0**	**31,805**	**13.0**	**2.0**
Low Birth Weight[2]	118	39.5	150	51.2	149	48.3	152	49.7	145	48.0	138	46.6	149	52.2	108	38.3	130	49.1	131	47.8	120	44.5	1,490	46.8	1.2
Premature[2]	149	49.8	173	59.1	165	53.4	184	60.2	168	55.6	139	47.0	172	60.3	147	52.1	160	60.4	163	59.5	168	62.2	1,788	56.2	1.5
Cesarean Section[2]	624	208.7	609	208.0	684	221.5	611	199.8	637	211.0	591	199.7	608	213.0	614	217.6	575	217.2	668	243.8	723	267.9	6,944	218.3	0.8
Teenage Mother[2]	127	42.5	171	58.4	148	47.9	191	62.5	169	56.0	175	59.1	155	54.3	159	56.3	139	52.5	133	48.5	115	42.6	1,682	52.9	4.1
Elderly Gravida[2]	231	77.3	227	77.5	256	82.9	312	102.0	289	95.7	314	106.1	354	124.0	324	114.8	341	128.8	355	129.6	317	117.5	3,320	104.4	0.6
Stillbirths[3]:	**21**	**7.0**	**27**	**9.1**	**22**	**7.1**	**21**	**6.8**	**19**	**6.3**	**19**	**6.4**	**20**	**7.0**	**21**	**7.4**	**23**	**8.6**	**15**	**5.4**	**24**	**8.8**	**232**	**7.2**	**1.2**
Early Neonatal[2]	12	4.0	13	4.4	6	1.9	9	2.9	6	2.0	6	2.0	6	2.1	4	1.4	3	1.1	6	2.2	4	1.5	75	2.4	0.5
Neonatal[2]	12	4.0	14	4.8	7	2.3	11	3.6	7	2.3	6	2.0	6	2.1	6	2.1	3	1.1	11	4.0	6	2.2	89	2.8	0.8
Post Neonatal[2]	6	2.0	5	1.7	8	2.6	10	3.3	1	0.3	3	1.0	9	3.2	7	2.5	2	0.8	3	1.1	6	2.2	60	1.9	2.5
Infant Deaths[2]	**18**	**6.0**	**19**	**6.5**	**15**	**4.9**	**21**	**6.9**	**8**	**2.6**	**9**	**3.0**	**15**	**5.3**	**13**	**4.6**	**5**	**1.9**	**14**	**5.1**	**12**	**4.4**	**149**	**4.7**	**1.5**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	18	0.9	21	1.0	25	1.1	23	1.0	16	0.7	14	0.6	17	0.7	24	0.9	23	0.8	26	1.0	23	0.7	230	0.8	2.5
Cancer	350	15.6	383	16.5	395	16.4	413	16.6	450	17.5	477	17.9	445	16.7	506	18.0	487	17.0	487	16.7	486	16.0	4,879	16.8	1.0
Lung	98	4.4	104	4.4	105	4.4	121	4.9	115	4.5	125	4.8	117	4.5	133	4.8	132	4.7	106	3.8	130	4.4	1,286	4.5	0.8
Female Breast	25	2.1	30	2.4	24	1.9	26	2.0	37	2.6	32	2.4	36	2.6	39	2.7	37	2.7	35	2.1	31	1.9	352	2.3	1.6
Endo/Nut/Met	32	1.4	41	1.7	36	1.5	43	1.7	46	1.8	60	2.1	55	1.9	48	1.7	75	2.5	74	2.5	78	2.5	588	2.0	1.4
Circulatory System	565	24.4	620	25.8	635	25.5	640	24.4	665	24.4	656	23.2	668	23.1	654	21.6	597	19.0	653	20.5	636	19.0	6,989	22.6	1.5
Ischemic Heart	316	13.7	329	13.8	341	13.8	342	13.0	353	13.0	370	13.1	354	12.4	321	10.6	333	10.6	365	11.5	364	10.9	3,788	12.3	1.5
Cerebrovascular	109	4.7	144	6.0	140	5.5	143	5.4	152	5.5	129	4.5	149	5.0	138	4.5	113	3.6	126	3.9	114	3.4	1,457	4.7	1.7
Respiratory System	147	6.4	141	5.8	129	5.1	163	6.2	191	7.0	177	6.1	182	6.2	191	6.3	185	5.9	174	5.3	195	5.9	1,875	6.0	1.4
Pneumonia/Influenza	70	3.0	67	2.8	54	2.1	66	2.5	82	3.0	89	3.0	75	2.5	92	3.0	87	2.7	80	2.4	65	1.9	827	2.6	1.3
Chronic Lung	55	2.4	55	2.3	49	1.9	78	3.0	77	2.8	58	2.0	79	2.7	77	2.6	67	2.1	72	2.2	95	2.9	762	2.5	0.8
Digestive System	47	2.1	69	3.0	50	2.1	61	2.4	62	2.3	58	2.1	65	2.3	61	2.1	73	2.5	68	2.2	58	1.9	672	2.3	3.6
External Causes	89	4.7	101	5.0	114	5.5	98	4.7	137	6.1	141	6.1	126	5.3	105	4.4	117	4.9	106	4.4	79	3.0	1,213	4.9	3.2
MVA	22	1.3	19	1.0	42	2.1	19	0.9	28	1.3	39	1.8	24	1.0	23	1.0	30	1.3	28	1.2	23	0.9	297	1.3	3.7
Accidental Poisoning	9	0.5	12	0.6	13	0.7	13	0.6	14	0.7	22	1.0	26	1.2	10	0.4	27	1.2	13	0.6	7	0.3	166	0.7	5.0
Suicide	21	1.1	25	1.3	27	1.4	27	1.3	38	1.7	26	1.1	22	0.9	31	1.3	22	0.9	28	1.2	19	0.7	286	1.2	2.2
All Causes Male	745	73.6	833	79.0	807	74.2	825	73.2	917	79.1	950	78.5	893	73.6	939	73.9	886	68.2	947	71.1	948	68.5	9,690	73.8	1.6
Female	640	50.5	684	52.5	705	52.0	739	52.3	818	54.8	789	51.4	832	52.9	824	50.1	834	49.2	836	48.8	832	46.0	8,533	50.8	1.6
Total	**1,385**	**61.6**	**1,517**	**65.0**	**1,512**	**62.3**	**1,564**	**61.9**	**1,735**	**66.2**	**1,739**	**63.8**	**1,725**	**62.3**	**1,763**	**61.0**	**1,720**	**58.0**	**1,783**	**59.1**	**1,780**	**56.5**	**18,223**	**61.5**	**1.6**
Alcohol-Related*	28	1.4	66	3.1	63	2.7	57	2.5	81	3.4	69	2.8	69	2.7	71	2.7	78	3.0	93	3.3	80	2.9	755	2.8	5.6
Medically Treatable	5	0.3	3	0.2	5	0.2	9	0.4	6	0.3	5	0.2	6	0.3	11	0.5	10	0.5	10	0.4	7	0.3	77	0.3	3.3
Drug-Induced	13	0.7	19	1.0	11	0.6	18	0.9	28	1.3	29	1.3	35	1.6	17	0.7	36	1.5	20	0.9	13	0.5	239	1.0	4.1
SAM	296	13.1	319	13.5	312	12.8	350	13.8	355	13.5	355	13.0	356	12.9	375	12.9	352	11.8	353	11.7	381	12.1	3,804	12.8	1.2

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 22 FRASER NORTH
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	2,894		3,282		3,789		4,178		4,378		4,665		4,797		4,998		5,289		5,479		5,671		49,420		
Live Births[1]: Male	68		97		86		88		96		83		75		72		108		92		77		942		
Female	64		81		80		74		67		97		85		75		80		97		94		894		
Total	**132**	**45.6**	**178**	**54.2**	**166**	**43.8**	**162**	**38.8**	**163**	**37.2**	**180**	**38.6**	**160**	**33.4**	**147**	**29.4**	**188**	**35.5**	**189**	**34.5**	**171**	**30.2**	**1,836**	**37.2**	**3.2**
Low Birth Weight[2]	10	75.8	10	56.2	9	54.2	13	80.2	14	85.9	10	55.6	12	75.0	8	54.4	14	74.5	13	68.8	8	46.8	121	65.9	1.3
Premature[2]	12	90.9	18	101.1	18	108.4	19	117.3	16	98.2	11	61.1	16	100.0	8	54.4	23	122.3	21	111.1	21	122.8	183	99.7	1.5
Cesarean Section[2]	23	174.2	32	179.8	26	156.6	24	148.1	25	153.4	24	133.3	28	175.0	16	108.8	38	202.1	54	285.7	35	204.7	325	177.0	0.9
Teenage Mother[2]	24	181.8	24	134.8	18	108.4	15	92.6	21	128.8	24	133.3	29	181.3	25	170.1	20	106.4	28	148.1	14	81.9	242	131.8	4.7
Elderly Gravida[2]	9	68.2	12	67.4	20	120.5	21	129.6	23	141.1	21	116.7	12	75.0	15	102.0	25	133.0	28	148.1	25	146.2	211	114.9	0.6
Stillbirths[3]:	-	-	**2**	**11.1**	**1**	**6.0**	**2**	**12.2**	-	-	**3**	**16.4**	**2**	**12.3**	-	-	**1**	**5.3**	**2**	**10.5**	**1**	**5.8**	**14**	**7.6**	**1.2**
Early Neonatal[2]	1	7.6	-	-	2	12.0	-	-	1	6.1	-	-	-	-	-	-	-	-	1	5.3	-	-	5	2.7	1.1
Neonatal[2]	1	7.6	-	-	2	12.0	-	-	1	6.1	-	-	-	-	-	-	1	5.3	1	5.3	-	-	6	3.3	1.1
Post Neonatal[2]	2	15.2	-	-	1	6.0	3	18.5	-	-	1	5.6	-	-	-	-	-	-	-	-	-	-	7	3.8	3.8
Infant Deaths[2]	**3**	**22.7**	-	-	**3**	**18.1**	**3**	**18.5**	**1**	**6.1**	**1**	**5.6**	-	-	-	-	**1**	**5.3**	**1**	**5.3**	-	-	**13**	**7.1**	**1.7**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	-	-	2	5.0	-	-	1	5.4	2	5.7	-	-	-	-	1	1.7	1	2.2	-	-	7	1.7	1.9
Cancer	5	100.1	9	151.0	7	104.4	4	43.2	4	42.8	15	161.4	8	71.0	11	92.6	5	33.1	5	23.1	3	22.2	76	67.2	3.9
Lung	1	38.5	5	70.6	2	34.1	-	-	-	-	4	48.3	4	38.0	4	30.0	3	19.8	1	2.4	1	11.5	25	23.3	5.0
Female Breast	-	-	1	7.8	-	-	-	-	-	-	2	10.8	-	-	-	-	-	-	1	3.6	-	-	4	1.9	0.8
Endo/Nut/Met	-	-	1	28.9	1	25.7	1	3.6	-	-	1	12.4	5	59.1	1	2.5	-	-	-	-	3	17.9	13	13.0	6.5
Circulatory System	9	173.4	5	103.4	8	168.5	6	80.8	10	156.1	25	324.2	10	132.4	13	145.2	6	64.6	5	43.8	3	30.5	100	117.8	5.1
Ischemic Heart	5	106.2	3	64.1	4	65.9	4	64.8	5	80.4	14	213.9	2	10.7	4	33.7	5	57.7	2	15.7	1	11.5	49	59.9	5.0
Cerebrovascular	4	67.2	1	28.9	3	77.0	2	16.0	3	51.5	5	52.9	2	38.5	6	80.0	1	6.9	-	-	1	11.5	28	33.5	6.4
Respiratory System	8	204.7	2	57.7	1	25.7	-	-	-	-	10	152.1	4	28.6	3	47.5	2	16.2	2	12.0	4	20.3	36	42.1	6.4
Pneumonia/Influenza	1	21.3	2	57.7	-	-	-	-	-	-	6	97.1	-	-	2	38.5	1	1.8	1	2.4	1	3.1	14	18.0	6.0
Chronic Lung	6	177.8	-	-	1	25.7	-	-	-	-	4	55.0	2	21.0	1	9.0	1	14.4	1	9.6	3	17.2	19	23.0	8.8
Digestive System	5	85.2	-	-	1	11.2	-	-	-	-	6	35.7	4	28.0	-	-	1	14.4	1	1.7	2	4.0	20	12.8	5.6
External Causes	6	30.0	8	24.1	4	8.0	7	17.8	6	24.5	12	89.1	2	6.0	5	12.1	5	10.2	8	17.1	7	19.8	70	23.2	6.1
MVA	2	12.8	-	-	-	-	1	2.1	2	4.6	-	-	-	-	1	1.9	-	-	1	1.7	1	2.2	8	1.8	2.6
Accidental Poisoning	1	3.2	3	9.6	3	7.1	4	9.6	1	2.9	3	6.1	1	2.8	2	5.4	3	6.0	2	4.1	2	9.1	25	6.3	9.0
Suicide	2	5.9	1	2.2	-	-	-	-	2	4.9	4	9.8	1	3.2	1	2.3	2	4.2	4	9.4	2	4.2	19	4.5	4.5
All Causes Male	22	732.2	14	414.6	14	438.5	12	103.6	10	204.4	45	643.3	16	406.9	18	380.2	10	210.0	13	142.2	12	109.7	186	372.6	4.9
Female	15	374.8	11	364.9	14	324.6	13	188.7	14	335.9	30	325.5	20	305.0	17	272.8	15	142.1	14	125.1	14	130.8	177	257.1	5.1
Total	**37**	**599.8**	**25**	**365.0**	**28**	**398.7**	**25**	**155.7**	**24**	**268.3**	**75**	**427.0**	**36**	**334.0**	**35**	**311.9**	**25**	**162.5**	**27**	**130.4**	**26**	**123.2**	**363**	**298.8**	**4.8**
Alcohol-Related*	4	46.7	2	31.6	4	30.0	5	14.2	5	36.0	13	85.9	5	13.6	5	30.1	3	6.2	3	7.7	8	24.5	57	27.1	8.5
Medically Treatable	-	-	-	-	-	-	-	-	-	-	1	3.6	-	-	-	-	2	3.5	1	2.4	-	-	4	1.0	3.3
Drug-Induced	2	11.4	3	9.6	2	4.2	4	11.3	2	5.8	6	29.9	2	6.0	1	2.5	4	8.5	4	9.6	1	1.6	31	8.9	8.9
SAM	9	223.4	6	95.4	5	78.5	1	14.2	2	24.7	16	207.1	7	73.2	8	71.4	5	48.2	4	27.1	4	29.6	68	70.3	5.3

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 22 Fraser North

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	427,915		440,596		456,317		470,177		485,258		498,654		507,681		517,514		527,845		538,319		546,903		5,417,179		
Live Births[1]: Male	3,022		3,007		3,026		3,100		3,027		2,932		2,896		2,956		2,803		2,823		2,858		32,450		
Female	2,830		2,669		2,911		2,842		2,890		2,753		2,691		2,569		2,704		2,670		2,644		30,173		
Total	**5,852**	**13.7**	**5,676**	**12.9**	**5,937**	**13.0**	**5,942**	**12.6**	**5,917**	**12.2**	**5,685**	**11.4**	**5,587**	**11.0**	**5,525**	**10.7**	**5,507**	**10.4**	**5,493**	**10.2**	**5,502**	**10.1**	**62,623**	**11.6**	**3.2**
Low Birth Weight[2]	278	47.5	253	44.6	306	51.5	313	52.7	307	51.9	342	60.2	273	48.9	294	53.2	301	54.7	286	52.1	284	51.6	3,237	51.7	1.3
Premature[2]	368	62.9	308	54.3	362	61.0	370	62.3	379	64.1	410	72.1	360	64.4	399	72.2	417	75.7	387	70.5	363	66.0	4,123	65.8	1.5
Cesarean Section[2]	1,068	182.5	986	173.7	971	163.6	1,048	176.4	986	166.6	1,049	184.5	1,000	179.0	1,119	202.5	1,275	231.5	1,485	270.3	1,519	276.1	12,506	199.7	0.9
Teenage Mother[2]	200	34.2	175	30.8	176	29.6	176	29.6	171	28.9	163	28.7	165	29.5	155	28.1	135	24.5	117	21.3	111	20.2	1,744	27.8	4.7
Elderly Gravida[2]	736	125.8	812	143.1	904	152.3	995	167.5	1,036	175.1	1,047	184.2	1,139	203.9	1,228	222.3	1,295	235.2	1,260	229.4	1,356	246.5	11,808	188.6	0.6
Stillbirths[3]:	**31**	**5.3**	**36**	**6.3**	**31**	**5.2**	**40**	**6.7**	**25**	**4.2**	**47**	**8.2**	**47**	**8.3**	**31**	**5.6**	**32**	**5.8**	**43**	**7.8**	**39**	**7.0**	**402**	**6.4**	**1.2**
Early Neonatal[2]	14	2.4	9	1.6	25	4.2	23	3.9	19	3.2	14	2.5	14	2.5	8	1.4	8	1.5	13	2.4	8	1.5	155	2.5	1.1
Neonatal[2]	17	2.9	11	1.9	33	5.6	26	4.4	23	3.9	16	2.8	19	3.4	14	2.5	9	1.6	17	3.1	12	2.2	197	3.1	1.1
Post Neonatal[2]	5	0.9	13	2.3	8	1.3	6	1.0	4	0.7	7	1.2	5	0.9	3	0.5	4	0.7	4	0.7	6	1.1	65	1.0	3.8
Infant Deaths[2]	**22**	**3.8**	**24**	**4.2**	**41**	**6.9**	**32**	**5.4**	**27**	**4.6**	**23**	**4.0**	**24**	**4.3**	**17**	**3.1**	**13**	**2.4**	**21**	**3.8**	**18**	**3.3**	**262**	**4.2**	**1.7**
	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
Death-Related Cause of Death	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	42	1.0	45	1.0	57	1.2	43	0.9	44	0.9	31	0.6	38	0.7	37	0.7	50	0.9	50	0.9	47	0.8	484	0.9	1.9
Cancer	787	18.6	761	17.4	740	16.5	833	18.1	914	19.2	825	16.9	858	17.5	849	16.3	849	15.9	927	16.8	897	16.3	9,240	17.2	3.9
Lung	226	5.4	228	5.3	204	4.6	215	4.7	248	5.2	240	5.0	218	4.5	226	4.4	222	4.2	257	4.8	226	4.2	2,510	4.7	5.0
Female Breast	63	2.7	65	2.7	67	2.7	65	2.5	78	2.8	62	2.2	80	2.9	62	2.1	64	2.1	84	2.7	76	2.5	766	2.5	0.8
Endo/Nut/Met	76	1.8	74	1.7	86	1.9	111	2.4	91	1.9	92	1.9	108	2.2	103	2.0	93	1.7	116	2.0	131	2.3	1,081	2.0	6.5
Circulatory System	1,175	27.4	1,163	26.4	1,159	25.6	1,108	23.7	1,215	25.4	1,075	21.6	1,228	24.9	1,186	22.4	1,156	21.0	1,145	20.0	1,089	18.9	12,699	23.2	5.1
Ischemic Heart	635	14.8	633	14.4	596	13.2	554	11.9	615	12.9	559	11.3	589	11.9	610	11.6	605	11.0	592	10.4	565	9.9	6,553	12.0	5.0
Cerebrovascular	231	5.4	254	5.7	262	5.8	267	5.7	251	5.2	287	5.7	312	6.3	274	5.1	266	4.8	257	4.4	229	3.9	2,890	5.2	6.4
Respiratory System	287	6.7	319	7.2	273	6.0	302	6.5	367	7.6	357	7.2	375	7.6	352	6.6	327	5.9	335	5.9	329	5.7	3,623	6.6	6.4
Pneumonia/Influenza	129	3.0	160	3.6	127	2.8	138	2.9	159	3.3	160	3.2	184	3.7	168	3.1	142	2.5	161	2.8	152	2.6	1,680	3.0	6.0
Chronic Lung	117	2.7	118	2.7	105	2.3	123	2.7	139	2.9	145	3.0	134	2.8	142	2.7	137	2.5	125	2.2	125	2.2	1,410	2.6	8.8
Digestive System	129	3.0	114	2.6	132	2.9	116	2.5	120	2.5	107	2.1	102	2.1	106	2.0	118	2.2	132	2.3	106	1.9	1,282	2.3	5.6
External Causes	187	4.3	230	5.1	204	4.4	190	4.0	202	4.1	212	4.1	223	4.4	190	3.5	165	2.9	182	3.2	127	2.2	2,112	3.8	6.1
MVA	37	0.9	61	1.4	36	0.8	22	0.5	31	0.6	36	0.7	37	0.8	40	0.8	34	0.6	25	0.5	17	0.3	376	0.7	2.6
Accidental Poisoning	30	0.7	40	0.9	48	1.0	30	0.6	34	0.6	50	0.9	42	0.8	40	0.7	41	0.8	37	0.6	11	0.2	403	0.7	9.0
Suicide	44	1.0	53	1.2	49	1.0	65	1.3	59	1.2	54	1.0	51	1.0	45	0.8	33	0.6	62	1.1	49	0.8	564	1.0	4.5
All Causes Male	1,537	86.9	1,522	84.2	1,506	80.8	1,544	80.3	1,674	83.9	1,539	76.2	1,643	81.4	1,609	74.5	1,541	68.5	1,617	68.8	1,555	66.3	17,287	76.8	4.9
Female	1,336	52.6	1,445	55.0	1,432	53.1	1,434	51.9	1,551	54.6	1,452	49.0	1,597	54.2	1,500	47.8	1,570	48.3	1,634	48.7	1,574	46.8	16,525	50.9	5.1
Total	**2,873**	**67.1**	**2,967**	**67.4**	**2,938**	**64.9**	**2,978**	**64.0**	**3,225**	**67.2**	**2,991**	**60.4**	**3,240**	**65.7**	**3,109**	**59.2**	**3,111**	**57.1**	**3,251**	**57.7**	**3,129**	**55.3**	**33,812**	**62.0**	**4.8**
Alcohol-Related*	68	1.6	92	2.1	161	3.6	165	3.6	210	4.4	165	3.3	156	3.2	168	3.2	182	3.4	191	3.4	155	2.8	1,713	3.2	8.5
Medically Treatable	14	0.3	14	0.3	12	0.3	11	0.2	15	0.3	14	0.3	8	0.1	19	0.4	15	0.3	19	0.3	12	0.2	153	0.3	3.3
Drug-Induced	35	0.8	46	1.0	59	1.2	50	1.0	49	0.9	66	1.2	50	1.0	52	0.9	58	1.0	57	1.0	30	0.5	552	1.0	8.9
SAM	654	15.4	641	14.6	601	13.4	615	13.3	714	15.0	647	13.2	665	13.6	670	12.8	644	11.9	667	11.9	619	11.0	7,136	13.2	5.3

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 23 FRASER SOUTH
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	2,694		3,134		3,581		3,990		4,202		4,487		4,764		5,024		5,409		5,829		6,137		49,251		
Live Births[1]: Male	80		71		85		88		76		72		105		77		137		154		102		1,047		
Female	66		78		87		78		87		67		102		76		117		145		107		1,010		
Total	**146**	**54.2**	**149**	**47.5**	**172**	**48.0**	**166**	**41.6**	**163**	**38.8**	**139**	**31.0**	**207**	**43.5**	**153**	**30.5**	**254**	**47.0**	**299**	**51.3**	**209**	**34.1**	**2,057**	**41.8**	**3.2**
Low Birth Weight[2]	5	34.2	3	20.1	10	58.1	2	12.0	8	49.1	11	79.1	13	62.8	8	52.3	12	47.2	19	63.5	9	43.1	100	48.6	0.9
Premature[2]	11	75.3	7	47.0	17	98.8	13	78.3	14	85.9	14	100.7	13	62.8	14	91.5	19	74.8	32	107.0	19	90.9	173	84.1	1.3
Cesarean Section[2]	30	205.5	25	167.8	34	197.7	31	186.7	30	184.0	22	158.3	37	178.7	31	202.6	49	192.9	79	264.2	56	267.9	424	206.1	0.9
Teenage Mother[2]	24	164.4	10	67.1	21	122.1	20	120.5	27	165.6	15	107.9	21	101.4	24	156.9	30	118.1	28	93.6	30	143.5	250	121.5	3.8
Elderly Gravida[2]	9	61.6	14	94.0	12	69.8	12	72.3	8	49.1	17	122.3	31	149.8	13	85.0	36	141.7	37	123.7	26	124.4	215	104.5	0.7
Stillbirths[3]:	-	-	**2**	**13.2**	**1**	**5.8**	**2**	**11.9**	**1**	**6.1**	-	-	-	-	-	-	-	-	**1**	**3.3**	**1**	**4.8**	**8**	**3.9**	**0.6**
Early Neonatal[2]	1	6.8	2	13.4	1	5.8	1	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2.4	0.8
Neonatal[2]	1	6.8	2	13.4	1	5.8	1	6.0	1	6.1	-	-	-	-	-	-	-	-	-	-	1	4.8	7	3.4	1.0
Post Neonatal[2]	-	-	-	-	-	-	1	6.0	2	12.3	-	-	-	-	1	6.5	1	3.9	-	-	-	-	5	2.4	1.8
Infant Deaths[2]	**1**	**6.8**	**2**	**13.4**	**1**	**5.8**	**2**	**12.0**	**3**	**18.4**	-	-	-	-	**1**	**6.5**	**1**	**3.9**	-	-	**1**	**4.8**	**12**	**5.8**	**1.2**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	1	3.3	-	-	-	-	-	-	2	4.4	-	-	-	-	3	6.4	-	-	-	-	1	1.8	7	1.6	2.0
Cancer	13	250.3	2	14.1	3	22.9	5	38.1	3	34.3	5	38.7	8	42.1	4	38.2	4	21.6	6	32.3	8	36.8	61	42.2	2.6
Lung	3	26.1	1	9.5	-	-	-	-	1	8.3	-	-	1	5.3	3	26.4	1	2.5	3	15.8	1	7.2	14	10.2	2.4
Female Breast	-	-	-	-	1	8.2	2	35.2	-	-	-	-	1	5.8	-	-	-	-	1	6.0	2	7.2	7	5.1	2.0
Endo/Nut/Met	-	-	1	9.0	1	10.2	1	5.1	1	17.8	-	-	-	-	1	7.3	-	-	-	-	5	20.4	10	6.7	3.7
Circulatory System	11	340.0	7	159.3	8	206.9	7	65.0	4	71.1	8	88.0	4	45.0	5	47.4	7	60.9	10	44.0	3	14.3	74	71.6	3.4
Ischemic Heart	4	142.1	2	38.4	4	102.6	2	18.9	3	53.3	3	39.6	3	28.5	5	47.4	3	24.8	4	15.2	2	7.1	35	34.4	3.0
Cerebrovascular	3	106.6	1	35.5	2	42.7	2	11.7	-	-	1	16.5	-	-	-	-	3	26.5	-	-	1	7.2	13	14.3	3.2
Respiratory System	3	106.6	4	125.2	2	36.3	-	-	1	8.3	3	38.9	2	20.6	-	-	-	-	-	-	1	1.9	16	16.4	3.0
Pneumonia/Influenza	3	106.6	3	89.7	-	-	-	-	-	-	1	5.9	-	-	-	-	-	-	-	-	-	-	7	7.9	3.6
Chronic Lung	-	-	1	35.5	2	36.3	-	-	-	-	2	33.0	1	16.5	-	-	-	-	-	-	1	1.9	7	7.3	3.2
Digestive System	1	24.8	-	-	3	32.2	1	4.6	1	6.2	1	4.8	1	6.8	-	-	1	7.3	2	8.3	1	1.9	12	6.9	3.5
External Causes	6	27.2	4	15.0	6	16.7	7	20.0	3	7.0	12	32.0	7	20.0	8	19.6	2	4.4	3	5.7	3	5.2	61	15.1	4.0
MVA	1	3.3	2	6.3	1	2.3	1	3.7	-	-	-	-	1	2.4	3	5.6	1	2.1	1	2.0	-	-	11	2.3	2.3
Accidental Poisoning	2	7.3	2	8.8	3	7.6	1	2.2	2	4.6	5	11.5	3	7.1	2	4.3	1	2.4	-	-	1	1.7	22	5.0	7.1
Suicide	2	7.4	-	-	1	4.2	3	9.3	-	-	1	2.5	2	5.2	-	-	-	-	1	1.9	-	-	10	2.4	2.7
All Causes Male	25	776.1	13	253.6	14	381.4	16	201.2	11	204.5	13	184.5	12	158.2	13	148.9	8	95.5	12	106.0	6	47.5	143	190.2	2.8
Female	17	447.5	11	549.9	10	258.3	9	170.9	9	161.9	19	250.7	11	130.3	10	110.0	9	102.7	14	111.9	20	122.2	139	171.9	3.6
Total	**42**	**485.3**	**24**	**357.4**	**24**	**326.0**	**25**	**183.1**	**20**	**177.7**	**32**	**224.6**	**23**	**138.5**	**23**	**124.4**	**17**	**102.9**	**26**	**110.2**	**26**	**91.9**	**282**	**179.5**	**3.2**
Alcohol-Related*	1	2.9	2	11.4	2	14.4	2	9.7	2	8.5	5	18.0	5	14.0	5	14.5	3	12.2	5	20.9	1	1.9	33	12.5	4.8
Medically Treatable	-	-	1	5.3	-	-	-	-	-	-	-	-	-	-	1	2.3	-	-	-	-	-	-	2	0.6	2.0
Drug-Induced	2	7.3	1	2.7	3	7.6	1	2.2	2	4.6	6	18.1	3	7.1	3	8.9	1	2.4	1	1.9	2	3.5	25	6.3	7.0
SAM	8	167.2	4	89.9	3	73.9	2	18.6	2	19.9	4	48.2	3	31.0	3	29.7	2	11.0	6	27.2	3	11.9	40	34.1	2.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
OTHER RESIDENTS - 23 FRASER SOUTH
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**464,845**		**484,967**		**502,449**		**522,838**		**538,505**		**557,324**		**568,469**		**577,294**		**586,514**		**597,454**		**608,245**		**6,008,904**		
Live Births[1]: Male	3,720		3,674		3,790		3,901		3,803		3,697		3,826		3,575		3,474		3,512		3,547		40,519		
Female	3,582		3,520		3,568		3,595		3,478		3,598		3,536		3,414		3,170		3,198		3,357		38,016		
Total	**7,302**	**15.7**	**7,194**	**14.8**	**7,358**	**14.6**	**7,496**	**14.3**	**7,281**	**13.5**	**7,297**	**13.1**	**7,363**	**13.0**	**6,989**	**12.1**	**6,644**	**11.3**	**6,710**	**11.2**	**6,904**	**11.4**	**78,538**	**13.1**	**3.2**
Low Birth Weight[2]	368	50.4	346	48.1	390	53.0	437	58.3	414	56.9	422	57.8	403	54.7	360	51.5	359	54.0	363	54.1	376	54.5	4,238	54.0	0.9
Premature[2]	468	64.1	424	58.9	460	62.5	517	69.0	477	65.5	492	67.4	475	64.5	468	67.0	461	69.4	445	66.3	468	67.8	5,155	65.6	1.3
Cesarean Section[2]	1,650	226.0	1,633	227.0	1,577	214.3	1,559	208.0	1,518	208.5	1,543	211.5	1,619	219.9	1,597	228.5	1,574	236.9	1,766	263.2	2,018	292.3	18,054	229.9	0.9
Teenage Mother[2]	278	38.1	265	36.8	236	32.1	264	35.2	236	32.4	211	28.9	215	29.2	218	31.2	205	30.9	182	27.1	179	25.9	2,489	31.7	3.8
Elderly Gravida[2]	782	107.1	838	116.5	879	119.5	927	123.7	986	135.4	1,093	149.8	1,126	152.9	1,117	159.8	1,079	162.4	1,209	180.2	1,268	183.7	11,304	143.9	0.7
Stillbirths[3]:	**45**	**6.1**	**40**	**5.5**	**58**	**7.8**	**53**	**7.0**	**47**	**6.4**	**56**	**7.6**	**55**	**7.4**	**57**	**8.1**	**36**	**5.4**	**33**	**4.9**	**53**	**7.6**	**533**	**6.7**	**0.6**
Early Neonatal[2]	26	3.6	12	1.7	35	4.8	28	3.7	18	2.5	24	3.3	15	2.0	14	2.0	15	2.3	19	2.8	18	2.6	224	2.9	0.8
Neonatal[2]	31	4.2	14	1.9	37	5.0	33	4.4	22	3.0	27	3.7	19	2.6	16	2.3	21	3.2	23	3.4	23	3.3	266	3.4	1.0
Post Neonatal[2]	12	1.6	7	1.0	11	1.5	5	0.7	16	2.2	6	0.8	9	1.2	9	1.3	10	1.5	6	0.9	11	1.6	102	1.3	1.8
Infant Deaths[2]	**43**	**5.9**	**21**	**2.9**	**48**	**6.5**	**38**	**5.1**	**38**	**5.2**	**33**	**4.5**	**28**	**3.8**	**25**	**3.6**	**31**	**4.7**	**29**	**4.3**	**34**	**4.9**	**368**	**4.7**	**1.2**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	37	0.8	31	0.6	54	1.1	43	0.8	61	1.1	34	0.6	44	0.7	66	1.1	35	0.5	67	1.0	56	0.8	528	0.8	2.0
Cancer	738	16.6	808	17.4	823	16.9	863	17.0	875	16.5	907	16.4	983	16.5	951	16.0	941	15.2	994	15.5	984	14.4	9,867	16.2	2.6
Lung	220	4.9	201	4.3	218	4.5	186	3.7	243	4.7	255	4.6	262	4.5	239	4.1	227	3.7	238	3.8	224	3.3	2,513	4.2	2.4
Female Breast	74	3.1	60	2.4	74	2.8	74	2.6	91	3.1	77	2.5	55	1.7	85	2.6	72	2.1	73	2.1	89	2.3	824	2.5	2.0
Endo/Nut/Met	87	2.0	79	1.7	86	1.8	101	2.0	82	1.5	81	1.5	113	1.9	89	1.5	116	1.9	115	1.8	140	2.1	1,089	1.8	3.7
Circulatory System	1,057	24.1	1,066	23.2	1,103	22.8	1,190	23.4	1,241	23.2	1,234	22.0	1,205	19.4	1,209	19.7	1,237	19.3	1,229	18.4	1,215	17.1	12,986	20.9	3.4
Ischemic Heart	598	13.6	590	12.8	614	12.7	632	12.4	686	12.8	686	12.3	652	10.6	636	10.4	671	10.5	686	10.3	659	9.3	7,110	11.4	3.0
Cerebrovascular	219	5.0	225	4.9	224	4.6	252	4.9	261	4.9	276	4.9	295	4.7	272	4.4	277	4.3	272	4.0	244	3.4	2,817	4.5	3.2
Respiratory System	262	6.0	276	6.0	266	5.5	294	5.8	327	6.1	353	6.3	286	4.6	372	6.0	317	4.9	330	4.9	341	4.8	3,424	5.5	3.0
Pneumonia/Influenza	93	2.1	120	2.6	114	2.4	123	2.4	129	2.4	135	2.4	136	2.2	157	2.5	133	2.0	134	2.0	143	2.0	1,417	2.2	3.6
Chronic Lung	102	2.3	124	2.7	105	2.2	123	2.4	141	2.7	154	2.7	107	1.7	140	2.3	136	2.2	142	2.1	127	1.8	1,401	2.3	3.2
Digestive System	112	2.5	103	2.2	92	1.9	82	1.6	128	2.4	107	1.9	127	2.1	119	1.9	117	1.8	133	2.0	121	1.7	1,241	2.0	3.5
External Causes	200	4.4	200	4.2	201	4.1	186	3.6	244	4.6	220	3.9	231	4.1	228	3.9	211	3.6	197	3.3	161	2.6	2,279	3.8	4.0
MVA	55	1.2	56	1.2	51	1.1	52	1.0	55	1.1	47	0.9	51	0.9	41	0.7	49	0.8	58	1.0	45	0.7	560	1.0	2.3
Accidental Poisoning	16	0.3	39	0.8	26	0.5	32	0.6	43	0.8	45	0.8	52	0.9	58	1.0	39	0.7	33	0.6	25	0.4	408	0.7	7.1
Suicide	48	1.0	43	0.9	47	0.9	45	0.9	45	0.9	50	0.9	56	1.0	63	1.1	50	0.8	45	0.8	39	0.6	531	0.9	2.7
All Causes Male	1,460	74.4	1,460	71.6	1,524	71.1	1,666	74.8	1,686	72.8	1,697	69.7	1,721	64.7	1,784	67.7	1,711	62.9	1,809	64.0	1,750	58.5	16,268	67.8	2.8
Female	1,283	51.5	1,337	51.6	1,353	49.8	1,369	47.2	1,547	50.9	1,541	48.8	1,565	45.6	1,556	44.9	1,604	44.6	1,683	45.0	1,744	43.5	16,582	47.2	3.6
Total	**2,743**	**62.0**	**2,797**	**60.5**	**2,877**	**59.3**	**3,035**	**59.6**	**3,233**	**60.7**	**3,238**	**58.0**	**3,286**	**54.3**	**3,340**	**55.2**	**3,315**	**52.8**	**3,492**	**53.5**	**3,494**	**50.5**	**34,850**	**56.5**	**3.2**
Alcohol-Related*	66	1.5	83	1.8	105	2.1	135	2.7	170	3.2	169	3.0	161	2.8	167	2.8	155	2.5	177	2.8	174	2.6	1,562	2.6	4.8
Medically Treatable	11	0.2	18	0.4	13	0.3	19	0.4	13	0.2	14	0.3	16	0.3	23	0.4	13	0.2	25	0.4	18	0.3	183	0.3	2.0
Drug-Induced	27	0.6	46	1.0	31	0.6	36	0.7	52	1.0	50	0.9	68	1.2	76	1.3	45	0.8	43	0.8	41	0.7	515	0.9	7.0
SAM	574	13.0	601	13.0	614	12.7	614	12.2	678	12.8	716	12.8	677	11.2	689	11.5	676	10.8	681	10.4	662	9.5	7,182	11.7	2.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 31 RICHMOND
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**514**		**553**		**602**		**654**		**662**		**665**		**688**		**692**		**723**		**742**		**755**		**7,250**		
Live Births[1]: Male	14		9		14		14		11		6		7		10		13		8		13		119		
Female	19		15		9		10		12		9		6		5		13		18		3		119		
Total	**33**	**64.2**	**24**	**43.4**	**23**	**38.2**	**24**	**36.7**	**23**	**34.7**	**15**	**22.6**	**13**	**18.9**	**15**	**21.7**	**26**	**36.0**	**26**	**35.0**	**16**	**21.2**	**238**	**32.8**	**3.2**
Low Birth Weight[2]	2	60.6	1	41.7	1	43.5	-	-	1	43.5	2	133.3	1	76.9	-	-	1	38.5	1	38.5	1	62.5	11	46.2	1.0
Premature[2]	2	60.6	1	41.7	1	43.5	1	41.7	2	87.0	3	200.0	1	76.9	1	66.7	2	76.9	1	38.5	1	62.5	16	67.2	1.1
Cesarean Section[2]	11	333.3	5	208.3	6	260.9	4	166.7	2	87.0	2	133.3	2	153.8	4	266.7	9	346.2	8	307.7	5	312.5	58	243.7	1.1
Teenage Mother[2]	2	60.6	2	83.3	1	43.5	3	125.0	1	43.5	2	133.3	-	-	1	66.7	1	38.5	1	38.5	1	62.5	15	63.0	3.9
Elderly Gravida[2]	2	60.6	3	125.0	3	130.4	4	166.7	-	-	1	66.7	4	307.7	1	66.7	5	192.3	3	115.4	3	187.5	29	121.8	0.5
Stillbirths[3]:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Early Neonatal[2]	-	-	-	-	-	-	-	-	-	-	2	133.3	-	-	-	-	-	-	-	-	-	-	2	8.4	2.5
Neonatal[2]	-	-	-	-	-	-	-	-	-	-	2	133.3	-	-	-	-	-	-	-	-	-	-	2	8.4	2.4
Post Neonatal[2]	1	30.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4.2	5.3
Infant Deaths[2]	**1**	**30.3**	-	-	-	-	-	-	-	-	**2**	**133.3**	-	-	-	-	-	-	-	-	-	-	**3**	**12.6**	**2.9**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	-	-	-	-	-	-	1	16.9	-	-	-	-	-	-	-	-	-	-	-	-	1	1.5	1.9
Cancer	1	99.4	1	29.4	-	-	1	16.9	-	-	-	-	2	307.9	2	30.6	-	-	-	-	-	-	7	38.1	2.6
Lung	1	99.4	1	29.4	-	-	-	-	-	-	-	-	1	154.0	-	-	-	-	-	-	-	-	3	22.6	5.8
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	27.1	-	-	-	-	-	-	1	2.4	1.1
Endo/Nut/Met	-	-	-	-	-	-	-	-	1	129.2	-	-	-	-	-	-	-	-	-	-	-	-	1	5.7	3.8
Circulatory System	1	230.9	2	330.3	-	-	-	-	-	-	2	214.8	2	307.9	-	-	1	38.8	2	93.5	-	-	10	91.8	5.1
Ischemic Heart	1	230.9	1	99.4	-	-	-	-	-	-	2	214.8	2	307.9	-	-	-	-	1	77.0	-	-	7	73.6	7.7
Cerebrovascular	-	-	1	230.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10.7	2.5
Respiratory System	2	424.8	-	-	-	-	-	-	-	-	1	115.5	-	-	-	-	-	-	-	-	-	-	3	27.2	5.2
Pneumonia/Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Lung	-	-	-	-	-	-	-	-	-	-	1	115.5	-	-	-	-	-	-	-	-	-	-	1	10.7	5.6
Digestive System	-	-	-	-	-	-	-	-	-	-	1	20.6	-	-	1	20.3	-	-	-	-	-	-	2	3.9	2.2
External Causes	2	32.4	-	-	-	-	1	12.8	1	11.5	2	37.1	1	17.7	1	115.5	-	-	-	-	-	-	8	21.7	8.0
MVA	-	-	-	-	-	-	-	-	-	-	1	15.8	1	17.7	-	-	-	-	-	-	-	-	2	3.1	5.2
Accidental Poisoning	-	-	-	-	-	-	-	-	1	11.5	-	-	-	-	-	-	-	-	-	-	-	-	1	1.2	4.0
Suicide	1	14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1.3	1.9
All Causes Male	5	613.7	3	529.1	-	-	1	23.5	2	230.0	4	620.7	3	545.9	-	-	2	116.1	-	-	-	-	20	334.5	5.6
Female	2	259.8	1	55.1	1	298.1	2	261.3	1	20.9	4	282.4	3	230.9	4	233.2	-	-	2	115.2	-	-	20	169.2	4.1
Total	**7**	**792.3**	**4**	**459.1**	**1**	**298.1**	**3**	**183.6**	**3**	**157.6**	**8**	**406.2**	**6**	**264.4**	**4**	**166.4**	**2**	**58.1**	**2**	**93.5**	-	-	**40**	**226.2**	**4.6**
Alcohol-Related*	1	14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	38.8	-	-	-	-	2.0	7.1	3.9
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-Induced	1	14.7	-	-	-	-	-	-	1	11.5	-	-	-	-	-	-	-	-	-	-	-	-	2.0	2.6	5.2
SAM	1	137.5	1	97.5	-	-	-	-	-	-	1	129.2	1	172.7	-	-	0	10.3	0	14.4	-	-	5.0	44.8	4.3

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 31 Richmond

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	134,067		138,619		143,295		148,634		154,343		159,400		163,151		166,269		168,480		171,805		173,862		1,721,925		
Live Births[1]: Male	857		840		845		912		875		881		838		788		799		796		823		9,254		
Female	848		821		770		839		792		749		795		716		755		792		744		8,621		
Total	**1,705**	**12.7**	**1,661**	**12.0**	**1,615**	**11.3**	**1,751**	**11.8**	**1,667**	**10.8**	**1,630**	**10.2**	**1,633**	**10.0**	**1,504**	**9.0**	**1,554**	**9.2**	**1,588**	**9.2**	**1,567**	**9.0**	**17,875**	**10.4**	**3.2**
Low Birth Weight[2]	65	38.1	74	44.6	82	50.8	92	52.5	73	43.8	88	54.0	77	47.2	81	53.9	80	51.5	71	44.7	86	54.9	869	48.6	1.0
Premature[2]	84	49.3	98	59.0	91	56.3	124	70.8	105	63.0	108	66.3	96	58.8	89	59.2	93	59.8	105	66.1	95	60.6	1,088	60.9	1.1
Cesarean Section[2]	385	225.8	347	208.9	303	187.6	339	193.6	354	212.4	371	227.6	364	222.9	345	229.4	395	254.2	462	290.9	462	294.8	4,127	230.9	1.1
Teenage Mother[2]	33	19.4	35	21.1	31	19.2	33	18.8	25	15.0	30	18.4	27	16.5	19	12.6	20	12.9	21	13.2	17	10.8	291	16.3	3.9
Elderly Gravida[2]	277	162.5	308	185.4	325	201.2	353	201.6	374	224.4	382	234.4	409	250.5	374	248.7	429	276.1	415	261.3	458	292.3	4,104	229.6	0.5
Stillbirths[3]:	**7**	**4.1**	**11**	**6.6**	**7**	**4.3**	**12**	**6.8**	**9**	**5.4**	**14**	**8.5**	**7**	**4.3**	**14**	**9.2**	**9**	**5.8**	**11**	**6.9**	**11**	**7.0**	**112**	**6.2**	-
Early Neonatal[2]	4	2.3	4	2.4	3	1.9	8	4.6	6	3.6	6	3.7	6	3.7	4	2.7	7	4.5	6	3.8	5	3.2	59	3.3	2.5
Neonatal[2]	4	2.3	4	2.4	3	1.9	8	4.6	7	4.2	7	4.3	7	4.3	4	2.7	7	4.5	6	3.8	5	3.2	62	3.5	2.4
Post Neonatal[2]	1	0.6	3	1.8	3	1.9	-	-	2	1.2	1	0.6	1	0.6	-	-	2	1.3	-	-	1	0.6	14	0.8	5.3
Infant Deaths[2]	**5**	**2.9**	**7**	**4.2**	**6**	**3.7**	**8**	**4.6**	**9**	**5.4**	**8**	**4.9**	**8**	**4.9**	**4**	**2.7**	**9**	**5.8**	**6**	**3.8**	**6**	**3.8**	**76**	**4.3**	**2.9**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	17	1.3	7	0.5	18	1.3	8	0.5	15	1.0	14	0.9	7	0.4	17	1.0	19	1.1	9	0.5	9	0.5	140	0.8	1.9
Cancer	192	15.3	185	13.8	238	17.3	225	15.7	225	14.9	216	14.9	219	14.0	234	14.2	241	14.1	229	12.4	255	14.7	2,459	14.5	2.6
Lung	47	3.7	42	3.2	54	3.9	62	4.4	60	4.0	66	4.6	58	3.7	65	4.0	74	4.4	63	3.4	69	4.1	660	3.9	5.8
Female Breast	20	2.8	21	2.7	22	2.7	16	1.9	16	1.8	17	2.1	26	3.0	12	1.1	16	1.4	23	2.1	21	2.1	210	2.1	1.1
Endo/Nut/Met	14	1.2	19	1.5	18	1.4	22	1.6	20	1.3	14	1.0	36	2.3	24	1.4	24	1.4	30	1.7	29	1.6	250	1.5	3.8
Circulatory System	220	17.9	265	20.6	257	19.1	262	18.5	281	18.9	287	19.7	296	19.1	282	17.3	284	16.5	285	15.2	292	16.3	3,011	18.0	5.1
Ischemic Heart	124	10.1	149	11.5	139	10.3	157	11.0	152	10.2	155	10.7	141	9.0	150	9.3	147	8.5	161	8.6	138	7.7	1,613	9.6	7.7
Cerebrovascular	46	3.7	54	4.2	61	4.6	39	2.8	69	4.7	75	5.1	69	4.5	73	4.4	75	4.3	59	3.1	81	4.4	701	4.2	2.5
Respiratory System	60	4.9	59	4.6	71	5.3	75	5.3	92	6.3	86	5.8	80	5.2	102	6.2	79	4.5	97	5.2	77	4.3	878	5.2	5.2
Pneumonia/Influenza	23	1.9	25	1.9	32	2.4	34	2.4	47	3.2	40	2.7	38	2.4	48	2.9	35	2.0	42	2.2	35	2.0	399	2.4	-
Chronic Lung	18	1.5	23	1.8	25	1.9	23	1.6	29	2.0	32	2.2	27	1.8	41	2.5	29	1.7	31	1.7	32	1.8	310	1.9	5.6
Digestive System	28	2.3	27	2.0	27	2.0	25	1.8	32	2.1	28	1.9	25	1.6	29	1.7	19	1.1	33	1.8	35	2.0	308	1.8	2.2
External Causes	44	3.3	24	1.8	43	3.0	45	3.1	57	3.7	57	3.7	39	2.3	43	2.5	39	2.3	48	2.7	34	1.9	473	2.7	8.0
MVA	5	0.4	3	0.2	13	0.9	9	0.6	12	0.8	10	0.7	8	0.5	6	0.4	9	0.6	9	0.6	10	0.6	94	0.6	5.2
Accidental Poisoning	7	0.5	7	0.5	4	0.3	4	0.3	8	0.5	4	0.2	9	0.5	3	0.1	4	0.2	2	0.1	-	-	52	0.3	4.0
Suicide	9	0.6	7	0.5	11	0.7	13	0.9	11	0.7	23	1.4	8	0.5	9	0.5	12	0.8	13	0.7	9	0.5	125	0.7	1.9
All Causes Male	330	62.9	323	58.4	358	62.2	400	66.8	410	65.1	412	67.4	386	60.8	426	61.9	396	55.5	385	50.2	382	52.3	4,208	59.9	5.6
Female	304	42.5	324	42.6	367	46.5	319	38.5	378	43.2	348	40.6	376	41.0	385	39.5	409	39.7	432	39.7	439	42.5	4,081	41.4	4.1
Total	**634**	**51.1**	**647**	**49.6**	**725**	**53.3**	**719**	**50.5**	**788**	**52.7**	**760**	**51.9**	**762**	**49.2**	**811**	**49.2**	**805**	**46.8**	**817**	**44.3**	**821**	**46.5**	**8,289**	**49.3**	**4.6**
Alcohol-Related*	12	0.9	25	1.8	16	1.2	25	1.8	29	1.9	33	2.2	27	1.7	30	1.8	33	1.8	41	2.2	33	1.9	304	1.8	3.9
Medically Treatable	5	0.4	5	0.4	4	0.3	1	0.1	-	-	5	0.3	1	-	5	0.3	3	0.2	3	0.2	2	0.1	34	0.2	-
Drug-Induced	10	0.8	9	0.6	7	0.5	9	0.6	10	0.7	12	0.7	12	0.7	5	0.3	5	0.3	7	0.4	2	0.1	88	0.5	5.2
SAM	121	9.8	135	10.3	147	10.8	155	10.8	162	10.8	171	11.7	160	10.2	183	11.1	169	9.8	164	8.8	178	10.1	1,745	10.4	4.3

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 32 VANCOUVER
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**10,135**		**10,974**		**11,566**		**11,886**		**12,215**		**12,327**		**12,296**		**12,575**		**12,836**		**13,050**		**13,417**		**133,277**		
Live Births[1]: Male	156		134		163		136		135		112		99		107		121		114		87		1,364		
Female	149		137		135		136		117		113		112		92		119		125		78		1,313		
Total	**305**	**30.1**	**271**	**24.7**	**298**	**25.8**	**272**	**22.9**	**252**	**20.6**	**225**	**18.3**	**211**	**17.2**	**199**	**15.8**	**240**	**18.7**	**239**	**18.3**	**165**	**12.3**	**2,677**	**20.1**	**1.9**
Low Birth Weight[2]	30	98.4	18	66.4	24	80.5	16	58.8	20	79.4	15	66.7	11	52.1	17	85.4	19	79.2	19	79.5	9	54.5	198	74.0	1.3
Premature[2]	38	124.6	27	99.6	32	107.4	34	125.0	35	138.9	25	111.1	18	85.3	29	145.7	33	137.5	37	154.8	22	133.3	330	123.3	1.8
Cesarean Section[2]	44	144.3	34	125.5	41	137.6	24	88.2	39	154.8	26	115.6	31	146.9	42	211.1	38	158.3	43	179.9	29	175.8	391	146.1	0.7
Teenage Mother[2]	58	190.2	38	140.2	53	177.9	48	176.5	36	142.9	38	168.9	33	156.4	30	150.8	27	112.5	32	133.9	31	187.9	424	158.4	9.6
Elderly Gravida[2]	21	68.9	21	77.5	20	67.1	26	95.6	27	107.1	23	102.2	25	118.5	31	155.8	35	145.8	30	125.5	21	127.3	280	104.6	0.4
Stillbirths[3]:	3	9.7	1	3.7	3	10.0	1	3.7	4	15.6	2	8.8	3	14.0	3	14.9	2	8.3	2	8.3	2	12.0	26	9.6	1.2
Early Neonatal[2]	2	6.6	-	-	1	3.4	2	7.4	1	4.0	2	8.9	-	-	-	-	-	-	-	-	-	-	8	3.0	0.9
Neonatal[2]	3	9.8	-	-	1	3.4	3	11.0	1	4.0	3	13.3	-	-	1	5.0	1	4.2	-	-	-	-	13	4.9	1.3
Post Neonatal[2]	6	19.7	1	3.7	2	6.7	3	11.0	1	4.0	3	13.3	-	-	-	-	-	-	-	-	1	6.1	17	6.4	5.8
Infant Deaths[2]	**9**	**29.5**	**1**	**3.7**	**3**	**10.1**	**6**	**22.1**	**2**	**7.9**	**6**	**26.7**	-	-	**1**	**5.0**	**1**	**4.2**	-	-	**1**	**6.1**	**30**	**11.2**	**2.3**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	8	10.2	4	3.0	7	4.9	15	12.2	10	7.7	12	10.6	17	15.5	12	11.5	13	10.3	14	10.0	12	8.2	124	9.7	3.7
Cancer	10	29.0	13	58.7	12	27.7	4	3.9	7	18.6	5	9.7	13	38.1	11	31.5	9	19.0	9	13.9	9	14.1	102	22.3	1.4
Lung	2	3.2	4	20.5	2	4.6	-	-	2	4.8	-	-	3	9.2	2	3.8	1	1.6	-	-	4	5.4	20	4.3	1.0
Female Breast	1	12.8	1	11.5	2	8.4	2	3.5	-	-	1	1.5	1	1.5	-	-	-	-	1	1.3	1	1.6	10	3.1	1.4
Endo/Nut/Met	2	5.1	2	1.8	3	10.0	3	7.4	-	-	4	7.9	-	-	3	1.9	-	-	5	10.1	1	0.9	23	4.0	2.1
Circulatory System	12	79.6	21	115.0	25	106.7	14	41.3	11	30.5	16	27.3	18	43.1	13	25.6	12	25.8	11	17.5	10	22.1	163	41.9	1.9
Ischemic Heart	3	15.4	8	46.4	13	64.2	9	23.4	7	20.9	5	7.6	6	15.9	5	9.0	3	7.8	2	4.2	5	9.6	66	17.7	1.6
Cerebrovascular	4	28.9	3	12.9	2	2.1	3	14.3	1	3.3	2	6.6	5	18.8	1	1.2	4	8.5	1	2.0	3	8.7	29	8.8	1.7
Respiratory System	9	46.0	5	26.6	-	-	4	7.7	6	14.5	4	6.8	7	22.4	8	15.6	3	3.1	1	2.6	5	7.6	52	11.9	1.8
Pneumonia/Influenza	5	28.3	1	7.1	-	-	2	1.4	3	6.6	4	6.8	4	11.4	5	7.8	-	-	-	-	3	3.9	27	5.6	1.6
Chronic Lung	2	13.2	-	-	-	-	1	5.4	-	-	-	-	2	10.2	1	4.9	1	1.6	1	2.6	1	1.4	9	3.2	1.4
Digestive System	10	13.6	9	18.0	9	13.3	5	6.2	9	12.8	11	11.6	7	11.3	4	4.8	9	15.4	6	6.8	19	21.1	98	12.4	4.8
External Causes	43	44.6	61	53.1	39	33.7	28	30.1	37	28.5	33	28.8	35	31.7	26	21.2	24	20.6	13	9.3	12	9.3	351	27.2	5.1
MVA	2	2.0	2	1.7	8	9.4	1	0.7	3	2.1	1	0.7	1	0.6	4	3.4	4	4.5	2	1.4	1	2.2	29	2.6	4.3
Accidental Poisoning	19	23.0	42	34.3	22	17.6	10	8.7	20	14.7	18	12.9	27	20.1	16	11.4	13	10.8	9	6.5	4	2.6	200	14.2	7.9
Suicide	10	9.2	6	4.6	4	2.9	2	1.6	5	3.4	2	2.0	1	0.7	4	3.0	2	1.5	-	-	5	3.3	41	2.8	2.3
All Causes Male	64	296.8	68	361.2	54	213.8	51	149.8	63	190.1	58	159.5	74	252.8	47	123.5	46	144.8	33	95.0	47	105.5	605	175.2	2.2
Female	43	182.6	66	275.9	59	224.0	38	103.8	36	93.1	48	104.8	48	151.5	39	121.6	30	67.8	38	73.4	43	97.1	488	126.7	2.6
Total	**107**	**236.7**	**134**	**314.8**	**113**	**221.4**	**89**	**125.6**	**99**	**135.7**	**106**	**129.1**	**122**	**196.8**	**86**	**123.8**	**76**	**101.7**	**71**	**81.8**	**90**	**101.5**	**1,093**	**148.8**	**2.4**
Alcohol-Related*	29	41.2	50	45.9	38	45.1	29	36.2	42	35.5	50	44.7	56	62.1	28	25.9	29	36.2	22	23.3	32	35.2	405	39.3	9.1
Medically Treatable	3	5.8	1	1.0	3	2.8	3	2.9	2	1.5	5	3.8	5	5.5	6	4.3	1	1.1	1	0.6	3	2.2	33	2.7	9.0
Drug-Induced	15	16.2	41	33.1	23	18.1	9	8.0	20	14.8	16	11.4	28	20.8	14	10.1	13	10.8	9	6.5	7	4.5	195	13.7	6.9
SAM	9	43.5	9	46.0	9	31.2	4	11.6	6	13.1	5	9.4	12	31.9	8	16.0	5	9.9	5	9.5	8	11.6	79	18.6	1.5

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 32 Vancouver

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**491,129**		**495,940**		**507,210**		**518,979**		**533,996**		**544,339**		**551,336**		**558,263**		**565,265**		**573,886**		**578,190**		**5,918,533**		
Live Births[1]: Male	2,824		3,028		3,156		3,105		3,082		2,943		2,692		2,819		2,835		2,732		2,906		32,122		
Female	2,625		2,759		2,733		2,967		2,910		2,803		2,622		2,699		2,694		2,649		2,607		30,068		
Total	**5,449**	**11.1**	**5,787**	**11.7**	**5,889**	**11.6**	**6,072**	**11.7**	**5,992**	**11.2**	**5,746**	**10.6**	**5,314**	**9.6**	**5,518**	**9.9**	**5,529**	**9.8**	**5,381**	**9.4**	**5,513**	**9.5**	**62,190**	**10.5**	**1.9**
Low Birth Weight[2]	294	54.0	357	61.7	330	56.0	354	58.3	333	55.6	317	55.2	299	56.3	286	51.8	316	57.2	250	46.5	307	55.7	3,443	55.4	1.3
Premature[2]	348	63.9	429	74.1	375	63.7	430	70.8	424	70.8	398	69.3	365	68.7	365	66.1	407	73.6	335	62.3	408	74.0	4,284	68.9	1.8
Cesarean Section[2]	1,189	218.2	1,214	209.8	1,134	192.6	1,238	203.9	1,239	206.8	1,130	196.7	1,132	213.0	1,303	236.1	1,327	240.0	1,429	265.6	1,497	271.5	13,832	222.4	0.7
Teenage Mother[2]	120	22.0	110	19.0	116	19.7	128	21.1	99	16.5	82	14.3	81	15.2	91	16.5	68	12.3	77	14.3	57	10.3	1,029	16.5	9.6
Elderly Gravida[2]	999	183.3	1,117	193.0	1,200	203.8	1,228	202.2	1,355	226.1	1,376	239.5	1,342	252.5	1,535	278.2	1,546	279.6	1,557	289.4	1,672	303.3	14,927	240.0	0.4
Stillbirths[3]:	45	8.2	42	7.2	48	8.1	53	8.7	49	8.1	48	8.3	30	5.6	39	7.0	52	9.3	43	7.9	46	8.3	495	7.9	1.2
Early Neonatal[2]	24	4.4	20	3.5	32	5.4	18	3.0	19	3.2	15	2.6	17	3.2	17	3.1	18	3.3	10	1.9	15	2.7	205	3.3	0.9
Neonatal[2]	26	4.8	21	3.6	36	6.1	23	3.8	21	3.5	18	3.1	18	3.4	23	4.2	21	3.8	11	2.0	18	3.3	236	3.8	1.3
Post Neonatal[2]	12	2.2	9	1.6	7	1.2	8	1.3	5	0.8	4	0.7	6	1.1	5	0.9	3	0.5	3	0.6	6	1.1	68	1.1	5.8
Infant Deaths[2]	**38**	**7.0**	**30**	**5.2**	**43**	**7.3**	**31**	**5.1**	**26**	**4.3**	**22**	**3.8**	**24**	**4.5**	**28**	**5.1**	**24**	**4.3**	**14**	**2.6**	**24**	**4.4**	**304**	**4.9**	**2.3**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	181	3.3	247	4.5	245	4.3	219	3.8	180	3.0	101	1.6	108	1.7	106	1.7	116	1.8	112	1.7	110	1.7	1,725	2.6	3.7
Cancer	928	16.0	947	16.4	935	16.1	980	16.6	930	15.6	950	16.1	981	16.8	978	15.9	931	14.7	962	14.7	949	14.9	10,471	15.7	1.4
Lung	244	4.2	233	4.1	247	4.3	255	4.3	238	4.1	247	4.2	248	4.3	265	4.3	232	3.8	247	3.8	261	4.2	2,717	4.1	1.0
Female Breast	79	2.5	70	2.2	68	2.3	83	2.6	63	1.9	79	2.3	73	2.3	73	2.1	74	2.1	68	1.8	70	2.0	800	2.2	1.4
Endo/Nut/Met	102	1.7	115	1.9	111	1.8	116	1.9	115	1.9	131	2.1	111	1.9	105	1.6	126	1.9	150	2.2	145	2.2	1,327	1.9	2.1
Circulatory System	1,510	24.3	1,508	24.2	1,483	23.6	1,382	22.0	1,422	22.5	1,359	21.4	1,353	22.1	1,378	20.9	1,299	19.1	1,261	18.1	1,304	19.2	15,259	21.5	1.9
Ischemic Heart	784	12.7	767	12.5	767	12.4	706	11.3	727	11.6	681	10.8	658	10.9	696	10.7	644	9.6	623	9.0	619	9.1	7,672	10.9	1.6
Cerebrovascular	349	5.5	361	5.7	324	5.1	306	4.8	338	5.2	330	5.1	326	5.3	350	5.2	313	4.5	337	4.7	337	4.9	3,671	5.1	1.7
Respiratory System	425	6.6	439	6.9	443	7.0	452	7.1	449	7.0	469	7.2	484	7.8	460	6.9	411	6.0	409	5.8	425	6.1	4,866	6.8	1.8
Pneumonia/Influenza	222	3.4	216	3.3	235	3.7	251	3.9	213	3.3	251	3.8	272	4.3	228	3.4	195	2.8	178	2.4	216	3.1	2,477	3.4	1.6
Chronic Lung	131	2.1	154	2.5	145	2.3	141	2.3	158	2.5	150	2.4	142	2.4	158	2.4	155	2.3	164	2.4	141	2.1	1,639	2.3	1.4
Digestive System	157	2.6	159	2.7	176	2.9	170	2.8	167	2.7	158	2.6	170	2.9	154	2.4	155	2.4	165	2.4	155	2.3	1,786	2.6	4.8
External Causes	366	6.6	376	6.8	353	6.3	346	6.0	336	5.5	334	5.5	387	6.2	326	5.2	246	3.8	263	4.1	194	3.0	3,527	5.3	5.1
MVA	45	0.8	35	0.7	44	0.8	30	0.5	27	0.5	25	0.5	47	0.8	38	0.6	31	0.5	38	0.6	24	0.4	384	0.6	4.3
Accidental Poisoning	94	1.8	159	2.9	140	2.5	111	1.9	117	1.9	111	1.8	153	2.4	92	1.4	71	1.1	75	1.1	46	0.7	1,169	1.8	7.9
Suicide	91	1.7	66	1.2	67	1.2	77	1.4	90	1.5	90	1.5	85	1.4	66	1.0	58	0.9	73	1.1	54	0.8	817	1.2	2.3
All Causes Male	2,153	87.0	2,298	92.4	2,249	89.5	2,249	89.1	2,207	86.2	2,037	79.6	2,096	83.5	2,100	78.9	1,957	71.8	2,006	70.8	1,931	69.6	23,283	81.2	2.2
Female	1,878	51.1	1,876	51.0	1,891	51.0	1,814	48.6	1,799	47.8	1,849	49.1	1,930	52.8	1,808	46.8	1,793	45.1	1,802	44.1	1,879	47.1	20,319	48.5	2.6
Total	**4,031**	**67.5**	**4,174**	**70.0**	**4,140**	**68.8**	**4,063**	**66.8**	**4,006**	**64.9**	**3,886**	**62.9**	**4,026**	**66.7**	**3,908**	**61.0**	**3,750**	**56.9**	**3,808**	**56.1**	**3,810**	**57.3**	**43,602**	**63.3**	**2.4**
Alcohol-Related*	138	2.6	251	4.6	251	4.5	261	4.6	306	5.3	273	4.6	327	5.6	265	4.3	220	3.5	260	4.1	236	3.7	2,788	4.3	9.1
Medically Treatable	20	0.4	18	0.3	17	0.3	16	0.3	19	0.3	19	0.3	17	0.3	21	0.3	16	0.3	16	0.2	17	0.3	196	0.3	9.0
Drug-Induced	95	1.8	166	3.0	150	2.7	123	2.1	135	2.2	135	2.2	178	2.8	104	1.6	85	1.3	96	1.4	59	0.9	1,326	2.0	6.9
SAM	782	13.1	788	13.1	780	12.9	792	13.0	764	12.5	767	12.5	752	12.6	798	12.6	731	11.2	736	10.9	735	11.2	8,425	12.3	1.5

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 33 NORTH SHORE/COAST GARIBALDI
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	9,243		9,276		9,663		9,796		10,078		10,236		10,317		10,568		10,778		10,845		11,093		111,893		
Live Births[1]: Male	121		85		93		88		105		99		82		107		110		78		101		1,069		
Female	99		114		98		88		99		88		92		97		93		93		98		1,059		
Total	**220**	**23.8**	**199**	**21.5**	**191**	**19.8**	**176**	**18.0**	**204**	**20.2**	**187**	**18.3**	**174**	**16.9**	**204**	**19.3**	**203**	**18.8**	**171**	**15.8**	**199**	**17.9**	**2,128**	**19.0**	**1.9**
Low Birth Weight[2]	7	31.8	10	50.3	10	52.4	12	68.2	10	49.0	5	26.7	8	46.0	10	49.0	8	39.4	7	40.9	8	40.2	95	44.6	1.0
Premature[2]	9	40.9	16	80.4	15	78.5	22	125.0	18	88.2	12	64.2	17	97.7	26	127.5	23	113.3	18	105.3	21	105.5	197	92.6	1.6
Cesarean Section[2]	36	163.6	32	160.8	30	157.1	36	204.5	42	205.9	21	112.3	28	160.9	37	181.4	36	177.3	41	239.8	45	226.1	384	180.5	0.8
Teenage Mother[2]	45	204.5	35	175.9	41	214.7	22	125.0	22	107.8	38	203.2	39	224.1	28	137.3	30	147.8	27	157.9	35	175.9	362	170.1	8.6
Elderly Gravida[2]	20	90.9	17	85.4	10	52.4	20	113.6	27	132.4	13	69.5	18	103.4	19	93.1	23	113.3	26	152.0	22	110.6	215	101.0	0.4
Stillbirths[3]:	**3**	**13.5**	**1**	**5.0**	**2**	**10.4**	**1**	**5.6**	**1**	**4.9**	**3**	**15.8**	**4**	**22.5**	**3**	**14.5**	-	-	**5**	**28.4**	**3**	**14.9**	**26**	**12.1**	**2.0**
Early Neonatal[2]	1	4.5	1	5.0	-	-	-	-	-	-	1	5.3	-	-	-	-	1	4.9	-	-	2	10.1	6	2.8	1.3
Neonatal[2]	1	4.5	2	10.1	-	-	-	-	1	4.9	1	5.3	-	-	-	-	1	4.9	1	5.8	2	10.1	9	4.2	1.6
Post Neonatal[2]	-	-	-	-	3	15.7	2	11.4	1	4.9	-	-	-	-	1	4.9	-	-	-	-	-	-	7	3.3	3.7
Infant Deaths[2]	**1**	**4.5**	**2**	**10.1**	**3**	**15.7**	**2**	**11.4**	**2**	**9.8**	**1**	**5.3**	-	-	**1**	**4.9**	**1**	**4.9**	**1**	**5.8**	**2**	**10.1**	**16**	**7.5**	**2.1**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	2	3.2	1	1.0	3	4.7	2	3.5	4	6.7	2	3.1	4	5.8	1	2.0	1	0.8	1	1.7	21	3.0	3.8
Cancer	7	13.9	5	15.2	9	21.5	11	20.5	14	24.3	10	15.5	6	12.8	9	20.4	11	17.1	9	16.3	12	12.9	103	17.2	1.1
Lung	-	-	2	6.1	-	-	3	5.0	1	2.3	2	3.7	1	2.8	2	4.3	-	-	1	2.0	-	-	12	2.2	0.6
Female Breast	1	2.1	-	-	1	6.2	1	1.8	-	-	-	-	1	4.0	-	-	1	4.1	-	-	1	2.1	6	1.8	0.7
Endo/Nut/Met	1	3.5	3	7.9	3	6.1	1	3.0	6	8.7	-	-	1	0.8	4	7.1	5	8.6	4	5.0	4	5.3	32	5.1	3.2
Circulatory System	17	52.2	15	40.5	13	29.5	21	50.8	11	20.8	11	17.6	15	34.1	7	15.3	17	32.5	18	30.1	17	24.3	162	30.3	1.5
Ischemic Heart	8	26.0	10	28.0	6	14.4	8	18.9	4	6.0	3	5.5	4	9.8	2	5.4	6	11.7	9	13.9	7	10.0	67	12.7	1.3
Cerebrovascular	2	7.2	3	8.4	2	5.2	4	10.9	1	2.8	4	6.5	4	9.4	1	2.7	8	16.3	3	6.5	6	8.9	38	7.8	1.6
Respiratory System	5	11.8	1	2.1	5	11.4	7	17.5	5	9.4	5	9.5	3	7.8	4	7.5	7	14.3	3	6.3	2	3.6	47	8.9	1.5
Pneumonia/Influenza	4	9.7	1	2.1	3	5.6	4	11.7	3	6.8	2	5.4	2	5.0	3	6.4	6	12.3	2	4.1	1	1.7	31	6.3	2.2
Chronic Lung	-	-	-	-	1	2.7	1	2.6	-	-	2	3.0	1	2.8	-	-	1	2.0	1	2.2	-	-	7	1.4	0.6
Digestive System	8	20.1	5	11.9	4	6.0	3	7.2	4	7.2	2	3.4	1	1.0	5	9.3	5	6.3	6	6.9	7	10.6	50	7.8	4.1*
External Causes	14	16.1	12	14.1	10	12.5	15	17.8	15	17.3	10	11.0	17	21.1	13	14.3	10	11.2	6	6.3	12	11.2	134	13.6	3.6
MVA	5	5.5	2	1.8	6	7.6	8	9.4	5	6.1	1	1.1	2	1.8	3	2.8	3	3.2	-	-	3	3.0	38	3.7	5.3
Accidental Poisoning	2	2.4	1	1.4	-	-	3	3.7	4	4.1	2	2.0	5	6.6	1	1.2	1	1.1	3	2.7	-	-	22	2.2	4.4
Suicide	3	3.9	4	3.8	2	2.0	2	1.5	1	0.9	1	1.1	2	1.7	3	2.5	4	3.6	1	1.2	3	2.3	26	2.2	2.2
All Causes Male	32	126.9	31	116.9	33	128.3	39	149.1	36	110.2	25	80.0	37	138.5	31	116.8	38	131.1	31	97.9	43	102.3	376	116.2	1.8
Female	26	133.4	18	90.4	18	63.2	27	106.3	28	94.5	25	73.6	18	63.7	19	59.9	28	88.9	22	63.9	26	67.8	255	79.3	1.6
Total	**58**	**129.3**	**49**	**104.3**	**51**	**95.7**	**66**	**127.2**	**64**	**103.1**	**50**	**76.7**	**55**	**98.8**	**50**	**85.2**	**66**	**107.8**	**53**	**79.8**	**69**	**84.4**	**631**	**97.2**	**1.7**
Alcohol-Related*	10	14.8	12	23.1	12	24.5	25	44.2	24	35.9	13	17.4	17	24.1	15	22.9	14	19.8	15	19.0	18	19.4	175	23.7	8.2
Medically Treatable	1	1.1	1	2.1	1	1.3	1	1.1	2	2.2	2	3.0	2	1.8	2	2.2	-	-	2	1.6	1	0.8	15	1.5	7.5
Drug-Induced	3	3.5	-	-	2	2.0	2	2.2	2	2.1	1	1.1	4	5.8	1	1.2	-	-	4	3.9	-	-	19	1.9	2.4
SAM	6	15.7	6	16.1	6	12.0	10	23.3	7	12.3	6	10.7	6	14.4	5	10.4	7	12.8	6	10.6	8	8.8	73	12.9	1.1

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 33 North Shore/Coast Garibaldi
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	225,164		230,130		235,543		239,562		245,061		250,583		252,811		253,645		254,277		255,985		257,784		2,700,545		
Live Births[1]: Male	1,411		1,344		1,316		1,320		1,317		1,248		1,184		1,203		1,185		1,064		1,044		13,636		
Female	1,320		1,276		1,332		1,225		1,260		1,192		1,162		1,127		1,115		1,087		1,111		13,207		
Total	**2,731**	**12.1**	**2,620**	**11.4**	**2,648**	**11.2**	**2,545**	**10.6**	**2,577**	**10.5**	**2,440**	**9.7**	**2,346**	**9.3**	**2,330**	**9.2**	**2,300**	**9.0**	**2,151**	**8.4**	**2,155**	**8.4**	**26,843**	**9.9**	**1.9**
Low Birth Weight[2]	117	42.8	127	48.5	109	41.2	117	46.0	113	43.8	121	49.6	101	43.1	66	28.3	117	50.9	96	44.6	94	43.6	1,178	43.9	1.0
Premature[2]	155	56.8	143	54.6	142	53.6	152	59.7	141	54.7	134	54.9	146	62.2	126	54.1	165	71.7	121	56.3	128	59.4	1,553	57.9	1.6
Cesarean Section[2]	580	212.4	499	190.5	493	186.2	463	181.9	463	179.7	517	211.9	476	202.9	496	212.9	561	243.9	585	272.0	597	277.0	5,730	213.5	0.8
Teenage Mother[2]	77	28.2	49	18.7	63	23.8	65	25.5	53	20.6	50	20.5	41	17.5	31	13.3	37	16.1	36	16.7	29	13.5	531	19.8	8.6
Elderly Gravida[2]	513	187.8	564	215.3	605	228.5	590	231.8	641	248.7	688	282.0	668	284.7	655	281.1	698	303.5	700	325.4	649	301.2	6,971	259.7	0.4
Stillbirths[3]:	**11**	**4.0**	**13**	**4.9**	**16**	**6.0**	**17**	**6.6**	**12**	**4.6**	**15**	**6.1**	**15**	**6.4**	**21**	**8.9**	**20**	**8.6**	**12**	**5.5**	**15**	**6.9**	**167**	**6.2**	**2.0**
Early Neonatal[2]	2	0.7	7	2.7	8	3.0	7	2.8	6	2.3	7	2.9	4	1.7	1	0.4	3	1.3	11	5.1	3	1.4	59	2.2	1.3
Neonatal[2]	3	1.1	9	3.4	9	3.4	7	2.8	7	2.7	8	3.3	6	2.6	2	0.9	3	1.3	13	6.0	4	1.9	71	2.6	1.6
Post Neonatal[2]	6	2.2	2	0.8	2	0.8	4	1.6	4	1.6	2	0.8	-	-	1	0.4	3	1.3	-	-	-	-	24	0.9	3.7
Infant Deaths[2]	**9**	**3.3**	**11**	**4.2**	**11**	**4.2**	**11**	**4.3**	**11**	**4.3**	**10**	**4.1**	**6**	**2.6**	**3**	**1.3**	**6**	**2.6**	**13**	**6.0**	**4**	**1.9**	**95**	**3.5**	**2.1**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	29	1.2	23	0.9	26	1.0	23	0.8	21	0.7	23	0.8	23	0.7	16	0.5	17	0.5	22	0.7	22	0.6	245	0.8	3.8
Cancer	428	16.6	438	16.6	468	17.3	462	16.5	465	16.2	505	16.9	476	15.5	489	15.8	496	15.5	500	15.2	468	13.8	5,195	15.9	1.1
Lung	113	4.4	130	4.9	111	4.1	98	3.5	116	4.1	114	3.9	122	4.0	130	4.2	138	4.4	110	3.3	89	2.6	1,271	3.9	0.6
Female Breast	37	2.5	36	2.5	38	2.5	39	2.4	41	2.5	42	2.7	51	3.1	49	2.8	31	1.7	46	2.6	49	2.8	459	2.6	0.7
Endo/Nut/Met	28	1.1	53	2.0	40	1.5	52	1.9	37	1.3	40	1.3	44	1.4	43	1.3	47	1.4	62	1.8	74	2.1	520	1.6	3.2
Circulatory System	572	22.0	605	22.8	602	22.1	643	22.8	671	23.0	649	21.2	630	19.7	622	19.0	620	18.4	630	18.1	609	16.8	6,853	20.4	1.5
Ischemic Heart	304	11.7	328	12.4	295	10.8	300	10.6	331	11.4	320	10.5	308	9.7	286	8.8	300	9.0	309	8.9	295	8.2	3,376	10.1	1.3
Cerebrovascular	143	5.5	124	4.7	149	5.5	157	5.6	152	5.1	161	5.2	140	4.3	176	5.3	157	4.6	184	5.2	144	3.9	1,687	5.0	1.6
Respiratory System	144	5.6	194	7.3	151	5.6	168	6.0	169	5.8	165	5.4	187	5.8	223	6.8	191	5.7	209	6.1	213	5.9	2,014	6.0	1.5
Pneumonia/Influenza	74	2.9	108	4.1	69	2.5	79	2.8	78	2.7	86	2.8	98	3.0	112	3.4	95	2.8	104	2.9	96	2.6	999	2.9	2.2
Chronic Lung	49	1.9	61	2.3	54	2.0	65	2.3	66	2.3	53	1.7	65	2.1	79	2.4	67	2.0	75	2.2	86	2.4	720	2.2	0.6
Digestive System	58	2.2	51	1.9	50	1.8	65	2.3	47	1.6	62	2.1	55	1.7	58	1.8	73	2.2	55	1.6	65	1.8	639	1.9	4.1
External Causes	101	4.3	88	3.7	113	4.7	111	4.4	112	4.4	115	4.3	105	3.9	98	3.7	95	3.5	64	2.3	80	2.6	1,082	3.8	3.6
MVA	13	0.6	18	0.8	16	0.7	22	0.8	16	0.6	20	0.8	15	0.6	16	0.7	16	0.7	13	0.6	21	0.8	186	0.7	5.3
Accidental Poisoning	14	0.6	13	0.5	11	0.5	16	0.7	18	0.8	12	0.5	22	0.9	8	0.3	17	0.7	5	0.2	7	0.2	143	0.5	4.4
Suicide	28	1.2	21	0.9	31	1.3	29	1.2	26	1.0	29	1.1	23	0.8	26	1.0	29	1.1	22	0.8	17	0.5	281	1.0	2.2
All Causes Male	769	72.1	812	74.5	772	68.7	834	71.5	843	70.2	873	69.0	827	62.8	847	63.2	854	62.2	810	57.4	866	58.7	9,107	66.0	1.8
Female	740	48.5	796	51.6	819	51.9	876	53.2	861	50.5	870	49.3	900	49.3	865	46.0	860	45.2	927	47.6	896	43.6	9,410	48.6	1.6
Total	**1,509**	**58.8**	**1,608**	**61.4**	**1,591**	**59.4**	**1,710**	**61.5**	**1,704**	**59.4**	**1,743**	**58.3**	**1,727**	**55.5**	**1,712**	**53.9**	**1,714**	**52.8**	**1,737**	**51.9**	**1,762**	**50.3**	**18,517**	**56.4**	**1.7**
Alcohol-Related*	40	1.6	52	2.1	84	3.2	94	3.4	79	2.8	107	3.8	100	3.3	108	3.5	91	2.9	85	2.8	79	2.4	919	2.9	8.2
Medically Treatable	4	0.2	8	0.3	4	0.1	7	0.3	8	0.3	4	0.1	6	0.2	7	0.3	10	0.3	8	0.3	8	0.3	74	0.2	7.5
Drug-Induced	22	0.9	20	0.8	12	0.5	21	0.8	26	1.0	20	0.8	29	1.1	15	0.6	25	0.9	11	0.4	11	0.4	212	0.8	2.4
SAM	303	11.7	349	13.2	317	11.7	322	11.5	342	11.8	339	11.3	351	11.2	378	11.9	354	10.9	348	10.3	333	9.5	3,736	11.3	1.1

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 41 SOUTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	5,278		5,611		5,993		6,323		6,497		6,754		6,901		7,124		7,349		7,524		7,745		73,099		
Live Births[1]: Male	88		85		88		95		89		90		94		84		80		99		96		988		
Female	68		81		74		89		100		86		66		80		88		92		78		902		
Total	**156**	**29.6**	**166**	**29.6**	**162**	**27.0**	**184**	**29.1**	**189**	**29.1**	**176**	**26.1**	**160**	**23.2**	**164**	**23.0**	**168**	**22.9**	**191**	**25.4**	**174**	**22.5**	**1,890**	**25.9**	**2.9**
Low Birth Weight[2]	13	83.3	13	78.3	5	30.9	10	54.3	11	58.2	9	51.1	10	62.5	10	61.0	11	65.5	11	57.6	19	109.2	122	64.6	1.4
Premature[2]	18	115.4	20	120.5	7	43.2	12	65.2	23	121.7	21	119.3	18	112.5	17	103.7	17	101.2	21	109.9	28	160.9	202	106.9	1.7
Cesarean Section[2]	27	173.1	36	216.9	23	142.0	26	141.3	39	206.3	34	193.2	32	200.0	27	164.6	30	178.6	44	230.4	54	310.3	372	196.8	0.8
Teenage Mother[2]	28	179.5	28	168.7	22	135.8	42	228.3	32	169.3	39	221.6	22	137.5	26	158.5	29	172.6	35	183.2	25	143.7	328	173.5	5.0
Elderly Gravida[2]	7	44.9	11	66.3	12	74.1	13	70.7	16	84.7	12	68.2	17	106.3	18	109.8	24	142.9	31	162.3	15	86.2	176	93.1	0.5
Stillbirths[3]:	**1**	**6.4**	**1**	**6.0**	**2**	**12.2**	**2**	**10.8**	**1**	**5.3**	**1**	**5.6**	-	-	**1**	**6.1**	**1**	**5.9**	**1**	**5.2**	**2**	**11.4**	**13**	**6.8**	**1.3**
Early Neonatal[2]	3	19.2	-	-	1	6.2	1	5.4	1	5.3	1	5.7	-	-	-	-	-	-	-	-	-	-	7	3.7	1.6
Neonatal[2]	3	19.2	-	-	2	12.3	1	5.4	1	5.3	1	5.7	-	-	-	-	-	-	-	-	-	-	8	4.2	1.6
Post Neonatal[2]	2	12.8	2	12.0	-	-	4	21.7	1	5.3	1	5.7	-	-	1	6.1	-	-	-	-	-	-	11	5.8	3.9
Infant Deaths[2]	**5**	**32.1**	**2**	**12.0**	**2**	**12.3**	**5**	**27.2**	**2**	**10.6**	**2**	**11.4**	-	-	**1**	**6.1**	-	-	-	-	-	-	**19**	**10.1**	**2.4**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	1	7.3	3	5.5	-	-	1	1.4	1	1.4	1	0.9	4	10.2	1	1.4	2	2.7	2	4.6	16	3.3	3.7
Cancer	9	57.2	6	32.6	3	16.6	3	13.7	8	36.7	9	32.9	9	38.5	10	34.0	5	22.4	5	18.4	8	19.2	75	27.8	1.6
Lung	2	10.7	3	17.0	2	10.0	1	6.5	2	10.6	-	-	2	9.9	2	11.9	1	5.0	-	-	-	-	15	6.4	1.5
Female Breast	2	32.7	-	-	-	-	-	-	-	-	2	7.5	2	14.9	-	-	-	-	1	6.4	1	4.7	8	5.1	1.8
Endo/Nut/Met	2	10.3	1	5.0	1	1.8	1	0.7	1	6.0	2	5.8	-	-	-	-	1	1.4	1	3.5	-	-	10	2.8	1.6
Circulatory System	18	132.4	9	50.9	6	29.1	2	8.1	6	29.0	8	31.6	7	23.4	9	26.9	5	17.9	6	18.7	11	36.3	87	33.9	1.7
Ischemic Heart	8	62.0	4	25.6	4	21.0	1	6.5	2	12.1	5	24.6	2	4.4	4	13.5	2	6.4	3	7.4	4	17.2	39	16.6	1.8
Cerebrovascular	1	7.3	3	19.1	1	6.3	-	-	-	-	2	6.1	2	5.2	2	3.4	2	6.4	-	-	4	11.7	17	5.8	1.2
Respiratory System	4	25.8	4	29.3	3	19.9	5	22.5	-	-	2	11.1	3	13.1	2	11.0	3	8.1	2	9.7	1	2.1	29	12.7	2.2
Pneumonia/Influenza	2	11.2	-	-	1	6.3	2	7.2	-	-	1	5.6	1	5.8	1	5.5	1	1.7	-	-	-	-	9	3.7	1.5
Chronic Lung	2	14.7	3	22.0	-	-	1	7.3	-	-	1	5.6	1	5.8	1	5.5	1	5.1	1	4.9	-	-	11	5.7	2.4
Digestive System	-	-	2	10.6	1	2.0	4	15.9	3	9.1	4	14.4	1	1.6	3	10.6	2	4.9	2	6.2	2	2.5	24	6.9	3.6
External Causes	8	17.3	12	34.6	9	16.7	16	23.7	13	27.8	6	10.3	11	14.0	11	23.4	6	13.9	12	19.3	4	7.4	108	18.6	4.4
MVA	2	5.3	2	2.6	-	-	5	5.9	2	2.8	-	-	-	-	2	2.8	2	6.3	2	5.8	-	-	17	3.0	6.0
Accidental Poisoning	3	6.0	3	5.6	1	2.2	1	1.6	2	2.9	1	1.4	6	8.4	3	6.0	2	2.6	5	6.9	2	4.6	29	4.5	5.0
Suicide	1	1.8	2	2.6	3	4.6	7	9.8	4	5.4	1	1.6	3	3.7	2	2.3	-	-	2	2.9	2	2.8	27	3.5	2.9
All Causes Male	34	347.8	26	250.5	21	134.2	21	109.3	19	108.5	14	86.9	22	145.9	25	158.2	13	84.9	19	110.9	20	101.4	234	141.7	2.0
Female	19	237.1	14	148.2	10	84.5	17	101.2	15	113.2	23	144.1	13	70.0	17	100.2	14	84.0	14	61.3	15	75.3	171	103.2	2.1
Total	**53**	**285.1**	**40**	**196.3**	**31**	**107.7**	**38**	**108.1**	**34**	**111.6**	**37**	**119.1**	**35**	**104.3**	**42**	**122.0**	**27**	**82.4**	**33**	**83.9**	**35**	**87.2**	**405**	**120.8**	**2.0**
Alcohol-Related*	5	14.3	4	13.2	5	10.6	5	10.1	7	17.7	8	18.5	5	12.3	12	31.6	4	11.1	12	19.2	6	10.5	73	15.5	4.4
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	1	1.4	-	-	-	-	-	-	1	1.2	2	0.3	1.5
Drug-Induced	1	1.8	4	6.5	3	5.5	4	5.9	3	4.4	2	3.0	3	4.1	1	1.1	2	2.6	8	11.2	1	1.4	32	4.4	3.7
SAM	8	56.0	7	44.0	3	16.3	3	17.5	3	15.0	3	14.2	5	23.1	8	29.6	4	16.6	3	11.6	4	11.0	52	21.3	1.8

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 41 South Vancouver Island

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	308,748		314,357		318,513		322,624		325,264		328,637		329,719		330,708		331,439		334,040		332,840		3,576,889		
Live Births[1]: Male	1,752		1,700		1,667		1,631		1,462		1,420		1,376		1,330		1,243		1,341		1,291		16,213		
Female	1,584		1,593		1,592		1,481		1,447		1,451		1,326		1,297		1,274		1,306		1,251		15,602		
Total	**3,336**	**10.8**	**3,293**	**10.5**	**3,259**	**10.2**	**3,112**	**9.6**	**2,909**	**8.9**	**2,871**	**8.7**	**2,702**	**8.2**	**2,627**	**7.9**	**2,517**	**7.6**	**2,647**	**7.9**	**2,542**	**7.6**	**31,815**	**8.9**	**2.9**
Low Birth Weight[2]	155	46.5	159	48.3	157	48.2	142	45.6	144	49.5	126	43.9	123	45.5	135	51.4	114	45.3	126	47.6	140	55.1	1,521	47.8	1.4
Premature[2]	193	57.9	191	58.0	203	62.3	182	58.5	213	73.2	168	58.5	170	62.9	160	60.9	167	66.3	179	67.6	203	79.9	2,029	63.8	1.7
Cesarean Section[2]	780	233.8	719	218.3	664	203.7	718	230.7	757	260.2	675	235.1	744	275.4	639	243.2	583	231.6	713	269.4	798	313.9	7,790	244.9	0.8
Teenage Mother[2]	124	37.2	116	35.2	135	41.4	122	39.2	117	40.2	88	30.7	97	35.9	94	35.8	72	28.6	61	23.0	79	31.1	1,105	34.7	5.0
Elderly Gravida[2]	500	149.9	502	152.4	499	153.1	483	155.2	524	180.1	540	188.1	522	193.2	504	191.9	587	233.2	596	225.2	568	223.4	5,825	183.1	0.5
Stillbirths[3]:	**21**	**6.3**	**15**	**4.5**	**16**	**4.9**	**16**	**5.1**	**25**	**8.5**	**16**	**5.5**	**6**	**2.2**	**15**	**5.7**	**13**	**5.1**	**15**	**5.6**	**15**	**5.9**	**173**	**5.4**	**1.3**
Early Neonatal[2]	8	2.4	9	2.7	4	1.2	8	2.6	6	2.1	9	3.1	7	2.6	5	1.9	4	1.6	6	2.3	8	3.1	74	2.3	1.6
Neonatal[2]	8	2.4	9	2.7	6	1.8	9	2.9	6	2.1	12	4.2	8	3.0	6	2.3	7	2.8	7	2.6	9	3.5	87	2.7	1.6
Post Neonatal[2]	6	1.8	10	3.0	4	1.2	4	1.3	5	1.7	3	1.0	2	0.7	2	0.8	2	0.8	3	1.1	7	2.8	48	1.5	3.9
Infant Deaths[2]	**14**	**4.2**	**19**	**5.8**	**10**	**3.1**	**13**	**4.2**	**11**	**3.8**	**15**	**5.2**	**10**	**3.7**	**8**	**3.0**	**9**	**3.6**	**10**	**3.8**	**16**	**6.3**	**135**	**4.2**	**2.4**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	42	1.2	41	1.1	43	1.2	36	0.8	44	1.1	29	0.7	38	0.9	40	0.8	26	0.6	35	0.7	28	0.5	402	0.9	3.7
Cancer	788	17.5	859	18.6	883	18.9	809	16.8	825	16.9	903	18.0	846	16.7	846	16.5	867	16.4	897	17.3	902	17.0	9,425	17.3	1.6
Lung	221	5.0	228	5.0	209	4.6	193	4.1	231	4.8	223	4.6	228	4.7	190	3.9	205	4.0	219	4.2	209	4.0	2,356	4.4	1.5
Female Breast	72	3.2	71	2.8	90	3.7	65	2.7	80	3.2	77	2.9	79	2.9	69	2.7	61	2.2	68	2.7	77	2.7	809	2.9	1.8
Endo/Nut/Met	72	1.5	83	1.6	81	1.7	78	1.5	80	1.5	96	1.8	92	1.8	76	1.4	85	1.5	101	1.8	107	1.9	951	1.7	1.6
Circulatory System	1,116	21.7	1,133	21.5	1,161	21.7	1,162	21.3	1,217	21.6	1,182	20.5	1,155	19.6	1,236	20.4	1,113	17.9	1,140	18.3	1,115	17.1	12,730	20.1	1.7
Ischemic Heart	529	10.6	506	9.8	524	10.0	533	10.0	596	10.8	527	9.4	507	8.9	564	9.7	493	8.1	531	8.8	510	8.1	5,820	9.4	1.8
Cerebrovascular	238	4.4	267	5.0	280	5.1	286	5.1	275	4.8	302	5.0	272	4.5	301	4.8	284	4.5	281	4.3	287	4.2	3,073	4.7	1.2
Respiratory System	316	6.0	374	7.1	324	6.0	317	5.8	367	6.4	344	5.7	335	5.6	376	6.0	324	5.1	313	5.0	382	5.7	3,772	5.8	2.2
Pneumonia/Influenza	150	2.8	175	3.3	129	2.3	122	2.2	144	2.4	140	2.3	160	2.6	169	2.6	132	2.0	112	1.7	152	2.2	1,585	2.4	1.5
Chronic Lung	101	2.0	146	2.8	124	2.3	144	2.7	162	2.9	145	2.5	123	2.1	137	2.3	135	2.2	139	2.3	160	2.4	1,516	2.4	2.4
Digestive System	98	2.1	98	2.0	110	2.2	93	1.9	101	2.0	99	1.8	106	2.0	105	1.9	112	1.9	118	2.1	97	1.7	1,137	1.9	3.6
External Causes	160	4.5	194	5.3	184	4.8	175	4.2	158	4.1	173	4.2	166	4.1	195	4.7	194	4.5	151	3.6	120	2.8	1,870	4.2	4.4
MVA	24	0.8	13	0.4	25	0.8	18	0.5	16	0.4	10	0.3	14	0.4	9	0.3	19	0.5	14	0.4	10	0.3	172	0.5	6.0
Accidental Poisoning	18	0.6	45	1.5	20	0.6	19	0.6	30	0.9	27	0.8	38	1.1	44	1.4	28	0.8	34	1.0	15	0.5	318	0.9	5.0
Suicide	38	1.2	44	1.3	48	1.4	41	1.1	44	1.3	49	1.3	41	1.0	43	1.2	55	1.5	30	0.8	31	0.8	464	1.2	2.9
All Causes Male	1,438	75.2	1,516	78.4	1,472	74.5	1,438	71.0	1,549	74.7	1,514	70.8	1,446	67.1	1,539	68.8	1,463	64.2	1,556	68.0	1,533	64.9	16,464	70.5	2.0
Female	1,475	50.7	1,592	53.3	1,628	54.0	1,588	50.5	1,605	49.2	1,713	51.9	1,670	50.3	1,744	50.9	1,641	47.3	1,660	48.0	1,689	48.0	18,005	50.3	2.1
Total	**2,913**	**61.3**	**3,108**	**64.1**	**3,100**	**62.8**	**3,026**	**59.3**	**3,154**	**60.4**	**3,227**	**60.1**	**3,116**	**57.7**	**3,283**	**58.8**	**3,104**	**54.6**	**3,216**	**56.8**	**3,222**	**55.4**	**34,469**	**59.1**	**2.0**
Alcohol-Related*	48	1.3	120	3.0	137	3.3	144	3.3	149	3.6	164	3.6	198	4.4	190	4.3	172	3.7	179	4.0	170	3.6	1,671	3.5	4.4
Medically Treatable	3	0.1	7	0.2	11	0.4	6	0.2	7	0.2	10	0.3	8	0.2	10	0.2	9	0.2	9	0.3	11	0.3	91	0.2	1.5
Drug-Induced	22	0.7	53	1.7	39	1.1	30	0.8	39	1.2	37	1.1	53	1.5	56	1.6	47	1.3	41	1.2	22	0.7	439	1.2	3.7
SAM	613	12.8	655	13.3	619	12.4	618	12.2	686	13.1	658	12.3	625	11.6	633	11.4	607	10.7	635	11.2	652	11.0	7,001	12.0	1.8

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 42 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	11,982		12,406		12,993		13,442		14,026		14,190		14,484		14,862		15,332		15,688		16,151		155,556		
Live Births[1]: Male	175		180		144		179		187		150		152		156		192		180		187		1,882		
Female	171		155		188		184		171		172		168		152		180		146		186		1,873		
Total	**346**	**28.9**	**335**	**27.0**	**333**	**25.6**	**363**	**27.0**	**358**	**25.5**	**322**	**22.7**	**320**	**22.1**	**308**	**20.7**	**372**	**24.3**	**326**	**20.8**	**373**	**23.1**	**3,756**	**24.1**	**2.6**
Low Birth Weight[2]	19	54.9	18	53.7	25	75.1	28	77.1	16	44.7	17	52.8	14	43.8	21	68.2	17	45.7	16	49.1	26	69.7	217	57.8	1.3
Premature[2]	37	106.9	37	110.4	39	117.1	41	112.9	49	136.9	31	96.3	34	106.3	36	116.9	34	91.4	35	107.4	43	115.3	416	110.8	1.8
Cesarean Section[2]	51	147.4	42	125.4	43	129.1	47	129.5	46	128.5	46	142.9	51	159.4	36	116.9	64	172.0	58	177.9	65	174.3	549	146.2	0.6
Teenage Mother[2]	84	242.8	66	197.0	84	252.3	75	206.6	83	231.8	79	245.3	70	218.8	78	253.2	77	207.0	80	245.4	79	211.8	855	227.6	4.1
Elderly Gravida[2]	23	66.5	19	56.7	16	48.0	29	79.9	32	89.4	28	87.0	25	78.1	30	97.4	33	88.7	31	95.1	26	69.7	292	77.7	0.6
Stillbirths[3]:	**2**	**5.7**	**3**	**8.9**	**1**	**3.0**	**2**	**5.5**	**3**	**8.3**	**1**	**3.1**	**2**	**6.2**	**4**	**12.8**	**4**	**10.6**	**2**	**6.1**	**1**	**2.7**	**25**	**6.6**	**1.1**
Early Neonatal[2]	2	5.8	3	9.0	3	9.0	3	8.3	2	5.6	-	-	1	3.1	-	-	1	2.7	2	6.1	3	8.0	20	5.3	2.5
Neonatal[2]	2	5.8	3	9.0	3	9.0	3	8.3	2	5.6	-	-	2	6.3	-	-	1	2.7	2	6.1	3	8.0	21	5.6	2.2
Post Neonatal[2]	7	20.2	8	23.9	2	6.0	4	11.0	6	16.8	3	9.3	1	3.1	-	-	1	2.7	2	6.1	1	2.7	35	9.3	5.2
Infant Deaths[2]	**9**	**26.0**	**11**	**32.8**	**5**	**15.0**	**7**	**19.3**	**8**	**22.3**	**3**	**9.3**	**3**	**9.4**	**-**	**-**	**2**	**5.4**	**4**	**12.3**	**4**	**10.7**	**56**	**14.9**	**3.4**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	4	4.4	1	2.9	3	2.8	4	3.8	4	2.7	3	4.2	1	0.7	3	3.0	7	7.7	2	3.3	6	5.5	38	3.9	4.9
Cancer	8	17.0	5	11.0	6	10.7	3	5.9	6	9.9	7	11.4	6	12.0	7	10.7	15	22.2	7	11.3	5	5.4	75	11.4	0.7
Lung	2	6.4	-	-	1	1.0	-	-	-	-	2	4.1	2	3.9	2	3.5	3	3.5	1	1.6	-	-	13	2.1	0.4
Female Breast	-	-	1	2.5	-	-	-	-	-	-	1	1.7	-	-	-	-	-	-	1	3.3	-	-	3	0.7	0.3
Endo/Nut/Met	1	2.9	2	4.6	1	2.5	1	2.7	2	1.5	-	-	4	7.3	3	5.5	1	2.0	1	1.9	2	3.2	18	3.1	1.9
Circulatory System	20	43.9	23	60.7	16	34.9	9	20.2	21	30.3	19	34.4	20	34.9	19	35.3	19	31.7	18	29.2	21	28.4	205	33.9	1.6
Ischemic Heart	9	21.0	13	35.4	7	18.3	4	9.4	10	17.6	10	18.1	6	12.0	11	21.8	7	12.2	7	11.0	7	10.0	91	16.1	1.4
Cerebrovascular	8	14.1	5	10.9	2	4.5	4	8.1	4	4.6	4	7.8	9	13.3	5	9.0	4	6.6	5	7.5	6	8.5	56	8.5	1.9
Respiratory System	9	17.0	7	13.1	4	7.2	5	5.3	2	3.1	2	3.8	8	15.6	9	16.6	1	0.7	7	11.9	5	4.7	59	8.7	1.5
Pneumonia/Influenza	6	9.6	4	4.4	3	6.6	3	1.8	1	1.7	2	3.8	2	3.0	5	8.8	1	0.7	2	2.7	2	2.7	31	4.0	1.7
Chronic Lung	1	1.4	1	2.9	-	-	1	2.7	-	-	-	-	3	5.8	3	5.6	-	-	2	3.7	1	0.9	12	2.1	0.8
Digestive System	6	11.5	2	4.2	6	11.3	2	2.3	1	0.7	4	5.4	6	8.6	9	13.2	11	14.6	8	7.8	6	7.2	61	8.0	4.0
External Causes	20	21.7	20	15.4	20	22.9	25	19.0	20	13.9	25	19.7	15	12.4	11	7.1	11	7.9	15	11.6	16	11.4	198	14.3	2.8
MVA	4	3.0	5	4.3	5	6.9	4	2.6	7	4.8	5	2.9	4	4.7	3	1.9	4	2.1	3	3.1	4	2.7	48	3.5	2.7
Accidental Poisoning	1	1.4	2	1.9	3	2.8	2	2.3	2	1.6	2	1.6	1	0.8	1	0.6	3	2.8	-	-	1	0.7	18	1.4	2.0
Suicide	8	7.1	7	5.0	4	3.0	10	7.2	8	5.2	8	5.8	7	5.0	3	2.2	3	2.2	6	3.8	6	4.0	70	4.5	3.8
All Causes Male	55	217.9	36	148.8	40	137.0	30	74.4	34	72.8	50	131.0	33	116.9	30	83.4	34	94.1	40	106.4	35	81.0	417	110.5	1.5
Female	31	88.8	40	120.7	23	67.0	32	74.9	34	71.0	22	61.5	34	84.2	41	116.9	38	95.1	29	69.7	39	74.3	363	83.5	1.7
Total	**86**	**146.8**	**76**	**131.1**	**63**	**99.4**	**62**	**75.8**	**68**	**71.6**	**72**	**93.7**	**67**	**98.6**	**71**	**103.0**	**72**	**93.6**	**69**	**86.8**	**74**	**77.0**	**780**	**95.8**	**1.6**
Alcohol-Related*	10	12.7	16	25.5	20	29.8	18	21.1	21	20.0	22	24.3	17	21.5	19	20.7	19	23.0	20	20.9	15	14.2	197	21.0	5.8
Medically Treatable	1	0.8	1	0.8	1	0.6	2	1.9	-	-	-	-	1	0.7	2	1.5	2	1.4	-	-	2	1.9	12	1.0	5.0
Drug-Induced	4	5.3	3	2.7	3	2.0	7	6.3	4	3.1	2	2.1	5	3.7	1	0.6	3	2.8	2	1.2	2	1.3	36	2.7	2.7
SAM	9	21.9	7	17.1	6	11.5	4	7.3	5	8.9	8	15.1	10	18.0	11	18.4	8	11.1	9	14.6	8	9.9	86	13.6	1.1

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 42 Central Vancouver Island
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	192,215		200,219		208,641		215,230		219,433		222,989		223,616		223,492		223,128		223,946		224,840		2,377,749		
Live Births[1]: Male	1,122		1,154		1,215		1,103		1,117		1,006		958		969		817		867		807		11,135		
Female	1,053		1,012		1,076		1,030		1,057		1,011		924	9	06		792		822		726		10,409		
Total	**2,175**	**11.3**	**2,166**	**10.8**	**2,291**	**11.0**	**2,134**	**9.9**	**2,174**	**9.9**	**2,017**	**9.0**	**1,882**	**8.4**	**1,875**	**8.4**	**1,609**	**7.2**	**1,689**	**7.5**	**1,533**	**6.8**	**21,545**	**9.1**	**2.6**
Low Birth Weight[2]	99	45.5	92	42.5	125	54.6	110	51.5	89	40.9	96	47.6	73	38.8	73	38.9	77	47.9	66	39.1	78	50.9	978	45.4	1.3
Premature[2]	134	61.6	90	41.6	143	62.4	141	66.1	118	54.3	125	62.0	105	55.8	118	62.9	113	70.2	101	59.8	105	68.5	1,293	60.0	1.8
Cesarean Section[2]	486	223.4	447	206.4	480	209.5	415	194.5	477	219.4	416	206.2	411	218.4	429	228.8	396	246.1	483	286.0	457	298.1	4,897	227.3	0.6
Teenage Mother[2]	117	53.8	112	51.7	159	69.4	121	56.7	122	56.1	113	56.0	99	52.6	106	56.5	75	46.6	103	61.0	75	48.9	1,202	55.8	4.1
Elderly Gravida[2]	235	108.0	244	112.7	261	113.9	289	135.4	304	139.8	303	150.2	271	144.0	271	144.5	269	167.2	289	171.1	259	168.9	2,995	139.0	0.6
Stillbirths[3]:	**16**	**7.3**	**9**	**4.1**	**11**	**4.8**	**18**	**8.4**	**14**	**6.4**	**7**	**3.5**	**14**	**7.4**	**10**	**5.3**	**10**	**6.2**	**16**	**9.4**	**7**	**4.5**	**132**	**6.1**	**1.1**
Early Neonatal[2]	8	3.7	5	2.3	7	3.1	8	3.7	4	1.8	5	2.5	-	-	2	1.1	4	2.5	1	0.6	1	0.7	45	2.1	2.5
Neonatal[2]	9	4.1	6	2.8	7	3.1	8	3.7	5	2.3	6	3.0	-	-	3	1.6	4	2.5	2	1.2	5	3.3	55	2.6	2.2
Post Neonatal[2]	4	1.8	6	2.8	10	4.4	3	1.4	3	1.4	2	1.0	1	0.5	3	1.6	4	2.5	2	1.2	1	0.7	39	1.8	5.2
Infant Deaths[2]	**13**	**6.0**	**12**	**5.5**	**17**	**7.4**	**11**	**5.2**	**8**	**3.7**	**8**	**4.0**	**1**	**0.5**	**6**	**3.2**	**8**	**5.0**	**4**	**2.4**	**6**	**3.9**	**94**	**4.4**	**3.4**
	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
Death-Related Cause of Death	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	23	1.1	19	0.9	21	1.0	15	0.7	19	0.8	17	0.6	26	0.8	24	0.7	27	0.8	23	0.7	17	0.4	231	0.8	4.9
Cancer	435	17.5	497	19.4	512	19.1	497	17.5	498	17.0	562	18.0	542	16.8	546	16.5	593	17.5	567	16.2	611	16.6	5,860	17.4	0.7
Lung	146	5.7	139	5.3	126	4.6	141	5.0	134	4.5	163	5.3	138	4.2	140	4.2	157	4.7	152	4.3	153	4.3	1,589	4.7	0.4
Female Breast	30	2.4	27	2.0	39	2.9	34	2.3	43	2.9	41	2.6	39	2.4	33	1.9	42	2.5	28	1.7	38	2.1	394	2.3	0.3
Endo/Nut/Met	39	1.6	41	1.6	33	1.2	61	2.2	51	1.8	29	0.9	49	1.4	47	1.4	50	1.4	79	2.0	64	1.7	543	1.6	1.9
Circulatory System	614	25.0	650	25.2	634	23.6	655	23.0	731	24.3	684	21.4	700	20.4	726	20.7	670	18.4	775	20.4	732	18.3	7,571	21.6	1.6
Ischemic Heart	314	12.8	338	13.0	328	12.1	328	11.5	402	13.4	333	10.5	344	10.1	375	10.7	364	10.0	412	11.0	378	9.6	3,916	11.2	1.4
Cerebrovascular	116	4.8	138	5.4	140	5.3	134	4.7	146	4.8	145	4.5	158	4.5	132	3.7	144	3.9	176	4.5	150	3.7	1,579	4.5	1.9
Respiratory System	151	6.1	151	5.9	140	5.2	196	6.8	189	6.2	190	5.9	194	5.5	218	6.3	179	4.9	196	5.1	204	5.0	2,008	5.7	1.5
Pneumonia/Influenza	70	2.9	60	2.4	58	2.2	66	2.3	78	2.5	70	2.2	85	2.4	103	2.9	61	1.6	77	2.0	76	1.9	804	2.3	1.7
Chronic Lung	64	2.5	73	2.8	58	2.1	91	3.1	84	2.7	92	2.8	79	2.2	78	2.3	78	2.1	83	2.2	93	2.3	873	2.5	0.8
Digestive System	52	2.1	58	2.2	53	2.0	58	2.0	51	1.7	56	1.8	74	2.3	59	1.8	77	2.2	80	2.3	65	1.8	683	2.0	4.0
External Causes	105	5.5	107	5.3	125	6.1	149	6.7	124	5.5	139	5.9	126	4.9	107	4.4	108	4.5	93	3.6	101	3.9	1,284	5.1	2.8
MVA	30	1.7	31	1.6	36	1.9	50	2.4	29	1.5	22	1.1	18	0.8	20	1.0	20	1.0	18	0.8	18	0.7	292	1.3	2.7
Accidental Poisoning	7	0.4	14	0.7	21	1.1	8	0.4	11	0.5	22	1.1	17	0.8	15	0.7	12	0.6	14	0.6	10	0.5	151	0.7	2.0
Suicide	26	1.3	20	1.0	26	1.3	31	1.4	33	1.5	30	1.3	35	1.4	29	1.3	30	1.3	19	0.8	27	1.1	306	1.2	3.8
All Causes Male	888	80.4	943	82.5	950	80.8	967	77.7	983	74.5	1,017	74.1	995	67.1	1,020	68.2	991	64.2	1,141	70.7	1,041	62.3	10,936	72.3	1.5
Female	667	50.9	708	51.5	723	50.9	801	52.1	828	51.5	819	47.6	873	47.6	887	47.8	926	48.8	917	46.0	983	47.4	9,132	49.1	1.7
Total	**1,555**	**64.9**	**1,651**	**65.8**	**1,673**	**64.7**	**1,768**	**64.2**	**1,811**	**62.5**	**1,836**	**60.0**	**1,868**	**56.8**	**1,907**	**57.4**	**1,917**	**56.1**	**2,058**	**57.6**	**2,024**	**54.6**	**20,068**	**60.0**	**1.6**
Alcohol-Related*	39	1.6	87	3.6	77	3.2	95	3.6	110	4.2	111	4.2	96	3.3	120	3.9	122	3.9	132	4.2	120	3.7	1,109	3.6	5.8
Medically Treatable	4	0.2	5	0.2	6	0.3	5	0.2	8	0.3	6	0.2	5	0.2	10	0.3	8	0.3	2	0.1	2	0.1	61	0.2	5.0
Drug-Induced	8	0.4	16	0.8	32	1.6	13	0.6	21	1.0	28	1.4	28	1.2	17	0.8	19	0.8	20	1.0	17	0.8	219	1.0	2.7
SAM	366	14.6	381	14.8	358	13.2	399	14.0	412	13.8	442	14.0	415	12.3	418	12.3	404	11.5	430	11.8	437	11.4	4,463	12.9	1.1

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 43 NORTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	5,996		6,100		6,367		6,599		6,688		6,942		7,080		7,216		7,432		7,593		7,768		75,781		
Live Births[1]: Male	70		82		79		81		85		76		79		83		74		92		84		885		
Female	87		73		77		70		92		61		86		68		88		70	7	2		844		
Total	**157**	**26.2**	**155**	**25.4**	**156**	**24.5**	**151**	**22.9**	**177**	**26.5**	**137**	**19.7**	**165**	**23.3**	**151**	**20.9**	**162**	**21.8**	**162**	**21.3**	**156**	**20.1**	**1,729**	**22.8**	**2.3**
Low Birth Weight[2]	9	57.3	9	58.1	8	51.3	11	72.8	12	67.8	8	58.4	7	42.4	8	53.0	8	49.4	11	67.9	8	51.3	99	57.3	1.2
Premature[2]	17	108.3	17	109.7	12	76.9	18	119.2	21	118.6	18	131.4	19	115.2	12	79.5	19	117.3	21	129.6	13	83.3	187	108.2	1.9
Cesarean Section[2]	25	159.2	23	148.4	26	166.7	15	99.3	31	175.1	24	175.2	27	163.6	26	172.2	25	154.3	29	179.0	32	205.1	283	163.7	0.7
Teenage Mother[2]	43	273.9	30	193.5	48	307.7	43	284.8	35	197.7	25	182.5	41	248.5	28	185.4	34	209.9	38	234.6	33	211.5	398	230.2	3.4
Elderly Gravida[2]	8	51.0	6	38.7	10	64.1	7	46.4	9	50.8	13	94.9	8	48.5	10	66.2	14	86.4	17	104.9	9	57.7	111	64.2	0.5
Stillbirths[3]:	**2**	**12.6**	**5**	**31.3**	**1**	**6.4**	**4**	**25.8**	**2**	**11.2**	-	-	**4**	**23.7**	**3**	**19.5**	**2**	**12.2**	**2**	**12.2**	**1**	**6.4**	**26**	**14.8**	**2.5**
Early Neonatal[2]	-	-	1	6.5	2	12.8	-	-	1	5.6	-	-	-	-	-	-	-	-	-	-	-	-	4	2.3	0.7
Neonatal[2]	-	-	1	6.5	2	12.8	1	6.6	2	11.3	-	-	-	-	-	-	-	-	-	-	-	-	6	3.5	0.9
Post Neonatal[2]	3	19.1	4	25.8	2	12.8	4	26.5	-	-	-	-	2	12.1	2	13.2	-	-	2	12.3	1	6.4	20	11.6	8.9
Infant Deaths[2]	**3**	**19.1**	**5**	**32.3**	**4**	**25.6**	**5**	**33.1**	**2**	**11.3**	-	-	**2**	**12.1**	**2**	**13.2**	-	-	**2**	**12.3**	**1**	**6.4**	**26**	**15.0**	**2.9**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	1	6.3	2	6.5	1	1.7	-	-	-	-	2	4.0	-	-	1	5.0	6	14.3	1	1.3	-	-	14	3.4	4.3
Cancer	4	20.6	12	46.4	5	12.4	6	20.9	1	2.3	10	31.7	12	40.9	9	31.3	7	24.4	4	11.9	9	18.4	79	23.3	1.3
Lung	1	6.3	2	8.3	2	7.2	2	7.4	-	-	1	1.7	1	1.7	1	5.0	5	17.2	-	-	2	4.9	17	5.3	1.1
Female Breast	1	13.6	1	11.8	-	-	-	-	-	-	1	7.6	-	-	1	4.9	-	-	-	-	1	2.4	5	2.9	1.2
Endo/Nut/Met	1	4.7	2	11.0	-	-	2	8.2	3	12.4	5	20.2	-	-	2	5.0	2	9.1	1	4.2	1	3.7	19	7.0	3.7
Circulatory System	6	22.8	16	82.9	11	41.8	12	49.0	11	41.6	11	38.8	9	34.2	10	37.4	9	24.3	7	19.7	6	18.5	108	35.8	1.7
Ischemic Heart	1	4.7	4	19.1	6	26.2	7	33.1	5	16.6	7	25.4	3	11.5	3	8.7	5	15.4	3	8.6	3	11.4	47	16.4	1.6
Cerebrovascular	1	2.3	4	18.7	2	6.8	3	9.1	1	5.0	1	4.3	3	10.6	2	6.8	1	1.3	3	6.8	-	-	21	6.1	1.2
Respiratory System	3	10.6	5	24.6	4	16.8	1	5.1	2	7.3	3	10.9	1	5.1	2	9.5	2	3.0	1	4.2	4	12.4	28	9.7	1.8
Pneumonia/Influenza	2	9.1	2	6.4	3	11.5	-	-	-	-	2	6.7	-	-	-	-	1	1.4	-	-	-	-	10	2.9	1.6
Chronic Lung	-	-	2	12.2	1	5.3	1	5.1	2	7.3	1	4.2	-	-	1	4.5	1	1.6	1	4.2	2	7.4	12	4.8	1.7
Digestive System	4	15.8	4	16.6	1	4.4	1	3.0	2	6.7	-	-	5	11.4	4	15.7	1	1.3	2	2.9	5	13.3	29	8.3	3.8
External Causes	9	23.0	10	17.7	7	14.5	3	8.7	8	11.5	12	16.9	14	23.6	8	10.3	11	19.3	8	11.4	2	2.4	92	14.0	2.4
MVA	2	2.8	2	2.3	3	8.3	-	-	2	3.0	1	1.2	5	8.1	-	-	1	1.4	1	1.3	-	-	17	2.4	2.0
Accidental Poisoning	2	6.8	3	5.8	4	6.1	1	1.8	3	4.2	4	5.9	3	4.9	1	1.3	1	2.3	3	3.8	1	1.3	26	3.8	4.2
Suicide	-	-	1	1.5	-	-	-	-	2	2.8	5	7.0	3	4.0	1	1.3	6	7.8	2	3.5	1	1.1	21	2.8	2.0
All Causes Male	19	94.5	29	240.8	22	142.4	13	117.1	19	126.1	31	184.0	32	177.4	24	175.5	25	156.0	21	107.8	13	80.4	248	142.7	1.9
Female	13	123.6	28	202.6	15	78.8	19	111.5	17	97.3	16	99.7	15	83.9	17	98.8	18	79.0	8	36.2	21	90.8	187	94.3	1.8
Total	**32**	**109.3**	**57**	**219.3**	**37**	**106.2**	**32**	**106.3**	**36**	**110.0**	**47**	**138.2**	**47**	**124.8**	**41**	**128.4**	**43**	**111.1**	**29**	**66.0**	**34**	**86.5**	**435**	**115.9**	**1.9**
Alcohol-Related*	7	13.8	7	21.2	5	13.8	5	9.9	12	22.0	14	33.5	20	42.6	12	39.3	16	33.7	9	14.8	7	16.3	114	23.6	5.5
Medically Treatable	2	3.7	1	1.5	-	-	-	-	-	-	1	1.3	-	-	-	-	1	1.3	1	1.6	3	4.3	9	1.2	6.0
Drug-Induced	1	4.6	3	5.8	4	6.1	1	1.8	2	3.7	1	1.5	5	7.6	1	1.3	2	3.7	1	1.3	1	1.3	22	3.3	3.0
SAM	3	16.9	8	38.1	6	22.8	5	20.1	5	15.8	7	20.6	4	10.9	5	20.6	8	23.0	4	10.6	6	16.8	60	19.2	1.4

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 43 North Vancouver Island
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	95,569		99,226		104,029		107,329		110,056		110,744		110,406		108,818		107,109		106,576		106,598		1,166,460		
Live Births[1]: Male	591		585		604		594		595		593		518		524		444		463		435		5,946		
Female	599		601		566		593		579		535		536		484		440		419		422		5,774		
Total	**1,190**	**12.5**	**1,186**	**12.0**	**1,170**	**11.2**	**1,187**	**11.1**	**1,174**	**10.7**	**1,128**	**10.2**	**1,054**	**9.5**	**1,008**	**9.3**	**884**	**8.3**	**882**	**8.3**	**857**	**8.0**	**11,720**	**10.0**	**2.3**
Low Birth Weight[2]	49	41.2	58	48.9	59	50.4	52	43.8	53	45.1	54	47.9	47	44.6	50	49.6	40	45.2	53	60.1	34	39.7	549	46.8	1.2
Premature[2]	60	50.4	61	51.4	65	55.6	67	56.4	66	56.2	61	54.1	62	58.8	61	60.5	58	65.6	71	80.5	48	56.0	680	58.0	1.9
Cesarean Section[2]	246	206.7	252	212.5	247	211.1	254	214.0	268	228.3	228	202.1	230	218.2	225	223.2	209	236.4	218	247.2	233	271.9	2,610	222.7	0.7
Teenage Mother[2]	88	73.9	80	67.5	75	64.1	87	73.3	61	52.0	90	79.8	64	60.7	76	75.4	60	67.9	53	60.1	52	60.7	786	67.1	3.4
Elderly Gravida[2]	112	94.1	123	103.7	133	113.7	162	136.5	153	130.3	153	135.6	164	155.6	135	133.9	158	178.7	148	167.8	141	164.5	1,582	135.0	0.5
Stillbirths[3]:	**10**	**8.3**	**5**	**4.2**	**3**	**2.6**	7	**5.9**	**11**	**9.3**	**8**	**7.0**	**6**	**5.7**	**5**	**4.9**	**5**	**5.6**	**6**	**6.8**	**5**	**5.8**	**71**	**6.0**	**2.5**
Early Neonatal[2]	3	2.5	3	2.5	2	1.7	5	4.2	4	3.4	2	1.8	3	2.8	7	6.9	2	2.3	5	5.7	3	3.5	39	3.3	0.7
Neonatal[2]	4	3.4	3	2.5	2	1.7	6	5.1	4	3.4	2	1.8	3	2.8	8	7.9	3	3.4	6	6.8	4	4.7	45	3.8	0.9
Post Neonatal[2]	3	2.5	1	0.8	3	2.6	1	0.8	-	-	1	0.9	3	2.8	1	1.0	-	-	1	1.1	1	1.2	15	1.3	8.9
Infant Deaths[2]	**7**	**5.9**	**4**	**3.4**	**5**	**4.3**	**7**	**5.9**	**4**	**3.4**	**3**	**2.7**	**6**	**5.7**	**9**	**8.9**	**3**	**3.4**	**7**	**7.9**	**5**	**5.8**	**60**	**5.1**	**2.9**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	2	0.2	3	0.3	8	0.8	7	0.7	10	1.0	8	0.7	7	0.6	11	0.9	8	0.7	12	0.9	16	1.2	92	0.8	4.3
Cancer	162	18.5	181	19.9	191	19.9	190	19.2	202	19.6	211	19.3	188	15.6	192	16.2	208	16.8	210	16.6	246	18.6	2,181	18.1	1.3
Lung	46	5.1	54	5.9	51	5.2	47	4.7	57	5.4	48	4.4	55	4.5	59	5.0	62	5.0	63	4.9	73	5.4	615	5.0	1.1
Female Breast	13	2.9	11	2.2	12	2.4	15	2.9	17	3.1	10	1.8	15	2.5	17	2.7	16	2.4	17	2.6	13	1.7	156	2.5	1.2
Endo/Nut/Met	11	1.4	19	2.3	19	2.2	18	1.9	19	1.9	18	1.7	13	1.1	26	2.3	23	2.0	20	1.7	34	2.6	220	1.9	3.7
Circulatory System	227	28.3	197	23.4	200	22.6	228	24.4	246	25.1	227	21.6	250	20.9	245	21.0	241	19.8	231	18.3	197	14.8	2,489	21.3	1.7
Ischemic Heart	108	13.3	96	11.1	97	10.6	114	12.1	131	13.1	116	10.9	118	9.8	118	10.0	112	9.1	108	8.5	92	6.9	1,210	10.3	1.6
Cerebrovascular	48	6.0	43	5.3	44	5.2	52	5.5	45	4.7	39	3.8	57	4.8	63	5.4	62	5.2	62	5.0	50	3.7	565	4.9	1.2
Respiratory System	36	4.5	46	5.4	60	6.8	45	4.9	52	5.3	66	6.4	73	6.2	62	5.4	52	4.3	56	4.5	89	6.8	637	5.5	1.8
Pneumonia/Influenza	10	1.3	14	1.7	24	2.8	17	1.8	13	1.4	23	2.2	26	2.2	22	1.9	11	0.9	16	1.3	25	1.9	201	1.8	1.6
Chronic Lung	21	2.6	19	2.2	22	2.5	18	2.0	28	2.8	35	3.4	40	3.4	33	2.9	30	2.5	31	2.5	46	3.5	323	2.8	1.7
Digestive System	14	1.7	21	2.3	30	3.2	21	2.2	19	1.8	14	1.3	22	1.9	32	2.7	36	3.0	27	2.1	28	2.0	264	2.2	3.8
External Causes	64	7.3	68	7.3	60	5.8	60	6.0	85	7.9	59	5.4	70	6.3	52	4.7	45	3.9	65	5.7	48	4.5	676	5.9	2.4
MVA	18	2.1	13	1.5	13	1.4	15	1.6	16	1.5	8	0.7	10	1.0	8	0.8	8	0.8	7	0.8	13	1.3	129	1.2	2.0
Accidental Poisoning	9	0.9	13	1.3	6	0.5	8	0.7	8	0.8	12	1.1	16	1.4	9	0.7	11	0.9	10	0.8	2	0.2	104	0.9	4.2
Suicide	12	1.4	14	1.5	19	1.8	14	1.3	26	2.3	17	1.4	16	1.4	14	1.1	9	0.8	9	0.7	17	1.5	167	1.4	2.0
All Causes Male	325	82.3	331	79.3	339	77.6	343	76.2	406	84.9	363	72.7	393	71.4	359	66.4	388	69.7	404	71.3	417	71.1	4,068	74.3	1.9
Female	244	55.2	250	54.5	280	57.8	278	54.6	291	54.8	318	55.5	292	45.8	324	51.2	303	46.3	305	45.1	343	47.5	3,228	51.1	1.8
Total	**569**	**68.3**	**581**	**66.3**	**619**	**67.3**	**621**	**64.9**	**697**	**69.1**	**681**	**63.8**	**685**	**58.1**	**683**	**58.9**	**691**	**57.4**	**709**	**57.4**	**760**	**59.3**	**7,296**	**62.3**	**1.9**
Alcohol-Related*	23	2.5	31	3.3	50	4.9	52	5.2	45	4.3	43	3.8	47	4.0	49	4.1	64	5.4	52	4.2	63	4.8	519	4.3	5.5
Medically Treatable	1	0.1	1	0.1	3	0.2	3	0.2	1	0.1	8	0.7	2	0.1	3	0.2	3	0.2	3	0.2	2	0.2	30	0.2	6.0
Drug-Induced	12	1.3	16	1.6	7	0.7	8	0.7	10	1.0	20	1.8	17	1.5	14	1.1	9	0.8	10	1.0	6	0.5	129	1.1	3.0
SAM	124	14.6	128	14.4	135	14.4	127	13.0	150	14.7	142	13.2	157	13.0	153	13.0	151	12.2	154	12.1	171	12.8	1,592	13.3	1.4

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 51 NORTHWEST
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	20,120		20,516		21,165		21,661		22,163		22,544		22,655		22,939		23,300		23,477		23,914		244,454		
Live Births[1]: Male	263		229		243		227		256		225		215		186		220		213		213		2,490		
Female	233		210		245		195		220		215		203		212		198		193		208		2,332		
Total	**496**	**24.7**	**439**	**21.4**	**488**	**23.1**	**422**	**19.5**	**476**	**21.5**	**440**	**19.5**	**418**	**18.5**	**398**	**17.4**	**418**	**17.9**	**406**	**17.3**	**421**	**17.6**	**4,822**	**19.7**	**1.6**
Low Birth Weight[2]	13	26.2	26	59.2	19	38.9	25	59.2	18	37.8	23	52.3	18	43.1	23	57.8	21	50.2	12	29.6	11	26.1	209	43.3	0.9
Premature[2]	27	54.4	38	86.6	30	61.5	37	87.7	35	73.5	33	75.0	34	81.3	40	100.5	47	112.4	24	59.1	25	59.4	370	76.7	1.3
Cesarean Section[2]	87	175.4	71	161.7	69	141.4	62	146.9	63	132.4	86	195.5	77	184.2	67	168.3	83	198.6	92	226.6	97	230.4	854	177.1	0.8
Teenage Mother[2]	104	209.7	95	216.4	86	176.2	87	206.2	83	174.4	95	215.9	87	208.1	66	165.8	70	167.5	75	184.7	79	187.6	927	192.2	3.5
Elderly Gravida[2]	28	56.5	26	59.2	29	59.4	28	66.4	25	52.5	25	56.8	24	57.4	31	77.9	31	74.2	31	76.4	28	66.5	306	63.5	0.5
Stillbirths[3]:	**2**	**4.0**	**1**	**2.3**	**2**	**4.1**	-	-	**1**	**2.1**	**4**	**9.0**	**5**	**11.8**	**3**	**7.5**	**6**	**14.2**	**5**	**12.2**	**3**	**7.1**	**32**	**6.6**	**0.8**
Early Neonatal[2]	2	4.0	2	4.6	1	2.0	2	4.7	1	2.1	2	4.5	-	-	1	2.5	4	9.6	-	-	-	-	15	3.1	1.0
Neonatal[2]	2	4.0	2	4.6	1	2.0	2	4.7	2	4.2	2	4.5	-	-	1	2.5	4	9.6	-	-	1	2.4	17	3.5	0.9
Post Neonatal[2]	3	6.0	2	4.6	2	4.1	4	9.5	1	2.1	2	4.5	1	2.4	-	-	1	2.4	-	-	-	-	16	3.3	3.0
Infant Deaths[2]	**5**	**10.1**	**4**	**9.1**	**3**	**6.1**	**6**	**14.2**	**3**	**6.3**	**4**	**9.1**	**1**	**2.4**	**1**	**2.5**	**5**	**12.0**	-	-	**1**	**2.4**	**33**	**6.8**	**1.4**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	2	0.8	4	3.0	2	2.0	6	4.0	3	2.8	1	0.7	5	3.9	2	1.8	-	-	1	0.9	3	1.9	29	2.0	4.0
Cancer	15	17.4	19	18.6	24	23.3	15	14.3	21	17.5	20	16.3	16	13.1	19	15.0	20	15.3	27	20.6	18	11.4	214	16.4	0.9
Lung	2	2.3	2	1.9	6	5.6	3	3.2	8	7.4	7	6.1	2	2.0	2	1.8	6	5.0	3	1.8	1	0.7	42	3.4	0.7
Female Breast	-	-	1	2.4	3	4.2	1	1.2	2	3.1	1	0.9	2	1.8	4	5.5	1	2.0	2	2.7	-	-	17	2.2	0.9
Endo/Nut/Met	1	1.3	1	1.3	2	2.3	3	2.7	3	2.4	-	-	4	3.0	2	1.3	2	1.1	5	3.6	8	5.2	31	2.2	0.9
Circulatory System	31	36.4	36	39.8	24	23.3	23	20.6	35	30.4	28	25.0	22	19.7	29	25.5	30	25.4	24	18.9	22	14.1	304	24.6	1.0
Ischemic Heart	10	11.4	17	19.0	10	9.1	12	11.4	15	12.9	11	9.7	10	8.0	13	11.6	11	9.6	13	9.4	7	4.9	129	10.3	0.9
Cerebrovascular	12	14.0	6	6.1	5	5.7	4	3.2	3	2.9	6	5.7	3	3.0	6	5.4	7	5.7	5	4.3	5	2.7	62	5.1	1.0
Respiratory System	5	6.3	11	10.3	7	7.1	5	4.6	8	7.7	9	7.6	11	10.2	15	12.8	5	3.9	8	6.9	12	9.1	96	7.9	1.0
Pneumonia/Influenza	2	2.5	9	8.3	3	2.7	2	1.6	4	3.9	8	6.9	6	5.9	11	9.0	4	3.5	3	2.6	5	3.6	57	4.6	1.4
Chronic Lung	2	2.5	1	0.8	2	2.3	-	-	2	1.9	1	0.7	2	1.8	-	-	-	-	2	1.7	5	4.0	17	1.5	0.5
Digestive System	8	9.1	6	6.2	6	5.8	9	7.2	4	3.4	4	3.6	8	7.2	6	4.1	13	10.1	4	2.7	3	1.2	71	5.3	2.3
External Causes	14	8.9	27	14.6	27	15.1	18	10.2	15	8.8	21	10.9	32	15.3	22	11.5	13	6.6	21	11.0	17	8.4	227	11.0	1.7
MVA	2	0.9	7	3.4	4	1.7	4	1.9	2	0.9	5	2.2	11	4.5	2	1.1	2	1.0	6	3.0	2	1.1	47	2.0	1.1
Accidental Poisoning	2	1.3	7	3.4	2	1.0	-	-	4	1.8	7	3.9	2	0.9	3	1.3	1	0.4	3	1.8	-	-	31	1.4	2.8
Suicide	1	0.4	8	4.7	5	2.0	4	1.7	4	2.3	4	1.7	7	2.9	6	2.7	3	1.2	4	1.9	3	1.2	49	2.1	1.6
All Causes Male	60	114.6	72	121.7	69	111.3	53	81.0	63	96.9	47	74.9	67	97.7	60	91.0	53	75.9	67	98.4	59	72.7	670	92.9	1.1
Female	32	70.7	42	81.9	36	68.3	40	61.6	37	60.7	52	73.8	43	69.1	51	73.3	44	67.2	42	60.0	42	50.1	461	66.0	1.2
Total	**92**	**93.2**	**114**	**100.8**	**105**	**89.7**	**93**	**71.2**	**100**	**78.9**	**99**	**73.7**	**110**	**83.2**	**111**	**82.0**	**97**	**71.6**	**109**	**78.0**	**101**	**61.8**	**1,131**	**79.3**	**1.2**
Alcohol-Related*	9	7.2	20	13.2	24	16.8	19	13.3	29	20.6	15	8.7	32	21.5	25	17.4	25	17.8	27	18.0	24	13.6	249	15.5	3.3
Medically Treatable	1	0.9	4	2.5	3	2.6	3	1.3	-	-	2	1.1	2	1.6	2	1.2	-	-	-	-	1	0.4	18	1.0	3.3
Drug-Induced	1	0.7	8	4.9	2	1.0	1	0.5	3	1.4	6	3.2	3	1.4	4	1.9	2	0.9	4	2.3	1	0.4	35	1.6	2.7
SAM	13	15.4	16	15.9	17	16.6	11	10.1	18	16.5	15	12.8	12	11.1	13	10.6	14	11.4	14	10.8	16	11.2	159	12.7	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 51 Northwest
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	65,800		65,891		66,063		66,797		68,049		67,822		66,059		64,692		60,776		61,052		60,568		713,569		
Live Births[1]: Male	510		456		510		487		467		436		403		369		366		332		292		4,628		
Female	509		457		482		424		474		431		340		367		327		284		303		4,398		
Total	**1,019**	**15.5**	**913**	**13.9**	**992**	**15.0**	**911**	**13.6**	**941**	**13.8**	**867**	**12.8**	**743**	**11.2**	**736**	**11.4**	**693**	**11.4**	**616**	**10.1**	**595**	**9.8**	**9,026**	**12.6**	**1.6**
Low Birth Weight[2]	42	41.2	48	52.6	48	48.4	36	39.5	52	55.3	36	41.5	40	53.8	30	40.8	22	31.7	31	50.3	30	50.4	415	46.0	0.9
Premature[2]	60	58.9	48	52.6	51	51.4	50	54.9	66	70.1	57	65.7	49	65.9	43	58.4	33	47.6	44	71.4	41	68.9	542	60.0	1.3
Cesarean Section[2]	217	213.0	204	223.4	208	209.7	190	208.6	193	205.1	166	191.5	182	245.0	173	235.1	179	258.3	187	303.6	193	324.4	2,092	231.8	0.8
Teenage Mother[2]	64	62.8	46	50.4	72	72.6	50	54.9	49	52.1	42	48.4	38	51.1	34	46.2	32	46.2	31	50.3	32	53.6	490	54.3	3.5
Elderly Gravida[2]	78	76.5	92	100.8	107	107.9	103	113.1	106	112.6	131	151.1	88	118.4	101	137.2	91	131.3	80	129.9	87	146.2	1,064	117.9	0.5
Stillbirths[3]:	**2**	**2.0**	**11**	**11.9**	**9**	**9.0**	**7**	**7.6**	**8**	**8.4**	**7**	**8.0**	**10**	**13.3**	**6**	**8.1**	**5**	**8.5**	**8**	**12.8**	**6**	**10.0**	**80**	**8.8**	**0.8**
Early Neonatal[2]	3	2.9	1	1.1	3	3.0	3	3.3	1	1.1	2	2.3	4	5.4	2	2.7	1	1.4	1	1.6	6	10.1	27	3.0	1.0
Neonatal[2]	3	2.9	1	1.1	5	5.0	3	3.3	1	1.1	3	3.5	5	6.7	2	2.7	2	2.9	1	1.6	7	11.8	33	3.7	0.9
Post Neonatal[2]	1	1.0	1	1.1	1	1.0	2	2.2	-	-	2	2.3	3	4.0	-	-	-	-	-	-	-	-	10	1.1	3.0
Infant Deaths[2]	**4**	**3.9**	**2**	**2.2**	**6**	**6.0**	**5**	**5.5**	**1**	**1.1**	**5**	**5.8**	**8**	**10.8**	**2**	**2.7**	**2**	**2.9**	**1**	**1.6**	**7**	**11.8**	**43**	**4.8**	**1.4**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	2	0.7	2	0.3	5	1.2	3	0.7	2	0.5	2	0.4	2	0.5	3	0.5	3	0.4	3	0.5	27	0.5	4.0
Cancer	72	18.7	73	19.3	76	18.6	81	20.1	81	19.3	67	14.8	66	12.4	93	19.5	87	18.5	80	16.8	91	18.1	867	17.7	0.9
Lung	15	3.8	24	6.3	24	5.4	31	7.8	26	6.6	20	4.1	16	3.2	32	6.5	19	4.0	20	4.0	31	6.2	258	5.2	0.7
Female Breast	8	3.1	4	2.2	4	2.2	3	1.0	6	2.1	10	3.6	1	0.5	7	3.2	12	4.5	5	1.7	5	1.9	65	2.4	0.9
Endo/Nut/Met	5	1.8	10	3.6	5	1.2	10	3.4	6	1.7	11	3.1	11	2.4	8	2.0	5	1.3	13	3.1	18	4.0	102	2.5	0.9
Circulatory System	78	24.3	85	26.2	100	29.8	95	28.2	89	25.4	83	23.3	106	23.7	109	25.7	105	25.4	96	22.4	95	22.1	1,041	25.0	1.0
Ischemic Heart	45	13.0	47	13.6	46	13.2	52	14.3	35	9.4	41	10.2	45	9.1	49	10.8	45	10.1	48	11.0	43	9.8	496	11.2	0.9
Cerebrovascular	12	4.2	15	4.9	20	6.0	13	4.2	24	6.8	12	3.7	21	5.3	24	5.6	27	7.1	19	4.3	17	4.0	204	5.1	1.0
Respiratory System	19	6.8	25	8.3	17	5.9	27	8.4	20	6.1	22	5.9	26	6.4	34	9.0	42	11.0	28	6.6	33	8.0	293	7.6	1.0
Pneumonia/Influenza	9	3.3	13	4.5	7	2.5	16	5.1	9	2.8	9	2.4	13	3.3	15	4.1	14	3.7	8	2.0	12	2.9	125	3.3	1.4
Chronic Lung	7	2.3	9	3.0	10	3.4	6	1.7	8	2.4	11	3.3	7	1.7	14	3.6	21	5.4	13	3.2	16	3.8	122	3.1	0.5
Digestive System	9	2.5	10	3.1	7	2.2	9	2.0	4	1.0	7	1.8	11	2.4	9	2.0	15	3.2	10	2.2	18	3.2	109	2.3	2.3
External Causes	47	8.6	36	5.4	42	6.9	41	6.6	33	5.8	41	6.9	37	5.9	32	5.0	30	5.0	36	6.3	40	6.4	415	6.3	1.7
MVA	8	1.2	14	2.1	15	2.2	15	2.2	7	1.0	13	1.9	8	1.2	8	1.3	6	1.1	13	2.5	16	2.7	123	1.8	1.1
Accidental Poisoning	3	0.4	6	0.9	3	0.4	3	0.4	3	0.5	2	0.2	7	1.1	3	0.4	4	0.6	1	0.2	1	0.1	36	0.5	2.8
Suicide	9	1.5	5	0.7	8	1.2	9	1.4	8	1.3	8	1.2	11	1.6	11	1.8	7	1.0	10	1.4	7	1.2	93	1.3	1.6
All Causes Male	163	87.2	174	95.5	168	83.2	168	84.9	168	83.7	154	73.1	177	73.3	192	87.3	171	77.8	176	79.9	214	90.4	1,925	83.1	1.1
Female	83	48.4	93	54.8	103	56.5	131	70.0	96	51.0	112	54.8	109	45.1	123	53.5	137	60.9	117	49.1	129	55.5	1,233	54.1	1.2
Total	**246**	**67.4**	**267**	**74.6**	**271**	**70.4**	**299**	**78.2**	**264**	**67.3**	**266**	**64.4**	**286**	**59.0**	**315**	**69.7**	**308**	**69.6**	**293**	**64.0**	**343**	**72.8**	**3,158**	**68.5**	**1.2**
Alcohol-Related*	10	2.0	18	3.6	19	4.0	24	5.1	27	5.6	38	7.1	29	4.7	25	4.3	31	5.5	26	4.8	31	5.0	278	4.7	3.3
Medically Treatable	2	0.4	2	0.3	5	0.7	2	0.3	1	0.1	1	0.2	1	0.1	1	0.2	4	0.5	2	0.2	-	-	21	0.3	3.3
Drug-Induced	2	0.3	7	1.0	4	0.5	3	0.4	2	0.3	4	0.6	7	1.1	5	0.8	4	0.6	4	0.6	1	0.1	43	0.6	2.7
SAM	48	13.2	56	16.0	60	16.1	64	17.1	59	15.6	53	13.3	56	11.7	79	17.4	67	15.5	60	13.2	71	15.1	673	14.9	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	**9,779**		**10,237**		**10,711**		**11,166**		**11,665**		**11,968**		**12,205**		**12,477**		**12,881**		**13,273**		**13,720**		**130,082**		
Live Births[1]: Male	149		148		144		172		166		147		163		127		143		161		151		1,671		
Female	143		128		135		163		146		131		141		107		154		155		151		1,554		
Total	**292**	**29.9**	**276**	**27.0**	**279**	**26.0**	**335**	**30.0**	**312**	**26.7**	**278**	**23.2**	**304**	**24.9**	**234**	**18.8**	**297**	**23.1**	**316**	**23.8**	**302**	**22.0**	**3,225**	**24.8**	**2.1**
Low Birth Weight[2]	17	58.2	19	68.8	13	46.6	17	50.7	17	54.5	22	79.1	13	42.8	7	29.9	14	47.1	18	57.0	23	76.2	180	55.8	1.1
Premature[2]	24	82.2	23	83.3	21	75.3	30	89.6	30	96.2	29	104.3	19	62.5	13	55.6	22	74.1	20	63.3	31	102.6	262	81.2	1.4
Cesarean Section[2]	33	113.0	48	173.9	37	132.6	58	173.1	58	185.9	40	143.9	46	151.3	31	132.5	56	188.6	59	186.7	62	205.3	528	163.7	0.7
Teenage Mother[2]	68	232.9	66	239.1	74	265.2	86	256.7	58	185.9	59	212.2	58	190.8	46	196.6	56	188.6	74	234.2	59	195.4	704	218.3	3.3
Elderly Gravida[2]	13	44.5	11	39.9	14	50.2	8	23.9	21	67.3	12	43.2	11	36.2	12	51.3	17	57.2	11	34.8	28	92.7	158	49.0	0.5
Stillbirths[3]:	**2**	**6.8**	**3**	**10.8**	**5**	**17.6**	**3**	**8.9**	**2**	**6.4**	**3**	**10.7**	-	-	-	-	**1**	**3.4**	**3**	**9.4**	**6**	**19.5**	**28**	**8.6**	**1.0**
Early Neonatal[2]	2	6.8	-	-	-	-	-	-	1	3.2	1	3.6	-	-	-	-	-	-	1	3.2	-	-	5	1.6	0.5
Neonatal[2]	3	10.3	1	3.6	-	-	-	-	1	3.2	1	3.6	-	-	-	-	-	-	1	3.2	-	-	7	2.2	0.6
Post Neonatal[2]	1	3.4	1	3.6	-	-	3	9.0	-	-	3	10.8	2	6.6	2	8.5	-	-	-	-	2	6.6	14	4.3	2.4
Infant Deaths[2]	**4**	**13.7**	**2**	**7.2**	-	-	**3**	**9.0**	**1**	**3.2**	**4**	**14.4**	**2**	**6.6**	**2**	**8.5**	-	-	**1**	**3.2**	**2**	**6.6**	**21**	**6.5**	**1.2**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	1	2.9	-	-	2	5.2	3	4.8	3	4.6	3	3.0	-	-	3	3.3	-	-	1	1.6	3	3.7	19	2.6	3.7
Cancer	10	27.6	4	8.4	6	13.9	11	21.5	12	21.3	6	13.3	8	17.4	13	27.8	11	19.9	9	15.7	16	25.2	106	19.4	1.0
Lung	4	12.3	1	1.6	1	2.4	4	9.5	2	4.0	-	-	1	2.5	5	13.3	-	-	3	6.6	4	6.0	25	5.0	0.9
Female Breast	1	3.2	-	-	-	-	-	-	2	6.5	-	-	-	-	-	-	-	-	1	3.1	1	1.6	5	1.4	0.5
Endo/Nut/Met	1	2.5	-	-	-	-	3	3.4	-	-	1	2.3	-	-	2	3.6	-	-	3	5.8	2	3.8	12	2.1	0.8
Circulatory System	8	20.4	13	36.4	9	23.4	11	22.0	11	24.1	15	32.7	14	30.4	15	33.6	11	19.0	12	24.3	7	11.7	126	24.7	1.1
Ischemic Heart	4	11.5	4	12.0	1	3.2	2	5.1	5	11.2	7	15.4	5	10.9	3	6.6	6	10.4	5	10.9	3	5.3	45	9.3	0.9
Cerebrovascular	3	5.6	2	5.8	2	5.6	3	4.8	2	4.7	3	6.8	6	13.1	3	6.2	1	1.3	4	8.1	1	1.8	30	5.6	1.1
Respiratory System	5	13.8	5	12.1	4	9.3	4	9.6	7	16.8	2	4.5	3	3.8	3	6.6	3	6.7	4	4.3	8	14.8	48	9.3	1.2
Pneumonia/Influenza	2	6.3	3	6.3	3	7.2	3	7.5	4	9.3	1	2.3	3	3.8	2	4.2	1	2.7	2	1.4	3	5.3	27	5.0	1.7
Chronic Lung	2	4.6	-	-	1	2.1	-	-	2	4.7	1	2.3	-	-	-	-	2	4.0	1	2.1	3	5.5	12	2.4	0.6
Digestive System	7	14.5	-	-	4	7.5	2	3.9	4	6.6	4	5.2	2	4.9	5	7.3	5	6.8	13	17.8	2	2.9	48	7.1	2.6
External Causes	29	33.7	19	26.8	23	20.9	19	21.0	16	17.5	20	17.3	13	14.6	12	12.8	21	19.3	19	18.2	13	10.7	204	18.8	2.9
MVA	4	3.6	5	9.6	10	8.6	9	10.1	4	3.3	3	2.8	5	4.4	6	6.3	5	3.8	4	4.0	5	5.0	60	5.5	2.6
Accidental Poisoning	-	-	5	5.4	3	3.0	2	2.4	3	4.6	3	3.0	2	1.7	2	2.1	4	4.2	7	5.7	1	0.8	32	3.0	6.0
Suicide	8	9.2	2	1.6	3	3.1	3	2.6	2	1.7	7	5.2	2	3.3	2	1.8	5	4.1	2	1.4	5	3.4	41	3.4	3.1
All Causes Male	43	152.2	24	95.1	31	111.8	35	115.8	38	125.3	36	101.7	26	87.4	29	106.2	37	96.1	33	93.9	39	99.3	371	106.8	1.3
Female	26	97.3	25	95.1	23	74.7	27	85.8	25	90.8	20	69.6	22	77.8	27	88.6	23	68.4	38	109.9	26	74.9	282	84.8	1.5
Total	**69**	**125.2**	**49**	**94.7**	**54**	**94.3**	**62**	**100.5**	**63**	**109.0**	**56**	**84.2**	**48**	**82.1**	**56**	**97.0**	**60**	**83.5**	**71**	**101.6**	**65**	**86.5**	**653**	**95.6**	**1.4**
Alcohol-Related*	6	10.1	10	13.7	15	25.4	11	17.0	13	18.6	10	14.4	7	11.7	9	12.4	14	16.7	28	35.6	12	14.0	135	17.7	4.4
Medically Treatable	-	-	2	2.9	1	2.0	1	1.0	3	4.1	1	0.9	2	1.3	-	-	1	0.9	2	1.4	1	0.8	14	1.4	3.5
Drug-Induced	1	0.8	6	7.1	4	4.1	3	3.1	3	4.6	2	1.7	2	1.7	2	2.8	4	4.2	5	4.1	-	-	32	3.0	5.0
SAM	8	22.5	4	10.5	5	12.4	9	19.7	9	17.7	5	10.7	4	9.6	9	21.1	6	10.0	7	12.8	9	14.9	75	14.4	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area
Other Residents - 52 Northern Interior
British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	132,269		134,971		137,793		140,781		143,843		144,882		143,323		141,451		140,441		137,918		137,549		1,535,221		
Live Births[1]: Male	919		944		983		898		931		893		856		837		673		656		684		9,274		
Female	890		944		910		892		898		884		822		739		677		655		589		8,900		
Total	**1,809**	**13.7**	**1,888**	**14.0**	**1,893**	**13.7**	**1,790**	**12.7**	**1,829**	**12.7**	**1,777**	**12.3**	**1,678**	**11.7**	**1,576**	**11.1**	**1,350**	**9.6**	**1,311**	**9.5**	**1,273**	**9.3**	**18,174**	**11.8**	**2.1**
Low Birth Weight[2]	88	48.6	99	52.4	96	50.7	89	49.7	88	48.1	100	56.3	75	44.7	73	46.3	57	42.2	61	46.5	80	62.8	906	49.9	1.1
Premature[2]	116	64.1	112	59.3	118	62.3	106	59.2	110	60.1	120	67.5	89	53.0	87	55.2	72	53.3	77	58.7	85	66.8	1,092	60.1	1.4
Cesarean Section[2]	368	203.4	427	226.2	398	210.2	402	224.6	368	201.2	423	238.0	378	225.3	394	250.0	308	228.1	358	273.1	382	300.1	4,206	231.4	0.7
Teenage Mother[2]	142	78.5	158	83.7	138	72.9	154	86.0	121	66.2	124	69.8	101	60.2	85	53.9	77	57.0	59	45.0	58	45.6	1,217	67.0	3.3
Elderly Gravida[2]	164	90.7	141	74.7	157	82.9	154	86.0	160	87.5	161	90.6	158	94.2	155	98.4	159	117.8	147	112.1	164	128.8	1,720	94.6	0.5
Stillbirths[3]:	**14**	**7.7**	**15**	**7.9**	**21**	**11.0**	**22**	**12.1**	**14**	**7.6**	**17**	**9.5**	**10**	**5.9**	**12**	**7.6**	**10**	**7.4**	**16**	**12.1**	**13**	**10.1**	**164**	**8.9**	**1.0**
Early Neonatal[2]	9	5.0	8	4.2	6	3.2	7	3.9	10	5.5	5	2.8	3	1.8	5	3.2	1	0.7	4	3.1	2	1.6	60	3.3	0.5
Neonatal[2]	9	5.0	8	4.2	7	3.7	8	4.5	13	7.1	6	3.4	3	1.8	5	3.2	1	0.7	5	3.8	3	2.4	68	3.7	0.6
Post Neonatal[2]	6	3.3	4	2.1	2	1.1	3	1.7	4	2.2	5	2.8	1	0.6	4	2.5	4	3.0	-	-	-	-	33	1.8	2.4
Infant Deaths[2]	**15**	**8.3**	**12**	**6.4**	**9**	**4.8**	**11**	**6.1**	**17**	**9.3**	**11**	**6.2**	**4**	**2.4**	**9**	**5.7**	**5**	**3.7**	**5**	**3.8**	**3**	**2.4**	**101**	**5.6**	**1.2**

	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
Death-Related Cause of Death	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	4	0.5	11	1.5	9	0.9	11	1.1	10	0.8	5	0.6	12	1.0	2	0.1	9	0.9	4	0.3	7	0.7	84	0.7	3.7
Cancer	150	18.2	159	18.8	182	19.9	161	17.3	190	19.2	203	20.6	217	20.3	194	18.4	199	17.7	235	21.1	214	18.9	2,104	19.2	1.0
Lung	42	5.7	58	6.8	53	6.1	47	4.8	59	5.7	51	5.1	66	6.4	58	5.4	55	4.9	72	6.7	57	5.1	618	5.7	0.9
Female Breast	14	2.9	14	3.0	14	2.9	7	1.4	13	2.3	20	3.8	21	3.4	13	2.0	10	1.9	22	3.2	17	2.9	165	2.7	0.5
Endo/Nut/Met	23	3.4	13	1.6	22	2.8	21	2.3	23	2.6	17	2.0	22	2.4	22	2.2	24	2.5	28	2.8	27	2.6	242	2.5	0.8
Circulatory System	156	23.6	183	25.0	167	22.0	195	23.9	222	26.5	194	22.4	233	24.4	205	21.9	206	21.0	195	19.7	220	20.6	2,176	22.6	1.1
Ischemic Heart	83	12.0	83	10.5	72	9.4	91	10.5	106	12.1	98	11.0	121	12.1	95	9.6	97	9.9	87	8.5	104	9.4	1,037	10.4	0.9
Cerebrovascular	29	4.6	31	4.5	37	5.0	36	4.7	41	5.0	41	4.8	55	6.2	52	5.8	47	4.8	52	5.5	44	4.4	465	5.0	1.1
Respiratory System	53	8.2	49	7.2	55	7.6	49	6.6	69	8.8	56	7.1	62	6.4	80	8.9	62	6.6	81	8.5	73	7.5	689	7.6	1.2
Pneumonia/Influenza	23	3.8	19	2.8	22	3.2	17	2.4	22	3.0	29	3.8	23	2.5	37	4.2	22	2.4	20	2.2	20	2.1	254	2.9	1.7
Chronic Lung	21	3.0	22	3.3	29	3.9	26	3.4	37	4.8	20	2.5	26	2.8	37	4.1	37	3.9	51	5.5	43	4.3	349	3.8	0.6
Digestive System	32	4.1	25	3.0	23	2.5	31	3.5	27	2.7	21	2.3	26	2.5	25	2.4	33	3.1	24	2.2	23	2.0	290	2.7	2.6
External Causes	76	6.4	87	7.2	89	7.5	81	5.9	95	7.5	96	7.1	83	6.5	83	6.3	72	5.6	63	4.6	79	6.1	904	6.4	2.9
MVA	23	1.8	32	2.4	25	2.0	30	2.0	37	2.8	37	2.6	27	2.1	24	1.7	23	1.7	20	1.6	38	2.8	316	2.1	2.6
Accidental Poisoning	1	0.1	10	0.7	7	0.5	4	0.3	9	0.7	9	0.6	10	0.7	9	0.6	7	0.5	8	0.6	7	0.5	81	0.5	6.0
Suicide	19	1.5	20	1.5	17	1.3	12	0.8	18	1.2	17	1.1	12	0.9	20	1.3	15	1.1	15	0.8	11	0.8	176	1.1	3.1
All Causes Male	338	87.5	343	82.3	340	79.5	389	87.8	425	92.4	382	81.4	426	86.5	401	84.3	393	76.8	399	77.4	415	75.2	4,251	82.6	1.3
Female	213	55.1	228	56.6	251	58.6	223	49.5	286	60.5	264	55.1	290	54.9	288	54.6	288	53.6	309	56.1	324	58.0	2,964	55.9	1.5
Total	**551**	**70.9**	**571**	**69.3**	**591**	**68.8**	**612**	**68.0**	**711**	**76.2**	**646**	**68.0**	**716**	**69.9**	**689**	**68.5**	**681**	**64.8**	**708**	**66.7**	**739**	**67.0**	**7,215**	**68.9**	**1.4**
Alcohol-Related*	30	2.8	43	3.8	33	3.4	47	4.4	50	4.6	42	3.7	46	3.9	34	2.7	54	4.6	55	4.6	62	4.8	496	4.0	4.4
Medically Treatable	4	0.3	4	0.3	9	0.7	2	0.1	4	0.3	5	0.4	3	0.2	10	0.6	6	0.4	4	0.3	5	0.3	56	0.4	3.5
Drug-Induced	2	0.1	12	0.9	8	0.6	5	0.3	10	0.6	10	0.6	14	1.1	13	0.9	7	0.5	8	0.5	9	0.6	98	0.6	5.0
SAM	113	15.6	129	16.4	126	15.4	131	15.2	155	17.0	128	13.8	161	16.0	152	15.4	147	14.0	171	16.7	163	14.9	1,576	15.5	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH SERVICE DELIVERY AREA
STATUS INDIANS - 53 NORTHEAST
BRITISH COLUMBIA, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	3,060		3,328		3,582		3,838		4,010		4,185		4,327		4,524		4,694		4,856		5,061		45,465		
Live Births[1]: Male	48		64		78		69		70		75		59		52		56		66		81		718		
Female	51		65		55		63		63		57		43		56		52		61		63		629		
Total	**99**	**32.4**	**129**	**38.8**	**133**	**37.1**	**132**	**34.4**	**133**	**33.2**	**132**	**31.5**	**102**	**23.6**	**108**	**23.9**	**108**	**23.0**	**127**	**26.2**	**144**	**28.5**	**1,347**	**29.6**	**2.1**
Low Birth Weight[2]	4	40.4	11	85.3	7	52.6	4	30.3	5	37.6	7	53.0	4	39.2	5	46.3	4	37.0	6	47.2	6	41.7	63	46.8	1.2
Premature[2]	6	60.6	6	46.5	12	90.2	4	30.3	7	52.6	11	83.3	8	78.4	8	74.1	5	46.3	7	55.1	9	62.5	83	61.6	1.3
Cesarean Section[2]	24	242.4	22	170.5	32	240.6	20	151.5	34	255.6	27	204.5	19	186.3	16	148.1	17	157.4	26	204.7	36	250.0	273	202.7	1.0
Teenage Mother[2]	26	262.6	25	193.8	28	210.5	21	159.1	31	233.1	28	212.1	18	176.5	23	213.0	22	203.7	29	228.3	22	152.8	273	202.7	2.7
Elderly Gravida[2]	3	30.3	6	46.5	4	30.1	9	68.2	6	45.1	10	75.8	6	58.8	9	83.3	7	64.8	7	55.1	12	83.3	79	58.6	0.6
Stillbirths[3]:	**1**	**10.0**	-	-	-	-	-	-	**1**	**7.5**	-	-	-	-	**2**	**18.2**	-	-	-	-	-	-	**4**	**3.0**	**0.5**
Early Neonatal[2]	1	10.1	-	-	1	7.5	-	-	2	15.0	-	-	-	-	-	-	-	-	1	7.9	-	-	5	3.7	1.4
Neonatal[2]	1	10.1	-	-	1	7.5	-	-	2	15.0	-	-	-	-	-	-	-	-	1	7.9	-	-	5	3.7	1.1
Post Neonatal[2]	-	-	1	7.8	-	-	-	-	-	-	1	7.6	1	9.8	1	9.3	1	9.3	-	-	-	-	5	3.7	3.4
Infant Deaths[2]	**1**	**10.1**	**1**	**7.8**	**1**	**7.5**	-	-	**2**	**15.0**	**1**	**7.6**	**1**	**9.8**	**1**	**9.3**	**1**	**9.3**	**1**	**7.9**	-	-	**10**	**7.4**	**1.7**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	-	-	1	7.0	-	-	-	-	-	-	1	2.1	2	0.9	1.5
Cancer	2	16.8	2	18.2	2	12.7	2	16.3	2	13.5	4	24.7	4	25.1	4	29.9	4	22.2	3	8.5	1	5.8	30	17.3	1.0
Lung	-	-	1	11.3	-	-	1	10.5	-	-	1	6.6	2	10.3	1	7.5	1	6.2	-	-	1	5.8	6	5.3	0.9
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endo/Nut/Met	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8.4	-	-	2	1.0	0.4
Circulatory System	8	88.1	1	11.3	4	29.4	2	7.2	2	12.6	3	21.0	3	17.0	2	15.0	3	9.5	4	24.7	6	22.9	38	21.7	0.9
Ischemic Heart	5	52.6	-	-	1	7.7	1	3.8	1	9.4	-	-	1	7.1	1	6.5	1	3.5	3	18.6	1	5.4	15	9.4	0.7
Cerebrovascular	2	23.7	-	-	-	-	-	-	1	3.2	2	13.8	-	-	-	-	-	-	-	-	1	3.1	6	3.4	0.9
Respiratory System	1	11.8	3	27.5	-	-	-	-	2	18.9	2	13.8	2	10.3	-	-	3	16.6	3	18.4	2	6.3	18	10.9	1.5
Pneumonia/Influenza	-	-	2	16.2	-	-	-	-	1	9.4	1	7.2	2	10.3	-	-	1	2.5	3	18.4	1	2.1	11	6.0	2.1
Chronic Lung	1	11.8	1	11.3	-	-	-	-	-	-	-	-	-	-	-	-	2	14.1	-	-	-	-	4	2.9	0.8
Digestive System	-	-	-	-	-	-	-	-	-	-	2	11.6	1	7.0	2	6.4	2	8.5	1	2.3	1	2.1	9	3.8	1.7
External Causes	6	16.5	9	41.7	9	35.1	4	15.1	-	-	5	18.0	4	10.2	1	2.9	4	7.1	10	27.2	6	18.2	58	16.9	2.9
MVA	1	3.2	6	31.4	4	15.1	3	12.6	-	-	1	3.3	2	5.6	1	2.9	1	1.9	4	9.4	6	18.2	29	9.4	4.5
Accidental Poisoning	1	3.2	2	8.1	1	2.7	1	2.5	-	-	2	5.0	-	-	-	-	-	-	1	2.3	-	-	8	1.9	6.3
Suicide	1	2.4	-	-	-	-	-	-	-	-	-	-	2	4.6	-	-	1	1.9	-	-	-	-	4	0.8	0.8
All Causes Male	11	149.0	12	156.8	11	133.1	4	37.0	1	2.0	11	142.1	10	92.1	7	111.4	7	58.8	13	95.6	13	85.9	100	95.8	1.2
Female	8	124.6	5	55.6	6	57.6	6	65.7	7	86.8	9	64.7	7	65.1	6	50.3	12	82.9	14	116.5	10	64.8	90	75.4	1.4
Total	**19**	**136.8**	**17**	**104.1**	**17**	**88.6**	**10**	**52.0**	**8**	**47.2**	**20**	**98.8**	**17**	**80.8**	**13**	**74.0**	**19**	**73.9**	**27**	**109.0**	**23**	**72.6**	**190**	**83.4**	**1.2**
Alcohol-Related*	2	8.1	6	25.3	5	21.1	4	11.5	-	-	7	40.3	5	18.6	6	29.9	3	7.3	3	7.1	9	27.4	50	18.6	4.5
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	2	9.8	-	-	1	2.5	-	-	1	2.1	4	1.4	4.7
Drug-Induced	1	3.2	1	4.5	1	2.7	1	2.5	-	-	2	5.0	-	-	-	-	-	-	1	2.3	-	-	7	1.7	4.3
SAM	3	27.8	2	25.6	1	9.3	2	11.6	1	5.4	2	14.4	3	17.8	2	12.6	4	20.2	1	9.1	3	10.8	24	14.1	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Service Delivery Area

Other Residents - 53 Northeast

British Columbia, 1992 - 2002

Population/ Birth-Related/ Infant Deaths	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	S/O
Population	56,866		57,092		57,751		58,956		60,711		60,699		60,254		59,926		59,418		58,879		59,955		650,507		
Live Births[1]: Male	435		446		500		453		438		459		424		401		380		341		370		4,647		
Female	476		485		435		434		424		394		398		346		407		359		336		4,494		
Total	**911**	**16.0**	**931**	**16.3**	**935**	**16.2**	**887**	**15.0**	**862**	**14.2**	**853**	**14.1**	**822**	**13.6**	**747**	**12.5**	**787**	**13.2**	**700**	**11.9**	**706**	**11.8**	**9,141**	**14.1**	**2.1**
Low Birth Weight[2]	33	36.2	43	46.2	45	48.1	37	41.7	29	33.6	28	32.8	37	45.0	24	32.1	38	48.3	29	41.4	25	35.4	368	40.3	1.2
Premature[2]	44	48.3	33	35.4	48	51.3	50	56.4	48	55.7	39	45.7	43	52.3	28	37.5	41	52.1	32	45.7	31	43.9	437	47.8	1.3
Cesarean Section[2]	143	157.0	149	160.0	173	185.0	150	169.1	177	205.3	173	202.8	150	182.5	150	200.8	174	221.1	156	222.9	188	266.3	1,783	195.1	1.0
Teenage Mother[2]	81	88.9	70	75.2	85	90.9	76	85.7	56	65.0	63	73.9	61	74.2	52	69.6	63	80.1	41	58.6	35	49.6	683	74.7	2.7
Elderly Gravida[2]	69	75.7	73	78.4	70	74.9	74	83.4	86	99.8	104	121.9	84	102.2	65	87.0	93	118.2	85	121.4	56	79.3	859	94.0	0.6
Stillbirths[3]:	**4**	**4.4**	**3**	**3.2**	**6**	**6.4**	**5**	**5.6**	**4**	**4.6**	**8**	**9.3**	**1**	**1.2**	**5**	**6.6**	**9**	**11.3**	**8**	**11.3**	**5**	**7.0**	**58**	**6.3**	**0.5**
Early Neonatal[2]	2	2.2	4	4.3	6	6.4	1	1.1	2	2.3	-	-	3	3.6	1	1.3	3	3.8	1	1.4	2	2.8	25	2.7	1.4
Neonatal[2]	3	3.3	6	6.4	6	6.4	1	1.1	2	2.3	-	-	3	3.6	1	1.3	3	3.8	1	1.4	4	5.7	30	3.3	1.1
Post Neonatal[2]	2	2.2	4	4.3	1	1.1	-	-	1	1.2	-	-	-	-	1	1.3	1	1.3	-	-	-	-	10	1.1	3.4
Infant Deaths[2]	**5**	**5.5**	**10**	**10.7**	**7**	**7.5**	**1**	**1.1**	**3**	**3.5**	**-**	**-**	**3**	**3.6**	**2**	**2.7**	**4**	**5.1**	**1**	**1.4**	**4**	**5.7**	**40**	**4.4**	**1.7**

Death-Related Cause of Death	1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		1992-2002		
	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	Number	ASMR	S/O
Infectious/Parasitic	4	1.2	3	0.6	2	0.4	2	0.4	1	0.3	-	-	4	1.0	4	1.0	1	0.2	1	0.3	2	0.5	24	0.6	1.5
Cancer	63	17.1	63	17.9	67	19.1	87	23.1	75	20.6	66	16.6	67	17.2	70	17.6	66	15.8	64	14.2	80	17.6	768	17.8	1.0
Lung	21	5.8	21	6.2	19	5.6	23	6.1	29	7.9	16	3.9	21	5.5	19	4.8	19	4.7	28	6.1	24	5.3	240	5.6	0.9
Female Breast	7	3.5	5	3.0	4	1.7	7	3.1	6	2.8	4	2.0	8	4.0	5	2.0	10	4.3	3	0.9	4	1.3	63	2.6	-
Endo/Nut/Met	5	1.6	7	2.1	9	2.5	9	2.7	8	2.4	10	2.7	7	1.7	12	3.1	16	3.6	7	1.8	8	2.0	98	2.4	0.4
Circulatory System	86	28.0	96	31.0	74	23.1	79	22.8	84	24.6	76	21.0	100	27.2	81	22.1	93	24.0	89	22.0	73	17.7	931	23.7	0.9
Ischemic Heart	45	14.5	55	17.5	41	12.8	44	12.3	45	13.0	44	11.6	61	16.3	45	11.8	54	13.6	51	12.4	44	10.4	529	13.2	0.7
Cerebrovascular	15	4.9	16	5.4	11	3.5	13	4.2	15	4.6	15	4.4	12	3.3	10	2.8	17	4.6	16	4.3	11	2.9	151	4.0	0.9
Respiratory System	27	8.7	29	8.8	30	9.6	26	7.7	23	6.6	26	7.3	30	8.3	30	8.4	18	4.9	23	5.9	30	7.4	292	7.5	1.5
Pneumonia/Influenza	12	3.6	16	4.9	12	3.7	12	3.5	6	1.8	8	2.3	12	3.2	13	3.6	7	1.7	10	2.5	8	2.1	116	2.9	2.1
Chronic Lung	14	4.7	10	3.1	17	5.6	10	3.3	14	4.1	11	3.2	15	4.3	14	3.9	7	2.0	10	2.7	20	4.9	142	3.8	0.8
Digestive System	12	3.2	9	2.8	6	1.8	10	2.8	7	2.0	9	2.6	10	2.8	4	0.9	6	1.3	5	1.2	13	2.9	91	2.2	1.7
External Causes	22	4.5	40	8.0	29	5.5	47	9.0	36	6.7	28	5.3	25	4.3	28	5.4	25	4.4	26	5.2	33	6.4	339	5.9	2.9
MVA	8	1.4	10	1.7	9	1.5	22	3.5	15	2.6	11	1.9	11	1.9	9	1.8	13	2.3	12	2.3	13	2.3	133	2.1	4.5
Accidental Poisoning	-	-	1	0.2	-	-	1	0.2	7	1.1	1	0.2	7	1.0	2	0.3	-	-	1	0.2	-	-	20	0.3	6.3
Suicide	6	1.1	7	1.4	9	1.4	9	1.6	5	0.9	5	1.0	2	0.3	8	1.3	6	0.9	3	0.4	4	0.6	64	1.0	0.8
All Causes Male	151	92.0	176	99.1	142	81.8	160	84.2	151	82.3	146	76.7	162	89.1	165	87.1	159	77.0	135	66.1	161	73.9	1,708	82.1	1.2
Female	89	49.8	101	59.6	103	56.9	120	63.7	111	58.9	88	44.9	112	54.4	90	44.2	104	50.0	105	47.9	107	48.0	1,130	52.3	1.4
Total	**240**	**69.8**	**277**	**79.0**	**245**	**69.2**	**280**	**74.3**	**262**	**70.7**	**234**	**60.5**	**274**	**70.4**	**255**	**64.7**	**263**	**63.5**	**240**	**56.9**	**268**	**61.1**	**2,838**	**66.9**	**1.2**
Alcohol-Related*	4	0.8	20	4.6	16	3.4	27	6.2	17	3.6	18	3.7	16	3.4	19	4.0	25	4.9	26	5.3	22	4.7	210	4.1	4.5
Medically Treatable	2	0.3	3	0.4	3	0.5	5	0.9	1	0.2	-	-	1	0.1	1	0.1	2	0.3	4	0.6	1	0.2	23	0.3	4.7
Drug-Induced	1	0.2	1	0.2	2	0.3	1	0.2	4	0.6	1	0.2	8	1.2	2	0.3	1	0.1	2	0.4	1	0.1	24	0.4	4.3
SAM	60	18.1	59	17.5	52	15.7	58	15.9	62	17.2	52	13.7	63	16.9	57	15.1	51	12.7	61	14.2	63	14.8	637	15.5	0.9

Notes: [1] Live Birth Rates are per 1,000 population. [2] Rates for birth statistics and infant deaths per 1,000 live births. [3] Stillbirth rates per 1,000 total births (live births plus stillbirths).
ASMR per 10,000 Standard population (Canada Census 1991). S/O - Status/Other is the ratio of the Status Indian 1992-2002 rate to the rate for Other Residents in the area shown.
*In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993. SAM - Smoking attributable deaths may not sum to Total due to rounding.

APPENDIX 4

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA

The categories presented in Appendix 4 are listed below.

CAUSES OF DEATH	ICD-10 CODES
Infectious/Parasitic Diseases	A00-B99
HIV Disease	B20-B24
Tuberculosis	A15-A19, B90
Cancer	C00-C97
Lung	C33-C34
Female Breast	C50.0-C50.9
Colorectal	C18-C21
Cervical	C53
Prostate	C61
Endocrine/Nutritional/Metabolic	E00-E89
Diabetes	E10-E14
Circulatory System Diseases	I00-I99
Ischemic Heart	I20-I25
Cerebrovascular	I60-I69
Arteries	I70-I78, I26-I28
Respiratory System Diseases	J00-J99
Pneumonia/Influenza	J10-J18.1, J18.8-J18.9
Chronic Lung Disease	J40-J44
Asthma	J45-J46

CAUSES OF DEATH	ICD-10 CODES
Digestive System Diseases	K00-K93
Chronic Liver Disease/Cirrhosis	K70, K73-K74, K76.0-K76.1
Congenital Anomalies	Q00-Q99
Perinatal Conditions	P00-P96
External Causes	V01-Y98
Motor Vehicle Accidents	V02-V04, V09, V12-V14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-V82.1, V82.3-V89.0, V89.2, V89.9, Y85.0.
Accidental Poisoning	X40-X49
Accidental Falls	W00-W19
Suicide	X60-X84, Y87.0
Homicide	X85-Y09, Y87.1
Fire and Flames	X00-X09
Alcohol-Related Deaths	see glossary
Medical Treatable Diseases	see glossary
Drug Induced Deaths	see glossary
Smoking Attributable Mortality (SAM)	see glossary

Age Standardized Mortality Rates by Health Service Delivery Area and Gender
Provincial Total
British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**196**	**3.6**	**128**	**2.7**	**324**	**3.1**	**3,225**	**1.5**	**1,531**	**0.6**	**4,756**	**1.0**
HIV Disease	132	2.1	44	0.7	176	1.3	1,767	0.8	147	0.1	1,914	0.4
Tuberculosis	7	0.2	16	0.4	23	0.3	70	0.0	52	0.0	122	0.0
Cancer	**650**	**21.3**	**592**	**16.3**	**1,242**	**18.6**	**41,862**	**19.9**	**36,974**	**14.2**	**78,836**	**16.6**
Lung	154	5.2	110	3.3	264	4.2	11,961	5.7	8,836	3.4	20,797	4.4
Female Breast	-	-	102	2.4	102	2.4	-	-	6,180	2.4	6,180	2.4
Colorectal	76	2.6	48	1.5	124	2.0	3,810	1.8	3,384	1.2	7,194	1.5
Cervical	-	-	26	0.5	26	0.5	-	-	490	0.2	490	0.2
Prostate	66	2.6	-	-	66	2.6	5,249	2.6	-	-	5,249	2.6
Endocrine/Nutritional/Metabolic	**119**	**3.7**	**115**	**3.3**	**234**	**3.5**	**4,329**	**2.1**	**4,360**	**1.6**	**8,689**	**1.8**
Diabetes	88	2.8	81	2.4	169	2.6	3,407	1.6	3,166	1.1	6,573	1.4
Circulatory System Diseases	**1,032**	**35.4**	**854**	**27.1**	**1,886**	**31.1**	**54,081**	**26.0**	**51,437**	**17.5**	**105,518**	**21.3**
Ischemic Heart	520	18.0	312	10.6	832	14.1	30,573	14.7	22,839	7.8	53,412	10.9
Cerebrovascular	179	6.6	245	7.4	424	7.1	9,961	4.8	13,649	4.6	23,610	4.7
Arteries	55	1.7	47	1.4	102	1.5	3,862	1.9	3,205	1.1	7,067	1.4
Respiratory System Diseases	**324**	**11.4**	**293**	**8.9**	**617**	**10.1**	**15,641**	**7.6**	**14,530**	**4.9**	**30,171**	**6.1**
Pneumonia/Influenza	162	5.5	151	4.5	313	5.0	6,224	3.0	7,026	2.3	13,250	2.6
Chronic Lung Disease	95	3.8	60	2.0	155	2.8	6,921	3.4	5,166	1.8	12,087	2.4
Asthma	8	0.2	10	0.3	18	0.2	318	0.2	447	0.2	765	0.2
Digestive System Diseases	**271**	**7.6**	**326**	**7.7**	**597**	**7.6**	**5,366**	**2.5**	**5,269**	**1.9**	**10,635**	**2.2**
Chronic Liver Disease/Cirrhosis	120	3.0	180	3.7	300	3.4	1,808	0.8	932	0.4	2,740	0.6
Congenital Anomalies	**42**	**0.5**	**27**	**0.3**	**69**	**0.4**	**628**	**0.4**	**555**	**0.3**	**1,183**	**0.3**
Perinatal Conditions	**47**	**0.4**	**43**	**0.4**	**90**	**0.4**	**538**	**0.3**	**437**	**0.3**	**975**	**0.3**
External Causes	**1,390**	**22.9**	**678**	**10.8**	**2,068**	**16.6**	**14,321**	**6.9**	**6,147**	**2.6**	**20,468**	**4.7**
Motor Vehicle Accidents	330	5.2	166	2.6	496	3.8	2,982	1.5	1,282	0.6	4,264	1.0
Accidental Poisoning	283	4.5	202	2.9	485	3.6	2,749	1.3	704	0.3	3,453	0.8
Accidental Falls	90	2.2	55	1.6	145	1.9	1,719	0.8	1,880	0.6	3,599	0.7
Suicide	303	4.4	109	1.5	412	2.9	3,782	1.8	1,090	0.5	4,872	1.1
Homicide	86	1.3	51	0.7	137	1.0	603	0.3	272	0.1	875	0.2
Fire and Flames	47	0.9	17	0.3	64	0.6	184	0.1	107	0.0	291	0.1
All Other Causes	505	12.3	470	10.7	975	11.5	12,357	6.0	15,074	5.3	27,431	5.6
Total Deaths	**4,576**	**119.1**	**3,526**	**88.1**	**8,102**	**102.9**	**152,348**	**73.2**	**136,314**	**49.0**	**288,662**	**60.0**
Alcohol-Related Deaths	1,367	31.4	685	13.0	2,052	21.7	12,480	5.8	3,351	1.4	15,831	3.5
Medically Treatable Diseases	60	1.1	87	1.3	147	1.2	548	0.2	641	0.3	1,189	0.3
Drug Induced Deaths	255	4.1	246	3.5	501	3.8	3,236	1.5	1,250	0.6	4,486	1.1
Smoking-Attributable Mortality (SAM)	626	21.3	374	11.1	1,000	15.9	37,301	17.8	22,757	8.2	60,058	12.4

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA AND GENDER
11/12 EAST KOOTENAY AND KOOTENAY BOUNDARY
BRITISH COLUMBIA, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**1**	**1.1**	**-**	**-**	**1**	**0.5**	**59**	**0.6**	**52**	**0.4**	**111**	**0.5**
HIV Disease	1	1.1	-	-	1	0.5	13	0.1	-	-	13	0.1
Tuberculosis	-	-	-	-	-	-	1	0.0	1	0.0	2	0.0
Cancer	**16**	**38.5**	**16**	**37.6**	**32**	**36.6**	**1,966**	**20.2**	**1,546**	**13.9**	**3,512**	**16.7**
Lung	8	18.5	4	10.4	12	13.6	547	5.6	379	3.5	926	4.4
Female Breast	-	-	6	11.5	6	11.5	-	-	239	2.2	239	2.2
Colorectal	1	3.3	-	-	1	1.3	165	1.7	150	1.3	315	1.5
Cervical	-	-	1	2.6	1	2.6	-	-	20	0.2	20	0.2
Prostate	-	-	-	-	-	-	272	2.9	-	-	272	2.9
Endocrine/Nutritional/Metabolic	**1**	**0.4**	**4**	**9.2**	**5**	**5.5**	**220**	**2.3**	**228**	**1.9**	**448**	**2.1**
Diabetes	-	-	4	9.2	4	5.3	175	1.8	168	1.4	343	1.6
Circulatory System Diseases	**24**	**60.9**	**19**	**47.7**	**43**	**54.4**	**2,605**	**27.3**	**2,241**	**18.1**	**4,846**	**22.4**
Ischemic Heart	16	40.5	8	22.4	24	30.8	1,494	15.5	1,028	8.4	2,522	11.7
Cerebrovascular	4	11.0	5	12.9	9	12.3	453	4.8	514	4.1	967	4.4
Arteries	1	3.3	2	3.6	3	3.4	217	2.3	143	1.2	360	1.7
Respiratory System Diseases	**7**	**19.5**	**4**	**7.1**	**11**	**13.1**	**727**	**7.7**	**507**	**4.1**	**1,234**	**5.7**
Pneumonia/Influenza	4	10.0	2	4.4	6	7.1	265	2.8	236	1.9	501	2.3
Chronic Lung Disease	2	6.2	1	2.2	3	4.5	360	3.8	199	1.7	559	2.6
Asthma	-	-	-	-	-	-	13	0.1	7	0.1	20	0.1
Digestive System Diseases	**5**	**15.1**	**5**	**6.4**	**10**	**10.1**	**250**	**2.6**	**246**	**2.1**	**496**	**2.3**
Chronic Liver Disease/Cirrhosis	2	6.1	3	3.7	5	4.6	87	0.9	48	0.4	135	0.6
Congenital Anomalies	**-**	**-**	**-**	**-**	**-**	**-**	**24**	**0.4**	**20**	**0.3**	**44**	**0.3**
Perinatal Conditions	**2**	**0.8**	**-**	**-**	**2**	**0.4**	**17**	**0.3**	**14**	**0.3**	**31**	**0.3**
External Causes	**19**	**25.9**	**8**	**8.4**	**27**	**17.2**	**727**	**8.5**	**316**	**3.3**	**1,043**	**5.9**
Motor Vehicle Accidents	5	4.9	3	2.5	8	3.5	209	2.5	100	1.2	309	1.9
Accidental Poisoning	1	1.0	4	4.0	5	2.7	45	0.5	20	0.2	65	0.4
Accidental Falls	1	3.4	1	1.9	2	2.8	86	1.0	86	0.7	172	0.8
Suicide	6	6.6	-	-	6	3.2	203	2.3	47	0.5	250	1.4
Homicide	-	-	-	-	-	-	21	0.3	16	0.2	37	0.2
Fire and Flames	4	8.0	-	-	4	4.0	13	0.2	5	0.1	18	0.1
All Other Causes	5	12.0	4	6.2	9	8.6	576	6.2	682	5.6	1,258	5.9
Total Deaths	**80**	**174.2**	**60**	**122.8**	**140**	**146.5**	**7,171**	**76.0**	**5,852**	**50.1**	**13,023**	**62.2**
Alcohol-Related Deaths	27	49.3	13	18.3	40	33.8	661	7.0	185	1.8	846	4.3
Medically Treatable Diseases	1	1.0	1	1.4	2	1.1	27	0.3	22	0.3	49	0.3
Drug Induced Deaths	2	2.8	4	4.0	6	3.6	62	0.7	43	0.5	105	0.6
Smoking-Attributable Mortality (SAM)	18	43.2	8	19.3	26	30.3	1,781	18.4	952	8.1	2,733	12.8

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA AND GENDER

13 OKANAGAN

BRITISH COLUMBIA, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**3**	**1.3**	**5**	**2.3**	**8**	**1.8**	**150**	**0.8**	**124**	**0.5**	**274**	**0.6**
HIV Disease	2	0.6	1	0.3	3	0.4	47	0.3	7	0.1	54	0.2
Tuberculosis	1	0.7	1	0.6	2	0.6	4	0.0	7	0.0	11	0.0
Cancer	**37**	**20.8**	**24**	**10.7**	**61**	**15.2**	**4,423**	**19.4**	**3,548**	**13.5**	**7,971**	**16.1**
Lung	8	5.7	3	1.4	11	3.3	1,214	5.3	845	3.2	2,059	4.2
Female Breast	-	-	5	1.7	5	1.7	-	-	581	2.4	581	2.4
Colorectal	6	3.5	-	-	6	1.6	383	1.7	316	1.1	699	1.4
Cervical	-	-	2	1.0	2	1.0	-	-	39	0.2	39	0.2
Prostate	3	1.9	-	-	3	1.9	656	2.7	-	-	656	2.7
Endocrine/Nutritional/Metabolic	**6**	**3.3**	**9**	**4.5**	**15**	**4.0**	**422**	**1.9**	**382**	**1.3**	**804**	**1.6**
Diabetes	4	2.4	6	2.9	10	2.7	335	1.5	267	0.9	602	1.2
Circulatory System Diseases	**63**	**38.2**	**49**	**25.5**	**112**	**31.3**	**5,722**	**24.3**	**4,926**	**15.7**	**10,648**	**19.7**
Ischemic Heart	38	22.8	21	11.0	59	16.4	3,039	13.0	2,105	6.7	5,144	9.6
Cerebrovascular	9	6.0	13	6.7	22	6.4	1,026	4.3	1,328	4.2	2,354	4.3
Arteries	5	2.5	1	0.6	6	1.5	495	2.1	349	1.1	844	1.6
Respiratory System Diseases	**29**	**17.4**	**17**	**8.3**	**46**	**12.4**	**1,682**	**7.0**	**1,424**	**4.6**	**3,106**	**5.6**
Pneumonia/Influenza	13	6.5	7	3.3	20	4.8	675	2.8	694	2.2	1,369	2.4
Chronic Lung Disease	10	6.8	6	3.1	16	4.8	750	3.1	482	1.6	1,232	2.2
Asthma	2	1.4	-	-	2	0.6	36	0.2	48	0.2	84	0.2
Digestive System Diseases	**21**	**10.6**	**12**	**4.3**	**33**	**7.2**	**558**	**2.5**	**486**	**1.7**	**1,044**	**2.1**
Chronic Liver Disease/Cirrhosis	15	7.4	8	3.0	23	5.1	159	0.8	79	0.3	238	0.5
Congenital Anomalies	**2**	**0.4**	**2**	**0.5**	**4**	**0.5**	**47**	**0.4**	**48**	**0.3**	**95**	**0.3**
Perinatal Conditions	**1**	**0.2**	**1**	**0.2**	**2**	**0.2**	**35**	**0.3**	**28**	**0.3**	**63**	**0.3**
External Causes	**69**	**22.9**	**28**	**8.8**	**97**	**15.6**	**1,166**	**7.2**	**582**	**2.9**	**1,748**	**5.0**
Motor Vehicle Accidents	28	8.1	10	2.8	38	5.4	288	2.0	133	0.7	421	1.3
Accidental Poisoning	5	1.7	4	1.2	9	1.4	113	0.8	52	0.3	165	0.6
Accidental Falls	6	3.2	3	1.1	9	2.1	186	0.8	193	0.6	379	0.7
Suicide	15	5.1	3	0.9	18	2.9	329	2.1	97	0.6	426	1.3
Homicide	2	0.6	2	1.1	4	0.9	39	0.3	31	0.2	70	0.2
Fire and Flames	5	1.1	3	1.1	8	1.1	17	0.1	9	0.1	26	0.1
All Other Causes	20	9.5	21	9.4	41	9.4	1,224	5.4	1,466	5.0	2,690	5.2
Total Deaths	**251**	**124.6**	**168**	**74.5**	**419**	**97.5**	**15,429**	**69.3**	**13,014**	**45.7**	**28,443**	**56.6**
Alcohol-Related Deaths	80	33.0	33	11.2	113	21.4	1,220	6.3	363	1.6	1,583	3.8
Medically Treatable Diseases	2	0.6	2	0.7	4	0.7	35	0.2	41	0.2	76	0.2
Drug Induced Deaths	2	0.6	4	1.2	6	0.9	161	1.1	102	0.6	263	0.9
Smoking-Attributable Mortality (SAM)	44	26.4	22	10.5	65	17.7	3,892	16.8	2,165	7.5	6,057	11.7

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

14 Thompson Cariboo Shuswap

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**10**	**1.4**	**12**	**1.8**	**22**	**1.6**	**85**	**0.8**	**69**	**0.6**	**154**	**0.7**
HIV Disease	4	0.4	3	0.3	7	0.4	19	0.2	3	0.0	22	0.1
Tuberculosis	-	-	1	0.2	1	0.1	2	0.0	3	0.0	5	0.0
Cancer	**73**	**14.8**	**78**	**13.6**	**151**	**14.2**	**2,246**	**20.3**	**1,762**	**14.4**	**4,008**	**17.1**
Lung	20	3.9	10	1.9	30	2.8	702	6.3	469	3.8	1,171	4.9
Female Breast	-	-	17	2.7	17	2.7	-	-	295	2.4	295	2.4
Colorectal	5	1.2	7	1.4	12	1.3	178	1.6	158	1.3	336	1.4
Cervical	-	-	7	1.0	7	1.0	-	-	21	0.2	21	0.2
Prostate	9	2.0	-	-	9	2.0	278	2.8	-	-	278	2.8
Endocrine/Nutritional/Metabolic	**16**	**3.4**	**14**	**2.7**	**30**	**3.0**	**221**	**2.1**	**204**	**1.7**	**425**	**1.9**
Diabetes	15	3.2	11	2.3	26	2.7	174	1.6	147	1.2	321	1.4
Circulatory System Diseases	**124**	**26.1**	**105**	**20.2**	**229**	**23.1**	**2,955**	**28.3**	**2,251**	**18.5**	**5,206**	**23.2**
Ischemic Heart	55	11.4	34	6.8	89	9.1	1,633	15.2	931	7.6	2,564	11.3
Cerebrovascular	31	6.9	34	6.2	65	6.5	475	4.7	547	4.5	1,022	4.6
Arteries	4	0.9	7	1.1	11	1.0	226	2.2	166	1.4	392	1.7
Respiratory System Diseases	**41**	**8.6**	**51**	**9.7**	**92**	**9.2**	**849**	**8.5**	**601**	**4.9**	**1,450**	**6.5**
Pneumonia/Influenza	23	5.2	23	4.2	46	4.7	260	2.6	234	1.9	494	2.3
Chronic Lung Disease	9	2.0	9	1.9	18	2.0	451	4.5	273	2.2	724	3.2
Asthma	1	0.1	3	0.5	4	0.3	24	0.2	26	0.2	50	0.2
Digestive System Diseases	**31**	**5.4**	**60**	**9.4**	**91**	**7.4**	**321**	**2.9**	**266**	**2.2**	**587**	**2.5**
Chronic Liver Disease/Cirrhosis	16	2.7	36	5.0	52	3.9	122	1.0	64	0.5	186	0.8
Congenital Anomalies	**4**	**0.3**	**3**	**0.2**	**7**	**0.3**	**33**	**0.4**	**23**	**0.3**	**56**	**0.3**
Perinatal Conditions	**5**	**0.4**	**2**	**0.2**	**7**	**0.3**	**28**	**0.4**	**15**	**0.2**	**43**	**0.3**
External Causes	**223**	**25.8**	**84**	**9.9**	**307**	**17.8**	**1,007**	**9.8**	**406**	**3.7**	**1,413**	**6.8**
Motor Vehicle Accidents	69	7.6	34	4.0	103	5.8	318	3.1	136	1.4	454	2.2
Accidental Poisoning	21	2.4	8	0.9	29	1.6	117	1.2	40	0.4	157	0.8
Accidental Falls	15	2.5	9	1.6	24	2.1	97	1.0	107	0.9	204	0.9
Suicide	46	4.8	11	1.1	57	2.9	260	2.5	50	0.4	310	1.5
Homicide	10	1.2	9	0.9	19	1.0	34	0.3	16	0.2	50	0.2
Fire and Flames	9	1.3	2	0.2	11	0.8	10	0.1	9	0.1	19	0.1
All Other Causes	57	9.6	58	9.9	115	9.8	623	6.1	647	5.4	1,270	5.8
Total Deaths	**584**	**95.8**	**467**	**77.5**	**1,051**	**86.6**	**8,368**	**79.7**	**6,244**	**51.9**	**14,612**	**65.1**
Alcohol-Related Deaths	213	32.9	104	14.6	317	23.5	845	7.7	208	1.8	1,053	4.7
Medically Treatable Diseases	4	0.4	15	1.6	19	1.0	24	0.2	39	0.3	63	0.3
Drug Induced Deaths	13	1.4	9	1.1	22	1.2	149	1.5	65	0.6	214	1.0
Smoking-Attributable Mortality (SAM)	77	15.7	48	8.8	125	12.1	2,143	20.0	1,116	9.1	3,259	14.1

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

21 Fraser East

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**5**	**1.2**	**8**	**2.8**	**13**	**2.0**	**133**	**1.0**	**97**	**0.6**	**230**	**0.8**
HIV Disease	4	1.0	2	0.4	6	0.7	39	0.3	3	0.0	42	0.2
Tuberculosis	-	-	-	-	-	-	5	0.0	5	0.0	10	0.0
Cancer	**36**	**17.7**	**33**	**15.3**	**69**	**16.4**	**2,652**	**20.1**	**2,227**	**14.2**	**4,879**	**16.8**
Lung	11	5.0	6	2.7	17	3.8	750	5.7	536	3.5	1,286	4.5
Female Breast	-	-	8	3.7	8	3.7	-	-	352	2.3	352	2.3
Colorectal	-	-	2	1.1	2	0.6	232	1.8	219	1.4	451	1.5
Cervical	-	-	1	0.2	1	0.2	-	-	21	0.2	21	0.2
Prostate	5	3.3	-	-	5	3.3	375	2.8	-	-	375	2.8
Endocrine/Nutritional/Metabolic	**8**	**3.5**	**5**	**2.1**	**13**	**2.8**	**299**	**2.3**	**289**	**1.7**	**588**	**2.0**
Diabetes	6	2.9	3	1.3	9	2.0	247	1.9	218	1.3	465	1.6
Circulatory System Diseases	**71**	**39.9**	**52**	**28.5**	**123**	**33.9**	**3,570**	**26.8**	**3,419**	**19.1**	**6,989**	**22.6**
Ischemic Heart	44	24.8	24	13.8	68	19.0	2,120	15.9	1,668	9.3	3,788	12.3
Cerebrovascular	13	8.1	14	7.9	27	8.0	643	4.8	814	4.5	1,457	4.7
Arteries	5	2.6	4	1.6	9	2.1	234	1.8	208	1.2	442	1.4
Respiratory System Diseases	**17**	**8.2**	**15**	**8.2**	**32**	**8.2**	**963**	**7.2**	**912**	**5.1**	**1,875**	**6.0**
Pneumonia/Influenza	7	3.4	6	3.5	13	3.5	389	2.9	438	2.4	827	2.6
Chronic Lung Disease	4	2.4	3	1.6	7	2.0	434	3.2	328	1.9	762	2.5
Asthma	2	0.9	1	0.7	3	0.8	19	0.1	38	0.2	57	0.2
Digestive System Diseases	**20**	**9.6**	**17**	**7.0**	**37**	**8.2**	**364**	**2.8**	**308**	**1.8**	**672**	**2.3**
Chronic Liver Disease/Cirrhosis	11	4.6	9	3.2	20	3.9	105	0.8	41	0.3	146	0.5
Congenital Anomalies	**2**	**0.4**	**3**	**0.5**	**5**	**0.4**	**56**	**0.5**	**49**	**0.4**	**105**	**0.4**
Perinatal Conditions	**2**	**0.2**	**-**	**-**	**2**	**0.1**	**31**	**0.3**	**24**	**0.2**	**55**	**0.2**
External Causes	**84**	**24.3**	**36**	**8.2**	**120**	**15.9**	**833**	**6.9**	**380**	**2.8**	**1,213**	**4.9**
Motor Vehicle Accidents	24	6.6	16	3.2	40	4.8	205	1.7	92	0.7	297	1.3
Accidental Poisoning	20	5.3	7	1.9	27	3.5	122	1.0	44	0.4	166	0.7
Accidental Falls	5	2.2	1	0.3	6	1.2	91	0.7	91	0.5	182	0.6
Suicide	13	3.6	8	1.7	21	2.6	216	1.8	70	0.6	286	1.2
Homicide	5	1.5	-	-	5	0.7	29	0.2	19	0.2	48	0.2
Fire and Flames	-	--	1	0.2	1	0.1	19	0.1	7	0.1	26	0.1
All Other Causes	30	9.9	24	6.9	54	8.3	789	6.0	828	4.8	1,617	5.4
Total Deaths	**275**	**114.8**	**193**	**79.5**	**468**	**96.3**	**9,690**	**73.8**	**8,533**	**50.8**	**18,223**	**61.5**
Alcohol-Related Deaths	63	25.0	22	6.9	85	15.6	595	4.7	160	1.1	755	2.8
Medically Treatable Diseases	4	0.9	4	1.1	8	1.0	34	0.3	43	0.4	77	0.3
Drug Induced Deaths	20	5.8	10	2.6	30	4.1	148	1.2	91	0.8	239	1.0
Smoking-Attributable Mortality (SAM)	41	21.3	22	10.7	62	15.7	2,355	17.8	1,449	8.7	3,804	12.8

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

22 Fraser North

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**4**	**2.9**	**3**	**1.0**	**7**	**1.7**	**305**	**1.2**	**179**	**0.6**	**484**	**0.9**
HIV Disease	1	0.6	-	-	1	0.3	130	0.4	16	0.1	146	0.2
Tuberculosis	-	-	1	0.3	1	0.2	9	0.0	3	0.0	12	0.0
Cancer	**35**	**89.9**	**41**	**56.6**	**76**	**67.2**	**4,778**	**21.0**	**4,462**	**14.6**	**9,240**	**17.2**
Lung	14	43.3	11	12.9	25	23.3	1,421	6.3	1,089	3.6	2,510	4.7
Female Breast	-	-	4	1.9	4	1.9	-	-	766	2.5	766	2.5
Colorectal	3	6.5	4	8.8	7	7.6	454	2.0	432	1.4	886	1.6
Cervical	-	-	-	-	-	-	-	-	66	0.2	66	0.2
Prostate	3	9.9	-	-	3	9.9	518	2.4	-	-	518	2.4
Endocrine/Nutritional/Metabolic	**5**	**10.2**	**8**	**14.5**	**13**	**13.0**	**493**	**2.2**	**588**	**1.8**	**1,081**	**2.0**
Diabetes	5	10.2	7	11.8	12	11.3	393	1.8	445	1.4	838	1.5
Circulatory System Diseases	**47**	**132.3**	**53**	**109.0**	**100**	**117.8**	**6,256**	**28.7**	**6,443**	**19.0**	**12,699**	**23.2**
Ischemic Heart	29	81.8	20	46.8	49	59.9	3,615	16.5	2,938	8.7	6,553	12.0
Cerebrovascular	9	28.0	19	36.7	28	33.5	1,189	5.6	1,701	5.0	2,890	5.2
Arteries	1	2.2	1	2.7	2	2.5	422	2.0	377	1.1	799	1.5
Respiratory System Diseases	**22**	**70.5**	**14**	**24.7**	**36**	**42.1**	**1,877**	**8.9**	**1,746**	**5.2**	**3,623**	**6.6**
Pneumonia/Influenza	7	24.9	7	13.5	14	18.0	811	3.9	869	2.5	1,680	3.0
Chronic Lung Disease	14	44.5	5	10.1	19	23.0	789	3.7	621	1.9	1,410	2.6
Asthma	-	-	1	0.5	1	0.3	25	0.1	51	0.2	76	0.1
Digestive System Diseases	**11**	**19.4**	**9**	**9.1**	**20**	**12.8**	**627**	**2.7**	**655**	**2.0**	**1,282**	**2.3**
Chronic Liver Disease/Cirrhosis	3	5.1	5	4.6	8	4.4	233	0.9	107	0.4	340	0.6
Congenital Anomalies	**1**	**0.2**	**2**	**0.4**	**3**	**0.3**	**70**	**0.3**	**89**	**0.4**	**159**	**0.3**
Perinatal Conditions	**2**	**0.3**	**2**	**0.3**	**4**	**0.3**	**66**	**0.3**	**57**	**0.3**	**123**	**0.3**
External Causes	**41**	**24.9**	**29**	**20.9**	**70**	**23.2**	**1,492**	**5.6**	**620**	**2.1**	**2,112**	**3.8**
Motor Vehicle Accidents	5	2.7	3	1.2	8	1.8	261	1.0	115	0.4	376	0.7
Accidental Poisoning	15	7.1	10	5.0	25	6.3	338	1.2	65	0.2	403	0.7
Accidental Falls	1	0.6	5	10.0	6	6.4	177	0.8	176	0.5	353	0.6
Suicide	11	5.6	8	3.6	19	4.5	435	1.6	129	0.5	564	1.0
Homicide	2	0.8	2	0.6	4	0.7	88	0.3	30	0.1	118	0.2
Fire and Flames	1	0.6	-	-	1	0.3	14	0.1	17	0.1	31	0.1
All Other Causes	18	22.0	16	20.6	34	20.6	1,323	5.9	1,686	5.1	3,009	5.5
Total Deaths	**186**	**372.6**	**177**	**257.1**	**363**	**298.8**	**17,287**	**76.8**	**16,525**	**50.9**	**33,812**	**62.0**
Alcohol-Related Deaths	39	49.8	18	13.1	57	27.1	1,386	5.7	327	1.1	1,713	3.2
Medically Treatable Diseases	2	1.4	2	0.7	4	1.0	70	0.2	83	0.3	153	0.3
Drug Induced Deaths	16	12.8	15	6.4	31	8.9	407	1.4	145	0.5	552	1.0
Smoking-Attributable Mortality (SAM)	42	123.6	26	39.6	68	70.3	4,351	19.6	2,785	8.7	7,136	13.2

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

23 Fraser South

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**6**	**2.9**	**1**	**0.4**	**7**	**1.6**	**320**	**1.1**	**208**	**0.6**	**528**	**0.8**
HIV Disease	5	2.4	1	0.4	6	1.3	111	0.4	15	0.1	126	0.2
Tuberculosis	-	-	-	-	-	-	7	0.0	9	0.0	16	0.0
Cancer	**23**	**38.3**	**38**	**45.1**	**61**	**42.2**	**5,107**	**18.9**	**4,760**	**14.2**	**9,867**	**16.2**
Lung	7	10.8	7	9.8	14	10.2	1,370	5.1	1,143	3.5	2,513	4.2
Female Breast	-	-	7	5.1	7	5.1	-	-	824	2.5	824	2.5
Colorectal	3	6.1	4	6.5	7	6.3	468	1.7	425	1.2	893	1.5
Cervical	-	-	-	-	-	-	-	-	73	0.2	73	0.2
Prostate	2	4.2	-	-	2	4.2	668	2.6	-	-	668	2.6
Endocrine/Nutritional/Metabolic	**4**	**7.0**	**6**	**6.8**	**10**	**6.7**	**547**	**2.0**	**542**	**1.5**	**1,089**	**1.8**
Diabetes	4	7.0	4	5.1	8	5.8	443	1.7	412	1.2	855	1.4
Circulatory System Diseases	**42**	**86.3**	**32**	**61.4**	**74**	**71.6**	**6,706**	**25.3**	**6,280**	**17.2**	**12,986**	**20.9**
Ischemic Heart	22	46.4	13	26.1	35	34.4	4,040	15.2	3,070	8.4	7,110	11.4
Cerebrovascular	6	12.2	7	16.0	13	14.3	1,197	4.6	1,620	4.4	2,817	4.5
Arteries	4	6.0	3	4.2	7	5.0	452	1.7	378	1.1	830	1.3
Respiratory System Diseases	**7**	**18.3**	**9**	**14.8**	**16**	**16.4**	**1,740**	**6.7**	**1,684**	**4.6**	**3,424**	**5.5**
Pneumonia/Influenza	4	11.3	3	5.4	7	7.9	668	2.6	749	2.0	1,417	2.2
Chronic Lung Disease	3	7.0	4	7.5	7	7.3	774	3.0	627	1.8	1,401	2.3
Asthma	-	-	-	-	-	-	38	0.1	59	0.2	97	0.2
Digestive System Diseases	**5**	**6.5**	**7**	**7.1**	**12**	**6.9**	**624**	**2.3**	**617**	**1.7**	**1,241**	**2.0**
Chronic Liver Disease/Cirrhosis	4	4.6	3	3.3	7	3.8	217	0.8	126	0.4	343	0.6
Congenital Anomalies	**4**	**1.2**	**2**	**0.3**	**6**	**0.7**	**102**	**0.4**	**84**	**0.3**	**186**	**0.3**
Perinatal Conditions	**5**	**0.7**	**2**	**0.3**	**7**	**0.5**	**92**	**0.3**	**86**	**0.3**	**178**	**0.3**
External Causes	**38**	**19.8**	**23**	**11.0**	**61**	**15.1**	**1,617**	**5.6**	**662**	**2.1**	**2,279**	**3.8**
Motor Vehicle Accidents	7	2.9	4	1.7	11	2.3	406	1.4	154	0.5	560	1.0
Accidental Poisoning	12	5.8	10	4.2	22	5.0	338	1.1	70	0.2	408	0.7
Accidental Falls	2	1.1	-	-	2	0.5	153	0.6	166	0.4	319	0.5
Suicide	10	5.5	-	-	10	2.4	405	1.4	126	0.4	531	0.9
Homicide	2	1.0	3	1.2	5	1.1	72	0.2	44	0.1	116	0.2
Fire and Flames	1	0.5	2	0.7	3	0.6	20	0.1	13	0.0	33	0.1
All Other Causes	9	9.2	19	24.6	28	18.0	1,413	5.3	1,659	4.6	3,072	4.9
Total Deaths	**143**	**190.2**	**139**	**171.9**	**282**	**179.5**	**18,268**	**67.8**	**16,582**	**47.2**	**34,850**	**56.5**
Alcohol-Related Deaths	15	14.0	18	11.5	33	12.5	1,220	4.3	342	1.0	1,562	2.6
Medically Treatable Diseases	2	1.4	-	-	2	0.6	88	0.3	95	0.3	183	0.3
Drug Induced Deaths	12	5.8	13	6.4	25	6.3	377	1.3	138	0.5	515	0.9
Smoking-Attributable Mortality (SAM)	23	44.7	17	26.8	40	34.1	4,374	16.3	2,808	8.1	7,182	11.7

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

31 Richmond

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**1**	**4.0**	**-**	**-**	**1**	**1.5**	**86**	**1.2**	**54**	**0.6**	**140**	**0.8**
HIV Disease	1	4.0	-	-	1	1.5	26	0.3	4	0.1	30	0.2
Tuberculosis	-	-	-	-	-	-	4	0.1	3	0.0	7	0.0
Cancer	**1**	**27.1**	**6**	**39.2**	**7**	**38.1**	**1,255**	**17.5**	**1,204**	**12.5**	**2,459**	**14.5**
Lung	1	27.1	2	17.4	3	22.6	379	5.3	281	3.0	660	3.9
Female Breast	-	-	1	2.4	1	2.4	-	-	210	2.1	210	2.1
Colorectal	-	-	-	-	-	-	135	1.9	129	1.4	264	1.6
Cervical	-	-	-	-	-	-	-	-	17	0.2	17	0.2
Prostate	-	-	-	-	-	-	124	1.9	-	-	124	1.9
Endocrine/Nutritional/Metabolic	**1**	**10.8**	**-**	**-**	**1**	**5.7**	**124**	**1.8**	**126**	**1.3**	**250**	**1.5**
Diabetes	-	-	-	-	-	-	93	1.4	93	0.9	186	1.1
Circulatory System Diseases	**5**	**176.4**	**5**	**60.7**	**10**	**91.8**	**1,520**	**22.1**	**1,491**	**14.7**	**3,011**	**18.0**
Ischemic Heart	3	119.5	4	57.7	7	73.6	913	13.2	700	6.9	1,613	9.6
Cerebrovascular	1	46.2	-	-	1	10.7	289	4.3	412	4.0	701	4.2
Arteries	-	-	-	-	-	-	101	1.5	74	0.7	175	1.1
Respiratory System Diseases	**2**	**57.0**	**1**	**14.0**	**3**	**27.2**	**443**	**6.7**	**435**	**4.3**	**878**	**5.2**
Pneumonia/Influenza	-	-	-	-	-	-	201	3.1	198	1.9	399	2.4
Chronic Lung Disease	1	46.2	-	-	1	10.7	150	2.3	160	1.6	310	1.9
Asthma	-	-	-	-	-	-	7	0.1	16	0.2	23	0.1
Digestive System Diseases	**1**	**4.2**	**1**	**4.1**	**2**	**3.9**	**140**	**1.9**	**168**	**1.7**	**308**	**1.8**
Chronic Liver Disease/Cirrhosis	-	-	-	-	-	-	43	0.5	27	0.3	70	0.4
Congenital Anomalies	**1**	**1.2**	**-**	**-**	**1**	**0.6**	**15**	**0.2**	**15**	**0.2**	**30**	**0.2**
Perinatal Conditions	**-**	**-**	**2**	**2.5**	**2**	**1.2**	**25**	**0.4**	**25**	**0.4**	**50**	**0.4**
External Causes	**5**	**16.8**	**3**	**18.9**	**8**	**21.7**	**302**	**3.7**	**171**	**1.8**	**473**	**2.7**
Motor Vehicle Accidents	2	5.7	-	-	2	3.1	58	0.7	36	0.4	94	0.6
Accidental Poisoning	-	-	1	2.3	1	1.2	41	0.5	11	0.1	52	0.3
Accidental Falls	1	2.7	1	14.0	2	12.1	40	0.6	49	0.5	89	0.5
Suicide	-	-	1	2.7	1	1.3	88	1.0	37	0.4	125	0.7
Homicide	1	5.6	-	-	1	2.4	14	0.2	3	0.0	17	0.1
Fire and Flames	-	-	-	-	-	-	7	0.1	2	0.0	9	0.0
All Other Causes	3	36.9	2	29.7	5	34.5	298	4.3	392	3.9	690	4.1
Total Deaths	**20**	**334.5**	**20**	**169.2**	**40**	**226.2**	**4,208**	**59.9**	**4,081**	**41.4**	**8,289**	**49.3**
Alcohol-Related Deaths	1	10.8	1	2.7	2	7.1	229	2.9	75	0.8	304	1.8
Medically Treatable Diseases	-	-	-	-	-	-	14	0.2	20	0.2	34	0.2
Drug Induced Deaths	-	-	2	5.0	2	2.6	58	0.7	30	0.3	88	0.5
Smoking-Attributable Mortality (SAM)	3	102.2	2	22.3	5	44.8	1,057	15.1	687	7.0	1,745	10.4

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA AND GENDER

32 VANCOUVER

BRITISH COLUMBIA, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**93**	**14.5**	**31**	**4.9**	**124**	**9.7**	**1,415**	**4.3**	**310**	**0.8**	**1,725**	**2.6**
HIV Disease	74	10.3	21	2.9	95	6.6	1,086	3.2	68	0.2	1,154	1.7
Tuberculosis	1	0.2	2	0.3	3	0.2	31	0.1	11	0.0	42	0.1
Cancer	**46**	**26.2**	**56**	**19.6**	**102**	**22.3**	**5,556**	**19.7**	**4,915**	**12.9**	**10,471**	**15.7**
Lung	12	6.4	8	2.8	20	4.3	1,619	5.8	1,098	2.9	2,717	4.1
Female Breast	-	-	10	3.1	10	3.1	-	-	800	2.2	800	2.2
Colorectal	6	4.2	5	2.4	11	3.1	583	2.1	475	1.2	1,058	1.6
Cervical	-	-	2	0.3	2	0.3	-	-	69	0.2	69	0.2
Prostate	6	5.2	-	-	6	5.2	548	2.0	-	-	548	2.0
Endocrine/Nutritional/Metabolic	**9**	**5.6**	**14**	**3.1**	**23**	**4.0**	**643**	**2.3**	**684**	**1.6**	**1,327**	**1.9**
Diabetes	8	4.5	9	2.2	17	3.0	485	1.7	468	1.1	953	1.4
Circulatory System Diseases	**88**	**44.8**	**75**	**38.5**	**163**	**41.9**	**7,460**	**26.7**	**7,799**	**17.4**	**15,259**	**21.5**
Ischemic Heart	37	17.8	29	16.7	66	17.7	4,178	15.0	3,494	7.8	7,672	10.9
Cerebrovascular	18	12.8	11	5.9	29	8.8	1,508	5.4	2,163	4.8	3,671	5.1
Arteries	8	6.2	5	2.8	13	4.1	434	1.6	443	1.0	877	1.2
Respiratory System Diseases	**29**	**16.1**	**23**	**8.9**	**52**	**11.9**	**2,501**	**9.0**	**2,365**	**5.2**	**4,866**	**6.8**
Pneumonia/Influenza	14	6.4	13	5.1	27	5.6	1,122	4.0	1,355	2.9	2,477	3.4
Chronic Lung Disease	6	5.9	3	1.4	9	3.2	982	3.6	657	1.5	1,639	2.3
Asthma	-	-	-	-	-	-	46	0.2	56	0.1	102	0.1
Digestive System Diseases	**34**	**9.9**	**64**	**14.6**	**98**	**12.4**	**937**	**3.3**	**849**	**2.0**	**1,786**	**2.6**
Chronic Liver Disease/Cirrhosis	18	4.8	42	8.3	60	6.6	338	1.1	135	0.4	473	0.7
Congenital Anomalies	**3**	**0.5**	**-**	**-**	**3**	**0.2**	**91**	**0.4**	**71**	**0.3**	**162**	**0.3**
Perinatal Conditions	**4**	**0.4**	**5**	**0.5**	**9**	**0.5**	**98**	**0.5**	**66**	**0.3**	**164**	**0.4**
External Causes	**203**	**31.9**	**148**	**22.5**	**351**	**27.2**	**2,574**	**8.0**	**953**	**2.6**	**3,527**	**5.3**
Motor Vehicle Accidents	16	2.9	13	2.3	29	2.6	245	0.8	139	0.4	384	0.6
Accidental Poisoning	106	15.5	94	13.0	200	14.2	966	2.9	203	0.6	1,169	1.8
Accidental Falls	19	4.2	8	2.7	27	3.5	311	1.1	258	0.6	569	0.8
Suicide	24	3.2	17	2.4	41	2.8	632	1.9	185	0.6	817	1.2
Homicide	14	1.9	8	1.1	22	1.5	145	0.5	47	0.1	192	0.3
Fire and Flames	1	0.2	-	-	1	0.1	22	0.1	9	0.0	31	0.0
All Other Causes	96	25.3	72	13.9	168	18.8	2,008	7.0	2,307	5.3	4,315	6.1
Total Deaths	**605**	**175.2**	**488**	**126.7**	**1,093**	**148.8**	**23,283**	**81.2**	**20,319**	**48.5**	**43,602**	**63.3**
Alcohol-Related Deaths	229	50.2	176	30.3	405	39.3	2,313	7.7	475	1.4	2,788	4.3
Medically Treatable Diseases	17	3.2	16	2.3	33	2.7	113	0.3	83	0.3	196	0.3
Drug Induced Deaths	98	14.1	97	13.4	195	13.7	1,055	3.1	271	0.8	1,326	2.0
Smoking-Attributable Mortality (SAM)	50	27.6	29	12.1	79	18.6	5,239	18.7	3,186	7.6	8,425	12.3

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

33 North Shore/Coast Garibaldi

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**11**	**3.6**	**10**	**2.5**	**21**	**3.0**	**151**	**1.0**	**94**	**0.5**	**245**	**0.8**
HIV Disease	4	1.0	3	0.6	7	0.7	77	0.5	9	0.1	86	0.3
Tuberculosis	1	0.3	2	0.7	3	0.5	2	0.0	2	0.0	4	0.0
Cancer	**51**	**18.2**	**52**	**16.2**	**103**	**17.2**	**2,623**	**18.6**	**2,572**	**14.1**	**5,195**	**15.9**
Lung	4	1.3	8	3.0	12	2.2	713	5.0	558	3.1	1,271	3.9
Female Breast	-	-	6	1.8	6	1.8	-	-	459	2.6	459	2.6
Colorectal	11	4.2	6	1.4	17	2.7	262	1.9	240	1.3	502	1.5
Cervical	-	-	4	0.7	4	0.7	-	-	29	0.2	29	0.2
Prostate	6	2.8	-	-	6	2.8	339	2.5	-	-	339	2.5
Endocrine/Nutritional/Metabolic	**23**	**6.5**	**9**	**3.6**	**32**	**5.1**	**275**	**2.0**	**245**	**1.3**	**520**	**1.6**
Diabetes	16	4.6	7	2.8	23	3.8	216	1.6	173	0.9	389	1.2
Circulatory System Diseases	**92**	**36.0**	**70**	**25.1**	**162**	**30.3**	**3,321**	**24.1**	**3,532**	**17.3**	**6,853**	**20.4**
Ischemic Heart	41	16.0	26	9.8	67	12.7	1,857	13.4	1,519	7.5	3,376	10.1
Cerebrovascular	18	8.4	20	7.4	38	7.8	642	4.7	1,045	5.1	1,687	5.0
Arteries	3	1.0	5	1.4	8	1.2	237	1.7	183	0.9	420	1.3
Respiratory System Diseases	**21**	**9.1**	**26**	**8.9**	**47**	**8.9**	**923**	**6.8**	**1,091**	**5.3**	**2,014**	**6.0**
Pneumonia/Influenza	17	7.4	14	5.4	31	6.3	410	3.1	589	2.8	999	2.9
Chronic Lung Disease	4	1.8	3	1.0	7	1.4	377	2.8	343	1.7	720	2.2
Asthma	-	-	2	0.5	2	0.2	17	0.1	29	0.2	46	0.1
Digestive System Diseases	**28**	**9.3**	**22**	**6.5**	**50**	**7.8**	**285**	**2.0**	**354**	**1.8**	**639**	**1.9**
Chronic Liver Disease/Cirrhosis	11	3.1	13	3.8	24	3.4	81	0.5	68	0.4	149	0.5
Congenital Anomalies	**-**	**-**	**2**	**0.3**	**2**	**0.1**	**36**	**0.3**	**29**	**0.3**	**65**	**0.3**
Perinatal Conditions	**3**	**0.4**	**3**	**0.4**	**6**	**0.4**	**22**	**0.2**	**20**	**0.2**	**42**	**0.2**
External Causes	**106**	**21.9**	**28**	**5.7**	**134**	**13.6**	**690**	**5.2**	**392**	**2.3**	**1,082**	**3.8**
Motor Vehicle Accidents	29	5.5	9	1.8	38	3.7	126	1.0	60	0.4	186	0.7
Accidental Poisoning	17	3.6	5	0.9	22	2.2	102	0.8	41	0.3	143	0.5
Accidental Falls	7	2.0	-	-	7	1.0	102	0.7	146	0.7	248	0.8
Suicide	21	3.6	5	0.8	26	2.2	203	1.5	78	0.5	281	1.0
Homicide	5	0.9	3	0.6	8	0.7	17	0.1	10	0.1	27	0.1
Fire and Flames	5	1.3	1	0.4	6	0.8	10	0.1	6	0.0	16	0.1
All Other Causes	41	11.2	33	10.1	74	10.7	781	5.7	1,081	5.5	1,862	5.6
Total Deaths	**376**	**116.2**	**255**	**79.3**	**631**	**97.2**	**9,107**	**66.0**	**9,410**	**48.6**	**18,517**	**56.4**
Alcohol-Related Deaths	137	38.1	38	10.3	175	23.7	667	4.7	252	1.5	919	2.9
Medically Treatable Diseases	5	1.1	10	2.0	15	1.5	32	0.2	42	0.3	74	0.2
Drug Induced Deaths	12	2.6	7	1.3	19	1.9	137	1.0	75	0.5	212	0.8
Smoking-Attributable Mortality (SAM)	44	16.3	29	9.8	73	12.9	2,223	15.9	1,513	7.8	3,736	11.3

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

41 South Vancouver Island

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**10**	**3.6**	**6**	**3.2**	**16**	**3.3**	**251**	**1.3**	**151**	**0.5**	**402**	**0.9**
HIV Disease	9	2.7	2	0.5	11	1.5	139	0.8	9	0.1	148	0.4
Tuberculosis	1	0.9	-	-	1	0.4	1	0.0	3	0.0	4	0.0
Cancer	**39**	**31.1**	**36**	**24.7**	**75**	**27.8**	**4,713**	**20.4**	**4,712**	**15.3**	**9,425**	**17.3**
Lung	7	5.5	8	7.3	15	6.4	1,305	5.7	1,051	3.5	2,356	4.4
Female Breast	-	-	8	5.1	8	5.1	-	-	809	2.9	809	2.9
Colorectal	5	3.2	-	-	5	1.5	391	1.7	435	1.3	826	1.5
Cervical	-	-	1	0.3	1	0.3	-	-	52	0.2	52	0.2
Prostate	4	4.6	-	-	4	4.6	681	2.7	-	-	681	2.7
Endocrine/Nutritional/Metabolic	**3**	**2.4**	**7**	**3.3**	**10**	**2.8**	**450**	**2.0**	**501**	**1.4**	**951**	**1.7**
Diabetes	1	0.9	3	1.5	4	1.3	332	1.4	345	1.0	677	1.2
Circulatory System Diseases	**53**	**46.2**	**34**	**23.7**	**87**	**33.9**	**5,940**	**24.3**	**6,790**	**16.9**	**12,730**	**20.1**
Ischemic Heart	29	27.2	10	7.9	39	16.6	3,103	12.9	2,717	6.8	5,820	9.4
Cerebrovascular	4	3.5	13	7.7	17	5.8	1,207	4.8	1,866	4.6	3,073	4.7
Arteries	6	4.4	3	2.1	9	3.1	470	1.9	438	1.1	908	1.4
Respiratory System Diseases	**14**	**13.1**	**15**	**12.5**	**29**	**12.7**	**1,774**	**7.1**	**1,998**	**5.0**	**3,772**	**5.8**
Pneumonia/Influenza	6	4.7	3	2.8	9	3.7	647	2.5	938	2.2	1,585	2.4
Chronic Lung Disease	6	7.0	5	4.8	11	5.7	802	3.2	714	1.9	1,516	2.4
Asthma	-	-	2	1.2	2	0.7	42	0.2	61	0.2	103	0.2
Digestive System Diseases	**13**	**6.1**	**11**	**7.6**	**24**	**6.9**	**517**	**2.2**	**620**	**1.7**	**1,137**	**1.9**
Chronic Liver Disease/Cirrhosis	9	4.0	4	2.0	13	2.9	163	0.8	88	0.3	251	0.5
Congenital Anomalies	**4**	**1.7**	**3**	**0.5**	**7**	**1.0**	**58**	**0.4**	**62**	**0.3**	**120**	**0.4**
Perinatal Conditions	**5**	**0.7**	**-**	**-**	**5**	**0.4**	**35**	**0.3**	**25**	**0.2**	**60**	**0.3**
External Causes	**69**	**23.9**	**39**	**13.9**	**108**	**18.6**	**1,130**	**5.9**	**740**	**2.6**	**1,870**	**4.2**
Motor Vehicle Accidents	11	2.9	6	3.1	17	3.0	115	0.7	57	0.3	172	0.5
Accidental Poisoning	18	6.1	11	3.1	29	4.5	251	1.4	67	0.4	318	0.9
Accidental Falls	6	2.8	4	3.1	10	3.0	234	1.0	351	0.8	585	0.9
Suicide	18	4.8	9	2.3	27	3.5	330	1.8	134	0.6	464	1.2
Homicide	1	0.3	3	0.7	4	0.5	35	0.2	22	0.1	57	0.2
Fire and Flames	6	3.0	1	0.2	7	1.5	11	0.1	7	0.0	18	0.0
All Other Causes	24	12.9	20	13.7	44	13.3	1,596	6.7	2,406	6.3	4,002	6.5
Total Deaths	**234**	**141.7**	**171**	**103.2**	**405**	**120.8**	**16,464**	**70.5**	**18,005**	**50.3**	**34,469**	**59.1**
Alcohol-Related Deaths	58	27.5	15	5.6	73	15.5	1,250	5.9	421	1.5	1,671	3.5
Medically Treatable Diseases	-	-	2	0.5	2	0.3	27	0.1	64	0.3	91	0.2
Drug Induced Deaths	15	4.6	17	4.2	32	4.4	307	1.7	132	0.6	439	1.2
Smoking-Attributable Mortality (SAM)	31	27.5	21	16.5	52	21.3	4,089	17.2	2,912	8.3	7,001	12.0

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA AND GENDER

42 CENTRAL VANCOUVER ISLAND

BRITISH COLUMBIA, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**21**	**4.1**	**17**	**3.8**	**38**	**3.9**	**134**	**1.0**	**97**	**0.6**	**231**	**0.8**
HIV Disease	14	2.4	6	1.1	20	1.7	51	0.5	9	0.1	60	0.3
Tuberculosis	-	-	2	0.8	2	0.4	1	0.0	3	0.0	4	0.0
Cancer	**45**	**15.2**	**30**	**8.3**	**75**	**11.4**	**3,204**	**20.4**	**2,656**	**15.0**	**5,860**	**17.4**
Lung	9	3.2	4	1.2	13	2.1	892	5.6	697	4.0	1,589	4.7
Female Breast	-	-	3	0.7	3	0.7	-	-	394	2.3	394	2.3
Colorectal	6	2.3	3	1.0	9	1.6	308	1.9	222	1.2	530	1.5
Cervical	-	-	-	-	-	-	-	-	30	0.2	30	0.2
Prostate	4	1.7	-	-	4	1.7	420	2.7	-	-	420	2.7
Endocrine/Nutritional/Metabolic	**10**	**3.6**	**8**	**2.6**	**18**	**3.1**	**298**	**1.9**	**245**	**1.3**	**543**	**1.6**
Diabetes	6	2.1	6	2.1	12	2.2	243	1.6	183	0.9	426	1.2
Circulatory System Diseases	**101**	**35.9**	**104**	**32.2**	**205**	**33.9**	**4,130**	**26.4**	**3,441**	**17.4**	**7,571**	**21.6**
Ischemic Heart	51	19.1	40	13.6	91	16.1	2,407	15.3	1,509	7.6	3,916	11.2
Cerebrovascular	19	6.2	37	10.4	56	8.5	686	4.4	893	4.5	1,579	4.5
Arteries	6	1.7	3	0.9	9	1.3	347	2.2	254	1.3	601	1.7
Respiratory System Diseases	**32**	**11.2**	**27**	**6.6**	**59**	**8.7**	**1,062**	**6.8**	**946**	**4.8**	**2,008**	**5.7**
Pneumonia/Influenza	14	4.5	17	3.6	31	4.0	396	2.6	408	2.0	804	2.3
Chronic Lung Disease	10	3.9	2	0.6	12	2.1	486	3.1	387	2.0	873	2.5
Asthma	2	0.5	-	-	2	0.3	35	0.2	33	0.2	68	0.2
Digestive System Diseases	**25**	**7.8**	**36**	**8.4**	**61**	**8.0**	**331**	**2.1**	**352**	**1.9**	**683**	**2.0**
Chronic Liver Disease/Cirrhosis	8	1.7	22	4.7	30	3.3	100	0.6	69	0.4	169	0.5
Congenital Anomalies	**4**	**0.3**	**2**	**0.1**	**6**	**0.2**	**33**	**0.3**	**15**	**0.1**	**48**	**0.2**
Perinatal Conditions	**4**	**0.3**	**11**	**0.8**	**15**	**0.6**	**24**	**0.3**	**20**	**0.3**	**44**	**0.3**
External Causes	**121**	**17.6**	**77**	**11.2**	**198**	**14.3**	**886**	**7.5**	**398**	**2.7**	**1,284**	**5.1**
Motor Vehicle Accidents	31	4.5	17	2.5	48	3.5	211	1.9	81	0.7	292	1.3
Accidental Poisoning	8	1.4	10	1.5	18	1.4	122	1.1	29	0.2	151	0.7
Accidental Falls	4	0.8	4	1.2	8	1.0	116	0.8	150	0.7	266	0.8
Suicide	46	6.0	24	3.0	70	4.5	241	2.0	65	0.5	306	1.2
Homicide	13	1.7	7	0.9	20	1.3	25	0.2	14	0.1	39	0.2
Fire and Flames	2	0.6	2	0.3	4	0.4	10	0.1	8	0.0	18	0.1
All Other Causes	54	14.4	51	9.5	105	11.6	834	5.6	962	5.1	1,796	5.4
Total Deaths	**417**	**110.5**	**363**	**83.5**	**780**	**95.8**	**10,936**	**72.3**	**9,132**	**49.1**	**20,068**	**60.0**
Alcohol-Related Deaths	123	29.2	74	13.7	197	21.0	867	5.9	242	1.5	1,109	3.6
Medically Treatable Diseases	4	0.7	8	1.2	12	1.0	26	0.2	35	0.3	61	0.2
Drug Induced Deaths	13	2.2	23	3.1	36	2.7	153	1.4	66	0.5	219	1.0
Smoking-Attributable Mortality (SAM)	54	19.2	31	9.0	86	13.6	2,812	17.8	1,651	8.8	4,463	12.9

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

43 North Vancouver Island

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**7**	**3.8**	**7**	**3.3**	**14**	**3.4**	**55**	**0.9**	**37**	**0.6**	**92**	**0.8**
HIV Disease	5	1.5	2	0.9	7	1.1	9	0.2	1	0.0	10	0.1
Tuberculosis	1	1.2	-	-	1	0.4	-	-	2	0.0	2	0.0
Cancer	**46**	**32.3**	**33**	**16.9**	**79**	**23.3**	**1,211**	**21.2**	**970**	**15.4**	**2,181**	**18.1**
Lung	9	7.6	8	4.1	17	5.3	361	6.2	254	4.0	615	5.0
Female Breast	-	-	5	2.9	5	2.9	-	-	156	2.5	156	2.5
Colorectal	7	6.3	2	1.5	9	3.5	81	1.4	52	0.8	133	1.1
Cervical	-	-	3	0.7	3	0.7	-	-	15	0.2	15	0.2
Prostate	3	2.4	-	-	3	2.4	140	2.7	-	-	140	2.7
Endocrine/Nutritional/Metabolic	**11**	**8.9**	**8**	**5.6**	**19**	**7.0**	**115**	**2.2**	**105**	**1.7**	**220**	**1.9**
Diabetes	9	6.5	6	4.3	15	5.5	92	1.7	79	1.2	171	1.5
Circulatory System Diseases	**53**	**39.3**	**55**	**32.3**	**108**	**35.8**	**1,384**	**25.8**	**1,105**	**17.2**	**2,489**	**21.3**
Ischemic Heart	31	23.4	16	11.0	47	16.4	763	13.9	447	7.0	1,210	10.3
Cerebrovascular	5	3.7	16	7.5	21	6.1	252	4.8	313	4.9	565	4.9
Arteries	-	-	4	2.6	4	1.5	70	1.4	80	1.3	150	1.3
Respiratory System Diseases	**12**	**9.5**	**16**	**9.8**	**28**	**9.7**	**344**	**6.7**	**293**	**4.6**	**637**	**5.5**
Pneumonia/Influenza	3	1.7	7	3.7	10	2.9	100	2.0	101	1.6	201	1.8
Chronic Lung Disease	5	4.1	7	5.1	12	4.8	181	3.5	142	2.2	323	2.8
Asthma	1	0.2	-	-	1	0.1	5	0.1	6	0.1	11	0.1
Digestive System Diseases	**16**	**9.6**	**13**	**7.0**	**29**	**8.3**	**129**	**2.3**	**135**	**2.1**	**264**	**2.2**
Chronic Liver Disease/Cirrhosis	4	1.7	6	2.7	10	2.2	54	0.9	24	0.4	78	0.6
Congenital Anomalies	**2**	**0.5**	**-**	**-**	**2**	**0.2**	**10**	**0.2**	**18**	**0.4**	**28**	**0.3**
Perinatal Conditions	**2**	**0.3**	**4**	**0.7**	**6**	**0.5**	**18**	**0.4**	**13**	**0.3**	**31**	**0.4**
External Causes	**67**	**20.5**	**25**	**8.1**	**92**	**14.0**	**512**	**9.0**	**164**	**2.8**	**676**	**5.9**
Motor Vehicle Accidents	11	3.1	6	1.9	17	2.4	96	1.8	33	0.6	129	1.2
Accidental Poisoning	19	6.0	7	1.7	26	3.8	76	1.3	28	0.5	104	0.9
Accidental Falls	3	1.6	3	1.6	6	1.6	49	0.9	37	0.6	86	0.8
Suicide	18	5.1	3	0.7	21	2.8	140	2.4	27	0.5	167	1.4
Homicide	1	0.3	2	0.8	3	0.5	13	0.2	9	0.2	22	0.2
Fire and Flames	2	0.5	1	0.2	3	0.4	6	0.1	6	0.1	12	0.1
All Other Causes	32	18.0	26	10.6	58	13.7	290	5.4	388	6.2	678	5.9
Total Deaths	**248**	**142.7**	**187**	**94.3**	**435**	**115.9**	**4,068**	**74.3**	**3,228**	**51.1**	**7,296**	**62.3**
Alcohol-Related Deaths	77	33.9	37	14.9	114	23.6	396	6.8	123	2.0	519	4.3
Medically Treatable Diseases	2	0.6	7	1.6	9	1.2	14	0.2	16	0.3	30	0.2
Drug Induced Deaths	15	4.9	7	1.8	22	3.3	88	1.5	41	0.7	129	1.1
Smoking-Attributable Mortality (SAM)	31	23.5	29	16.0	60	19.2	1,015	18.2	577	9.1	1,592	13.3

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

51 Northwest

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**13**	**1.6**	**16**	**2.3**	**29**	**2.0**	**14**	**0.5**	**13**	**0.5**	**27**	**0.5**
HIV Disease	4	0.3	-	-	4	0.2	1	0.0	-	-	1	0.0
Tuberculosis	1	0.2	4	0.5	5	0.4	-	-	-	-	-	-
Cancer	**130**	**20.5**	**84**	**12.5**	**214**	**16.4**	**509**	**21.9**	**358**	**14.1**	**867**	**17.7**
Lung	26	4.2	16	2.7	42	3.4	154	6.4	104	4.2	258	5.2
Female Breast	-	-	17	2.2	17	2.2	-	-	65	2.4	65	2.4
Colorectal	16	2.3	8	1.3	24	1.8	45	2.1	34	1.4	79	1.7
Cervical	-	-	1	0.1	1	0.1	-	-	8	0.3	8	0.3
Prostate	13	2.4	-	-	13	2.4	38	2.2	-	-	38	2.2
Endocrine/Nutritional/Metabolic	**12**	**1.6**	**19**	**2.8**	**31**	**2.2**	**53**	**2.6**	**49**	**2.3**	**102**	**2.5**
Diabetes	8	1.3	12	1.7	20	1.5	43	2.3	39	1.9	82	2.1
Circulatory System Diseases	**180**	**28.8**	**124**	**20.3**	**304**	**24.6**	**612**	**29.8**	**429**	**20.3**	**1,041**	**25.0**
Ischemic Heart	89	13.9	40	6.6	129	10.3	328	14.4	168	7.9	496	11.2
Cerebrovascular	24	4.0	38	6.2	62	5.1	104	5.5	100	4.7	204	5.1
Arteries	11	1.7	3	0.5	14	1.1	30	1.6	21	1.0	51	1.2
Respiratory System Diseases	**54**	**9.1**	**42**	**6.9**	**96**	**7.9**	**170**	**9.5**	**123**	**6.0**	**293**	**7.6**
Pneumonia/Influenza	32	5.2	25	4.0	57	4.6	71	4.1	54	2.7	125	3.3
Chronic Lung Disease	11	2.0	6	1.0	17	1.5	76	4.4	46	2.2	122	3.1
Asthma	-	-	1	0.2	1	0.1	1	0.0	6	0.3	7	0.2
Digestive System Diseases	**39**	**6.0**	**32**	**4.5**	**71**	**5.3**	**64**	**2.8**	**45**	**1.9**	**109**	**2.3**
Chronic Liver Disease/Cirrhosis	9	1.3	8	0.9	17	1.1	27	0.8	8	0.3	35	0.6
Congenital Anomalies	**7**	**0.5**	**3**	**0.2**	**10**	**0.3**	**15**	**0.5**	**10**	**0.3**	**25**	**0.4**
Perinatal Conditions	**6**	**0.3**	**7**	**0.4**	**13**	**0.4**	**11**	**0.3**	**9**	**0.3**	**20**	**0.3**
External Causes	**165**	**15.6**	**62**	**6.5**	**227**	**11.0**	**345**	**9.7**	**70**	**2.4**	**415**	**6.3**
Motor Vehicle Accidents	34	2.9	13	1.1	47	2.0	98	2.6	25	0.8	123	1.8
Accidental Poisoning	18	1.5	13	1.3	31	1.4	31	0.8	5	0.1	36	0.5
Accidental Falls	13	1.7	9	1.5	22	1.6	16	0.9	13	0.6	29	0.8
Suicide	37	3.1	12	1.1	49	2.1	81	2.2	12	0.3	93	1.3
Homicide	8	0.7	2	0.1	10	0.4	14	0.4	1	0.0	15	0.2
Fire and Flames	5	0.5	2	0.3	7	0.4	9	0.2	3	0.1	12	0.2
All Other Causes	64	8.8	72	9.6	136	9.2	132	5.6	127	6.0	259	6.0
Total Deaths	**670**	**92.9**	**461**	**66.0**	**1,131**	**79.3**	**1,925**	**83.1**	**1,233**	**54.1**	**3,158**	**68.5**
Alcohol-Related Deaths	189	23.7	60	7.4	249	15.5	240	7.8	38	1.5	278	4.7
Medically Treatable Diseases	10	1.1	8	0.9	18	1.0	6	0.2	15	0.4	21	0.3
Drug Induced Deaths	16	1.4	19	1.9	35	1.6	34	0.8	9	0.3	43	0.6
Smoking-Attributable Mortality (SAM)	110	17.6	50	7.9	159	12.7	453	20.8	219	9.6	673	14.9

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

AGE STANDARDIZED MORTALITY RATES BY HEALTH SERVICE DELIVERY AREA AND GENDER
52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**9**	**2.2**	**10**	**2.9**	**19**	**2.6**	**51**	**0.9**	**33**	**0.6**	**84**	**0.7**
HIV Disease	3	0.6	2	0.5	5	0.6	14	0.2	2	0.0	16	0.1
Tuberculosis	1	0.3	3	1.1	4	0.7	3	0.1	-	-	3	0.0
Cancer	**61**	**22.9**	**45**	**15.6**	**106**	**19.4**	**1,147**	**21.9**	**957**	**16.9**	**2,104**	**19.2**
Lung	17	6.9	8	3.2	25	5.0	373	7.2	245	4.4	618	5.7
Female Breast	-	-	5	1.4	5	1.4	-	-	165	2.7	165	2.7
Colorectal	5	1.9	5	1.9	10	1.9	92	1.8	74	1.4	166	1.6
Cervical	-	-	3	0.8	3	0.8	-	-	25	0.4	25	0.4
Prostate	7	3.2	-	-	7	3.2	126	2.9	-	-	126	2.9
Endocrine/Nutritional/Metabolic	**8**	**2.8**	**4**	**1.3**	**12**	**2.1**	**119**	**2.5**	**123**	**2.5**	**242**	**2.5**
Diabetes	5	2.0	3	1.1	8	1.5	96	2.0	92	1.9	188	1.9
Circulatory System Diseases	**68**	**27.2**	**58**	**22.0**	**126**	**24.7**	**1,300**	**27.7**	**876**	**17.8**	**2,176**	**22.6**
Ischemic Heart	26	10.8	19	7.8	45	9.3	710	14.3	327	6.6	1,037	10.4
Cerebrovascular	15	6.1	15	5.1	30	5.6	213	4.9	252	5.1	465	5.0
Arteries	-	-	3	1.3	3	0.7	88	1.9	64	1.3	152	1.6
Respiratory System Diseases	**24**	**9.2**	**24**	**9.5**	**48**	**9.3**	**401**	**9.6**	**288**	**5.9**	**689**	**7.6**
Pneumonia/Influenza	10	3.7	17	6.4	27	5.0	143	3.6	111	2.3	254	2.9
Chronic Lung Disease	7	2.7	5	2.1	12	2.4	209	4.9	140	2.9	349	3.8
Asthma	-	-	-	-	-	-	6	0.1	4	0.1	10	0.1
Digestive System Diseases	**18**	**5.2**	**30**	**9.0**	**48**	**7.1**	**157**	**2.9**	**133**	**2.5**	**290**	**2.7**
Chronic Liver Disease/Cirrhosis	8	2.1	17	4.6	25	3.4	60	0.9	38	0.6	98	0.7
Congenital Anomalies	**5**	**1.0**	**4**	**0.8**	**9**	**0.9**	**32**	**0.5**	**16**	**0.2**	**48**	**0.4**
Perinatal Conditions	**5**	**0.4**	**1**	**0.1**	**6**	**0.3**	**23**	**0.4**	**24**	**0.4**	**47**	**0.4**
External Causes	**139**	**26.5**	**65**	**11.8**	**204**	**18.8**	**694**	**9.5**	**210**	**3.2**	**904**	**6.4**
Motor Vehicle Accidents	39	7.4	21	3.8	60	5.5	229	3.0	87	1.2	316	2.1
Accidental Poisoning	20	4.1	12	2.1	32	3.0	58	0.7	23	0.3	81	0.5
Accidental Falls	6	1.9	6	2.1	12	2.0	32	0.7	44	0.9	76	0.8
Suicide	34	6.0	7	0.9	41	3.4	157	2.0	19	0.3	176	1.1
Homicide	14	2.4	8	1.1	22	1.7	39	0.5	8	0.1	47	0.3
Fire and Flames	3	0.4	2	0.2	5	0.3	12	0.2	6	0.1	18	0.1
All Other Causes	34	9.4	41	11.7	75	10.5	327	6.7	304	5.9	631	6.4
Total Deaths	**371**	**106.8**	**282**	**84.8**	**653**	**95.6**	**4,251**	**82.6**	**2,964**	**55.9**	**7,215**	**68.9**
Alcohol-Related Deaths	82	23.0	53	12.4	135	17.7	391	6.2	105	1.7	496	4.0
Medically Treatable Diseases	4	0.9	10	1.8	14	1.4	26	0.3	30	0.4	56	0.4
Drug Induced Deaths	18	3.8	14	2.4	32	3.0	69	0.9	29	0.4	98	0.6
Smoking-Attributable Mortality (SAM)	47	18.0	28	10.7	75	14.4	1,047	21.5	530	10.1	1,576	15.5

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Service Delivery Area and Gender

53 Northeast

British Columbia, 1992-2002

	Status Indians						Other Residents					
	Male		Female		Total		Male		Female		Total	
Causes of Death	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**1**	**1.3**	**1**	**0.5**	**2**	**0.9**	**12**	**0.6**	**12**	**0.5**	**24**	**0.6**
HIV Disease	-	-	1	0.5	1	0.3	2	0.1	1	0.0	3	0.0
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	**11**	**16.1**	**19**	**19.2**	**30**	**17.3**	**451**	**21.8**	**317**	**14.1**	**768**	**17.8**
Lung	1	1.9	7	8.1	8	5.3	155	7.4	85	4.0	240	5.6
Female Breast	-	-	-	-	-	-	-	-	63	2.6	63	2.6
Colorectal	2	3.0	2	1.8	4	2.4	32	1.5	23	1.0	55	1.3
Cervical	-	-	1	1.3	1	1.3	-	-	4	0.1	4	0.1
Prostate	1	1.7	-	-	1	1.7	64	3.6	-	-	64	3.6
Endocrine/Nutritional/Metabolic	**2**	**2.1**	**-**	**-**	**2**	**1.0**	**49**	**2.3**	**49**	**2.4**	**98**	**2.4**
Diabetes	1	0.6	-	-	1	0.3	40	1.9	37	1.8	77	1.9
Circulatory System Diseases	**19**	**21.0**	**19**	**22.8**	**38**	**21.7**	**545**	**28.7**	**386**	**18.9**	**931**	**23.7**
Ischemic Heart	7	9.1	8	10.1	15	9.4	327	16.4	202	9.9	529	13.2
Cerebrovascular	3	4.2	3	2.9	6	3.4	74	4.3	77	3.8	151	4.0
Arteries	1	0.6	3	3.1	4	2.0	38	2.0	23	1.1	61	1.5
Respiratory System Diseases	**10**	**13.7**	**8**	**8.6**	**18**	**10.9**	**178**	**9.9**	**114**	**5.6**	**292**	**7.5**
Pneumonia/Influenza	5	6.1	6	6.0	11	6.0	64	3.5	52	2.5	116	2.9
Chronic Lung Disease	3	4.6	1	1.2	4	2.9	96	5.5	46	2.3	142	3.8
Asthma	-	-	-	-	-	-	4	0.1	6	0.3	10	0.2
Digestive System Diseases	**2**	**1.9**	**7**	**5.3**	**9**	**3.8**	**59**	**2.9**	**32**	**1.5**	**91**	**2.2**
Chronic Liver Disease/Cirrhosis	1	1.3	4	2.6	5	2.0	17	0.6	9	0.4	26	0.5
Congenital Anomalies	**3**	**1.4**	**1**	**0.2**	**4**	**0.7**	**6**	**0.2**	**4**	**0.1**	**10**	**0.2**
Perinatal Conditions	**1**	**0.2**	**3**	**0.7**	**4**	**0.4**	**11**	**0.3**	**11**	**0.3**	**22**	**0.3**
External Causes	**36**	**24.8**	**22**	**11.1**	**58**	**16.9**	**269**	**9.0**	**70**	**2.6**	**339**	**5.9**
Motor Vehicle Accidents	18	15.6	11	5.1	29	9.4	107	3.3	26	0.8	133	2.1
Accidental Poisoning	3	1.6	5	2.2	8	1.9	16	0.4	4	0.1	20	0.3
Accidental Falls	1	0.2	1	1.3	2	0.8	26	1.5	13	0.7	39	1.0
Suicide	3	1.4	1	0.4	4	0.8	52	1.5	12	0.4	64	1.0
Homicide	5	3.6	2	1.2	7	2.3	11	0.3	1	0.0	12	0.2
Fire and Flames	3	1.0	-	-	3	0.5	4	0.2	-	-	4	0.1
All Other Causes	15	13.2	10	7.0	25	9.9	128	6.3	135	6.3	263	6.3
Total Deaths	**100**	**95.8**	**90**	**75.4**	**190**	**83.4**	**1,708**	**82.1**	**1,130**	**52.3**	**2,838**	**66.9**
Alcohol-Related Deaths	29	27.5	21	12.5	50	18.6	178	6.8	32	1.3	210	4.1
Medically Treatable Diseases	2	1.9	2	1.0	4	1.4	11	0.3	12	0.4	23	0.3
Drug Induced Deaths	3	1.6	4	1.8	7	1.7	14	0.4	10	0.3	24	0.4
Smoking-Attributable Mortality (SAM)	11	14.5	12	14.1	24	14.1	440	22.2	197	9.4	637	15.5

Notes: ASMR - Age Standradized Mortality Rate per 10,000 population (based on Canada Census 1991as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking Attributable Deaths may not sum to Total due to rounding.

APPENDIX 5

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH SERVICE DELIVERY AREA

The categories presented in Appendix 5 are listed below.

CAUSES OF DEATH	ICD-10 CODES
Infectious/Parasitic Diseases	A00-B99
HIV Disease	B20-B24
Tuberculosis	A15-A19, B90
Cancer	C00-C97
Lung	C33-C34
Female Breast	C50.0-C50.9
Colorectal	C18-C21
Cervical	C53
Prostate	C61
Endocrine/Nutritional/Metabolic	E00-E89
Diabetes	E10-E14
Circulatory System Diseases	I00-I99
Ischemic Heart	I20-I25
Cerebrovascular	I60-I69
Arteries	I70-I78, I26-I28
Respiratory System Diseases	J00-J99
Pneumonia/Influenza	J10-J18.1, J18.8-J18.9
Chronic Lung Disease	J40-J44
Asthma	J45-J46
Digestive System Diseases	K00-K93
Chronic Liver Disease/Cirrhosis	K70, K73-K74, K76.0-K76.1
Congenital Anomalies	Q00-Q99
Perinatal Conditions	P00-P96
External Causes	V01-Y98
Motor Vehicle Accidents	V02-V04, V09, V12-14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-2.1, V82.3-V89.0, V89.2, V89.9, Y85.0.
Accidental Poisoning	X40-X49
Accidental Falls	W00-W19
Suicide	X60-X84, Y87.0
Homicide	X85-Y09, Y87.1
Fire and Flames	X00-X09
Alcohol-Related Deaths	see glossary
Medical Treatable Diseases	see glossary
Drug Induced Deaths	see glossary
Smoking Attributable Mortality (SAM)	see glossary

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH SERVICE DELIVERY AREA
PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**187**	**6,309**	**10.0**	**113**	**3,208**	**4.9**	**300**	**9,517**	**7.3**	**2,591**	**74,619**	**3.7**	**674**	**14,407**	**0.7**	**3,265**	**89,026**	**2.2**
HIV Diseases	132	4,800	7.6	44	1,415	2.1	176	6,215	4.7	1,760	58,380	2.9	146	5,377	0.3	1,906	63,756	1.6
Tuberculosis	6	75	0.2	13	263	0.5	19	338	0.3	36	600	0.0	19	163	0.0	55	763	0.0
Cancer	**462**	**7,697**	**16.5**	**436**	**7,970**	**15.3**	**898**	**15,666**	**15.9**	**24,201**	**286,425**	**13.6**	**20,494**	**278,731**	**13.0**	**44,695**	**565,156**	**13.3**
Lung	114	1,525	3.7	82	1,110	2.5	196	2,635	3.0	7,548	78,055	3.7	5,489	63,998	2.9	13,037	142,053	3.3
Female Breast	-	-	-	83	1,763	3.1	83	1,763	3.1	-	-	-	3,954	63,885	2.9	3,954	63,885	2.9
Colorectal	52	665	1.7	28	450	1.0	80	1,115	1.3	2,169	23,558	1.1	1,469	17,863	0.8	3,638	41,420	1.0
Cervical	-	-	-	23	623	1.0	23	623	1.0	-	-	-	375	8,093	0.4	375	8,093	0.4
Prostate	29	263	0.8	-	-	-	29	263	0.8	1,707	11,943	0.6	-	-	-	1,707	11,943	0.6
Endocrine/Nutritional/Metabolic	**93**	**1,801**	**3.6**	**79**	**1,405**	**2.7**	**172**	**3,205**	**3.1**	**2,114**	**28,357**	**1.4**	**1,328**	**17,444**	**0.9**	**3,442**	**45,801**	**1.1**
Diabetes	71	1,008	2.4	52	800	1.7	123	1,808	2.0	1,614	18,415	0.9	979	10,012	0.5	2,593	28,427	0.7
Circulatory System Diseases	**657**	**10,253**	**22.8**	**421**	**6,795**	**13.5**	**1,078**	**17,047**	**18.0**	**20,840**	**228,529**	**10.8**	**9,525**	**91,096**	**4.3**	**30,365**	**319,625**	**7.5**
Ischemic Heart	337	4,763	11.3	132	1,495	3.6	469	6,258	7.3	13,024	140,900	6.6	4,468	36,735	1.7	17,492	177,635	4.1
Cerebrovascular	100	1,312	3.1	130	2,370	4.5	230	3,682	3.8	2,983	29,846	1.4	2,296	23,930	1.1	5,279	53,776	1.3
Arteries	38	760	1.5	30	550	1.1	68	1,310	1.3	1,420	13,760	0.7	757	7,773	0.4	2,177	21,532	0.5
Respiratory System Diseases	**183**	**3,415**	**6.5**	**167**	**3,298**	**5.7**	**350**	**6,713**	**6.0**	**4,270**	**40,883**	**2.0**	**2,748**	**25,226**	**1.2**	**7,018**	**66,108**	**1.6**
Pneumonia/Influenza	87	1,945	3.4	76	1,832	2.9	163	3,777	3.1	1,231	14,655	0.7	728	8,564	0.4	1,959	23,219	0.6
Chronic Lung Disease	49	413	1.3	35	318	0.8	84	730	1.0	2,115	14,678	0.7	1,439	9,173	0.4	3,554	23,850	0.6
Asthma	7	193	0.3	7	198	0.3	14	390	0.3	173	2,632	0.1	152	2,205	0.1	325	4,837	0.1
Digestive System Diseases	**226**	**4,574**	**9.1**	**272**	**6,032**	**10.7**	**498**	**10,606**	**10.0**	**2,978**	**44,788**	**2.1**	**1,705**	**22,655**	**1.1**	**4,683**	**67,442**	**1.6**
Chronic Liver Disease/Cirrhosis	112	2,377	4.7	172	4,000	6.9	284	6,377	5.9	1,515	24,098	1.1	675	10,328	0.5	2,190	34,425	0.8
Congenital Anomalies	**40**	**2,369**	**2.4**	**26**	**1,747**	**1.7**	**66**	**4,115**	**2.0**	**592**	**35,116**	**2.2**	**490**	**27,380**	**1.8**	**1,082**	**62,496**	**2.0**
Perinatal Conditions	**47**	**3,502**	**2.9**	**43**	**3,204**	**2.8**	**90**	**6,705**	**2.9**	**538**	**40,069**	**2.6**	**437**	**32,554**	**2.3**	**975**	**72,623**	**2.4**
External Causes	**1,362**	**54,154**	**79.3**	**641**	**25,384**	**34.6**	**2,003**	**79,537**	**56.3**	**12,366**	**433,021**	**22.5**	**3,798**	**126,818**	**6.8**	**16,164**	**559,839**	**14.7**
Motor Vehicle Accidents	325	13,903	19.5	162	6,820	9.1	487	20,723	14.2	2,744	110,010	5.9	1,080	40,554	2.2	3,824	150,563	4.1
Accidental Poisoning	282	10,415	16.3	202	7,470	10.6	484	17,885	13.3	2,722	96,394	4.9	677	23,488	1.2	3,399	119,882	3.1
Accidental Falls	78	2,194	3.6	28	712	1.2	106	2,906	2.3	641	15,835	0.8	231	3,771	0.2	872	19,606	0.5
Suicide	303	13,113	18.8	109	4,608	6.2	412	17,720	12.3	3,512	114,055	5.8	987	30,103	1.5	4,499	144,158	3.7
Homicide	86	3,574	5.2	51	2,174	2.9	137	5,747	4.0	588	23,059	1.2	246	10,599	0.6	834	33,658	0.9
Fire and Flames	43	1,820	2.3	16	600	0.8	59	2,420	1.6	160	5,463	0.3	81	2,843	0.2	241	8,306	0.2
All Other Causes	415	14,031	19.7	362	11,802	16.3	777	25,832	18.0	5,072	99,956	5.1	3,510	62,133	3.3	8,582	162,089	4.2
Total Deaths	**3,672**	**108,101**	**172.7**	**2,560**	**70,842**	**108.1**	**6,232**	**178,943**	**139.4**	**75,562**	**1,311,761**	**65.9**	**44,709**	**698,442**	**35.2**	**120,271**	**2,010,203**	**50.7**
Alcohol-Related Deaths	1,262	34,822	60.1	655	18,615	29.2	1,917	53,437	44.1	9,797	190,259	9.2	2,362	44,032	2.1	12,159	234,291	5.7
Medically Treatable Diseases	60	1,840	3.1	87	2,788	4.1	147	4,628	3.6	548	15,985	0.8	641	18,093	0.9	1,189	34,078	0.8
Drug Induced Deaths	253	9,353	14.6	246	9,072	12.8	499	18,425	13.7	3,157	109,902	5.6	1,138	36,615	1.9	4,295	146,517	3.8
Smoking-Attributable Mortality (SAM)	417	5,918	14.1	239	3,685	7.6	656	9,603	10.7	17,857	193,980	9.0	8,583	94,171	4.3	26,440	288,151	6.7

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
11/12 East Kootenay and Kootenay Boundary
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**1**	**33**	**3.9**	-	-	-	**1**	**33**	**1.7**	**34**	**725**	**0.8**	**21**	**357**	**0.4**	**55**	**1,082**	**0.6**
HIV Diseases	1	33	3.9	-	-	-	1	33	1.7	13	383	0.5	-	-	-	13	383	0.2
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	**10**	**145**	**25.9**	**12**	**135**	**24.4**	**22**	**280**	**25.1**	**1,149**	**12,990**	**13.5**	**870**	**11,474**	**12.6**	**2,019**	**24,464**	**13.0**
Lung	6	75	15.0	4	35	8.1	10	110	11.4	355	3,328	3.3	257	2,933	3.1	612	6,260	3.2
Female Breast	-	-	-	5	83	11.2	5	83	11.2	-	-	-	155	2,353	2.6	155	2,353	2.6
Colorectal	-	-	-	-	-	-	-	-	-	96	1,075	1.1	64	765	0.9	160	1,840	1.0
Cervical	-	-	-	1	8	2.0	1	8	2.0	-	-	-	14	295	0.4	14	295	0.4
Prostate	-	-	-	-	-	-	-	-	-	101	668	0.7	-	-	-	101	668	0.7
Endocrine/Nutritional/Metabolic	**1**	**75**	**3.2**	**1**	**8**	**2.0**	**2**	**82**	**2.7**	**105**	**1,242**	**1.4**	**67**	**742**	**1.0**	**172**	**1,984**	**1.2**
Diabetes	-	-	-	1	8	2.0	1	8	1.1	81	768	0.8	47	408	0.4	128	1,175	0.6
Circulatory System Diseases	**17**	**243**	**37.6**	**9**	**68**	**16.3**	**26**	**310**	**26.1**	**1,019**	**10,463**	**11.0**	**462**	**4,485**	**4.9**	**1,481**	**14,948**	**8.0**
Ischemic Heart	11	163	23.1	5	28	8.2	16	190	15.2	649	6,768	6.9	247	2,113	2.2	896	8,880	4.6
Cerebrovascular	4	30	7.9	3	23	5.6	7	53	6.7	144	1,290	1.4	85	1,028	1.2	229	2,318	1.3
Arteries	-	-	-	1	18	2.5	1	18	1.3	81	658	0.7	39	348	0.4	120	1,005	0.5
Respiratory System Diseases	**5**	**63**	**11.6**	**1**	**75**	**3.4**	**6**	**137**	**7.0**	**190**	**1,937**	**2.2**	**117**	**1,017**	**1.1**	**307**	**2,954**	**1.7**
Pneumonia/Influenza	3	53	8.5	-	-	-	3	53	3.8	56	725	0.8	36	480	0.6	92	1,205	0.7
Chronic Lung Disease	2	10	3.1	-	-	-	2	10	1.5	101	648	0.7	62	385	0.4	163	1,033	0.5
Asthma	-	-	-	-	-	-	-	-	-	6	140	0.2	3	33	0.0	9	173	0.1
Digestive System Diseases	**3**	**23**	**6.7**	**5**	**108**	**12.8**	**8**	**130**	**10.1**	**129**	**1,788**	**1.8**	**92**	**1,095**	**1.2**	**221**	**2,883**	**1.5**
Chronic Liver Disease/Cirrhosis	1	8	2.2	3	73	7.8	4	80	5.3	73	1,138	1.1	34	440	0.5	107	1,578	0.8
Congenital Anomalies	-	-	-	-	-	-	-	-	-	**23**	**1,375**	**2.3**	**16**	**824**	**1.3**	**39**	**2,199**	**1.8**
Perinatal Conditions	**2**	**149**	**6.4**	-	-	-	**2**	**149**	**3.3**	**17**	**1,267**	**2.2**	**14**	**1,043**	**2.0**	**31**	**2,310**	**2.1**
External Causes	**19**	**673**	**69.5**	**8**	**275**	**26.7**	**27**	**948**	**47.3**	**618**	**22,001**	**29.2**	**213**	**7,483**	**10.2**	**831**	**29,484**	**19.9**
Motor Vehicle Accidents	5	213	21.2	3	153	13.2	8	365	16.5	191	7,783	10.4	91	3,562	4.8	282	11,344	7.7
Accidental Poisoning	1	43	4.5	4	110	11.0	5	153	8.1	45	1,378	1.8	19	608	0.8	64	1,985	1.3
Accidental Falls	1	3	0.9	1	13	2.5	2	15	1.7	29	963	1.3	6	150	0.2	35	1,112	0.8
Suicide	6	230	22.7	-	-	-	6	230	11.3	191	5,943	7.7	46	1,255	1.6	237	7,198	4.7
Homicide	-	-	-	-	-	-	-	-	-	20	769	1.1	16	784	1.1	36	1,553	1.1
Fire and Flames	4	105	11.9	-	-	-	4	105	5.8	12	437	0.6	3	98	0.1	15	535	0.4
All Other Causes	2	70	7.0	2	92	5.9	4	162	6.5	212	4,073	5.2	130	2,345	3.2	342	6,417	4.2
Total Deaths	**60**	**1,471**	**171.8**	**38**	**759**	**91.5**	**98**	**2,230**	**129.8**	**3,496**	**57,859**	**69.5**	**2,002**	**30,864**	**37.9**	**5,498**	**88,722**	**54.0**
Alcohol-Related Deaths	26	660	79.2	13	298	34.9	39	958	55.9	512	10,035	12.0	131	2,443	2.8	643	12,478	7.5
Medically Treatable Diseases	1	38	4.0	1	18	2.5	2	55	3.0	27	843	1.0	22	635	0.8	49	1,478	0.9
Drug Induced Deaths	2	60	7.0	4	110	11.0	6	170	9.5	58	1,860	2.4	39	1,058	1.3	97	2,918	1.9
Smoking-Attributable Mortality (SAM)	13	183	32.0	5	46	10.2	18	229	20.5	854	8,757	8.9	393	4,268	4.5	1,247	13,025	6.7

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
13 Okanagan
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**3**	**68**	**2.2**	**4**	**55**	**2.0**	**7**	**123**	**2.0**	**100**	**2,557**	**1.9**	**36**	**772**	**0.6**	**136**	**3,329**	**1.2**
HIV Diseases	2	65	2.0	1	23	0.7	3	88	1.3	46	1,575	1.2	7	268	0.2	53	1,843	0.7
Tuberculosis	1	3	0.2	1	3	0.2	2	5	0.2	2	30	0.0	1	3	0.0	3	33	0..0
Cancer	**21**	**518**	**17.1**	**17**	**323**	**10.7**	**38**	**840**	**13.7**	**2,335**	**24,403**	**13.7**	**1,925**	**23,632**	**13.0**	**4,260**	**48,035**	**13.3**
Lung	3	23	1.2	2	35	1.3	5	58	1.2	721	6,998	3.7	515	5,738	2.9	1,236	12,735	3.3
Female Breast	-	-	-	4	115	3.3	4	115	3.3	-	-	-	361	5,368	3.0	361	5,368	3.0
Colorectal	3	63	2.4	-	-	-	3	63	1.1	211	1,898	1.0	138	1,600	0.8	349	3,498	0.9
Cervical	-	-	-	2	15	0.8	2	15	0.8	-	-	-	26	505	0.3	26	505	0.3
Prostate	1	23	0.8	-	-	-	1	23	0.8	190	1,335	0.7	-	-	-	190	1,335	0.7
Endocrine/Nutritional/Metabolic	**4**	**80**	**3.0**	**5**	**83**	**3.0**	**9**	**163**	**3.0**	**189**	**2,559**	**1.6**	**102**	**1,130**	**0.7**	**291**	**3,688**	**1.1**
Diabetes	2	35	1.3	3	63	2.2	5	98	1.8	143	1,608	0.9	71	603	0.3	214	2,210	0.6
Circulatory System Diseases	**41**	**568**	**23.6**	**22**	**402**	**12.7**	**63**	**970**	**17.7**	**1,950**	**18,825**	**10.4**	**854**	**7,335**	**3.9**	**2,804**	**26,160**	**7.1**
Ischemic Heart	27	333	14.4	9	148	5.0	36	480	9.4	1,129	10,988	6.0	376	2,855	1.4	1,505	13,843	3.6
Cerebrovascular	4	50	2.1	6	110	3.7	10	160	3.0	298	2,620	1.5	207	1,953	1.1	505	4,573	1.3
Arteries	4	90	3.4	1	3	0.2	5	93	1.6	176	1,545	0.9	75	643	0.3	251	2,188	0.6
Respiratory System Diseases	**18**	**260**	**10.8**	**11**	**210**	**6.5**	**29**	**470**	**8.5**	**388**	**3,207**	**1.8**	**262**	**2,325**	**1.2**	**650**	**5,532**	**1.5**
Pneumonia/Influenza	9	178	6.8	4	122	2.9	13	300	4.7	98	1,047	0.7	76	780	0.4	174	1,827	0.5
Chronic Lung Disease	7	33	2.1	3	48	1.8	10	80	1.9	205	1,238	0.6	129	833	0.4	334	2,070	0.5
Asthma	1	8	0.5	-	-	-	1	8	0.2	14	180	0.1	17	278	0.2	31	458	0.2
Digestive System Diseases	**18**	**295**	**12.2**	**11**	**253**	**8.1**	**29**	**548**	**10.0**	**264**	**3,554**	**2.1**	**136**	**1,675**	**1.0**	**400**	**5,229**	**1.5**
Chronic Liver Disease/Cirrhosis	14	225	9.6	7	153	5.1	21	378	7.2	127	1,808	1.0	61	858	0.5	188	2,665	0.7
Congenital Anomalies	**2**	**102**	**2.0**	**2**	**105**	**2.9**	**4**	**207**	**2.4**	**46**	**2,438**	**2.2**	**43**	**1,966**	**1.8**	**89**	**4,404**	**2.0**
Perinatal Conditions	**1**	**75**	**1.2**	**1**	**75**	**1.2**	**2**	**149**	**1.2**	**35**	**2,608**	**2.6**	**28**	**2,086**	**2.2**	**63**	**4,694**	**2.4**
External Causes	**67**	**2,707**	**77.8**	**27**	**1,022**	**27.7**	**94**	**3,729**	**52.3**	**925**	**31,342**	**24.7**	**340**	**10,624**	**8.1**	**1,265**	**41,966**	**16.4**
Motor Vehicle Accidents	28	1,215	33.0	10	427	11.1	38	1,642	22.2	259	9,997	8.1	97	3,215	2.5	356	13,211	5.3
Accidental Poisoning	5	168	5.6	4	170	4.9	9	338	5.1	111	4,013	3.3	49	1,398	1.0	160	5,410	2.2
Accidental Falls	5	123	3.5	2	65	1.8	7	188	2.7	53	978	0.6	28	460	0.3	81	1,438	0.5
Suicide	15	593	19.2	3	88	2.6	18	680	10.4	290	9,245	7.1	89	2,803	2.0	379	12,048	4.6
Homicide	2	50	1.6	2	15	0.9	4	65	1.2	37	1,328	1.0	29	1,307	1.1	66	2,634	1.1
Fire and Flames	5	302	6.7	3	93	2.8	8	395	4.9	16	551	0.4	6	260	0.2	22	811	0.3
All Other Causes	16	402	13.1	15	353	10.9	31	755	11.8	395	6,556	4.6	344	5,243	3.5	739	11,799	4.0
Total Deaths	**191**	**5,073**	**163.0**	**115**	**2,878**	**85.8**	**306**	**7,951**	**122.7**	**6,627**	**98,046**	**65.5**	**4,070**	**56,788**	**35.8**	**10,697**	**154,834**	**50.5**
Alcohol-Related Deaths	78	1,985	69.4	31	883	26.6	109	2,868	46.7	923	17,518	12.0	259	4,505	2.9	1,182	22,022	7.4
Medically Treatable Diseases	2	55	1.7	2	45	1.5	4	100	1.6	35	1,068	0.8	41	1,258	0.9	76	2,325	0.8
Drug Induced Deaths	2	75	2.5	4	170	4.9	6	245	3.7	153	5,133	4.2	94	2,765	2.0	247	7,898	3 1
Smoking-Attributable Mortality (SAM)	28	371	15.9	13	227	8.1	42	597	11.7	1,666	16,355	8.8	792	8,183	4.2	2,458	24,538	6.4

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
14 Thompson Cariboo Shuswap
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**10**	**255**	**3.1**	**10**	**245**	**3.0**	**20**	**500**	**3.0**	**62**	**1,407**	**1.4**	**31**	**577**	**0.6**	**93**	**1,984**	**1.0**
HIV Diseases	4	145	1.6	3	93	1.0	7	238	1.3	18	625	0.7	3	113	0.1	21	738	0.4
Tuberculosis	-	-	-	1	13	0.2	1	13	0.1	1	3	0.0	1	8	0.0	2	10	0.0
Cancer	**53**	**768**	**11.5**	**55**	**998**	**13.4**	**108**	**1,765**	**12.5**	**1,425**	**16,758**	**13.9**	**1,112**	**15,385**	**13.1**	**2,537**	**32,143**	**13.5**
Lung	14	225	3.2	7	98	1.5	21	323	2.3	473	4,703	3.8	338	4,300	3.6	811	9,003	3.7
Female Breast	-	-	-	15	293	3.9	15	293	3.9	-	-	-	201	3,483	3.0	201	3,483	3.0
Colorectal	3	23	0.5	4	45	0.7	7	68	0.6	110	1,270	1.0	83	918	0.8	193	2,188	0.9
Cervical	-	-	-	6	155	1.8	6	155	1.8	-	-	-	16	265	0.2	16	265	0.2
Prostate	6	60	1.1	-	-	-	6	60	1.1	104	745	0.6	-	-	-	104	745	0.6
Endocrine/Nutritional/Metabolic	**10**	**150**	**2.1**	**9**	**123**	**2.0**	**19**	**273**	**2.1**	**120**	**1,715**	**1.6**	**73**	**1,197**	**1.2**	**193**	**2,911**	**1.4**
Diabetes	9	138	1.9	6	60	1.2	15	198	1.5	91	1,173	1.0	58	750	0.7	149	1,923	0.9
Circulatory System Diseases	**79**	**998**	**16.3**	**50**	**745**	**10.6**	**129**	**1,743**	**13.4**	**1,404**	**15,729**	**13.1**	**612**	**6,122**	**5.5**	**2,016**	**21,850**	**9.4**
Ischemic Heart	33	458	7.2	14	155	2.5	47	613	4.8	895	9,763	7.9	264	2,300	2.0	1,159	12,063	5.0
Cerebrovascular	20	195	3.5	19	313	4.4	39	508	4.0	178	1,895	1.5	132	1,620	1.5	310	3,515	1.5
Arteries	2	25	0.5	5	148	1.6	7	173	1.1	96	1,015	0.9	69	583	0.5	165	1,598	0.7
Respiratory System Diseases	**25**	**469**	**5.8**	**35**	**498**	**6.8**	**60**	**966**	**6.4**	**294**	**2,597**	**2.3**	**173**	**1,979**	**1.9**	**467**	**4,576**	**2.1**
Pneumonia/Influenza	12	177	2.3	14	235	2.9	26	412	2.7	74	810	0.7	46	732	0.7	120	1,542	0.7
Chronic Lung Disease	6	50	1.0	6	40	0.8	12	90	0.9	155	948	0.8	94	715	0.6	249	1,663	0.7
Asthma	1	23	0.3	3	73	0.8	4	95	0.5	18	220	0.2	15	173	0.1	33	393	0.2
Digestive System Diseases	**26**	**540**	**7.1**	**52**	**1,090**	**14.4**	**78**	**1,630**	**10.8**	**207**	**3,059**	**2.6**	**118**	**1,710**	**1.5**	**325**	**4,769**	**2.1**
Chronic Liver Disease/Cirrhosis	14	270	3.7	36	815	10.5	50	1,085	7.1	100	1,655	1.3	60	930	0.8	160	2,585	1.1
Congenital Anomalies	**4**	**296**	**2.2**	**3**	**224**	**1.8**	**7**	**519**	**2.0**	**32**	**1,902**	**2.4**	**20**	**1,167**	**1.6**	**52**	**3,069**	**2.0**
Perinatal Conditions	**5**	**373**	**2.8**	**2**	**149**	**1.2**	**7**	**522**	**2.0**	**28**	**2,084**	**2.9**	**15**	**1,118**	**1.7**	**43**	**3,201**	**2.3**
External Causes	**215**	**8,762**	**90.7**	**75**	**3,252**	**32.9**	**290**	**12,013**	**61.6**	**889**	**31,106**	**33.5**	**289**	**9,642**	**10.5**	**1,178**	**40,748**	**22.2**
Motor Vehicle Accidents	66	2,880	29.2	32	1,385	14.3	98	4,265	21.7	294	11,169	11.9	123	4,656	5.3	417	15,825	8.6
Accidental Poisoning	21	733	8.2	8	305	3.4	29	1,038	5.7	116	4,160	4.6	37	1,233	1.4	153	5,393	3.0
Accidental Falls	12	320	3.8	3	128	1.3	15	448	2.6	41	1,013	1.1	25	298	0.3	66	1,310	0.7
Suicide	46	2,010	20.3	11	523	5.0	57	2,533	12.6	244	7,900	8.5	43	1,293	1.3	287	9,193	4.9
Homicide	10	375	4.2	9	403	4.0	19	778	4.1	32	1,246	1.4	15	632	0.7	47	1,878	1.0
Fire and Flames	8	235	2.6	2	80	0.8	10	315	1.7	7	258	0.3	8	382	0.4	15	640	0.3
All Other Causes	48	1,293	14.6	41	910	11.0	89	2,203	12.9	280	5,185	5.2	172	3,024	3.2	452	8,209	4.2
Total Deaths	**475**	**13,901**	**156.2**	**332**	**8,231**	**97.1**	**807**	**22,132**	**126.7**	**4,741**	**81,539**	**78.9**	**2,615**	**41,918**	**40.7**	**7,356**	**123,457**	**60.2**
Alcohol-Related Deaths	194	5,390	62.9	97	2,673	31.3	291	8,063	47.0	685	14,683	14.6	165	3,258	3.2	850	17,940	9.0
Medically Treatable Diseases	4	165	1.7	15	483	5.1	19	648	3.5	24	790	0.8	39	1,053	1.0	63	1,843	0.9
Drug Induced Deaths	13	483	5.2	9	313	3.5	22	795	4.3	147	5,223	5.7	57	1,808	1.9	204	7,030	3.8
Smoking-Attributable Mortality (SAM)	52	703	11.1	31	474	6.7	83	1,177	8.9	1,167	12,408	10.0	534	6,243	5.2	1,702	18,651	7.6

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
21 Fraser East
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**5**	**183**	**4.6**	**7**	**153**	**4.3**	**12**	**335**	**4.4**	**94**	**2,335**	**2.0**	**41**	**982**	**0.9**	**135**	**3,317**	**1.5**
HIV Diseases	4	145	3.7	2	60	1.4	6	205	2.5	39	1,258	1.1	3	140	0.1	42	1,397	0.6
Tuberculosis	-	-	-	-	-	-	-	-	-	1	8	0.0	1	8	0.0	2	15	0.0
Cancer	**27**	**523**	**16.3**	**24**	**400**	**12.4**	**51**	**923**	**14.3**	**1,534**	**17,933**	**15.0**	**1,254**	**15,909**	**13.2**	**2,788**	**33,842**	**14.1**
Lung	11	173	6.1	4	75	2.3	15	248	4.1	499	5,418	4.5	342	3,920	3.2	841	9,338	3.8
Female Breast	-	-	-	5	93	2.7	5	93	2.7	-	-	-	218	3,090	2.6	218	3,090	2.6
Colorectal	-	-	-	-	-	-	1	13	0.3	128	1,335	1.1	-	-	-	232	2,755	1.1
Cervical	-	-	-	1	28	0.7	1	28	0.7	-	-	-	18	375	0.3	18	375	0.3
Prostate	1	13	0.6	-	-	-	1	13	0.6	128	740	0.6	-	-	-	128	740	0.6
Endocrine/Nutritional/Metabolic	**8**	**135**	**4.5**	**5**	**93**	**2.7**	**13**	**228**	**3.5**	**147**	**1,705**	**1.4**	**101**	**1,387**	**1.2**	**248**	**3,091**	**1.3**
Diabetes	6	90	3.1	3	38	1.4	9	128	2.2	121	1,218	1.0	80	905	0.8	201	2,123	0.9
Circulatory System Diseases	**44**	**630**	**24.0**	**26**	**380**	**12.7**	**70**	**1,010**	**18.1**	**1,274**	**13,491**	**11.2**	**660**	**6,266**	**5.1**	**1,934**	**19,757**	**8.1**
Ischemic Heart	29	348	14.9	10	115	4.4	39	463	9.4	803	8,193	6.8	344	2,810	2.2	1,147	11,003	4.5
Cerebrovascular	6	60	2.6	7	73	3.2	13	133	2.9	177	1,795	1.5	120	1,325	1.1	297	3,120	1.3
Arteries	3	58	1.9	4	65	2.1	7	123	2.0	88	950	0.8	56	500	0.4	144	1,450	0.6
Respiratory System Diseases	**13**	**384**	**8.5**	**7**	**123**	**3.6**	**20**	**507**	**6.1**	**253**	**2,596**	**2.2**	**191**	**1,770**	**1.5**	**444**	**4,365**	**1.8**
Pneumonia/Influenza	4	172	3.5	1	33	0.7	5	205	2.2	77	1,111	0.9	48	597	0.5	125	1,708	0.7
Chronic Lung Disease	3	23	1.2	2	20	0.9	5	43	1.1	124	940	0.8	101	613	0.5	225	1,553	0.6
Asthma	2	65	1.2	-	-	-	2	65	0.6	9	157	0.1	13	258	0.2	22	415	0.2
Digestive System Diseases	**18**	**305**	**10.8**	**13**	**283**	**8.0**	**31**	**588**	**9.2**	**189**	**2,810**	**2.3**	**101**	**1,427**	**1.2**	**290**	**4,237**	**1.8**
Chronic Liver Disease/Cirrhosis	11	208	7.0	8	200	5.2	19	408	6.0	83	1,323	1.1	34	455	0.4	117	1,778	0.7
Congenital Anomalies	**2**	**112**	**1.8**	**3**	**187**	**2.8**	**5**	**299**	**2.3**	**51**	**3,099**	**2.8**	**42**	**2,403**	**2.2**	**93**	**5,502**	**2.5**
Perinatal Conditions	**2**	**149**	**1.8**	**-**	**-**	**-**	**2**	**149**	**1.0**	**31**	**2,310**	**2.1**	**24**	**1,788**	**1.7**	**55**	**4,098**	**1.9**
External Causes	**81**	**3,097**	**76.5**	**36**	**1,415**	**30.9**	**117**	**4,512**	**52.8**	**729**	**25,561**	**23.0**	**264**	**9,141**	**8.5**	**993**	**34,702**	**15.9**
Motor Vehicle Accidents	24	985	23.7	16	710	14.3	40	1,695	18.8	192	7,630	7.0	78	2,865	2.7	270	10,494	4.9
Accidental Poisoning	20	715	18.8	7	228	5.6	27	943	11.9	119	4,123	3.6	43	1,578	1.5	162	5,700	2.6
Accidental Falls	3	98	2.6	1	18	0.6	4	115	1.5	40	955	0.8	13	267	0.2	53	1,222	0.5
Suicide	13	498	12.5	8	360	7.8	21	858	9.9	197	6,558	5.8	66	2,140	2.0	263	8,698	4.0
Homicide	5	217	4.3	-	-	-	5	217	2.1	29	933	0.8	16	684	0.6	45	1,617	0.7
Fire and Flames	-	-	-	1	33	0.7	1	33	0.4	17	602	0.5	7	308	0.3	24	910	0.4
All Other Causes	27	1,034	20.5	21	895	17.9	48	1,929	19.2	333	7,597	6.6	202	3,678	3.2	535	11,275	4.9
Total Deaths	**227**	**6,551**	**169.4**	**142**	**3,926**	**95.3**	**369**	**10,477**	**130.9**	**4,635**	**79,435**	**68.6**	**2,880**	**44,749**	**38.7**	**7,515**	**124,184**	**53.8**
Alcohol-Related Deaths	59	1,483	43.3	21	558	14.3	80	2,040	28.2	462	8,645	7.5	117	2,008	1.7	579	10,653	4.6
Medically Treatable Diseases	4	195	4.4	4	95	2.6	8	290	3.5	34	935	0.8	43	1,268	1.1	77	2,203	1.0
Drug Induced Deaths	20	695	18.3	10	300	7.5	30	995	12.7	144	4,775	4.2	84	2,720	2.6	228	7,495	3.4
Smoking-Attributable Mortality (SAM)	30	432	16.5	14	205	7.0	44	637	11.5	1,111	12,234	10.1	560	5,892	4.8	1,671	18,126	7.4

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area

22 Fraser North

British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**4**	**110**	**7.5**	**3**	**148**	**4.7**	**7**	**258**	**5.6**	**238**	**6,416**	**2.3**	**81**	**1,679**	**0.6**	**319**	**8,097**	**1.5**
HIV Diseases	1	33	1.9	-	-	-	1	33	0.9	129	4,113	1.4	16	555	0.2	145	4,668	0.8
Tuberculosis	-	-	-	1	43	1.5	1	43	0.8	5	128	0.0	2	10	0.0	7	138	0.0
Cancer	**26**	**375**	**43.0**	**30**	**530**	**35.8**	**56**	**905**	**37.7**	**2,868**	**35,835**	**13.9**	**2,480**	**35,793**	**13.2**	**5,348**	**71,627**	**13.5**
Lung	9	108	13.4	9	158	10.7	18	265	11.5	904	9,690	3.8	671	8,193	3.0	1,575	17,883	3.4
Female Breast	-	-	-	4	125	5.9	4	125	5.9	-	-	-	497	8,748	3.1	497	8,748	3.1
Colorectal	3	33	5.0	1	18	1.2	4	50	2.6	270	3,200	1.2	189	2,248	0.8	459	5,448	1.0
Cervical	-	-	-	-	-	-	-	-	-	-	-	-	52	1,170	0.4	52	1,170	0.4
Prostate	1	18	2.1	-	-	-	1	18	2.1	174	1,205	0.5	-	-	-	174	1,205	0.5
Endocrine/Nutritional/Metabolic	**4**	**65**	**7.6**	**4**	**70**	**4.7**	**8**	**135**	**5.9**	**241**	**3,568**	**1.4**	**175**	**2,448**	**1.0**	**416**	**6,016**	**1.2**
Diabetes	4	65	7.6	4	70	4.7	8	135	5.9	191	2,513	1.0	128	1,405	0.5	319	3,917	0.8
Circulatory System Diseases	**27**	**448**	**48.3**	**21**	**303**	**22.2**	**48**	**750**	**32.6**	**2,465**	**27,929**	**10.9**	**1,176**	**11,040**	**4.2**	**3,641**	**38,969**	**7.5**
Ischemic Heart	17	288	29.6	5	48	3.7	22	335	14.1	1,537	16,978	6.6	575	4,768	1.8	2,112	21,745	4.2
Cerebrovascular	4	75	7.3	9	128	10.2	13	203	9.1	371	3,963	1.6	273	2,533	1.0	644	6,495	1.3
Arteries	1	8	1.8	-	-	-	1	8	0.7	169	1,708	0.7	78	845	0.3	247	2,553	0.5
Respiratory System Diseases	**11**	**133**	**18.8**	**6**	**115**	**7.7**	**19**	**248**	**11.9**	**512**	**4,907**	**2.0**	**360**	**3,242**	**1.3**	**872**	**8,148**	**1.6**
Pneumonia/Influenza	2	35	3.7	3	58	3.2	5	93	3.4	163	1,752	0.7	95	1,167	0.5	258	2,919	0.6
Chronic Lung Disease	8	80	13.1	3	13	2.0	11	93	6.3	240	1,600	0.7	200	1,295	0.5	440	2,895	0.6
Asthma	-	-	-	1	23	1.3	1	23	0.7	17	388	0.2	22	225	0.1	39	613	0.1
Digestive System Diseases	**9**	**233**	**15.5**	**7**	**213**	**10.5**	**16**	**445**	**12.6**	**373**	**6,022**	**2.2**	**214**	**3,080**	**1.2**	**587**	**9,102**	**1.7**
Chronic Liver Disease/Cirrhosis	3	63	4.9	4	130	6.2	7	193	5.4	194	3,230	1.2	66	1,110	0.4	260	4,340	0.8
Congenital Anomalies	**1**	**75**	**1.2**	**2**	**142**	**2.8**	**3**	**217**	**2.0**	**67**	**4,258**	**1.9**	**82**	**4,388**	**2.0**	**149**	**8,646**	**2.0**
Perinatal Conditions	**2**	**149**	**2.4**	**2**	**149**	**2.5**	**4**	**298**	**2.4**	**66**	**4,915**	**2.3**	**57**	**4,247**	**2.1**	**123**	**9,161**	**2.2**
External Causes	**40**	**1,595**	**78.4**	**26**	**987**	**41.0**	**66**	**2,582**	**58.0**	**1,289**	**45,993**	**17.3**	**393**	**12,845**	**5.0**	**1,682**	**58,838**	**11.2**
Motor Vehicle Accidents	5	213	10.2	3	118	4.7	8	330	7.2	239	10,070	3.9	95	3,242	1.3	334	13,312	2.6
Accidental Poisoning	15	588	28.1	10	365	14.4	25	953	20.9	334	12,185	4.5	64	2,185	0.8	398	14,370	2.7
Accidental Falls	1	33	1.9	2	45	2.7	3	78	2.4	70	1,880	0.7	27	383	0.2	97	2,262	0.4
Suicide	11	443	21.3	8	300	13.8	19	743	17.1	408	12,970	4.8	119	3,953	1.5	527	16,923	3.2
Homicide	2	110	4.8	2	132	4.0	4	242	4.3	84	3,575	1.4	27	1,147	0.5	111	4,722	0.9
Fire and Flames	1	33	1.9	-	-	-	1	33	0.9	13	427	0.2	13	552	0.2	26	979	0.2
All Other Causes	16	718	25.2	10	409	14.2	26	1,127	19.0	611	12,867	5.0	442	7,576	3.0	1,053	20,443	4.1
Total Deaths	**140**	**3,899**	**247.9**	**113**	**3,065**	**146.0**	**253**	**6,963**	**187.6**	**8,730**	**152,710**	**59.2**	**5,460**	**86,335**	**33.7**	**14,190**	**239,045**	**46.4**
Alcohol-Related Deaths	36	975	65.5	17	518	23.4	53	1,493	41.1	1,064	19,495	7.2	235	4,018	1.5	1,299	23,513	4.3
Medically Treatable Diseases	2	50	3.7	2	80	3.1	4	130	3.2	70	2,150	0.8	83	2,393	0.9	153	4,543	0.8
Drug Induced Deaths	15	538	28.5	15	533	22.9	30	1,070	25.4	398	13,960	5.1	129	4,163	1.6	527	18,123	3.3
Smoking-Attributable Mortality (SAM)	25	325	41.7	18	279	19.2	43	604	27.7	2,128	23,942	9.3	1,067	12,052	4.5	3,195	35,993	6.8

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population)
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
23 Fraser South
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**6**	**240**	**12.2**	**1**	**33**	**1.5**	**7**	**273**	**6.3**	**226**	**5,861**	**2.0**	**96**	**2,074**	**0.7**	**324**	**7,935**	**1.4**
HIV Diseases	5	208	10.2	1	33	1.5	6	240	5.4	111	3,437	1.2	15	603	0.2	126	4,040	0.7
Tuberculosis	-	-	-	-	-	-	-	-	-	5	93	0.0	4	50	0.0	9	143	0.0
Cancer	**18**	**295**	**26.6**	**29**	**443**	**29.3**	**47**	**738**	**28.3**	**2,958**	**37,524**	**13.1**	**2,790**	**39,802**	**13.3**	**5,748**	**77,325**	**13.2**
Lung	6	80	8.5	4	70	4.6	10	150	6.3	866	9,295	3.3	764	9,335	3.1	1,630	18,630	3.2
Female Breast	-	-	-	7	133	8.2	7	133	8.2	-	-	-	554	9,035	2.9	554	9,035	2.9
Colorectal	2	20	2.4	2	20	2.0	4	40	2.1	270	3,145	1.1	185	2,423	0.8	455	5,568	1.0
Cervical	-	-	-	-	-	-	-	-	-	-	-	-	55	1,243	0.4	55	1,243	0.4
Prostate	1	18	1.9	-	-	-	1	18	1.9	229	1,638	0.6	-	-	-	229	1,638	0.6
Endocrine/Nutritional/Metabolic	**3**	**43**	**5.6**	**5**	**68**	**4.8**	**8**	**130**	**4.8**	**262**	**3,921**	**1.4**	**186**	**2,512**	**0.9**	**466**	**6,433**	**1.1**
Diabetes	3	43	5.6	3	43	2.7	6	85	3.7	224	2,775	1.0	141	1,538	0.5	365	4,313	0.8
Circulatory System Diseases	**23**	**473**	**37.5**	**9**	**96**	**8.1**	**32**	**570**	**20.4**	**2,578**	**29,618**	**10.3**	**1,276**	**12,742**	**4.5**	**3,854**	**42,360**	**7.4**
Ischemic Heart	12	205	18.6	3	23	2.3	15	228	9.0	1,663	18,538	6.4	631	5,138	1.8	2,294	23,675	4.1
Cerebrovascular	4	55	4.3	-	-	-	4	55	1.9	356	3,912	1.4	302	3,260	1.1	658	7,172	1.2
Arteries	3	88	6.4	2	20	2.0	5	108	3.9	159	1,613	0.6	93	1,263	0.4	252	2,875	0.5
Respiratory System Diseases	**2**	**30**	**2.4**	**4**	**50**	**3.9**	**6**	**80**	**3.4**	**477**	**4,682**	**1.7**	**337**	**3,113**	**1.1**	**814**	**7,794**	**1.4**
Pneumonia/Influenza	1	3	0.5	1	13	1.1	2	15	0.9	136	1,480	0.5	84	1,060	0.4	220	2,540	0.4
Chronic Lung Disease	1	28	1.9	1	18	1.2	2	45	1.6	227	1,603	0.6	176	1,140	0.4	403	2,743	0.5
Asthma	-	-	-	-	-	-	-	-	-	19	398	0.1	22	325	0.1	41	723	0.1
Digestive System Diseases	**5**	**68**	**7.9**	**7**	**63**	**4.9**	**12**	**130**	**6.0**	**361**	**5,417**	**1.8**	**231**	**3,110**	**1.0**	**592**	**8,526**	**1.4**
Chronic Liver Disease/Cirrhosis	4	65	7.4	3	18	1.7	7	83	3.9	186	2,930	1.0	92	1,620	0.5	278	4,550	0.7
Congenital Anomalies	**4**	**239**	**5.4**	**2**	**147**	**2.3**	**6**	**386**	**3.7**	**98**	**5,989**	**2.2**	**77**	**4,901**	**1.9**	**175**	**10,890**	**2.0**
Perinatal Conditions	**5**	**373**	**5.3**	**2**	**149**	**2.2**	**7**	**522**	**3.8**	**92**	**6,854**	**2.5**	**86**	**6,407**	**2.5**	**178**	**13,261**	**2.5**
External Causes	**38**	**1,670**	**85.7**	**23**	**868**	**37.7**	**61**	**2,538**	**59.4**	**1,422**	**52,716**	**19.0**	**442**	**15,219**	**5.5**	**1,864**	**67,935**	**12.3**
Motor Vehicle Accidents	7	388	16.5	4	180	7.9	11	568	12.2	377	15,641	5.7	133	4,967	1.8	510	20,608	3.8
Accidental Poisoning	12	550	28.1	10	410	17.5	22	960	22.2	332	12,090	4.3	68	2,435	0.9	400	14,525	2.6
Accidental Falls	2	80	4.5	-	-	-	2	80	2.0	56	1,569	0.5	20	280	0.1	76	1,849	0.3
Suicide	10	395	21.9	-	-	-	10	395	9.6	375	13,038	4.6	117	3,688	1.3	492	16,725	3.0
Homicide	2	90	4.6	3	138	5.6	5	228	5.1	72	2,934	1.1	41	1,759	0.6	113	4,743	0.9
Fire and Flames	1	38	1.9	2	75	2.8	3	113	2.4	18	697	0.2	13	387	0.1	31	1,084	0.2
All Other Causes	9	267	13.0	12	315	14.9	21	582	13.9	605	12,665	4.5	427	8,253	2.9	1,032	20,917	3.7
Total Deaths	**113**	**3,696**	**201.6**	**94**	**2,251**	**109.4**	**207**	**5,946**	**149.9**	**9,101**	**165,245**	**58.4**	**5,948**	**98,131**	**34.5**	**15,049**	**263,375**	**46.5**
Alcohol-Related Deaths	14	405	28.0	18	505	24.1	32	910	25.5	964	19,520	6.7	237	4,503	1.5	1,201	24,022	4.1
Medically Treatable Diseases	2	55	3.8	-	-	-	2	55	1.6	88	2,395	0.8	95	2,763	1.0	183	5,158	0.9
Drug Induced Deaths	12	550	28.1	13	478	20.5	25	1,028	24.0	369	13,373	4.8	127	4,163	1.5	496	17,535	3.2
Smoking-Attributable Mortality (SAM)	14	208	21.0	9	121	8.9	22	329	13.8	2,087	23,705	8.2	1,153	13,103	4.4	3,240	36,808	6.3

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area

31 Richmond

British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**1**	**33**	**13.5**	-	-	-	**1**	**33**	**5.2**	**55**	**1,332**	**1.7**	**24**	**460**	**0.6**	**79**	**1,791**	**1.1**
HIV Diseases	1	33	13.5	-	-	-	1	33	5.2	26	830	1.0	4	150	0.2	30	980	0.6
Tuberculosis	-	-	-	-	-	-	-	-	-	2	5	0.0	-	-	-	2	5	0.0
Cancer	**1**	**3**	**7.1**	**4**	**100**	**28.6**	**5**	**103**	**19.7**	**742**	**9,429**	**11.3**	**720**	**10,480**	**11.4**	**1,462**	**19,909**	**11.3**
Lung	1	3	7.1	1	18	6.2	2	20	6.1	231	2,473	3.0	180	2,095	2.3	411	4,568	2.6
Female Breast	-	-	-	1	28	6.8	1	28	6.8	-	-	-	136	2,445	2.5	136	2,445	2.5
Colorectal	-	-	-	-	-	-	-	-	-	75	848	1.0	69	923	1.0	144	1,770	1.0
Cervical	-	-	-	-	-	-	-	-	-	-	-	-	14	290	0.3	14	290	0.3
Prostate	-	-	-	-	-	-	-	-	-	37	283	0.4	-	-	-	37	283	0.4
Endocrine/Nutritional/Metabolic	**1**	**8**	**8.5**	-	-	-	**1**	**8**	**4.5**	**57**	**598**	**0.8**	**36**	**512**	**0.7**	**93**	**1,110**	**0.7**
Diabetes	-	-	-	-	-	-	-	-	-	45	378	0.5	23	243	0.3	68	620	0.4
Circulatory System Diseases	**2**	**10**	**15.6**	**2**	**25**	**11.3**	**4**	**35**	**13.8**	**603**	**6,780**	**8.3**	**275**	**2,533**	**2.9**	**878**	**9,312**	**5.5**
Ischemic Heart	1	3	7.1	1	3	4.1	2	5	5.2	386	4,365	5.3	128	1,020	1.2	514	5,385	3.1
Cerebrovascular	-	-	-	-	-	-	-	-	-	97	1,003	1.2	73	798	0.9	170	1,800	1.1
Arteries	-	-	-	-	-	-	-	-	-	43	393	0.5	22	275	0.3	65	668	0.4
Respiratory System Diseases	**1**	**8**	**8.5**	-	-	-	**1**	**8**	**4.5**	**106**	**970**	**1.2**	**59**	**493**	**0.6**	**165**	**1,463**	**0.9**
Pneumonia/Influenza	-	-	-	-	-	-	-	-	-	29	233	0.3	20	165	0.2	49	398	0.2
Chronic Lung Disease	-	-	-	-	-	-	-	-	-	39	233	0.3	22	90	0.1	61	323	0.2
Asthma	-	-	-	-	-	-	-	-	-	4	70	0.1	4	70	0.1	8	140	0.1
Digestive System Diseases	**1**	**28**	**12.2**	**1**	**13**	**5.4**	**2**	**40**	**7.5**	**78**	**1,210**	**1.4**	**51**	**593**	**0.7**	**129**	**1,803**	**1.0**
Chronic Liver Disease/Cirrhosis	-	-	-	-	-	-	-	-	-	38	590	0.7	16	190	0.2	54	780	0.4
Congenital Anomalies	**1**	**75**	**9.7**	-	-	-	**1**	**75**	**4.8**	**14**	**709**	**1.1**	**14**	**778**	**1.3**	**28**	**1,487**	**1.2**
Perinatal Conditions	-	-	-	**2**	**149**	**19.4**	**2**	**149**	**9.7**	**25**	**1,863**	**3.0**	**25**	**1,863**	**3.3**	**50**	**3,725**	**3.2**
External Causes	**5**	**218**	**67.7**	**2**	**90**	**23.5**	**7**	**308**	**47.9**	**256**	**8,945**	**11.1**	**97**	**3,184**	**3.8**	**353**	**12,129**	**7.4**
Motor Vehicle Accidents	2	105	31.2	-	-	-	2	105	17.2	55	2,537	3.2	29	1,043	1.3	84	3,580	2.3
Accidental Poisoning	-	-	-	1	43	10.2	1	43	5.5	41	1,468	1.8	10	410	0.5	51	1,878	1.1
Accidental Falls	1	48	13.6	-	-	-	1	48	6.7	14	245	0.3	2	75	0.1	16	320	0.2
Suicide	-	-	-	1	48	13.3	1	48	6.7	82	2,430	3.0	33	863	0.9	115	3,293	1.9
Homicide	1	13	7.3	-	-	-	1	13	3.1	14	560	0.7	3	83	0.1	17	643	0.4
Fire and Flames	-	-	-	-	-	-	-	-	-	7	283	0.3	1	58	0.1	8	340	0.2
All Other Causes	3	43	26.6	1	3	4.1	4	45	12.7	113	2,286	2.9	93	1,513	1.9	206	3,799	2.4
Total Deaths	**16**	**422**	**169.4**	**12**	**379**	**92.2**	**28**	**801**	**130.3**	**2,049**	**34,119**	**42.7**	**1,394**	**22,406**	**27.0**	**3,443**	**56,525**	**34.6**
Alcohol-Related Deaths	1	8	8.5	1	48	13.3	2	55	11.2	181	3,238	3.8	47	773	0.8	228	4,010	2.3
Medically Treatable Diseases	-	-	-	-	-	-	-	-	-	14	325	0.4	20	535	0.6	34	860	0.5
Drug Induced Deaths	-	-	-	2	90	23.5	2	90	12.2	54	1,815	2.2	24	755	0.9	78	2,570	1.5
Smoking-Attributable Mortality (SAM)	1	5	10.1	1	18	6.7	2	23	7.9	509	5,855	7.0	255	2,882	3.1	765	8,737	5.0

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
32 Vancouver
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**93**	**3,220**	**47.6**	**31**	**1,023**	**15.1**	**124**	**4,242**	**31.3**	**1,282**	**40,265**	**12.3**	**161**	**4,012**	**1.3**	**1,443**	**44,277**	**6.9**
HIV Diseases	74	2,705	38.3	21	753	10.8	95	3,458	24.6	1,084	36,580	11.1	68	2,500	0.8	1,152	39,080	6.1
Tuberculosis	1	28	0.4	2	65	0.9	3	93	0.7	17	308	0.1	5	58	-	22	365	0.1
Cancer	**37**	**660**	**17.4**	**45**	**1,083**	**19.5**	**82**	**1,742**	**18.3**	**3,261**	**41,229**	**14.2**	**2,400**	**32,498**	**11.1**	**5,661**	**73,727**	**12.6**
Lung	11	143	4.5	7	138	2.6	18	280	3.4	1,012	11,330	3.9	565	6,118	2.1	1,577	17,448	3.0
Female Breast	-	-	-	8	200	3.2	8	200	3.2	-	-	-	471	7,658	2.5	471	7,658	2.5
Colorectal	5	38	1.9	3	53	1.3	8	90	1.6	335	3,613	1.3	177	2,018	0.7	512	5,630	1.0
Cervical	-	-	-	2	60	0.9	2	60	0.9	-	-	-	45	928	0.3	45	928	0.3
Prostate	3	23	1.4	-	-	-	3	23	1.4	172	1,250	0.5	-	-	-	172	1,250	0.5
Endocrine/Nutritional/Metabolic	**7**	**113**	**2.5**	**13**	**348**	**5.9**	**20**	**460**	**4.2**	**291**	**4,081**	**1.5**	**194**	**2,419**	**0.9**	**485**	**6,499**	**1.2**
Diabetes	7	113	2.5	8	195	3.4	15	308	2.9	225	2,583	0.9	143	1,343	0.5	368	3,925	0.7
Circulatory System Diseases	**70**	**1,230**	**32.3**	**38**	**740**	**14.6**	**108**	**1,970**	**22.8**	**2,949**	**34,350**	**11.9**	**1,227**	**11,854**	**4.1**	**4,176**	**46,204**	**8.0**
Ischemic Heart	31	508	14.6	12	145	3.9	43	653	8.9	1,766	19,075	6.6	551	4,268	1.5	2,317	23,343	4.0
Cerebrovascular	11	148	4.9	5	93	2.0	16	240	3.3	470	5,055	1.7	341	3,458	1.2	811	8,513	1.4
Arteries	4	65	1.7	2	30	0.9	6	95	1.2	160	1,760	0.6	71	748	0.3	231	2,508	0.4
Respiratory System Diseases	**21**	**510**	**10.0**	**17**	**435**	**7.5**	**38**	**944**	**8.6**	**735**	**7,451**	**2.6**	**319**	**3,099**	**1.1**	**1,054**	**10,549**	**1.9**
Pneumonia/Influenza	11	308	5.4	9	260	4.1	20	567	4.7	269	3,274	1.2	100	1,090	0.4	369	4,363	0.8
Chronic Lung Disease	2	10	0.7	2	25	0.9	4	35	0.8	327	2,508	0.9	140	925	0.3	467	3,433	0.6
Asthma	-	-	-	-	-	-	-	-	-	23	333	0.1	15	248	0.1	38	580	0.1
Digestive System Diseases	**32**	**772**	**15.6**	**61**	**1,548**	**26.8**	**93**	**2,320**	**21.3**	**551**	**8,919**	**3.0**	**241**	**3,254**	**1.1**	**792**	**12,173**	**2.0**
Chronic Liver Disease/Cirrhosis	17	423	8.0	41	1,068	18.0	58	1,490	13.1	286	4,910	1.6	95	1,438	0.5	381	6,348	1.0
Congenital Anomalies	**3**	**88**	**1.4**	**-**	**-**	**-**	**3**	**88**	**0.7**	**87**	**5,151**	**2.5**	**63**	**3,749**	**1.9**	**150**	**8,899**	**2.2**
Perinatal Conditions	**4**	**298**	**3.2**	**5**	**373**	**4.2**	**9**	**671**	**3.7**	**98**	**7,301**	**3.7**	**66**	**4,915**	**2.6**	**164**	**12,216**	**3.2**
External Causes	**203**	**7,522**	**110.4**	**146**	**5,442**	**78.4**	**349**	**12,964**	**94.0**	**2,284**	**77,597**	**24.6**	**605**	**19,572**	**6.6**	**2,889**	**97,169**	**15.8**
Motor Vehicle Accidents	16	600	9.1	13	438	6.7	29	1,038	7.8	213	7,689	2.7	107	3,609	1.3	320	11,298	2.0
Accidental Poisoning	106	3,880	56.1	94	3,505	50.1	200	7,385	53.0	961	33,433	10.3	198	7,100	2.3	1,159	40,533	6.3
Accidental Falls	19	587	9.4	6	200	3.1	25	787	6.1	148	3,632	1.2	30	655	0.2	178	4,287	0.7
Suicide	24	1,015	14.3	17	638	9.3	41	1,653	11.8	599	20,183	6.3	162	4,725	1.6	761	24,908	4.0
Homicide	14	610	8.8	8	320	4.6	22	930	6.7	143	5,648	1.9	38	1,659	0.6	181	7,306	1.2
Fire and Flames	1	28	0.4	-	-	-	1	28	0.2	18	665	0.2	4	65	0.0	22	730	0.1
All Other Causes	90	2,903	45.5	68	2,392	34.8	158	5,295	39.7	921	18,426	6.3	511	9,417	3.5	1,432	27,843	4.9
Total Deaths	**560**	**17,313**	**286.0**	**424**	**13,381**	**206.7**	**984**	**30,694**	**244.7**	**12,459**	**244,768**	**82.7**	**5,787**	**94,785**	**34.2**	**18,246**	**339,553**	**58.6**
Alcohol-Related Deaths	225	6,568	109.9	174	5,415	82.7	399	11,983	95.6	1,909	39,080	12.4	363	7,938	2.6	2,272	47,017	7.5
Medically Treatable Diseases	17	483	8.4	16	515	7.6	33	998	7.9	113	3,223	1.0	83	2,178	0.7	196	5,400	0.9
Drug Induced Deaths	98	3,635	52.2	97	3,653	52.2	195	7,288	52.1	1,037	36,323	11.2	259	8,938	2.9	1,296	45,260	7.1
Smoking-Attributable Mortality (SAM)	40	629	17.4	19	374	7.6	59	1,003	12.1	2,546	29,147	10.1	954	10,484	3.5	3,499	39,631	6.7

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
33 North Shore/Coast Garibaldi
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**8**	**242**	**4.6**	**8**	**257**	**4.7**	**16**	**499**	**4.6**	**112**	**2,795**	**1.9**	**42**	**575**	**0.4**	**154**	**3,370**	**1.1**
HIV Diseases	4	120	2.3	3	98	1.8	7	218	2.0	76	2,160	1.5	8	170	0.1	84	2,330	0.8
Tuberculosis	1	13	0.4	1	23	0.5	2	35	0.5	1	23	0.0	1	8	0.0	2	30	0.0
Cancer	**37**	**618**	**15.6**	**39**	**778**	**17.7**	**76**	**1,395**	**16.8**	**1,473**	**16,813**	**11.6**	**1,363**	**18,327**	**12.1**	**2,856**	**35,140**	**11.8**
Lung	3	53	1.3	5	58	1.6	8	110	1.5	432	4,270	2.9	322	3,470	2.2	754	7,740	2.6
Female Breast	-	-	-	4	95	1.8	4	95	1.8	-	-	-	288	4,510	2.9	288	4,510	2.9
Colorectal	9	93	3.0	-	-	-	14	240	3.0	135	1,558	1.0	-	-	-	235	2,688	0.9
Cervical	-	-	-	4	125	2.2	4	125	2.2	-	-	-	23	518	0.3	23	518	0.3
Prostate	1	23	0.5	-	-	-	1	23	0.5	103	898	0.6	-	-	-	103	898	0.6
Endocrine/Nutritional/Metabolic	**21**	**445**	**9.8**	**6**	**30**	**1.2**	**27**	**475**	**5.6**	**121**	**1,595**	**1.1**	**66**	**1,065**	**0.8**	**187**	**2,659**	**1.0**
Diabetes	16	245	6.4	5	28	1.1	21	273	3.8	88	955	0.6	39	443	0.3	127	1,398	0.5
Circulatory System Diseases	**53**	**903**	**22.1**	**41**	**623**	**15.5**	**94**	**1,525**	**18.9**	**1,199**	**12,148**	**8.4**	**549**	**4,863**	**3.3**	**1,748**	**17,010**	**5.8**
Ischemic Heart	25	383	9.7	15	168	5.1	40	550	7.4	751	7,918	5.4	255	1,873	1.2	1,006	9,790	3.3
Cerebrovascular	5	68	1.7	11	143	3.6	16	210	2.7	170	1,315	0.9	144	1,455	1.0	314	2,770	0.9
Arteries	2	35	0.9	3	108	1.9	5	143	1.4	90	815	0.6	35	388	0.2	125	1,203	0.4
Respiratory System Diseases	**11**	**128**	**3.3**	**16**	**325**	**7.3**	**27**	**452**	**5.2**	**246**	**2,317**	**1.7**	**160**	**1,325**	**1.0**	**406**	**3,641**	**1.3**
Pneumonia/Influenza	8	110	2.6	6	80	2.2	14	190	2.4	66	905	0.7	46	425	0.3	112	1,330	0.5
Chronic Lung Disease	3	18	0.7	2	35	0.7	5	53	0.7	132	835	0.6	81	423	0.3	213	1,258	0.4
Asthma	-	-	-	2	55	1.2	2	55	0.6	14	160	0.1	11	193	0.2	25	353	0.1
Digestive System Diseases	**21**	**427**	**9.5**	**20**	**365**	**8.9**	**41**	**792**	**9.2**	**135**	**1,878**	**1.2**	**107**	**1,385**	**0.9**	**242**	**3,262**	**1.1**
Chronic Liver Disease/Cirrhosis	9	213	4.6	12	205	5.0	21	418	4.8	67	983	0.6	51	738	0.5	118	1,720	0.6
Congenital Anomalies	-	-	-	**2**	**112**	**1.6**	**2**	**112**	**0.8**	**36**	**2,110**	**2.1**	**26**	**1,370**	**1.5**	**62**	**3,480**	**1.8**
Perinatal Conditions	**3**	**224**	**3.0**	**3**	**224**	**3.1**	**6**	**447**	**3.1**	**22**	**1,639**	**1.8**	**20**	**1,490**	**1.7**	**42**	**3,129**	**1.7**
External Causes	**103**	**3,979**	**72.2**	**27**	**1,013**	**18.4**	**130**	**4,992**	**45.2**	**583**	**19,999**	**16.8**	**221**	**6,861**	**5.5**	**804**	**26,860**	**11.2**
Motor Vehicle Accidents	29	1,245	22.3	9	343	6.3	38	1,587	14.3	115	4,713	4.0	50	1,715	1.4	165	6,427	2.7
Accidental Poisoning	16	600	11.7	5	168	3.0	21	768	7.3	101	3,723	3.1	39	1,258	1.0	140	4,980	2.0
Accidental Falls	6	150	3.1	-	-	-	6	150	1.6	44	1,200	1.0	24	475	0.4	68	1,675	0.7
Suicide	21	923	15.8	5	208	3.5	26	1,130	9.7	181	5,583	4.6	68	2,090	1.6	249	7,673	3.1
Homicide	5	208	3.7	3	128	2.5	8	335	3.1	16	565	0.5	8	350	0.3	24	915	0.4
Fire and Flames	4	195	2.7	1	8	0.3	5	203	1.5	9	233	0.2	3	13	0.0	12	245	0.1
All Other Causes	36	1,053	20.6	24	577	12.0	60	1,630	16.3	294	5,160	4.0	220	3,692	2.9	514	8,851	3.4
Total Deaths	**293**	**8,017**	**160.8**	**186**	**4,302**	**90.4**	**479**	**12,318**	**125.6**	**4,221**	**66,451**	**50.6**	**2,794**	**40,951**	**30.1**	**7,015**	**107,401**	**40.3**
Alcohol-Related Deaths	116	3,200	66.1	33	798	16.6	149	3,998	41.2	503	9,203	6.8	178	3,170	2.2	681	12,373	4.5
Medically Treatable Diseases	5	128	2.7	10	310	6.0	15	438	4.4	32	995	0.7	42	1,095	0.8	74	2,090	0.8
Drug Induced Deaths	11	453	8.8	7	263	4.8	18	715	6.7	132	4,580	3.8	68	2,030	1.5	200	6,610	2.6
Smoking-Attributable Mortality (SAM)	29	459	11.7	19	321	7.7	48	780	9.8	1,032	10,566	7.1	503	5,070	3.3	1,536	15,635	5.2

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH SERVICE DELIVERY AREA
41 SOUTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**10**	**385**	**12.1**	**5**	**163**	**4.6**	**15**	**548**	**7.9**	**192**	**5,842**	**3.6**	**49**	**1,065**	**0.7**	**241**	**6,907**	**2.1**
HIV Diseases	9	378	11.3	2	80	2.1	11	458	6.3	138	4,645	2.9	9	348	0.2	147	4,993	1.6
Tuberculosis	1	8	0.7	-	-	-	1	8	0.3	-	-	-	-	-	-	-	-	-
Cancer	**32**	**540**	**28.5**	**24**	**380**	**17.5**	**56**	**920**	**22.6**	**2,341**	**25,682**	**13.9**	**2,273**	**28,437**	**14.4**	**4,614**	**54,119**	**14.1**
Lung	6	95	5.1	5	28	2.4	11	123	3.6	712	6,890	3.7	586	6,400	3.1	1,298	13,290	3.4
Female Breast	-	-	-	6	100	4.5	6	100	4.5	-	-	-	482	7,145	3.6	482	7,145	3.6
Colorectal	5	88	4.2	-	-	-	5	88	1.9	198	2,025	1.1	156	1,835	0.9	354	3,860	1.0
Cervical	-	-	-	1	28	0.8	1	28	0.8	-	-	-	41	958	0.5	41	958	0.5
Prostate	2	5	0.6	-	-	-	2	5	0.6	173	1,078	0.6	-	-	-	173	1,078	0.6
Endocrine/Nutritional/Metabolic	**3**	**38**	**2.9**	**5**	**185**	**4.7**	**8**	**222**	**3.8**	**229**	**2,820**	**1.6**	**126**	**1,645**	**0.9**	**355**	**4,465**	**1.2**
Diabetes	1	8	0.7	2	55	1.7	3	63	1.2	157	1,648	0.9	93	983	0.5	250	2,630	0.7
Circulatory System Diseases	**34**	**662**	**28.8**	**20**	**415**	**14.7**	**54**	**1,077**	**21.2**	**1,724**	**17,127**	**9.2**	**894**	**7,967**	**4.0**	**2,618**	**25,094**	**6.5**
Ischemic Heart	19	233	14.4	5	83	3.2	24	315	8.2	1,081	10,623	5.7	400	3,065	1.5	1,481	13,688	3.5
Cerebrovascular	2	45	2.3	9	198	7.3	11	243	4.9	244	2,185	1.2	238	2,140	1.0	482	4,325	1.1
Arteries	4	115	4.5	1	38	1.0	5	153	2.6	125	1,048	0.6	74	650	0.3	199	1,698	0.4
Respiratory System Diseases	**5**	**155**	**4.7**	**7**	**128**	**4.7**	**12**	**282**	**4.7**	**356**	**3,120**	**1.7**	**306**	**2,627**	**1.3**	**662**	**5,747**	**1.5**
Pneumonia/Influenza	3	115	3.2	-	-	-	3	115	1.5	79	878	0.5	63	725	0.4	142	1,602	0.4
Chronic Lung Disease	1	3	0.3	3	13	1.2	4	15	0.8	193	1,378	0.7	169	1,018	0.5	362	2,395	0.6
Asthma	-	-	-	1	48	1.2	1	48	0.6	19	188	0.1	15	148	0.1	34	335	0.1
Digestive System Diseases	**12**	**335**	**13.0**	**5**	**123**	**4.3**	**17**	**458**	**8.2**	**236**	**3,392**	**1.9**	**134**	**1,615**	**0.8**	**370**	**5,007**	**1.3**
Chronic Liver Disease/Cirrhosis	9	223	9.5	3	73	2.6	12	295	5.7	129	1,898	1.0	53	788	0.4	182	2,685	0.7
Congenital Anomalies	**3**	**212**	**3.6**	**3**	**212**	**3.9**	**6**	**423**	**3.7**	**53**	**2,828**	**2.3**	**45**	**2,246**	**1.8**	**98**	**5,074**	**2.1**
Perinatal Conditions	**5**	**373**	**5.6**	**-**	**-**	**-**	**5**	**373**	**2.9**	**35**	**2,608**	**2.4**	**25**	**1,863**	**1.8**	**60**	**4,470**	**2.1**
External Causes	**66**	**2,829**	**81.5**	**36**	**1,392**	**35.9**	**104**	**4,221**	**57.4**	**878**	**28,505**	**17.8**	**312**	**9,566**	**5.9**	**1,190**	**38,070**	**11.8**
Motor Vehicle Accidents	11	538	13.9	6	190	5.1	17	728	9.4	102	3,910	2.5	44	1,815	1.2	146	5,725	1.9
Accidental Poisoning	18	685	21.8	11	413	10.9	29	1,098	15.9	250	8,695	5.4	61	2,208	1.4	311	10,903	3.4
Accidental Falls	6	145	6.0	1	28	0.8	7	173	3.2	62	1,485	0.9	23	263	0.1	85	1,748	0.5
Suicide	18	865	23.6	9	378	9.6	27	1,243	16.2	291	9,023	5.5	112	3,090	1.8	403	12,113	3.7
Homicide	1	43	1.4	3	133	3.2	[illegible]	175	2.4	34	1,285	0.8	22	837	0.5	56	2,122	0.7
Fire and Flames	5	242	5.6	1	48	1.2	6	289	3.3	9	223	0.1	4	90	0.1	13	313	0.1
All Other Causes	19	694	21.2	9	374	8.8	28	1,067	14.3	453	8,223	5.4	410	5,996	3.6	863	14,218	4.5
Total Deaths	**191**	**6,220**	**201.9**	**114**	**3,369**	**99.2**	**305**	**9,589**	**146.6**	**6,497**	**100,144**	**59.8**	**4,574**	**63,025**	**35.2**	**11,071**	**163,169**	**47.3**
Alcohol-Related Deaths	57	1,588	60.7	15	438	13.4	72	2,025	34.7	870	15,290	8.6	238	4,000	2.2	1,108	19,290	5.3
Medically Treatable Diseases	-	-	-	2	75	2.1	2	75	1.1	27	858	0.5	64	1,880	1.1	91	2,738	0.8
Drug Induced Deaths	15	598	18.5	17	700	17.3	32	1,297	17.9	297	9,913	6.1	110	3,475	2.1	407	13,388	4.1
Smoking-Attributable Mortality (SAM)	20	295	17.1	13	191	8.3	33	486	12.1	1,586	16,086	8.6	892	9,199	4.4	2,478	25,285	6.4

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
42 Central Vancouver Island
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**20**	**640**	**10.7**	**16**	**427**	**6.6**	**36**	**1,067**	**8.5**	**96**	**2,604**	**2.4**	**44**	**824**	**0.8**	**140**	**3,428**	**1.6**
HIV Diseases	14	455	7.9	6	170	2.7	20	625	5.1	51	1,693	1.7	9	362	0.4	60	2,055	1.0
Tuberculosis	-	-	-	2	10	0.4	2	10	0.2	1	3	0.0	3	18	0.0	4	20	0.0
Cancer	**36**	**585**	**12.7**	**22**	**520**	**8.3**	**58**	**1,104**	**10.4**	**1,810**	**19,485**	**14.1**	**1,562**	**20,018**	**14.7**	**3,372**	**39,503**	**14.4**
Lung	7	103	2.4	3	43	1.1	10	145	..7	564	5,335	3.6	455	5,118	3.6	1,019	10,453	3.6
Female Breast	-	-	-	3	63	1.2	3	63	1.2	-	-	-	258	4,105	3.0	258	4,105	3.0
Colorectal	4	40	1.3	3	28	1.0	7	68	1.1	177	1,723	1.2	100	1,120	0.8	277	2,843	1.0
Cervical	-	-	-	-	-	-	-	-	-	-	-	-	24	475	0.4	24	475	0.4
Prostate	2	15	0.5	-	-	-	2	15	0.5	147	1,058	0.7	-	-	-	147	1,058	0.7
Endocrine/Nutritional/Metabolic	**6**	**127**	**2.3**	**3**	**43**	**0.9**	**9**	**170**	**1.6**	**136**	**1,705**	**1.2**	**77**	**945**	**0.8**	**213**	**2,650**	**1.0**
Diabetes	5	53	1.7	2	20	0.5	7	73	1.1	97	1,148	0.8	57	553	0.4	154	1,700	0.6
Circulatory System Diseases	**67**	**1,125**	**24.4**	**56**	**1,010**	**19.9**	**123**	**2,135**	**22.0**	**1,684**	**17,517**	**12.5**	**757**	**6,867**	**5.0**	**2,441**	**24,384**	**8.7**
Ischemic Heart	32	460	11.0	19	203	5.6	51	663	8.1	1,090	11,425	7.9	353	2,898	2.0	1,443	14,323	4.9
Cerebrovascular	13	285	5.4	22	525	8.7	35	810	7.1	211	2,105	1.6	183	1,948	1.5	394	4,052	1.6
Arteries	6	105	2.4	1	23	0.4	7	128	1.3	126	1,065	0.8	83	698	0.5	209	1,763	0.6
Respiratory System Diseases	**21**	**454**	**7.9**	**18**	**640**	**8.0**	**39**	**1,094**	**7.9**	**305**	**2,637**	**1.9**	**233**	**1,912**	**1.4**	**538**	**4,549**	**1.7**
Pneumonia/Influenza	9	264	3.9	13	511	6.0	22	775	5.0	78	797	0.6	56	650	0.5	134	1,447	0.6
Chronic Lung Disease	6	65	1.8	2	25	0.7	8	90	1.2	157	1,028	0.7	136	785	0.5	293	1,813	0.6
Asthma	2	45	0.9	-	-	-	2	45	0.4	15	143	0.1	10	115	0.1	25	258	0.1
Digestive System Diseases	**19**	**378**	**7.8**	**32**	**720**	**12.7**	**51**	**1,098**	**10.4**	**190**	**2,660**	**2.0**	**123**	**1,358**	**1.0**	**313**	**4,018**	**1.5**
Chronic Liver Disease/Cirrhosis	8	210	3.8	21	498	8.6	29	708	6.3	88	1,305	0.9	47	593	0.4	135	1,898	0.7
Congenital Anomalies	**4**	**296**	**2.3**	**2**	**149**	**1.2**	**6**	**445**	**1.7**	**28**	**1,543**	**1.8**	**14**	**717**	**0.8**	**42**	**2,260**	**1.3**
Perinatal Conditions	**4**	**298**	**2.3**	**11**	**820**	**6.4**	**15**	**1,118**	**4.3**	**24**	**1,781**	**2.3**	**20**	**1,490**	**2.1**	**44**	**3,271**	**2.2**
External Causes	**120**	**5,380**	**70.7**	**73**	**3,082**	**37.8**	**193**	**8,462**	**53.6**	**740**	**25,651**	**26.0**	**217**	**7,184**	**7.2**	**957**	**32,835**	**16.7**
Motor Vehicle Accidents	31	1,457	18.0	16	725	8.5	47	2,181	13.1	185	7,512	8.0	68	2,612	2.8	253	10,124	5.4
Accidental Poisoning	8	245	4.3	10	365	5.1	18	610	4.7	120	4,420	4.5	28	865	0.8	148	5,285	2.7
Accidental Falls	4	115	2.2	2	35	0.8	6	150	1.4	36	922	0.9	12	220	0.2	48	1,142	0.5
Suicide	46	2,165	28.5	24	1,015	12.6	70	3,180	20.3	225	6,923	6.8	61	1,848	1.7	286	8,770	4.3
Homicide	13	602	7.7	7	292	3.5	20	894	5.5	24	715	0.7	12	480	0.5	36	1,195	0.6
Fire and Flames	1	38	0.6	2	70	1.0	3	108	0.8	7	213	0.2	5	108	0.1	12	320	0.1
All Other Causes	39	1,675	18.6	47	1,828	21.3	86	3,503	20.1	350	6,294	5.9	230	4,261	4.1	580	10,555	5.0
Total Deaths	**336**	**10,955**	**159.6**	**280**	**9,238**	**123.1**	**616**	**20,193**	**140.5**	**5,363**	**81,876**	**70.1**	**3,277**	**45,574**	**37.9**	**8,640**	**127,450**	**54.1**
Alcohol-Related Deaths	112	3,330	56.4	72	2,145	32.7	184	5,475	44.1	690	12,605	10.5	159	2,898	2.4	849	15,503	6.4
Medically Treatable Diseases	4	150	2.3	8	245	3.7	12	395	3.0	26	720	0.6	35	968	0.9	61	1,688	0.7
Drug Induced Deaths	13	448	7.2	23	868	11.6	36	1,315	9.5	150	5,340	5.5	60	1,760	1.6	210	7,100	3.6
Smoking-Attributable Mortality (SAM)	39	576	13.9	21	361	7.6	60	937	10.6	1,377	14,050	9.6	716	7,331	5.0	2,093	21,381	7.3

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
43 North Vancouver Island
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**5**	**183**	**5.8**	**5**	**108**	**3.6**	**10**	**290**	**4.5**	**38**	**980**	**1.6**	**14**	**210**	**0.4**	**52**	**1,190**	**1.0**
HIV Diseases	5	183	5.8	2	30	1.3	7	213	3.3	9	333	0.7	1	38	0.1	10	370	0.4
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	1	3	0.0	1	3	0.0
Cancer	**34**	**655**	**24.1**	**23**	**458**	**15.3**	**57**	**1,113**	**19.3**	**787**	**9,183**	**14.2**	**591**	**8,433**	**14.1**	**1,378**	**17,615**	**14.1**
Lung	5	78	2.9	6	100	3.8	11	178	3.3	265	2,813	4.3	170	2,190	3.6	435	5,003	4.0
Female Breast	-	-	-	2	35	1.3	2	35	1.3	-	-	-	111	1,598	2.6	111	1,598	2.6
Colorectal	4	40	1.9	1	3	0.2	5	43	1.0	49	618	0.9	27	458	0.7	76	1,075	0.8
Cervical	-	-	-	3	118	2.9	3	118	2.9	-	-	-	12	240	0.4	12	240	0.4
Prostate	2	20	1.2	-	-	-	2	20	1.2	47	293	0.5	-	-	-	47	293	0.5
Endocrine/Nutritional/Metabolic	**7**	**93**	**4.7**	**5**	**28**	**1.8**	**12**	**120**	**3.2**	**61**	**822**	**1.5**	**31**	**355**	**0.8**	**92**	**1,176**	**1.2**
Diabetes	7	93	4.7	3	13	0.9	10	105	2.8	45	368	0.6	25	163	0.3	70	530	0.4
Circulatory System Diseases	**40**	**567**	**24.0**	**30**	**540**	**18.5**	**70**	**1,107**	**21.3**	**628**	**6,840**	**10.5**	**254**	**2,785**	**4.6**	**882**	**9,625**	**7.7**
Ischemic Heart	23	308	13.6	8	55	3.2	31	363	8.1	392	4,545	6.8	109	1,193	1.9	501	5,738	4.5
Cerebrovascular	5	43	2.4	10	255	7.3	15	298	5.1	98	825	1.3	74	870	1.4	172	1,695	1.4
Arteries	-	-	-	2	20	1.2	2	20	0.6	26	225	0.4	15	203	0.4	41	428	0.4
Respiratory System Diseases	**6**	**180**	**4.9**	**7**	**118**	**4.0**	**13**	**297**	**4.6**	**112**	**1,125**	**1.8**	**76**	**740**	**1.2**	**188**	**1,865**	**1.6**
Pneumonia/Influenza	2	90	1.8	4	90	3.0	6	180	2.5	22	340	0.5	12	120	0.2	34	460	0.3
Chronic Lung Disease	3	38	1.7	2	5	0.4	5	43	1.0	58	425	0.7	44	310	0.5	102	735	0.6
Asthma	1	53	1.4	-	-	-	1	53	0.7	5	98	0.2	2	65	0.1	7	163	0.1
Digestive System Diseases	**14**	**245**	**9.8**	**9**	**148**	**5.2**	**23**	**393**	**7.3**	**75**	**1,052**	**1.6**	**53**	**720**	**1.2**	**128**	**1,772**	**1.4**
Chronic Liver Disease/Cirrhosis	4	90	3.3	6	100	3.5	10	190	3.4	45	623	0.9	19	253	0.4	64	875	0.7
Congenital Anomalies	**2**	**117**	**2.6**	**-**	**-**	**-**	**2**	**117**	**1.2**	**9**	**585**	**1.3**	**18**	**996**	**2.3**	**27**	**1,580**	**1.8**
Perinatal Conditions	**2**	**149**	**2.5**	**4**	**298**	**5.1**	**6**	**447**	**3.8**	**18**	**1,341**	**3.3**	**13**	**969**	**2.5**	**31**	**2,310**	**2.9**
External Causes	**67**	**2,638**	**77.3**	**23**	**994**	**25.2**	**90**	**3,631**	**49.7**	**461**	**16,841**	**32.2**	**121**	**4,118**	**7.9**	**582**	**20,958**	**20.3**
Motor Vehicle Accidents	11	473	13.5	6	280	7.1	17	752	10.1	92	3,850	7.7	29	1,292	2.5	121	5,141	5.2
Accidental Poisoning	19	683	21.2	7	278	7.2	26	960	13.8	75	2,688	4.9	27	903	1.6	102	3,590	3.3
Accidental Falls	3	78	2.6	2	82	1.8	5	160	2.0	20	475	0.9	6	25	0.0	26	500	0.5
Suicide	18	765	21.6	3	138	3.5	21	903	12.1	133	4,448	8.3	27	788	1.5	160	5,235	4.9
Homicide	1	33	1.0	2	60	2.1	3	93	1.5	13	623	1.2	8	415	0.9	21	1,037	1.1
Fire and Flames	2	80	2.0	1	38	0.9	3	118	1.5	5	252	0.5	5	178	0.3	10	430	0.4
All Other Causes	26	1,010	23.2	21	827	18.6	47	1,837	20.8	141	2,917	5.3	119	2,407	4.7	260	5,324	5.0
Total Deaths	**203**	**5,835**	**178.8**	**127**	**3,516**	**97.4**	**330**	**9,351**	**135.8**	**2,330**	**41,683**	**73.4**	**1,290**	**21,730**	**39.6**	**3,620**	**63,413**	**57.0**
Alcohol-Related Deaths	74	2,060	68.4	36	815	25.3	110	2,875	45.7	305	6,113	10.7	88	1,575	2.7	393	7,688	6.8
Medically Treatable Diseases	2	70	2.1	7	263	6.5	9	333	4.7	14	425	0.6	16	430	0.7	30	855	0.7
Drug Induced Deaths	15	508	16.3	7	263	7.0	22	770	11.4	85	3,053	5.7	39	1,228	2.2	124	4,280	4.0
Smoking-Attributable Mortality (SAM)	21	302	12.8	17	302	10.2	38	604	11.5	583	6,461	9.7	262	3,236	5.2	845	9,697	7.6

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
51 Northwest
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**11**	**367**	**3.2**	**11**	**272**	**2.6**	**22**	**639**	**2.9**	**13**	**263**	**0.7**	**9**	**183**	**0.5**	**22**	**445**	**0.6**
HIV Diseases	4	160	1.4	-	-	-	4	160	0.7	1	43	0.1	-	-	-	1	43	0.1
Tuberculosis	1	8	0.1	2	65	0.6	3	73	0.4	-	-	-	-	-	-	-	-	-
Cancer	**82**	**1,295**	**15.2**	**62**	**970**	**11.7**	**144**	**2,265**	**13.5**	**369**	**5,073**	**14.4**	**260**	**4,205**	**13.2**	**629**	**9,278**	**13.8**
Lung	20	245	3.2	15	148	2.2	35	393	2.7	116	1,450	4.0	80	1,115	3.7	196	2,565	3.9
Female Breast	-	-	-	14	295	3.0	14	295	3.0	-	-	-	52	1,005	3.0	52	1,005	3.0
Colorectal	11	193	2.3	4	55	0.7	15	248	1.5	31	283	0.9	21	288	0.9	52	570	0.9
Cervical	-	-	-	1	23	0.2	1	23	0.2	-	-	-	8	150	0.5	8	150	0.5
Prostate	3	18	0.3	-	-	-	3	18	0.3	13	98	0.3	-	-	-	13	98	0.3
Endocrine/Nutritional/Metabolic	**10**	**262**	**2.4**	**15**	**263**	**2.9**	**25**	**525**	**2.7**	**32**	**440**	**1.4**	**14**	**252**	**0.9**	**46**	**692**	**1.1**
Diabetes	6	60	0.9	10	180	1.9	16	240	1.4	23	248	0.8	11	143	0.5	34	390	0.7
Circulatory System Diseases	**103**	**1,583**	**18.9**	**54**	**745**	**9.1**	**157**	**2,328**	**14.0**	**346**	**4,690**	**13.1**	**138**	**1,690**	**5.8**	**484**	**6,380**	**9.8**
Ischemic Heart	53	838	9.9	12	170	2.0	65	1,008	6.0	222	3,080	8.3	57	653	2.2	279	3,733	5.6
Cerebrovascular	13	173	2.2	18	235	2.8	31	408	2.5	48	630	1.9	30	445	1.5	78	1,075	1.7
Arteries	8	145	1.6	3	28	0.4	11	173	1.0	15	193	0.6	8	110	0.3	23	303	0.5
Respiratory System Diseases	**25**	**348**	**4.2**	**20**	**275**	**3.6**	**45**	**623**	**3.8**	**69**	**803**	**2.4**	**32**	**270**	**1.0**	**101**	**1,073**	**1.7**
Pneumonia/Influenza	13	248	2.7	10	155	2.1	23	403	2.3	24	330	1.0	11	93	0.3	35	423	0.7
Chronic Lung Disease	5	28	0.5	5	48	0.7	10	75	0.6	29	268	0.8	16	150	0.6	45	418	0.7
Asthma	-	-	-	-	-	-	-	-	-	1	18	0.0	-	-	-	1	18	0.0
Digestive System Diseases	**28**	**420**	**5.1**	**19**	**440**	**4.5**	**47**	**860**	**4.8**	**43**	**583**	**1.6**	**25**	**393**	**1.2**	**68**	**975**	**1.4**
Chronic Liver Disease/Cirrhosis	8	120	1.5	8	200	2.0	16	320	1.8	26	410	1.0	7	133	0.4	33	543	0.7
Congenital Anomalies	**7**	**408**	**2.8**	**3**	**195**	**1.3**	**10**	**603**	**2.0**	**15**	**1,021**	**3.1**	**10**	**641**	**2.1**	**25**	**1,662**	**2.6**
Perinatal Conditions	**6**	**447**	**2.6**	**7**	**522**	**3.3**	**13**	**969**	**3.0**	**11**	**820**	**2.6**	**9**	**671**	**2.3**	**20**	**1,490**	**2.4**
External Causes	**159**	**6,107**	**52.4**	**54**	**2,079**	**17.2**	**213**	**8,186**	**34.6**	**328**	**11,590**	**31.5**	**53**	**2,188**	**6.6**	**381**	**13,778**	**19.8**
Motor Vehicle Accidents	34	1,465	11.8	12	550	4.4	46	2,015	8.1	98	4,086	11.3	22	1,080	3.4	120	5,166	7.6
Accidental Poisoning	18	720	6.0	13	438	4.0	31	1,158	5.0	31	938	2.5	5	178	0.5	36	1,115	1.6
Accidental Falls	9	223	2.3	4	30	0.5	13	253	1.3	5	103	0.2	3	23	0.1	8	125	0.2
Suicide	37	1,588	13.3	12	500	4.1	49	2,088	8.6	80	2,320	6.3	12	430	1.3	92	2,750	4.0
Homicide	8	370	3.1	2	100	0.8	10	470	1.9	13	488	1.4	1	38	0.1	14	525	0.8
Fire and Flames	5	188	1.6	1	43	0.4	6	230	1.0	9	327	0.9	3	128	0.4	12	455	0.7
All Other Causes	43	1,383	11.3	51	1,465	13.4	94	2,848	12.3	92	1,865	5.0	37	752	2.4	129	2,617	3.8
Total Deaths	**474**	**12,618**	**118.2**	**296**	**7,224**	**69.6**	**770**	**19,842**	**93.6**	**1,318**	**27,146**	**75.9**	**587**	**11,243**	**36.0**	**1,905**	**38,388**	**57.3**
Alcohol-Related Deaths	164	4,352	42.1	54	1,345	13.6	218	5,697	27.7	218	4,490	12.0	31	598	2.0	249	5,088	7.4
Medically Treatable Diseases	10	245	2.6	8	230	2.2	18	475	2.4	6	185	0.5	15	358	1.0	21	543	0.7
Drug Induced Deaths	16	585	5.2	19	608	5.5	35	1,193	5.3	34	1,055	2.7	8	300	0.9	42	1,355	1.9
Smoking-Attributable Mortality (SAM)	68	917	11.7	33	407	5.5	101	1,324	8.6	285	3,713	10.2	117	1,559	5.2	402	5,273	7.9

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH SERVICE DELIVERY AREA
52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**8**	**294**	**4.8**	**10**	**257**	**4.9**	**18**	**551**	**4.8**	**37**	**1,023**	**1.3**	**17**	**333**	**0.5**	**54**	**1,355**	**0.9**
HIV Diseases	3	93	1.9	2	45	1.1	5	138	1.5	14	525	0.7	2	80	0.1	16	605	0.4
Tuberculosis	1	18	0.6	3	43	1.1	4	60	0.8	1	3	0.0	-	-	-	1	3	0.0
Cancer	**40**	**615**	**17.5**	**35**	**603**	**15.2**	**75**	**1,218**	**16.4**	**828**	**10,055**	**13.7**	**664**	**10,990**	**15.8**	**1,492**	**21,045**	**14.7**
Lung	11	118	4.1	6	70	2.1	17	188	3.1	282	2,720	3.9	184	2,395	3.7	466	5,115	3.8
Female Breast	-	-	-	5	108	2.5	5	108	2.5	-	-	-	120	2,395	3.2	120	2,395	3.2
Colorectal	3	38	1.2	-	-	-	5	78	1.1	63	713	1.0	-	-	-	104	1,205	0.9
Cervical	-	-	-	2	65	1.2	2	65	1.2	-	-	-	22	555	0.8	22	555	0.8
Prostate	5	28	1.4	-	-	-	5	28	1.4	57	453	0.7	-	-	-	57	453	0.7
Endocrine/Nutritional/Metabolic	**7**	**143**	**3.2**	**3**	**48**	**1.4**	**10**	**190**	**2.3**	**68**	**1,012**	**1.4**	**54**	**625**	**1.0**	**122**	**1,637**	**1.2**
Diabetes	4	40	1.3	2	30	1.0	6	70	1.1	55	663	0.9	42	360	0.6	97	1,023	0.8
Circulatory System Diseases	**40**	**490**	**13.8**	**35**	**603**	**14.8**	**75**	**1,093**	**14.4**	**708**	**8,897**	**11.9**	**279**	**3,178**	**5.0**	**987**	**12,074**	**8.6**
Ischemic Heart	16	145	5.2	11	133	4.1	27	278	4.6	437	5,573	7.3	118	1,185	1.9	555	6,758	4.8
Cerebrovascular	7	68	2.4	9	233	4.5	16	300	3.5	98	992	1.5	75	873	1.3	173	1,865	1.4
Arteries	-	-	-	3	23	0.9	3	23	0.5	45	558	0.8	26	350	0.6	71	908	0.7
Respiratory System Diseases	**11**	**183**	**4.4**	**10**	**230**	**4.1**	**21**	**413**	**4.2**	**152**	**1,520**	**2.2**	**87**	**833**	**1.4**	**239**	**2,352**	**1.8**
Pneumonia/Influenza	4	95	1.8	6	200	3.2	10	295	2.5	38	470	0.7	22	200	0.3	60	670	0.5
Chronic Lung Disease	2	30	1.0	3	28	0.8	5	58	0.9	88	730	1.1	51	383	0.7	139	1,113	0.9
Asthma	-	-	-	-	-	-	-	-	-	5	48	0.1	-	-	-	5	48	0.0
Digestive System Diseases	**16**	**417**	**9.0**	**24**	**530**	**11.7**	**40**	**947**	**10.5**	**112**	**1,825**	**2.3**	**68**	**1,020**	**1.4**	**180**	**2,845**	**1.9**
Chronic Liver Disease/Cirrhosis	8	242	4.7	16	365	8.0	24	607	6.5	56	1,005	1.2	33	628	0.8	89	1,633	1.0
Congenital Anomalies	**4**	**192**	**2.8**	**3**	**202**	**2.1**	**7**	**394**	**2.4**	**28**	**1,770**	**2.7**	**14**	**811**	**1.3**	**42**	**2,581**	**2.0**
Perinatal Conditions	***5***	***373***	***3.3***	***1***	***75***	***0.7***	***6***	***447***	***2.0***	**23**	**1,714**	**2.8**	**24**	**1,788**	**3.0**	**47**	**3,502**	**2.9**
External Causes	**136**	**5,430**	**92.4**	**63**	**2,591**	**39.7**	**199**	**8,020**	**64.9**	**644**	**23,141**	**30.1**	**163**	**6,440**	**8.7**	**807**	**29,581**	**19.7**
Motor Vehicle Accidents	37	1,533	25.8	21	867	13.2	58	2,400	19.2	217	8,569	11.1	81	3,454	4.6	298	12,023	8.0
Accidental Poisoning	20	695	13.3	12	430	7.5	32	1,125	10.2	57	2,022	2.6	23	908	1.2	80	2,930	2.0
Accidental Falls	5	123	2.5	4	70	2.0	9	193	2.3	14	245	0.3	9	188	0.3	23	433	0.3
Suicide	34	1,440	23.7	7	358	4.9	41	1,798	14.0	154	5,395	7.0	18	640	0.9	172	6,035	4.0
Homicide	14	580	9.5	8	400	5.4	22	980	7.3	39	1,550	2.1	8	315	0.4	47	1,865	1.3
Fire and Flames	3	168	2.1	2	115	1.4	5	283	1.8	10	215	0.3	6	220	0.3	16	435	0.3
All Other Causes	27	950	15.0	31	1,055	16.4	58	2,005	15.8	187	3,932	5.3	116	2,710	4.1	303	6,642	4.7
Total Deaths	**294**	**9,085**	**166.3**	**215**	**6,191**	**111.1**	**509**	**15,276**	**137.7**	**2,787**	**54,886**	**73.7**	**1,486**	**28,727**	**42.1**	**4,273**	**83,612**	**58.5**
Alcohol-Related Deaths	72	2,010	41.0	50	1,455	27.6	122	3,465	34.0	333	6,293	8.1	87	1,628	2.3	420	7,920	5.3
Medically Treatable Diseases	4	130	2.5	10	370	6.2	14	500	4.4	26	675	0.8	30	805	1.1	56	1,480	1.0
Drug Induced Deaths	18	615	11.8	14	520	8.7	32	1,135	10.2	68	2,380	3.1	28	1,015	1.4	96	3,395	2.3
Smoking-Attributable Mortality (SAM)	27	365	11.3	18	267	7.2	46	631	9.1	647	7,236	9.9	285	3,515	5.4	932	10,751	7.8

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Service Delivery Area
53 Northeast
British Columbia, 1992-2002

	Status Indians									Other Residents								
	Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**1**	**13**	**1.7**	**1**	**33**	**1.7**	**2**	**45**	**1.7**	**7**	**98**	**0.3**	**7**	**295**	**1.0**	**14**	**392**	**0.6**
HIV Diseases	-	-	-	1	33	1.7	1	33	0.9	2	65	0.2	1	53	0.2	3	118	0.2
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	**8**	**105**	**11.7**	**14**	**240**	**16.1**	**22**	**345**	**13.7**	**306**	**3,800**	**13.4**	**205**	**3,283**	**12.2**	**511**	**7,082**	**12.9**
Lung	1	8	1.5	4	40	3.0	5	48	2.3	110	1,285	4.6	59	668	2.8	169	1,953	3.7
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	48	930	3.3	48	930	3.3
Colorectal	-	-	-	2	30	2.7	2	30	1.5	21	258	0.9	15	228	0.9	36	485	0.9
Cervical	-	-	-	-	-	-	-	-	-	-	-	-	4	115	0.4	4	115	0.4
Prostate	1	3	0.5	-	-	-	1	3	0.5	31	203	0.9	-	-	-	31	203	0.9
Endocrine/Nutritional/Metabolic	**1**	**28**	**1.8**	**-**	**-**	**-**	**1**	**28**	**0.8**	**34**	**570**	**1.9**	**26**	**215**	**0.9**	**60**	**785**	**1.5**
Diabetes	1	28	1.8	-	-	-	1	28	0.8	28	375	1.3	21	178	0.8	49	553	1.1
Circulatory System Diseases	**15**	**312**	**21.1**	**8**	**100**	**8.7**	**23**	**412**	**14.4**	**264**	**3,550**	**12.2**	**97**	**1,195**	**4.7**	**361**	**4,745**	**8.7**
Ischemic Heart	6	80	7.4	3	23	2.6	9	103	4.7	185	2,593	8.8	52	520	2.1	237	3,113	5.7
Cerebrovascular	2	20	2.2	2	45	3.1	4	65	2.6	21	223	0.8	17	223	0.9	38	445	0.9
Arteries	1	28	1.8	2	30	2.7	3	58	2.3	21	218	0.8	9	103	0.4	30	320	0.6
Respiratory System Diseases	**6**	**70**	**7.5**	**5**	**78**	**5.2**	**11**	**148**	**6.2**	**70**	**960**	**3.2**	**34**	**480**	**1.8**	**104**	**1,440**	**2.5**
Pneumonia/Influenza	4	55	5.4	4	75	4.9	8	130	5.1	20	465	1.4	13	282	1.0	33	747	1.2
Chronic Lung Disease	-	-	-	1	3	0.3	1	3	0.2	38	285	1.1	17	108	0.6	55	393	0.9
Asthma	-	-	-	-	-	-	-	-	-	4	95	0.3	3	78	0.2	7	173	0.3
Digestive System Diseases	**2**	**45**	**3.7**	**6**	**140**	**8.8**	**8**	**185**	**6.5**	**32**	**560**	**1.8**	**10**	**200**	**0.7**	**42**	**760**	**1.3**
Chronic Liver Disease/Cirrhosis	1	13	1.7	4	105	6.2	5	118	4.1	15	273	0.8	6	135	0.5	21	408	0.7
Congenital Anomalies	**3**	**160**	**4.9**	**1**	**75**	**1.8**	**4**	**234**	**3.2**	**5**	**341**	**1.1**	**4**	**276**	**0.9**	**9**	**617**	**1.0**
Perinatal Conditions	**1**	**75**	**1.5**	**3**	**224**	**5.3**	**4**	**298**	**3.3**	**11**	**820**	**2.6**	**11**	**820**	**2.7**	**22**	**1,639**	**2.7**
External Causes	**36**	**1,334**	**70.0**	**21**	**843**	**38.7**	**57**	**2,176**	**52.8**	**244**	**9,059**	**27.2**	**56**	**2,298**	**7.5**	**300**	**11,357**	**17.9**
Motor Vehicle Accidents	18	545	34.2	11	458	20.7	29	1,003	26.3	105	4,398	13.3	26	1,204	3.8	131	5,601	8.8
Accidental Poisoning	3	113	6.4	5	203	9.2	8	315	7.9	16	525	1.5	4	145	0.5	20	670	1.0
Accidental Falls	1	72	1.4	-	-	-	1	72	0.8	7	118	0.4	3	13	0.1	10	130	0.2
Suicide	3	143	6.9	1	58	2.3	4	200	4.3	52	1,720	5.1	12	425	1.5	64	2,145	3.4
Homicide	5	153	9.9	2	55	3.1	7	208	6.2	11	452	1.4	1	38	0.1	12	490	0.8
Fire and Flames	3	172	4.6	-	-	-	3	172	2.3	3	83	0.3	-	-	-	3	83	0.1
All Other Causes	11	414	17.8	8	282	12.7	19	696	15.2	73	1,615	5.2	53	1,123	3.9	126	2,738	4.6
Total Deaths	**84**	**2,553**	**141.6**	**67**	**2,013**	**99.2**	**151**	**4,566**	**117.8**	**1,046**	**21,371**	**69.0**	**503**	**10,182**	**36.3**	**1,549**	**31,553**	**53.6**
Alcohol-Related Deaths	29	623	45.1	21	660	33.6	50	1,282	38.3	156	3,310	10.4	24	625	2.2	180	3,935	6.6
Medically Treatable Diseases	2	45	3.7	2	60	3.2	4	105	3.4	11	368	1.0	12	465	1.4	23	833	1.2
Drug Induced Deaths	3	113	6.4	4	165	7.4	7	278	6.9	14	460	1.3	9	318	1.1	23	778	1.2
Smoking-Attributable Mortality (SAM)	8	129	11.5	7	91	7.0	15	219	8.9	254	3,149	11.0	93	1,088	4.4	347	4,237	7.9

Notes: PYLL - Potential Years of Life Lost per 1,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Appendix 6

Causes of Death by Health Service Delivery Area, Gender, and Age Group

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	6	1	1	-	-	1	111	57	10	9	196	4.3	3.6
		F	3	1	2	1	-	-	47	39	20	15	128	3.6	2.7
		T	9	2	3	1	-	1	158	96	30	24	324	4.0	3.1
Neoplasms	C00-D48	M	1	1	3	4	4	3	47	216	187	191	657	14.4	21.5
		F	-	1	2	2	3	4	64	228	140	159	603	17.1	16.6
		T	1	2	5	6	7	7	111	444	327	350	1,260	15.6	18.9
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	4	-	-	-	1	1	10	43	34	26	119	2.6	3.7
		F	1	-	1	1	-	1	9	36	30	36	115	3.3	3.3
		T	5	-	1	1	1	2	19	79	64	62	234	2.9	3.5
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	3	6	1	3	13	0.3	0.3
		F	1	-	-	-	-	-	1	4	1	4	11	0.3	0.3
		T	1	-	-	-	-	-	4	10	2	7	24	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	1	1	-	45	69	27	20	163	3.6	4.1
		F	-	-	-	-	1	3	45	39	10	25	123	3.5	2.7
		T	-	-	-	1	2	3	90	108	37	45	286	3.5	3.3
Diseases of the nervous system and sense organs	G00-H95	M	4	1	-	-	1	5	17	12	15	20	75	1.6	2.1
		F	4	2	-	2	-	1	15	14	13	18	69	2.0	1.7
		T	8	3	-	2	1	6	32	26	28	38	144	1.8	1.9
Diseases of the circulatory system	I00-I99	M	3	2	1	2	2	4	62	313	268	375	1,032	22.6	35.4
		F	1	-	-	-	1	3	68	165	183	433	854	24.2	27.1
		T	4	2	1	2	3	7	130	478	451	808	1,886	23.3	31.1
Diseases of the respiratory system	J00-J99	M	7	3	-	1	2	2	21	67	80	141	324	7.1	11.4
		F	8	1	-	1	1	4	22	64	66	126	293	8.3	8.9
		T	15	4	-	2	3	6	43	131	146	267	617	7.6	10.1
Diseases of the digestive system	K00-K93	M	2	1	-	1	1	1	47	112	61	45	271	5.9	7.6
		F	1	-	-	-	-	-	70	157	44	54	326	9.2	7.7
		T	3	1	-	1	1	1	117	269	105	99	597	7.4	7.6
Diseases of the genitourinary system	N00-N99	M	2	-	-	-	-	1	1	8	18	28	58	1.3	2.2
		F	1	1	-	-	-	-	4	21	15	31	73	2.1	2.2
		T	3	1	-	-	-	1	5	29	33	59	131	1.6	2.2
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	2	0.1	0.0
		T	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	1	1	-	2	0.0	0.1
		F	-	-	-	-	-	-	1	1	1	2	5	0.1	0.1
		T	-	-	-	-	-	-	1	2	2	2	7	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	2	-	-	-	-	1	2	13	6	7	31	0.7	0.9
		F	-	-	-	-	1	-	10	32	15	13	71	2.0	1.8
		T	2	-	-	-	1	1	12	45	21	20	102	1.3	1.4
Congenital anomalies	Q00-Q99	M	20	3	2	1	-	-	9	5	-	2	42	0.9	0.5
		F	16	1	2	1	-	4	2	-	-	1	27	0.8	0.3
		T	36	4	4	2	-	4	11	5	-	3	69	0.9	0.4
Certain conditions originating in the perinatal period	P00-P96	M	47	-	-	-	-	-	-	-	-	-	47	1.0	0.4
		F	43	-	-	-	-	-	-	-	-	-	43	1.2	0.4
		T	90	-	-	-	-	-	-	-	-	-	90	1.1	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	65	5	-	1	-	8	36	24	8	9	156	3.4	2.4
		F	39	4	1	1	3	5	22	13	5	12	105	3.0	1.6
		T	104	9	1	2	3	13	58	37	13	21	261	3.2	2.0
External causes	V01-Y98	M	4	19	11	23	125	175	689	254	62	28	1,390	30.4	22.9
		F	7	16	5	9	62	66	326	120	30	37	678	19.2	10.8
		T	11	35	16	32	187	241	1,015	374	92	65	2,068	25.5	16.6
All causes		**M**	**167**	**36**	**18**	**34**	**137**	**202**	**1,100**	**1,200**	**778**	**904**	**4,576**	**100.0**	**119.1**
		F	**125**	**27**	**13**	**18**	**72**	**91**	**708**	**933**	**573**	**966**	**3,526**	**100.0**	**88.1**
		T	**292**	**63**	**31**	**52**	**209**	**293**	**1,808**	**2,133**	**1,351**	**1,870**	**8,102**	**100.0**	**102.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - Provincial Total
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	10	7	4	4	7	22	1,301	904	332	634	3,225	2.1	1.5
		F	8	9	6	1	9	15	163	206	257	857	1,531	1.1	0.6
		T	18	16	10	5	16	37	1,464	1,110	589	1,491	4,756	1.6	1.0
Neoplasms	C00-D48	M	12	19	36	38	51	68	1,238	9,863	13,335	18,145	42,805	28.1	20.3
		F	6	32	35	36	39	46	1,613	9,056	9,926	17,012	37,801	27.7	14.5
		T	18	51	71	74	90	114	2,851	18,919	23,261	35,157	80,606	27.9	17.0
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	15	7	8	2	7	21	156	763	1,135	2,215	4,329	2.8	2.1
		F	14	8	9	5	10	18	85	385	794	3,032	4,360	3.2	1.6
		T	29	15	17	7	17	39	241	1,148	1,929	5,247	8,689	3.0	1.8
Disease of blood and blood-forming organs	D50-D89	M	4	6	2	2	3	1	25	54	64	242	403	0.3	0.2
		F	4	2	-	4	2	-	13	49	65	334	473	0.3	0.2
		T	8	8	2	6	5	1	38	103	129	576	876	0.3	0.2
Mental disorders	F00-F99	M	-	-	1	-	-	7	183	485	401	1,506	2,583	1.7	1.2
		F	-	1	1	1	1	4	56	149	205	3,006	3,424	2.5	1.1
		T	-	1	2	1	1	11	239	634	606	4,512	6,007	2.1	1.2
Diseases of the nervous system and sense organs	G00-H95	M	23	14	6	15	19	26	149	491	790	2,675	4,208	2.8	2.0
		F	19	6	7	14	16	16	131	404	724	4,075	5,412	4.0	1.9
		T	42	20	13	29	35	42	280	895	1,514	6,750	9,620	3.3	2.0
Diseases of the circulatory system	I00-I99	M	10	13	8	7	28	29	939	7,623	12,183	33,241	54,081	35.5	26.0
		F	8	5	5	14	14	24	384	2,611	6,460	41,912	51,437	37.7	17.5
		T	18	18	13	21	42	53	1,323	10,234	18,643	75,153	105,518	36.6	21.3
Diseases of the respiratory system	J00-J99	M	13	7	4	6	7	11	152	1,144	2,926	11,371	15,641	10.3	7.6
		F	7	7	6	6	8	4	86	685	1,939	11,782	14,530	10.7	4.9
		T	20	14	10	12	15	15	238	1,829	4,865	23,153	30,171	10.5	6.1
Diseases of the digestive system	K00-K93	M	8	7	3	1	7	5	286	1,395	1,266	2,388	5,366	3.5	2.5
		F	4	2	2	3	-	6	140	683	865	3,564	5,269	3.9	1.9
		T	12	9	5	4	7	11	426	2,078	2,131	5,952	10,635	3.7	2.2
Diseases of the genitourinary system	N00-N99	M	1	1	-	-	-	3	42	181	417	1,619	2,264	1.5	1.1
		F	-	-	-	-	-	2	15	146	294	1,881	2,338	1.7	0.8
		T	1	1	-	-	-	5	57	327	711	3,500	4,602	1.6	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	1	17	-	-	-	19	0.0	0.0
		T	-	-	-	-	1	1	17	-	-	-	19	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	3	16	16	104	139	0.1	0.1
		F	-	-	-	-	-	-	-	10	31	197	238	0.2	0.1
		T	-	-	-	-	-	-	3	26	47	301	377	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	2	1	-	-	1	2	17	72	114	286	495	0.3	0.2
		F	-	2	-	1	3	5	38	124	158	775	1,106	0.8	0.4
		T	2	3	-	1	4	7	55	196	272	1,061	1,601	0.6	0.3
Congenital anomalies	Q00-Q99	M	328	40	12	21	12	15	67	75	22	36	628	0.4	0.4
		F	255	20	14	6	14	16	62	71	32	65	555	0.4	0.3
		T	583	60	26	27	26	31	129	146	54	101	1,183	0.4	0.3
Certain conditions originating in the perinatal period	P00-P96	M	535	2	1	-	-	-	-	-	-	-	538	0.4	0.3
		F	436	1	-	-	-	-	-	-	-	-	437	0.3	0.3
		T	971	3	1	-	-	-	-	-	-	-	975	0.3	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	164	17	7	12	22	42	280	292	117	369	1,322	0.9	0.7
		F	97	13	7	7	13	15	114	127	80	764	1,237	0.9	0.5
		T	261	30	14	19	35	57	394	419	197	1,133	2,559	0.9	0.6
External causes	V01-Y98	M	38	70	78	128	779	1,151	5,781	3,362	979	1,955	14,321	9.4	6.9
		F	27	53	47	66	297	297	1,430	1,058	523	2,349	6,147	4.5	2.6
		T	65	123	125	194	1,076	1,448	7,211	4,420	1,502	4,304	20,468	7.1	4.7
All causes		**M**	**1,163**	**211**	**170**	**236**	**943**	**1,403**	**10,619**	**26,720**	**34,097**	**76,786**	**152,348**	**100.0**	**73.2**
		F	**885**	**161**	**139**	**164**	**427**	**469**	**4,347**	**15,764**	**22,353**	**91,605**	**136,314**	**100.0**	**49.0**
		T	**2,048**	**372**	**309**	**400**	**1,370**	**1,872**	**14,966**	**42,484**	**56,450**	**168,391**	**288,662**	**100.0**	**60.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 11/12 EAST KOOTENAY/KOOTENAY BOUNDARY
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	1	-	-	-	1	1.3	1.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	1	-	-	-	1	0.7	0.5
Neoplasms	C00-D48	M	-	-	-	-	-	-	-	8	2	6	16	20.0	38.5
		F	-	-	-	-	-	-	-	6	6	4	16	26.7	37.6
		T	-	-	-	-	-	-	-	14	8	10	32	22.9	36.6
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	-	-	-	-	-	1	1.3	0.4
		F	-	-	-	-	-	-	-	-	1	3	4	6.7	9.2
		T	1	-	-	-	-	-	-	-	1	3	5	3.6	5.5
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	F00-F99	M	-	-	-	-	-	-	-	1	-	2	3	3.8	8.0
		F	-	-	-	-	-	-	-	1	-	-	1	1.7	1.4
		T	-	-	-	-	-	-	-	2	-	2	4	2.9	4.1
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	1	-	-	-	1	2	2.5	4.0
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	1	-	-	-	1	2	1.4	1.7
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	-	2	7	8	7	24	30.0	60.9
		F	-	-	-	-	-	-	-	2	7	10	19	31.7	47.7
		T	-	-	-	-	-	-	2	9	15	17	43	30.7	54.4
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	1	-	4	2	7	8.8	19.5
		F	1	-	-	-	-	-	-	-	-	3	4	6.7	7.1
		T	1	-	-	-	-	-	1	-	4	5	11	7.9	13.1
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	-	-	3	2	5	6.3	15.1
		F	-	-	-	-	-	-	1	4	-	-	5	8.3	6.4
		T	-	-	-	-	-	-	1	4	3	2	10	7.1	10.1
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	1.7	2.2
		T	-	-	-	-	-	-	-	-	-	1	1	0.7	1.3
Complicatipns of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	1.7	2.2
		T	-	-	-	-	-	-	-	-	-	1	1	0.7	1.3
Congenital anomalies	Q00-Q99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period	P00-P96	M	2	-	-	-	-	-	-	-	-	-	2	2.5	0.8
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	1.4	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	1.7	0.4
		T	1	-	-	-	-	-	-	-	-	-	1	0.7	0.2
External causes	V01-Y98	M	-	-	-	-	2	2	9	3	3	-	19	23.8	25.9
		F	-	-	-	-	1	1	3	3	-	-	8	13.3	8.4
		T	-	-	-	-	3	3	12	6	3	-	27	19.3	17.2
All causes		**M**	**3**	**-**	**-**	**-**	**2**	**3**	**13**	**19**	**20**	**20**	**80**	**100.0**	**174.2**
		F	**2**	**-**	**-**	**-**	**1**	**1**	**4**	**16**	**14**	**22**	**60**	**100.0**	**122.8**
		T	**5**	**-**	**-**	**-**	**3**	**4**	**17**	**35**	**34**	**42**	**140**	**100.0**	**146.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 11/12 East Kootenay/Kootenay Boundary
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	2	5	17	10	25	59	0.8	0.6
		F	-	1	-	-	-	-	2	8	10	31	52	0.9	0.4
		T	-	1	-	-	-	2	7	25	20	56	111	0.9	0.5
Neoplasms	C00-D48	M	1	-	4	4	2	2	43	442	678	846	2,022	28.2	20.8
		F	-	2	1	-	3	3	52	392	429	699	1,581	27.0	14.2
		T	1	2	5	4	5	5	95	834	1,107	1,545	3,603	27.7	17.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	1	-	-	-	2	4	34	64	115	220	3.1	2.3
		F	2	-	-	-	1	-	4	13	47	161	228	3.9	1.9
		T	2	1	-	-	1	2	8	47	111	276	448	3.4	2.1
Disease of blood and blood-forming organs	D50-D89	M	-	1	-	-	-	-	-	1	1	11	14	0.2	0.2
		F	-	-	-	-	-	-	2	2	1	13	18	0.3	0.2
		T	-	1	-	-	-	-	2	3	2	24	32	0.2	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	6	19	19	70	114	1.6	1.2
		F	-	-	-	-	1	-	2	2	8	126	139	2.4	1.1
		T	-	-	-	-	1	-	8	21	27	196	253	1.9	1.2
Diseases of the nervous system and sense organs	G00-H95	M	1	-	-	-	2	3	9	21	35	135	206	2.9	2.2
		F	1	-	-	1	-	1	5	22	31	212	273	4.7	2.3
		T	2	-	-	1	2	4	14	43	66	347	479	3.7	2.3
Diseases of the circulatory system	I00-I99	M	-	-	-	-	1	2	45	330	641	1,586	2,605	36.3	27.3
		F	-	-	-	1	-	2	17	131	311	1,779	2,241	38.3	18.1
		T	-	-	-	1	1	4	62	461	952	3,365	4,846	37.2	22.4
Diseases of the respiratory system	J00-J99	M	1	-	1	-	2	-	6	59	121	537	727	10.1	7.7
		F	-	1	-	-	-	-	2	32	82	390	507	8.7	4.1
		T	1	1	1	-	2	-	8	91	203	927	1,234	9.5	5.7
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	10	52	67	121	250	3.5	2.6
		F	-	-	-	1	-	-	7	35	49	154	246	4.2	2.1
		T	-	-	-	1	-	-	17	87	116	275	496	3.8	2.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	8	17	86	111	1.5	1.2
		F	-	-	-	-	-	-	-	4	7	90	101	1.7	0.8
		T	-	-	-	-	-	-	-	12	24	176	212	1.6	1.0
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	-	-
		T	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	1	-	4	5	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	4	4	0.1	0.0
		T	-	-	-	-	-	-	-	1	-	8	9	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	1	1	3	15	20	0.3	0.2
		F	-	-	-	-	-	-	1	3	9	46	59	1.0	0.5
		T	-	-	-	-	-	-	2	4	12	61	79	0.6	0.4
Congenital anomalies	Q00-Q99	M	14	1	-	-	-	1	4	2	1	1	24	0.3	0.4
		F	7	-	-	-	2	1	1	4	1	4	20	0.3	0.3
		T	21	1	-	-	2	2	5	6	2	5	44	0.3	0.3
Certain conditions originating in the perinatal period	P00-P96	M	17	-	-	-	-	-	-	-	-	-	17	0.2	0.3
		F	14	-	-	-	-	-	-	-	-	-	14	0.2	0.3
		T	31	-	-	-	-	-	-	-	-	-	31	0.2	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	8	-	-	-	1	2	9	12	4	14	50	0.7	0.6
		F	4	1	1	-	-	-	4	3	1	38	52	0.9	0.5
		T	12	1	1	-	1	2	13	15	5	52	102	0.8	0.6
External causes	V01-Y98	M	4	4	6	12	67	53	240	179	53	109	727	10.1	8.5
		F	6	4	4	3	27	16	59	66	28	103	316	5.4	3.3
		T	10	8	10	15	94	69	299	245	81	212	1,043	8.0	5.9
All causes		**M**	**46**	**7**	**11**	**16**	**75**	**67**	**382**	**1,178**	**1,714**	**3,675**	**7,171**	**100.0**	**76.0**
		F	**34**	**9**	**6**	**6**	**34**	**23**	**159**	**717**	**1,014**	**3,850**	**5,852**	**100.0**	**50.1**
		T	**80**	**16**	**17**	**22**	**109**	**90**	**541**	**1,895**	**2,728**	**7,525**	**13,023**	**100.0**	**62.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 13 OKANAGAN
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	1	1	1	-	3	1.2	1.3
		F	-	-	-	-	-	-	-	2	2	1	5	3.0	2.3
		T	-	-	-	-	-	-	1	3	3	1	8	1.9	1.8
Neoplasms	C00-D48	M	-	-	1	1	-	-	4	12	3	16	37	14.7	20.8
		F	-	-	-	-	-	-	3	10	4	7	24	14.3	10.7
		T	-	-	1	1	-	-	7	22	7	23	61	14.6	15.2
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	1	1	2	2	6	2.4	3.3
		F	-	-	-	-	-	-	1	3	1	4	9	5.4	4.5
		T	-	-	-	-	-	-	2	4	3	6	15	3.6	4.0
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.3
		F	-	-	-	-	-	-	-	1	-	-	1	0.6	0.3
		T	-	-	-	-	-	-	-	2	-	-	2	0.5	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	4	1	1	8	3.2	3.3
		F	-	-	-	-	1	-	1	-	-	2	4	2.4	1.7
		T	-	-	-	-	1	-	3	4	1	3	12	2.9	2.5
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	2	2	1	3	8	3.2	4.6
		F	-	-	-	1	-	-	-	1	2	2	6	3.6	2.8
		T	-	-	-	1	-	-	2	3	3	5	14	3.3	3.5
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	-	6	15	20	22	63	25.1	38.2
		F	1	-	-	-	-	-	4	8	9	27	49	29.2	25.5
		T	1	-	-	-	-	-	10	23	29	49	112	26.7	31.3
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	1	9	8	11	29	11.6	17.4
		F	1	-	-	-	-	-	1	5	4	6	17	10.1	8.3
		T	1	-	-	-	-	-	2	14	12	17	46	11.0	12.4
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	2	10	6	3	21	8.4	10.6
		F	-	-	-	-	-	-	2	9	-	1	12	7.1	4.3
		T	-	-	-	-	-	-	4	19	6	4	33	7.9	7.2
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	2	-	2	4	2.4	2.0
		T	-	-	-	-	-	-	-	2	-	2	4	1.0	1.1
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.5
		F	-	-	-	-	-	-	-	1	1	-	2	1.2	0.9
		T	-	-	-	-	-	-	-	2	1	-	3	0.7	0.8
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	-	1	-	-	2	0.8	0.4
		F	-	-	-	-	-	2	-	-	-	-	2	1.2	0.5
		T	1	-	-	-	-	2	-	1	-	-	4	1.0	0.5
Certain conditions originating in the perinatal period	P00-P96	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.2
		F	1	-	-	-	-	-	-	-	-	-	1	0.6	0.2
		T	2	-	-	-	-	-	-	-	-	-	2	0.5	0.2
Symptoms, signs, and ill-defined conditions	R00-R99	M	1	-	-	-	-	-	-	-	1	-	2	0.8	0.8
		F	-	-	-	-	-	-	1	1	2	-	4	2.4	1.7
		T	1	-	-	-	-	-	1	1	3	-	6	1.4	1.3
External causes	V01-Y98	M	-	1	-	4	8	9	31	7	7	2	69	27.5	22.9
		F	2	-	-	-	2	1	15	3	4	1	28	16.7	8.8
		T	2	1	-	4	10	10	46	10	11	3	97	23.2	15.6
All causes		**M**	**3**	**1**	**1**	**5**	**8**	**9**	**50**	**64**	**50**	**60**	**251**	**100.0**	**124.6**
		F	**5**	**-**	**-**	**1**	**3**	**3**	**28**	**46**	**29**	**53**	**168**	**100.0**	**74.5**
		T	**8**	**1**	**1**	**6**	**11**	**12**	**78**	**110**	**79**	**113**	**419**	**100.0**	**97.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 13 Okanagan
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	1	1	1	-	1	2	37	30	27	50	150	1.0	0.8
		F	1	-	2	-	1	-	8	6	18	88	124	1.0	0.5
		T	2	1	3	-	2	2	45	36	45	138	274	1.0	0.6
Neoplasms	C00-D48	M	1	-	4	2	6	5	92	812	1,452	2,132	4,506	29.2	19.8
		F	-	1	3	1	2	4	115	803	1,022	1,663	3,614	27.8	13.8
		T	1	1	7	3	8	9	207	1,615	2,474	3,795	8,120	28.5	16.4
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	2	-	-	2	1	15	69	99	233	422	2.7	1.9
		F	-	1	-	-	1	-	6	30	64	280	382	2.9	1.3
		T	1	3	-	-	3	1	21	99	163	513	804	2.8	1.6
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	1	7	7	31	46	0.3	0.2
		F	-	-	-	-	-	-	2	3	8	27	40	0.3	0.1
		T	-	-	-	-	-	-	3	10	15	58	86	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	7	26	21	159	213	1.4	0.9
		F	-	-	-	-	-	-	4	11	25	244	284	2.2	0.9
		T	-	-	-	-	-	-	11	37	46	403	497	1.7	0.9
Diseases of the nervous system and sense organs	G00-H95	M	1	1	1	1	2	2	14	36	92	339	489	3.2	2.1
		F	2	1	-	-	-	2	10	42	80	458	595	4.6	2.0
		T	3	2	1	1	2	4	24	78	172	797	1,084	3.6	2.1
Diseases of the circulatory system	I00-I99	M	-	-	-	-	2	3	72	614	1,259	3,772	5,722	37.1	24.3
		F	-	-	3	1	-	3	25	201	621	4,072	4,926	37.9	15.7
		T	-	-	3	1	2	6	97	815	1,880	7,844	10,648	37.4	19
Diseases of the respiratory system	J00-J99	M	1	-	-	-	1	2	10	85	289	1,294	1,682	10.9	7.0
		F	-	-	1	1	1	-	7	63	189	1,162	1,424	10.9	4.6
		T	1	-	1	1	2	2	17	148	478	2,456	3,106	10.9	5.6
Diseases of the digestive system	K00-K93	M	2	1	1	-	-	-	15	116	129	294	558	3.6	2.5
		F	-	-	-	-	-	-	9	54	73	350	486	3.7	1.7
		T	2	1	1	-	-	-	24	170	202	644	1,044	3.7	2.1
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	6	16	39	157	218	1.4	0.9
		F	-	-	-	-	-	-	-	14	24	176	214	1.6	0.7
		T	-	-	-	-	-	-	6	30	63	333	432	1.5	0.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
		T	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	13	13	0.1	0.1
		F	-	-	-	-	-	-	-	1	2	26	29	0.2	0.1
		T	-	-	-	-	-	-	-	1	2	39	42	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	3	6	14	35	58	0.4	0.3
		F	-	-	-	-	1	1	2	24	14	77	119	0.9	0.4
		T	-	-	-	-	1	1	5	30	28	112	177	0.6	0.3
Congenital anomalies	Q00-Q99	M	22	2	1	1	-	1	7	11	1	1	47	0.3	0.4
		F	17	1	1	1	-	3	4	10	6	5	48	0.4	0.3
		T	39	3	2	2	-	4	11	21	7	6	95	0.3	0.3
Certain conditions originating in the perinatal period	P00-P96	M	35	-	-	-	-	-	-	-	-	-	35	0.2	0.3
		F	28	-	-	-	-	-	-	-	-	-	28	0.2	0.3
		T	63	-	-	-	-	-	-	-	-	-	63	0.2	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	10	1	-	1	2	1	15	16	7	51	104	0.7	0.6
		F	5	1	1	-	2	2	7	17	8	74	117	0.9	0.5
		T	15	2	1	1	4	3	22	33	15	125	221	0.8	0.5
External causes	V01-Y98	M	6	5	8	15	68	93	373	237	120	241	1,166	7.6	7.2
		F	3	4	4	5	35	23	101	102	63	242	582	4.5	2.9
		T	9	9	12	20	103	116	474	339	183	483	1,748	6.1	5.0
All causes		**M**	**80**	**13**	**16**	**20**	**84**	**110**	**667**	**2,081**	**3,556**	**8,802**	**15,429**	**100.0**	**69.3**
		F	**56**	**9**	**15**	**9**	**43**	**38**	**302**	**1,381**	**2,217**	**8,944**	**13,014**	**100.0**	**45.7**
		T	**136**	**22**	**31**	**29**	**127**	**148**	**969**	**3,462**	**5,773**	**17,746**	**28,443**	**100.0**	**56.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 14 THOMPSON CARIBOO SHUSWAP
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	3	5	2	-	10	1.7	1.4
		F	-	-	-	-	-	-	4	5	1	2	12	2.6	1.8
		T	-	-	-	-	-	-	7	10	3	2	22	2.1	1.6
Neoplasms	C00-D48	M	-	-	-	1	-	-	4	22	26	20	73	12.5	14.8
		F	-	-	-	-	-	1	9	29	18	23	80	17.1	14.0
		T	-	-	-	1	-	1	13	51	44	43	153	14.6	14.4
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	2	3	5	6	16	2.7	3.4
		F	-	-	-	-	-	-	1	3	5	5	14	3.0	2.7
		T	-	-	-	-	-	-	3	6	10	11	30	2.9	3.0
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	2	2	0.3	0.5
		F	-	-	-	-	-	-	-	-	1	-	1	0.2	0.2
		T	-	-	-	-	-	-	-	-	1	2	3	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	1	-	-	3	8	6	3	21	3.6	3.7
		F	-	-	-	-	-	1	6	2	3	1	13	2.8	1.9
		T	-	-	-	1	-	1	9	10	9	4	34	3.2	2.7
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	2	2	1	3	-	8	1.4	1.2
		F	-	-	-	-	-	-	2	2	1	3	8	1.7	1.3
		T	-	-	-	-	-	2	4	3	4	3	16	1.5	1.3
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	-	3	40	36	45	124	21.2	26.1
		F	-	-	-	-	-	-	6	21	23	55	105	22.5	20.2
		T	-	-	-	-	-	-	9	61	59	100	229	21.8	23.1
Diseases of the respiratory system	J00-J99	M	3	-	-	-	-	-	1	8	13	16	41	7.0	8.6
		F	-	-	-	1	-	-	4	11	19	16	51	10.9	9.7
		T	3	-	-	1	-	-	5	19	32	32	92	8.8	9.2
Diseases of the digestive system	K00-K93	M	-	-	-	1	1	-	4	13	7	5	31	5.3	5.4
		F	-	-	-	-	-	-	11	31	10	8	60	12.8	9.4
		T	-	-	-	1	1	-	15	44	17	13	91	8.7	7.4
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	1	2	2	6	1.0	1.2
		F	1	-	-	-	-	-	1	4	6	8	20	4.3	3.7
		T	1	-	-	-	-	-	2	5	8	10	26	2.5	2.5
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.2	0.1
		T	-	-	-	-	-	-	1	-	-	-	1	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	1	-	-	-	-	1	-	3	1	-	6	1.0	0.8
		F	-	-	-	-	-	-	1	4	2	1	8	1.7	1.3
		T	1	-	-	-	-	1	1	7	3	1	14	1.3	1.1
Congenital anomalies	Q00-Q99	M	3	1	-	-	-	-	-	-	-	-	4	0.7	0.3
		F	3	-	-	-	-	-	-	-	-	-	3	0.6	0.2
		T	6	1	-	-	-	-	-	-	-	-	7	0.7	0.3
Certain conditions originating in the perinatal period	P00-P96	M	5	-	-	-	-	-	-	-	-	-	5	0.9	0.4
		F	2	-	-	-	-	-	-	-	-	-	2	0.4	0.2
		T	7	-	-	-	-	-	-	-	-	-	7	0.7	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	3	-	-	-	-	2	1	2	4	2	14	2.4	2.2
		F	-	-	-	-	-	-	-	-	1	4	5	1.1	1.1
		T	3	-	-	-	-	2	1	2	5	6	19	1.8	1.6
External causes	V01-Y98	M	2	-	3	5	32	31	90	43	9	8	223	38.2	25.8
		F	-	2	-	2	16	11	33	7	4	9	84	18.0	9.9
		T	2	2	3	7	48	42	123	50	13	17	307	29.2	17.8
All causes		**M**	**17**	**1**	**3**	**8**	**33**	**36**	**114**	**149**	**114**	**109**	**584**	**100.0**	**95.8**
		F	**6**	**2**	**-**	**3**	**16**	**13**	**79**	**119**	**94**	**135**	**467**	**100.0**	**77.5**
		T	**23**	**3**	**3**	**11**	**49**	**49**	**193**	**268**	**208**	**244**	**1,051**	**100.0**	**86.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 14 Thompson Cariboo Shuswap
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	1	1	-	-	1	-	17	22	20	23	85	1.0	0.8
		F	-	1	1	-	1	1	3	9	15	38	69	1.1	0.6
		T	1	2	1	-	2	1	20	31	35	61	154	1.1	0.7
Neoplasms	C00-D48	M	-	-	1	-	2	3	74	602	760	834	2,276	27.2	20.6
		F	-	-	-	2	1	2	75	552	492	663	1,787	28.6	14.6
		T	-	-	1	2	3	5	149	1,154	1,252	1,497	4,063	27.8	17.3
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	1	-	-	-	2	11	39	67	101	221	2.6	2.1
		F	2	-	1	-	3	1	6	20	40	131	204	3.3	1.7
		T	2	1	1	-	3	3	17	59	107	232	425	2.9	1.9
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	1	6	7	11	25	0.3	0.2
		F	-	-	-	-	-	-	2	4	2	12	20	0.3	0.2
		T	-	-	-	-	-	-	3	10	9	23	45	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	4	17	19	63	103	1.2	1.0
		F	-	-	1	-	-	-	4	9	11	140	165	2.6	1.4
		T	-	-	1	-	-	-	8	26	30	203	268	1.8	1.2
Diseases of the nervous system and sense organs	G00-H95	M	1	1	1	2	-	1	10	31	44	147	238	2.8	2.4
		F	-	-	-	1	-	1	5	17	40	169	233	3.7	1.9
		T	1	1	1	3	-	2	15	48	84	316	471	3.2	2.1
Diseases of the circulatory system	I00-I99	M	-	3	-	2	3	3	60	521	812	1,551	2,955	35.3	28.3
		F	1	1	-	-	-	-	24	187	399	1,639	2,251	36.1	18.5
		T	1	4	-	2	3	3	84	708	1,211	3,190	5,206	35.6	23.2
Diseases of the respiratory system	J00-J99	M	1	-	-	-	1	-	7	75	210	555	849	10.1	8.5
		F	3	-	1	-	-	1	6	49	113	428	601	9.6	4.9
		T	4	-	1	-	1	1	13	124	323	983	1,450	9.9	6.5
Diseases of the digestive system	K00-K93	M	1	1	-	-	1	-	20	97	87	114	321	3.8	2.9
		F	-	-	-	-	-	-	15	55	48	148	266	4.3	2.2
		T	1	1	-	-	1	-	35	152	135	262	587	4.0	2.5
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	15	35	67	118	1.4	1.1
		F	-	-	-	-	-	-	-	8	15	77	100	1.6	0.8
		T	-	-	-	-	-	-	1	23	50	144	218	1.5	1.0
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	1	6	7	0.1	0.1
		F	-	-	-	-	-	-	-	-	4	3	7	0.1	0.1
		T	-	-	-	-	-	-	-	-	5	9	14	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	7	5	17	29	0.3	0.3
		F	-	-	-	-	-	1	1	7	6	31	46	0.7	0.4
		T	-	-	-	-	-	1	1	14	11	48	75	0.5	0.3
Coogenital anomalies	Q00-Q99	M	17	4	1	-	2	-	2	4	2	1	33	0.4	0.4
		F	11	1	-	-	-	1	4	3	-	3	23	0.4	0.3
		T	28	5	1	-	2	1	6	7	2	4	56	0.4	0.3
Certain conditions originating in the perinatal period	P00-P96	M	27	1	-	-	-	-	-	-	-	-	28	0.3	0.4
		F	15	-	-	-	-	-	-	-	-	-	15	0.2	0.2
		T	42	1	-	-	-	-	-	-	-	-	43	0.3	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	12	1	-	1	1	3	12	18	6	19	73	0.9	0.7
		F	5	3	-	-	-	1	6	3	3	30	51	0.8	0.5
		T	17	4	-	1	1	4	18	21	9	49	124	0.8	0.6
External causes	V01-Y98	M	2	12	8	15	57	91	361	266	77	118	1,007	12.0	9.8
		F	1	5	7	8	21	16	113	74	44	117	406	6.5	3.7
		T	3	17	15	23	78	107	474	340	121	235	1,413	9.7	6.8
All causes		**M**	**62**	**25**	**11**	**20**	**68**	**103**	**580**	**1,720**	**2,152**	**3,627**	**8,368**	**100.0**	**79.7**
		F	**38**	**11**	**11**	**11**	**26**	**25**	**264**	**997**	**1,232**	**3,629**	**6,244**	**100.0**	**51.9**
		T	**100**	**36**	**22**	**31**	**94**	**128**	**844**	**2,717**	**3,384**	**7,256**	**14,612**	**100.0**	**65.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 21 FRASER EAST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	4	1	-	-	5	1.8	1.2
		F	-	-	-	-	-	-	1	5	1	1	8	4.1	2.8
		T	-	-	-	-	-	-	5	6	1	1	13	2.8	2.0
Neoplasms	C00-D48	M	-	-	1	-	1	-	2	15	9	11	39	14.2	19.4
		F	-	-	-	-	-	-	2	15	7	9	33	17.1	15.3
		T	-	-	1	-	1	-	4	30	16	20	72	15.4	17.2
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	1	4	3	-	8	2.9	3.5
		F	-	-	-	-	-	1	-	1	3	-	5	2.6	2.1
		T	-	-	-	-	-	1	1	5	6	-	13	2.8	2.8
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	0.2	0.1
Mental disorders	F00-F99	M	-	-	-	-	-	-	1	4	2	-	7	2.5	2.9
		F	-	-	-	-	-	-	1	2	-	1	4	2.1	1.6
		T	-	-	-	-	-	-	2	6	2	1	11	2.4	2.2
Diseases of the nervous system and sense organs	G00-H95	M	1	1	-	-	-	-	1	-	1	1	5	1.8	1.9
		F	-	-	-	-	-	-	-	-	1	-	1	0.5	0.5
		T	1	1	-	-	-	-	1	-	2	1	6	1.3	1.2
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	1	3	22	18	27	71	25.8	39.9
		F	-	-	-	-	1	-	2	12	11	26	52	26.9	28.5
		T	-	-	-	-	1	1	5	34	29	53	123	26.3	33.9
Diseases of the respiratory system	J00-J99	M	1	1	-	1	-	-	3	2	5	4	17	6.2	8.2
		F	-	-	-	-	-	-	2	2	3	8	15	7.8	8.2
		T	1	1	-	1	-	-	5	4	8	12	32	6.8	8.2
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	5	4	9	2	20	7.3	9.6
		F	-	-	-	-	-	-	5	4	4	4	17	8.8	7.0
		T	-	-	-	-	-	-	10	8	13	6	37	7.9	8.2
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	2	-	-	2	0.7	0.8
		F	-	-	-	-	-	-	-	1	-	1	2	1.0	1.1
		T	-	-	-	-	-	-	-	3	-	1	4	0.9	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.1
		F	-	-	-	-	1	-	3	2	-	1	7	3.6	2.0
		T	1	-	-	-	1	-	3	2	-	1	8	1.7	1.1
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	1	-	-	-	2	0.7	0.4
		F	2	-	-	-	-	-	1	-	-	-	3	1.6	0.5
		T	3	-	-	-	-	-	2	-	-	-	5	1.1	0.4
Certain conditions originating in the perinatal period	P00-P96	M	2	-	-	-	-	-	-	-	-	-	2	0.7	0.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	0.4	0.1
Symptoms, signs, and ill-defined conditions	R00-R99	M	4	-	-	1	-	1	3	2	-	-	11	4.0	2.2
		F	4	1	-	-	-	1	3	1	-	-	10	5.2	1.8
		T	8	1	-	1	-	2	6	3	-	-	21	4.5	2.0
External causes	V01-Y98	M	-	1	-	1	3	16	36	19	5	3	84	30.5	24.3
		F	-	1	2	1	1	5	14	11	1	-	36	18.7	8.2
		T	-	2	2	2	4	21	50	30	6	3	120	25.6	15.9
All causes		**M**	**10**	**3**	**1**	**3**	**4**	**18**	**60**	**76**	**52**	**48**	**275**	**100.0**	**114.8**
		F	**6**	**2**	**2**	**1**	**3**	**7**	**34**	**56**	**31**	**51**	**193**	**100.0**	**79.5**
		T	**16**	**5**	**3**	**4**	**7**	**25**	**94**	**132**	**83**	**99**	**468**	**100.0**	**96.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 21 Fraser East
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	1	-	2	33	42	16	39	133	1.4	1.0
		F	2	-	-	-	2	2	10	10	15	56	97	1.1	0.6
		T	2	-	-	1	2	4	43	52	31	95	230	1.3	0.8
Neoplasms	C00-D48	M	2	2	3	1	4	3	81	588	873	1,150	2,707	27.9	20.5
		F	-	2	1	2	1	3	86	519	651	1,002	2,267	26.6	14.5
		T	2	4	4	3	5	6	167	1,107	1,524	2,152	4,974	27.3	17.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	1	-	-	-	6	56	83	152	299	3.1	2.3
		F	2	-	2	-	-	2	4	31	60	188	289	3.4	1.7
		T	3	-	3	-	-	2	10	87	143	340	588	3.2	2.0
Disease of blood and blood-forming organs	D50-D89	M	1	-	1	-	-	-	3	4	3	16	28	0.3	0.2
		F	-	1	-	1	1	-	-	3	4	20	30	0.4	0.2
		T	1	1	1	1	1	-	3	7	7	36	58	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	1	6	34	20	87	148	1.5	1.1
		F	-	1	-	-	-	-	3	9	13	134	160	1.9	0.9
		T	-	1	-	-	-	1	9	43	33	221	308	1.7	1.0
Diseases of the nervous system and sense organs	G00-H95	M	2	1	2	3	3	1	10	22	50	177	271	2.8	2.0
		F	-	-	-	1	2	-	5	20	35	251	314	3.7	1.8
		T	2	1	2	4	5	1	15	42	85	428	585	3.2	1.9
Diseases of the circulatory system	I00-I99	M	1	2	-	-	1	-	57	439	774	2,296	3,570	36.8	26.8
		F	1	2	1	1	1	2	21	180	451	2,759	3,419	40.1	19.1
		T	2	4	1	1	2	2	78	619	1,225	5,055	6,989	38.4	22.6
Diseases of the respiratory system	J00-J99	M	2	2	-	1	1	1	7	68	171	710	963	9.9	7.2
		F	1	-	-	1	1	-	4	54	130	721	912	10.7	5.1
		T	3	2	-	2	2	1	11	122	301	1,431	1,875	10.3	6.0
Diseases of the digestive system	K00-K93	M	1	-	1	-	2	1	18	73	93	175	364	3.8	2.8
		F	-	1	1	-	-	-	8	37	54	207	308	3.6	1.8
		T	1	1	2	-	2	1	26	110	147	382	672	3.7	2.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	3	5	36	105	149	1.5	1.1
		F	-	-	-	-	-	-	4	12	18	106	140	1.6	0.8
		T	-	-	-	-	-	-	7	17	54	211	289	1.6	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	1	-	-	-	-	2	0.0	0.0
		T	-	-	-	-	1	1	-	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	1	6	7	0.1	0.1
		F	-	-	-	-	-	-	-	3	3	11	17	0.2	0.1
		T	-	-	-	-	-	-	-	3	4	17	24	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	1	-	-	7	6	17	31	0.3	0.2
		F	-	-	-	-	-	-	1	4	10	41	56	0.7	0.3
		T	-	-	-	-	1	-	1	11	16	58	87	0.5	0.3
Congenital anomalies	Q00-Q99	M	29	3	-	3	2	1	7	4	2	5	56	0.6	0.5
		F	20	4	2	1	1	1	6	4	3	7	49	0.6	0.4
		T	49	7	2	4	3	2	13	8	5	12	105	0.6	0.4
Certain conditions originating in the perinatal period	P00-P96	M	31	-	-	-	-	-	-	-	-	-	31	0.3	0.3
		F	24	-	-	-	-	-	-	-	-	-	24	0.3	0.2
		T	55	-	-	-	-	-	-	-	-	-	55	0.3	0.2
Symptoms, signs, and ill-defined conditions	R00-R99	M	20	2	1	2	2	3	24	25	5	16	100	1.0	0.8
		F	7	0	1	0	1	2	5	10	9	34	69	0.8	0.5
		T	27	2	2	2	3	5	29	35	14	50	169	0.9	0.6
External causes	V01-Y98	M	-	3	9	7	42	75	345	183	65	104	833	8.6	6.9
		F	2	7	3	5	21	22	102	70	32	116	380	4.5	2.8
		T	2	10	12	12	63	97	447	253	97	220	1,213	6.7	4.9
All causes		**M**	**90**	**15**	**18**	**18**	**58**	**88**	**600**	**1,550**	**2,198**	**5,055**	**9,690**	**100.0**	**73.8**
		F	**59**	**18**	**11**	**12**	**32**	**35**	**259**	**966**	**1,488**	**5,653**	**8,533**	**100.0**	**50.8**
		T	**149**	**33**	**29**	**30**	**90**	**123**	**859**	**2,516**	**3,686**	**10,708**	**18,223**	**100.0**	**61.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 22 FRASER NORTH
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	4	1	-	-	5	1.8	1.2
		F	-	-	-	-	-	-	1	5	1	1	8	4.1	2.8
		T	-	-	-	-	-	-	5	6	1	1	13	2.8	2.0
Neoplasms	C00-D48	M	-	-	1	-	1	-	2	15	9	11	39	14.2	19.4
		F	-	-	-	-	-	-	2	15	7	9	33	17.1	15.3
		T	-	-	1	-	1	-	4	30	16	20	72	15.4	17.2
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	1	4	3	-	8	2.9	3.5
		F	-	-	-	-	-	1	-	1	3	-	5	2.6	2.1
		T	-	-	-	-	-	1	1	5	6	-	13	2.8	2.8
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	0.2	0.1
Mental disorders	F00-F99	M	-	-	-	-	-	-	1	4	2	-	7	2.5	2.9
		F	-	-	-	-	-	-	1	2	-	1	4	2.1	1.6
		T	-	-	-	-	-	-	2	6	2	1	11	2.4	2.2
Diseases of the nervous system and sense organs	G00-H95	M	1	1	-	-	-	-	1	-	1	1	5	1.8	1.9
		F	-	-	-	-	-	-	-	-	1	-	1	0.5	0.5
		T	1	1	-	-	-	-	1	-	2	1	6	1.3	1.2
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	1	3	22	18	27	71	25.8	39.9
		F	-	-	-	-	1	-	2	12	11	26	52	26.9	28.5
		T	-	-	-	-	1	1	5	34	29	53	123	26.3	33.9
Diseases of the respiratory system	J00-J99	M	1	1	-	1	-	-	3	2	5	4	17	6.2	8.2
		F	-	-	-	-	-	-	2	2	3	8	15	7.8	8.2
		T	1	1	-	1	-	-	5	4	8	12	32	6.8	8.2
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	5	4	9	2	20	7.3	9.6
		F	-	-	-	-	-	-	5	4	4	4	17	8.8	7.0
		T	-	-	-	-	-	-	10	8	13	6	37	7.9	8.2
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	2	-	-	2	0.7	0.8
		F	-	-	-	-	-	-	-	1	-	1	2	1.0	1.1
		T	-	-	-	-	-	-	-	3	-	1	4	0.9	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.1
		F	-	-	-	-	1	-	3	2	-	1	7	3.6	2.0
		T	1	-	-	-	1	-	3	2	-	1	8	1.7	1.1
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	1	-	-	-	2	0.7	0.4
		F	2	-	-	-	-	-	1	-	-	-	3	1.6	0.5
		T	3	-	-	-	-	-	2	-	-	-	5	1.1	0.4
Certain conditions originating in the perinatal period	P00-P96	M	2	-	-	-	-	-	-	-	-	-	2	0.7	0.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	0.4	0.1
Symptoms, signs, and ill-defined conditions	R00-R99	M	4	-	-	1	-	1	3	2	-	-	11	4.0	2.2
		F	4	1	-	-	-	1	3	1	-	-	10	5.2	1.8
		T	8	1	-	1	-	2	6	3	-	-	21	4.5	2.0
External causes	V01-Y98	M	-	1	-	1	3	16	36	19	5	3	84	30.5	24.3
		F	-	1	2	1	1	5	14	11	1	-	36	18.7	8.2
		T	-	2	2	2	4	21	50	30	6	3	120	25.6	15.9
All causes		**M**	**10**	**3**	**1**	**3**	**4**	**18**	**60**	**76**	**52**	**48**	**275**	**100.0**	**114.8**
		F	**6**	**2**	**2**	**1**	**3**	**7**	**34**	**56**	**31**	**51**	**193**	**100.0**	**79.5**
		T	**16**	**5**	**3**	**4**	**7**	**25**	**94**	**132**	**83**	**99**	**468**	**100.0**	**96.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 22 FRASER NORTH
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Code**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	4	-	-	1	-	2	101	93	37	67	305	1.8	1.2
		F	1	2	1	-	-	1	19	25	32	98	179	1.1	0.6
		T	5	2	1	1	-	3	120	118	69	165	484	1.4	0.9
Neoplasms	C00-D48	M	-	1	3	7	6	8	171	1,233	1,483	1,960	4,872	28.2	21.5
		F	-	5	1	6	4	5	246	1,105	1,142	2,047	4,561	27.6	14.9
		T	-	6	4	13	10	13	417	2,338	2,625	4,007	9,433	27.9	17.5
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	3	1	-	-	-	4	24	89	120	252	493	2.9	2.2
		F	3	2	1	-	2	4	13	43	107	413	588	3.6	1.8
		T	6	3	1	-	2	8	37	132	227	665	1,081	3.2	2.0
Disease of blood and blood-forming organs	D50-D89	M	1	-	-	-	2	-	3	5	11	24	46	0.3	0.2
		F	3	-	-	-	-	-	2	8	13	33	59	0.4	0.2
		T	4	-	-	-	2	-	5	13	24	57	105	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	1	24	61	61	145	292	1.7	1.3
		F	-	-	-	-	-	1	4	17	25	338	385	2.3	1.1
		T	-	-	-	-	-	2	28	78	86	483	677	2.0	1.2
Diseases of the nervous system and sense organs	G00-H95	M	2	3	-	4	2	3	23	67	89	255	448	2.6	2.0
		F	3	-	-	1	3	1	19	52	86	401	566	3.4	1.7
		T	5	3	-	5	5	4	42	119	175	656	1,014	3.0	1.9
Diseases of the circulatory system	I00-I99	M	1	1	1	1	7	1	126	913	1,414	3,791	6,256	36.2	28.7
		F	-	-	-	3	2	2	52	308	809	5,267	6,443	39.0	19.0
		T	1	1	1	4	9	3	178	1,221	2,223	9,058	12,699	37.6	23.2
Diseases of the respiratory system	J00-J99	M	1	1	-	3	-	1	25	120	361	1,365	1,877	10.9	8.9
		F	1	1	1	1	2	1	8	92	253	1,386	1,746	10.6	5.2
		T	2	2	1	4	2	2	33	212	614	2,751	3,623	10.7	6.6
Diseases of the digestive system	K00-K93	M	-	1	-	-	1	2	47	179	143	254	627	3.6	2.7
		F	-	-	-	1	-	3	21	88	101	441	655	4.0	2.0
		T	-	1	-	1	1	5	68	267	244	695	1,282	3.8	2.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	1	5	23	45	181	255	1.5	1.2
		F	-	-	-	-	-	-	3	19	40	242	304	1.8	0.9
		T	-	-	-	-	-	1	8	42	85	423	559	1.7	1.0
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	6	-	-	-	6	0.0	0.0
		T	-	-	-	-	-	-	6	-	-	-	6	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	4	-	13	17	0.1	0.1
		F	-	-	-	-	-	-	-	-	7	33	40	0.2	0.1
		T	-	-	-	-	-	-	-	4	7	46	57	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	2	4	9	23	38	0.2	0.2
		F	-	-	-	-	-	-	2	15	21	68	106	0.6	0.3
		T	-	-	-	-	-	-	4	19	30	91	144	0.4	0.3
Congenital anomalies	Q00-Q99	M	40	9	-	2	2	2	3	7	2	3	70	0.4	0.3
		F	37	3	3	1	2	4	14	13	5	7	89	0.5	0.4
		T	77	12	3	3	4	6	17	20	7	10	159	0.5	0.3
Certain conditions originating in the perinatal period	P00-P96	M	65	1	-	-	-	-	-	-	-	-	66	0.4	0.3
		F	57	-	-	-	-	-	-	-	-	-	57	0.3	0.3
		T	122	1	-	-	-	-	-	-	-	-	123	0.4	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	23	3	1	2	3	10	31	28	11	21	133	0.8	0.5
		F	12	0	2	2	1	2	16	13	9	64	121	0.7	0.4
		T	35	3	3	4	4	12	47	41	20	85	254	0.8	0.5
External causes	V01-Y98	M	5	9	3	9	81	122	655	303	102	203	1,492	8.6	5.6
		F	-	6	5	5	24	32	151	114	56	227	620	3.8	2.1
		T	5	15	8	14	105	154	806	417	158	430	2,112	6.2	3.8
All causes		**M**	**145**	**30**	**8**	**29**	**104**	**157**	**1,240**	**3,129**	**3,888**	**8,557**	**17,287**	**100.0**	**76.8**
		F	**117**	**19**	**14**	**20**	**40**	**56**	**576**	**1,912**	**2,706**	**11,065**	**16,525**	**100.0**	**50.9**
		T	**262**	**49**	**22**	**49**	**144**	**213**	**1,816**	**5,041**	**6,594**	**19,622**	**33,812**	**100.0**	**62.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 23 FRASER SOUTH
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	6	-	-	-	6	4.2	2.9
		F	-	-	-	-	-	-	1	-	-	-	1	0.7	0.4
		T	-	-	-	-	-	-	7	-	-	-	7	2.5	1.6
Neoplasms	C00-D48	M	-	-	-	-	-	-	3	7	8	5	23	16.1	38.3
		F	-	-	-	-	-	-	3	14	14	9	40	28.8	47.5
		T	-	-	-	-	-	-	6	21	22	14	63	22.3	43.7
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	-	3	-	1	4	2.8	7.0
		F	-	-	-	-	-	-	2	-	3	1	6	4.3	6.8
		T	-	-	-	-	-	-	2	3	3	2	10	3.5	6.7
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	F00-F99	M	-	-	-	-	-	-	-	1	-	-	1	0.7	1.4
		F	-	-	-	-	-	-	3	-	-	2	5	3.6	5.8
		T	-	-	-	-	-	-	3	1	-	2	6	2.1	3.8
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	-	1	-	-	1	0.7	0.8
		F	-	-	-	-	-	-	-	3	1	2	6	4.3	7.8
		T	-	-	-	-	-	-	-	4	1	2	7	2.5	4.9
Diseases of the circulatory system	I00-I99	M	-	-	-	-	1	-	6	8	8	19	42	29.4	86.3
		F	-	-	-	-	-	-	1	3	5	23	32	23.0	61.4
		T	-	-	-	-	1	-	7	11	13	42	74	26.2	71.6
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	-	1	1	5	7	4.9	18.3
		F	-	-	-	-	-	-	-	3	1	5	9	6.5	14.8
		T	-	-	-	-	-	-	-	4	2	10	16	5.7	16.4
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	-	4	1	-	5	3.5	6.5
		F	-	-	-	-	-	-	-	3	4	-	7	5.0	7.1
		T	-	-	-	-	-	-	-	7	5	-	12	4.3	6.9
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	1	1	-	2	1.4	3.3
		F	-	-	-	-	-	-	-	-	-	1	1	0.7	2.3
		T	-	-	-	-	-	-	-	1	1	1	3	1.1	2.6
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	1	-	-	1	0.7	1.0
		F	-	-	-	-	-	-	-	-	1	2	3	2.2	5.7
		T	-	-	-	-	-	-	-	1	1	2	4	1.4	3.7
Congenital anomalies	Q00-Q99	M	2	-	1	-	-	-	-	1	-	-	4	2.8	1.2
		F	1	1	-	-	-	-	-	-	-	-	2	1.4	0.3
		T	3	1	1	-	-	-	-	1	-	-	6	2.1	0.7
Certain conditions originating in the perinatal period	P00-P96	M	5	-	-	-	-	-	-	-	-	-	5	3.5	0.7
		F	2	-	-	-	-	-	-	-	-	-	2	1.4	0.3
		T	7	-	-	-	-	-	-	-	-	-	7	2.5	0.5
Symptoms, signs, and ill-defined conditions	R00-R99	M	2	-	-	-	-	-	1	-	1	-	4	2.8	2.7
		F	-	-	1	-	-	-	1	-	-	-	2	1.4	0.6
		T	2	-	1	-	-	-	2	-	1	-	6	2.1	1.4
External causes	V01-Y98	M	-	-	1	-	3	6	25	3	-	-	38	26.6	19.8
		F	-	-	-	-	2	3	13	4	1	-	23	16.5	11.0
		T	-	-	1	-	5	9	38	7	1	-	61	21.6	15.1
All causes		**M**	**9**	**-**	**2**	**-**	**4**	**6**	**41**	**31**	**20**	**30**	**143**	**100.0**	**190.2**
		F	**3**	**1**	**1**	**-**	**2**	**3**	**24**	**30**	**30**	**45**	**139**	**100.0**	**171.9**
		T	**12**	**1**	**3**	**-**	**6**	**9**	**65**	**61**	**50**	**75**	**282**	**100.0**	**179.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 23 Fraser South
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	1	2	1	1	-	4	77	102	40	92	320	1.8	1.1
		F	2	-	2	-	1	1	22	34	34	112	208	1.3	0.6
		T	3	2	3	1	1	5	99	136	74	204	528	1.5	0.8
Neoplasms	C00-D48	M	4	5	7	6	9	10	163	1,297	1,517	2,204	5,222	28.6	19.3
		F	-	7	6	7	8	9	229	1,280	1,281	2,051	4,878	29.4	14.6
		T	4	12	13	13	17	19	392	2,577	2,798	4,255	10,100	29.0	16.5
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	3	-	1	1	-	1	33	96	147	265	547	3.0	2.0
		F	1	1	-	1	1	3	16	60	103	356	542	3.3	1.5
		T	4	1	1	2	1	4	49	156	250	621	1,089	3.1	1.8
Disease of blood and blood-forming organs	D50-D89	M	-	2	-	-	-	-	3	5	8	28	46	0.3	0.2
		F	-	-	-	1	-	-	-	4	4	34	43	0.3	0.1
		T	-	2	-	1	-	-	3	9	12	62	89	0.3	0.1
Mental disorders	F00-F99	M	-	-	1	-	-	-	31	45	50	155	282	1.5	1.0
		F	-	-	-	-	-	-	5	19	21	293	338	2.0	0.9
		T	-	-	1	-	-	-	36	64	71	448	620	1.8	1.0
Diseases of the nervous system and sense organs	G00-H95	M	4	-	-	1	3	4	18	55	97	297	479	2.6	1.8
		F	5	-	2	1	4	3	20	43	89	437	604	3.6	1.7
		T	9	-	2	2	7	7	38	98	186	734	1,083	3.1	1.7
Diseases of the circulatory system	I00-I99	M	2	2	2	1	3	6	127	992	1,443	4,128	6,706	36.7	25.3
		F	1	-	1	-	4	8	61	345	856	5,004	6,280	37.9	17.2
		T	3	2	3	1	7	14	188	1,337	2,299	9,132	12,986	37.3	20.9
Diseases of the respiratory system	J00-J99	M	-	2	-	1	-	1	20	135	318	1,263	1,740	9.5	6.7
		F	-	-	1	-	1	2	11	83	239	1,347	1,684	10.2	4.6
		T	-	2	1	1	1	3	31	218	557	2,610	3,424	9.8	5.5
Diseases of the digestive system	K00-K93	M	-	2	-	-	-	1	31	179	148	263	624	3.4	2.3
		F	1	-	-	-	-	-	19	98	113	386	617	3.7	1.7
		T	1	2	-	-	-	1	50	277	261	649	1,241	3.6	2.0
Diseases of the genitourinary system	N00-N99	M	-	1	-	-	-	-	5	19	47	204	276	1.5	1.1
		F	-	-	-	-	-	-	3	24	38	201	266	1.6	0.7
		T	-	1	-	-	-	-	8	43	85	405	542	1.6	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
		T	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	1	4	-	8	13	0.1	0.0
		F	-	-	-	-	-	-	-	-	2	23	25	0.2	0.1
		T	-	-	-	-	-	-	1	4	2	31	38	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	1	1	-	-	-	1	4	9	12	31	59	0.3	0.2
		F	-	1	-	1	-	1	7	15	21	97	143	0.9	0.4
		T	1	2	-	1	-	2	11	24	33	128	202	0.6	0.3
Congenital anomalies	Q00-Q99	M	60	3	3	4	1	3	10	13	1	4	102	0.6	0.4
		F	50	3	3	2	2	-	10	4	3	7	84	0.5	0.3
		T	110	6	6	6	3	3	20	17	4	11	186	0.5	0.3
Certain conditions originating in the perinatal period	P00-P96	M	92	-	-	-	-	-	-	-	-	-	92	0.5	0.3
		F	86	-	-	-	-	-	-	-	-	-	86	0.5	0.3
		T	178	-	-	-	-	-	-	-	-	-	178	0.5	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	26	-	-	-	4	6	34	30	13	30	143	0.8	0.5
		F	18	1	-	1	1	1	12	12	8	66	120	0.7	0.4
		T	44	1	-	1	5	7	46	42	21	96	263	0.8	0.4
External causes	V01-Y98	M	6	12	11	14	103	140	717	350	69	195	1,617	8.9	5.6
		F	3	4	11	12	29	42	164	118	59	220	662	4.0	2.1
		T	9	16	22	26	132	182	881	468	128	415	2,279	6.5	3.8
All causes		**M**	**199**	**32**	**26**	**29**	**123**	**177**	**1,274**	**3,331**	**3,910**	**9,167**	**18,268**	**100.0**	**67.8**
		F	**167**	**17**	**26**	**26**	**51**	**70**	**581**	**2,139**	**2,871**	**10,534**	**16,582**	**100.0**	**47.2**
		T	**366**	**49**	**52**	**55**	**174**	**247**	**1,855**	**5,470**	**6,781**	**19,801**	**34,850**	**100.0**	**56.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 31 RICHMOND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	1	-	-	-	1	5.0	4.0
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	1	-	-	-	1	2.5	1.5
Neoplasms	C00-D48	M	-	-	-	-	-	-	-	-	1	-	1	5.0	27.1
		F	-	-	-	-	-	-	1	3	-	2	6	30.0	39.2
		T	-	-	-	-	-	-	1	3	1	2	7	17.5	38.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	-	-	1	-	1	5.0	10.8
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	1	-	1	2.5	5.7
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	F00-F99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	-	-	1	-	1	5.0	27.1
		F	-	-	-	-	-	-	-	-	1	-	1	5.0	15.7
		T	-	-	-	-	-	-	-	-	2	-	2	5.0	19.9
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	-	-	-	2	3	5	25.0	176.4
		F	-	-	-	-	-	-	-	1	1	3	5	25.0	60.7
		T	-	-	-	-	-	-	-	1	3	6	10	25.0	91.8
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	-	-	1	1	2	10.0	57.0
		F	-	-	-	-	-	-	-	-	-	1	1	5.0	14.0
		T	-	-	-	-	-	-	-	-	1	2	3	7.5	27.2
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	-	1	-	-	1	5.0	4.2
		F	-	-	-	-	-	-	-	1	-	-	1	5.0	4.1
		T	-	-	-	-	-	-	-	2	-	-	2	5.0	3.9
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	1	-	-	1	5.0	4.2
		F	-	-	-	-	-	-	-	-	-	1	1	5.0	14.0
		T	-	-	-	-	-	-	-	1	-	1	2	5.0	12.3
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	-	-	-	-	1	5.0	1.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	2.5	0.6
Certain conditions originating in the perinatal period	P00-P96	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	2	10.0	2.5
		T	2	-	-	-	-	-	-	-	-	-	2	5.0	1.2
Symptoms, signs, and ill-defined conditions	R00-R99	M	-	-	-	-	-	-	-	1	-	-	1	5.0	5.6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	2.5	2.4
External causes	V01-Y98	M	-	-	-	-	-	3	1	1	-	-	5	25.0	16.8
		F	-	-	-	-	-	-	2	-	-	1	3	15.0	18.9
		T	-	-	-	-	-	3	3	1	-	1	8	20.0	21.7
All causes		**M**	**1**	**-**	**-**	**-**	**-**	**3**	**2**	**4**	**6**	**4**	**20**	**100.0**	**334.5**
		F	**2**	**-**	**-**	**-**	**-**	**-**	**3**	**5**	**2**	**8**	**20**	**100.0**	**169.2**
		T	**3**	**-**	**-**	**-**	**-**	**3**	**5**	**9**	**8**	**12**	**40**	**100.0**	**226.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 31 Richmond
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	2	-	-	-	-	23	14	16	31	86	2.0	1.2
		F	-	1	-	-	-	1	4	8	10	30	54	1.3	0.6
		T	-	3	-	-	-	1	27	22	26	61	140	1.7	0.8
Neoplasms	C00-D48	M	-	2	1	1	4	-	44	330	373	528	1,283	30.5	17.9
		F	2	1	1	2	2	3	66	320	339	490	1,226	30.0	12.8
		T	2	3	2	3	6	3	110	650	712	1,018	2,509	30.3	14.8
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	1	1	-	-	-	18	37	67	124	2.9	1.8
		F	1	-	1	-	-	-	1	16	17	90	126	3.1	1.3
		T	1	-	2	1	-	-	1	34	54	157	250	3.0	1.5
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	3	1	4	8	16	0.4	0.2
		F	-	-	-	-	-	-	-	1	1	12	14	0.3	0.1
		T	-	-	-	-	-	-	3	2	5	20	30	0.4	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	7	6	27	42	1.0	0.6
		F	-	-	-	-	-	-	3	-	6	78	87	2.1	0.8
		T	-	-	-	-	-	-	5	7	12	105	129	1.6	0.8
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	1	3	1	11	15	58	89	2.1	1.3
		F	-	1	-	-	-	1	2	20	12	93	129	3.2	1.3
		T	-	1	-	-	1	4	3	31	27	151	218	2.6	1.3
Diseases of the circulatory system	I00-I99	M	1	-	-	-	-	1	32	226	343	917	1,520	36.1	22.1
		F	-	-	-	-	-	1	14	69	191	1,216	1,491	36.5	14.7
		T	1	-	-	-	-	2	46	295	534	2,133	3,011	36.3	18.0
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	5	27	74	337	443	10.5	6.7
		F	-	-	-	-	-	-	2	14	43	376	435	10.7	4.3
		T	-	-	-	-	-	-	7	41	117	713	878	10.6	5.2
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	10	38	30	62	140	3.3	1.9
		F	-	-	1	-	-	-	1	21	28	117	168	4.1	1.7
		T	-	-	1	-	-	-	11	59	58	179	308	3.7	1.8
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	5	15	54	75	1.8	1.1
		F	-	-	-	-	-	-	-	3	7	68	78	1.9	0.8
		T	-	-	-	-	-	-	1	8	22	122	153	1.8	0.9
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	2	-	3	5	0.1	0.1
		F	-	-	-	-	-	-	-	-	3	5	8	0.2	0.1
		T	-	-	-	-	-	-	-	2	3	8	13	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	1	4	8	13	0.3	0.2
		F	-	-	-	-	-	-	-	3	7	26	36	0.9	0.4
		T	-	-	-	-	-	-	-	4	11	34	49	0.6	0.3
Congenital anomalies	Q00-Q99	M	7	-	-	-	-	1	2	3	1	1	15	0.4	0.2
		F	9	-	-	-	-	-	1	4	-	1	15	0.4	0.2
		T	16	-	-	-	-	1	3	7	1	2	30	0.4	0.2
Certain conditions originating in the perinatal period	P00-P96	M	25	-	-	-	-	-	-	-	-	-	25	0.6	0.4
		F	25	-	-	-	-	-	-	-	-	-	25	0.6	0.4
		T	50	-	-	-	-	-	-	-	-	-	50	0.6	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	4	-	1	2	2	1	3	4	1	12	30	0.7	0.4
		F	1	-	-	-	-	-	-	4	1	11	17	0.4	0.2
		T	5	-	1	2	2	1	3	8	2	23	47	0.6	0.3
External causes	V01-Y98	M	-	1	-	4	16	31	114	65	25	46	302	7.2	3.7
		F	1	1	-	2	12	11	29	23	18	74	171	4.2	1.8
		T	1	2	-	6	28	42	143	88	43	120	473	5.7	2.7
All causes		**M**	**37**	**5**	**3**	**8**	**23**	**37**	**240**	**752**	**944**	**2,159**	**4,208**	**100.0**	**59.9**
		F	**39**	**4**	**3**	**4**	**14**	**17**	**124**	**506**	**683**	**2,687**	**4,081**	**100.0**	**41.4**
		T	**76**	**9**	**6**	**12**	**37**	**54**	**364**	**1,258**	**1,627**	**4,846**	**8,289**	**100.0**	**49.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 32 VANCOUVER
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
infectious and parasitic diseases	A00-B99	M	1	-	-	-	-	1	61	29	1	-	93	15.4	14.5
		F	-	-	-	-	-	-	21	9	1	-	31	6.4	4.9
		T	1	-	-	-	-	1	82	38	2	-	124	11.3	9.7
Neoplasms	C00-D48	M	1	-	-	-	-	2	5	12	17	9	46	7.6	26.2
		F	-	-	1	1	1	1	10	20	11	11	56	11.5	19.6
		T	1	-	1	1	1	3	15	32	28	20	102	9.3	22.3
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	1	3	3	2	9	1.5	5.6
		F	-	-	1	-	-	-	3	9	-	1	14	2.9	3.1
		T	-	-	1	-	-	-	4	12	3	3	23	2.1	4.0
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	1	-	1	0.2	0.8
		F	1	-	-	-	-	-	-	-	-	-	1	0.2	0.1
		T	1	-	-	-	-	-	-	-	1	-	2	0.2	0.4
Mental disorders	F00-F99	M	-	-	-	-	-	-	22	23	2	2	49	8.1	10.7
		F	-	-	-	-	-	1	19	16	1	2	39	8.0	7.4
		T	-	-	-	-	-	1	41	39	3	4	88	8.1	8.9
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	6	4	1	1	12	2.0	3.8
		F	-	-	-	-	-	-	4	1	1	2	8	1.6	2.8
		T	-	-	-	-	-	-	10	5	2	3	20	1.8	3.3
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	-	9	44	17	18	88	14.5	44.8
		F	-	-	-	-	-	-	9	16	13	37	75	15.4	38.5
		T	-	-	-	-	-	-	18	60	30	55	163	14.9	41.9
Diseases of the respiratory system	J00-J99	M	1	-	-	-	-	1	6	8	5	8	29	4.8	16.1
		F	1	-	-	-	-	1	5	6	4	6	23	4.7	8.9
		T	2	-	-	-	-	2	11	14	9	14	52	4.8	11.9
Diseases of the digestive system	K00-K93	M	1	-	-	-	-	-	8	22	1	2	34	5.6	9.9
		F	-	-	-	-	-	-	22	34	5	3	64	13.1	14.6
		T	1	-	-	-	-	-	30	56	6	5	98	9.0	12.4
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	1	3	2	6	1.0	4.7
		F	-	-	-	-	-	-	1	1	-	-	2	0.4	0.5
		T	-	-	-	-	-	-	1	2	3	2	8	0.7	2.2
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	3	-	-	3	0.5	0.8
		F	-	-	-	-	-	-	1	4	-	-	5	1.0	1.0
		T	-	-	-	-	-	-	1	7	-	-	8	0.7	0.9
Congenital anomalies	Q00-Q99	M	-	-	-	-	-	-	2	1	-	-	3	0.5	0.5
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	2	1	-	-	3	0.3	0.2
Certain conditions originating in the perinatal period	P00-P96	M	4	-	-	-	-	-	-	-	-	-	4	0.7	0.4
		F	5	-	-	-	-	-	-	-	-	-	5	1.0	0.5
		T	9	-	-	-	-	-	-	-	-	-	9	0.8	0.5
Symptoms, signs, and ill-defined conditions	R00-R99	M	9	-	-	-	-	1	8	6	-	1	25	4.1	4.5
		F	5	-	-	-	1	-	7	4	-	-	17	3.5	2.2
		T	14	-	-	-	1	1	15	10	-	1	42	3.8	3.2
External causes	V01-Y98	M	-	2	1	-	4	11	135	46	4	-	203	33.6	31.9
		F	1	-	1	-	7	6	100	29	2	2	148	30.3	22.5
		T	1	2	2	-	11	17	235	75	6	2	351	32.1	27.2
All causes		**M**	**17**	**2**	**1**	**-**	**4**	**16**	**263**	**202**	**55**	**45**	**605**	**100.0**	**175.2**
		F	**13**	**-**	**3**	**1**	**9**	**9**	**202**	**149**	**38**	**64**	**488**	**100.0**	**126.7**
		T	**30**	**2**	**4**	**1**	**13**	**25**	**465**	**351**	**93**	**109**	**1,093**	**100.0**	**148.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 32 Vancouver
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	6	799	389	88	133	1,415	6.1	4.3
		F	-	2	-	-	-	5	63	48	43	149	310	1.5	0.8
		T	-	2	-	-	-	11	862	437	131	282	1,725	4.0	2.6
Neoplasms	C00-D48	M	3	5	4	3	8	7	200	1,412	1,678	2,366	5,686	24.4	20.1
		F	1	8	4	5	4	3	204	996	1,209	2,605	5,039	24.8	13.2
		T	4	13	8	8	12	10	404	2,408	2,887	4,971	10,725	24.6	16.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	2	2	2	-	1	1	24	111	148	352	643	2.8	2.3
		F	-	3	2	-	-	3	10	56	120	490	684	3.4	1.6
		T	2	5	4	-	1	4	34	167	268	842	1,327	3.0	1.9
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	2	1	1	5	7	7	28	51	0.2	0.2
		F	1	1	-	-	-	-	2	9	11	51	75	0.4	0.2
		T	1	1	-	2	1	1	7	16	18	79	126	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	1	54	151	92	290	588	2.5	2.0
		F	-	-	-	-	-	3	19	35	29	563	649	3.2	1.4
		T	-	-	-	-	-	4	73	186	121	853	1,237	2.8	1.7
Diseases of the nervous system and sense organs	G00-H95	M	4	-	-	1	2	3	23	76	95	348	552	2.4	2.0
		F	4	1	2	2	1	1	19	61	75	541	707	3.5	1.7
		T	8	1	2	3	3	4	42	137	170	889	1,259	2.9	1.8
Diseases of the circulatory system	I00-I99	M	2	3	2	1	3	3	172	1,122	1,641	4,511	7,460	32.0	26.7
		F	1	2	-	3	2	3	42	352	822	6,572	7,799	38.4	17.4
		T	3	5	2	4	5	6	214	1,474	2,463	11,083	15,259	35.0	21.5
Diseases of the respiratory system	J00-J99	M	4	-	1	-	-	2	26	222	480	1,766	2,501	10.7	9.0
		F	1	2	-	-	-	-	14	89	213	2,046	2,365	11.6	5.2
		T	5	2	1	-	-	2	40	311	693	3,812	4,866	11.2	6.8
Diseases of the digestive system	K00-K93	M	3	-	-	-	2	-	64	268	214	386	937	4.0	3.3
		F	1	1	-	-	-	1	26	76	136	608	849	4.2	2.0
		T	4	1	-	-	2	1	90	344	350	994	1,786	4.1	2.6
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	2	11	34	63	250	360	1.5	1.3
		F	-	-	-	-	-	-	-	22	56	380	458	2.3	1.0
		T	-	-	-	-	-	2	11	56	119	630	818	1.9	1.1
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	1	3	6	26	36	0.2	0.1
		F	-	-	-	-	-	-	-	4	6	28	38	0.2	0.1
		T	-	-	-	-	-	-	1	7	12	54	74	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	1	-	-	-	-	1	2	15	17	35	71	0.3	0.2
		F	-	1	-	-	1	1	8	18	20	74	123	0.6	0.3
		T	1	1	-	-	1	2	10	33	37	109	194	0.4	0.3
Congenital anomalies	Q00-Q99	M	46	8	2	3	-	2	13	10	3	4	91	0.4	0.4
		F	41	2	1	-	-	2	7	5	5	8	71	0.3	0.3
		T	87	10	3	3	-	4	20	15	8	12	162	0.4	0.3
Certain conditions originating in the perinatal period	P00-P96	M	98	-	-	-	-	-	-	-	-	-	98	0.4	0.5
		F	65	1	-	-	-	-	-	-	-	-	66	0.3	0.3
		T	163	1	-	-	-	-	-	-	-	-	164	0.4	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	11	1	1	-	4	9	70	67	18	39	220	0.9	0.7
		F	8	1	-	-	3	1	24	17	9	69	132	0.6	0.4
		T	19	2	1	-	7	10	94	84	27	108	352	0.8	0.5
External causes	V01-Y98	M	4	2	4	6	67	153	1,243	657	148	290	2,574	11.1	8.0
		F	3	4	1	3	24	46	288	157	79	348	953	4.7	2.6
		T	7	6	5	9	91	199	1,531	814	227	638	3,527	8.1	5.3
All causes		**M**	**178**	**21**	**16**	**16**	**88**	**191**	**2,707**	**4,544**	**4,698**	**10,824**	**23,283**	**100.0**	**81.2**
		F	**126**	**29**	**10**	**13**	**35**	**69**	**727**	**1,945**	**2,833**	**14,532**	**20,319**	**100.0**	**48.5**
		T	**304**	**50**	**26**	**29**	**123**	**260**	**3,434**	**6,489**	**7,531**	**25,356**	**43,602**	**100.0**	**63.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 33 North Shore/Coast Garibaldi
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	1	-	-	-	-	-	3	2	2	3	11	2.9	3.6
		F	1	-	-	-	-	-	2	4	1	2	10	3.9	2.5
		T	2	-	-	-	-	-	5	6	3	5	21	3.3	3.0
Neoplasms	C00-D48	M	-	-	-	-	1	-	2	20	14	14	51	13.6	18.2
		F	-	-	-	-	-	1	8	19	11	13	52	20.4	16.2
		T	-	-	-	-	1	1	10	39	25	27	103	16.3	17.2
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	1	-	-	14	5	2	23	6.1	6.5
		F	-	-	-	-	-	-	-	-	6	3	9	3.5	3.6
		T	1	-	-	-	1	-	-	14	11	5	32	5.1	5.1
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	-	-	1	0.3	0.2
		F	-	-	-	-	-	-	-	-	-	1	1	0.4	0.4
		T	-	-	-	-	-	-	-	1	-	1	2	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	4	11	1	1	17	4.5	4.3
		F	-	-	-	-	-	1	1	1	2	3	8	3.1	2.6
		T	-	-	-	-	-	1	5	12	3	4	25	4.0	3.5
Diseases of the nervous system and sense organs	G00-H95	M	1	-	-	-	-	1	-	1	2	1	6	1.6	1.8
		F	-	-	-	-	-	-	2	1	1	2	6	2.4	2.0
		T	1	-	-	-	-	1	2	2	3	3	12	1.9	1.9
Diseases of the circulatory system	I00-I99	M	-	-	-	-	1	1	4	30	17	39	92	24.5	36.0
		F	-	-	-	-	-	-	5	21	15	29	70	27.5	25.1
		T	-	-	-	-	1	1	9	51	32	68	162	25.7	30.3
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	1	3	7	10	21	5.6	9.1
		F	-	1	-	-	-	-	2	9	4	10	26	10.2	8.9
		T	-	1	-	-	-	-	3	12	11	20	47	7.4	8.9
Diseases of the digestive system	K00-K93	M	-	1	-	-	-	-	3	12	5	7	28	7.4	9.3
		F	-	-	-	-	-	-	4	11	5	2	22	8.6	6.5
		T	-	1	-	-	-	-	7	23	10	9	50	7.9	7.8
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	1	3	2	6	1.6	2.6
		F	-	-	-	-	-	-	-	3	1	1	5	2.0	1.5
		T	-	-	-	-	-	-	-	4	4	3	11	1.7	2.0
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	1	-	-	1	0.3	0.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	-	1	1	0.3	0.5
		F	-	-	-	-	-	-	-	4	2	1	7	2.7	2.3
		T	-	-	-	-	-	-	-	4	2	2	8	1.3	1.4
Congenital anomalies	Q00-Q99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	2	0.8	0.3
		T	1	-	-	-	-	-	1	-	-	-	2	0.3	0.1
Certain conditions originating in the perinatal period	P00-P96	M	3	-	-	-	-	-	-	-	-	-	3	0.8	0.4
		F	3	-	-	-	-	-	-	-	-	-	3	1.2	0.4
		T	6	-	-	-	-	-	-	-	-	-	6	1.0	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	3	-	-	-	-	1	4	1	-	-	9	2.4	1.6
		F	1	-	-	-	1	-	2	1	-	1	6	2.4	1.2
		T	4	-	-	-	1	1	6	2	-	1	15	2.4	1.4
External causes	V01-Y98	M	1	1	2	3	8	18	40	24	6	3	106	28.2	21.9
		F	-	-	-	2	3	2	10	8	2	1	28	11.0	5.7
		T	1	1	2	5	11	20	50	32	8	4	134	21.2	13.6
All causes		**M**	**10**	**2**	**2**	**3**	**11**	**21**	**61**	**121**	**62**	**83**	**376**	**100.0**	**116.2**
		F	**6**	**1**	**-**	**2**	**4**	**4**	**37**	**82**	**50**	**69**	**255**	**100.0**	**79.3**
		T	**16**	**3**	**2**	**5**	**15**	**25**	**98**	**203**	**112**	**152**	**631**	**100.0**	**97.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 33 NORTH SHORE/COAST GARIBALDI
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Code**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	1	1	-	38	54	18	39	151	1.7	1.0
		F	-	-	-	-	-	-	4	19	19	52	94	1.0	0.5
		T	-	-	-	1	1	-	42	73	37	91	245	1.3	0.8
Neoplasms	C00-D48	M	-	-	-	2	3	9	69	607	823	1,186	2,699	29.6	19.1
		F	1	1	1	1	3	2	95	632	665	1,236	2,637	28.0	14.5
		T	1	1	1	3	6	11	164	1,239	1,488	2,422	5,336	28.8	16.4
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	1	-	8	50	61	154	275	3.0	2.0
		F	-	1	-	2	2	1	7	21	32	179	245	2.6	1.3
		T	1	1	-	2	3	1	15	71	93	333	520	2.8	1.6
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	1	1	3	21	26	0.3	0.2
		F	-	-	-	-	-	-	3	5	4	28	40	0.4	0.2
		T	-	-	-	-	-	-	4	6	7	49	66	0.4	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	6	23	15	92	136	1.5	1.0
		F	-	-	-	-	-	-	1	14	14	211	240	2.6	1.2
		T	-	-	-	-	-	-	7	37	29	303	376	2.0	1.1
Diseases of the nervous system and sense organs	G00-H95	M	2	4	-	-	1	1	7	36	63	159	273	3.0	2.0
		F	2	-	1	2	1	1	9	28	50	269	363	3.9	1.9
		T	4	4	1	2	2	2	16	64	113	428	636	3.4	1.9
Diseases of the circulatory system	I00-I99	M	-	-	-	1	-	3	39	413	743	2,122	3,321	36.5	24.1
		F	-	-	-	-	1	1	21	139	387	2,983	3,532	37.5	17.3
		T	-	-	-	1	1	4	60	552	1,130	5,105	6,853	37.0	20.4
Diseases of the respiratory system	J00-J99	M	1	1	-	-	-	-	13	53	178	677	923	10.1	6.8
		F	-	1	-	-	-	-	10	23	126	931	1,091	11.6	5.3
		T	1	2	-	-	-	-	23	76	304	1,608	2,014	10.9	6.0
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	10	65	60	150	285	3.1	2.0
		F	1	-	-	-	-	1	4	47	54	247	354	3.8	1.8
		T	1	-	-	-	-	1	14	112	114	397	639	3.5	1.9
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	9	20	114	144	1.6	1.1
		F	-	-	-	-	-	-	-	7	13	121	141	1.5	0.7
		T	-	-	-	-	-	-	1	16	33	235	285	1.5	0.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	1	5	6	0.1	0.0
		F	-	-	-	-	-	-	-	-	-	15	15	0.2	0.1
		T	-	-	-	-	-	-	-	-	1	20	21	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	1	3	9	20	33	0.4	0.2
		F	-	-	-	-	-	-	5	12	8	60	85	0.9	0.4
		T	-	-	-	-	-	-	6	15	17	80	118	0.6	0.4
Congenital anomalies	Q00-Q99	M	20	1	-	2	1	1	5	5	1	-	36	0.4	0.3
		F	15	-	-	-	-	1	2	5	3	3	29	0.3	0.3
		T	35	1	-	2	1	2	7	10	4	3	65	0.4	0.3
Certain conditions originating in the perinatal period	P00-P96	M	22	-	-	-	-	-	-	-	-	-	22	0.2	0.2
		F	20	-	-	-	-	-	-	-	-	-	20	0.2	0.2
		T	42	-	-	-	-	-	-	-	-	-	42	0.2	0.2
Symptoms, signs, and ill-defined conditions	R00-R99	M	4	1	1	1	2	2	10	16	10	40	87	1.0	0.6
		F	3	1	-	-	-	-	5	8	5	110	132	1.4	0.7
		T	7	2	1	1	2	2	15	24	15	150	219	1.2	0.7
External causes	V01-Y98	M	1	1	2	5	34	70	257	157	56	107	690	7.6	5.2
		F	2	1	-	6	11	15	79	75	32	171	392	4.2	2.3
		T	3	2	2	11	45	85	336	232	88	278	1,082	5.8	3.8
All causes		**M**	**51**	**8**	**3**	**12**	**43**	**86**	**465**	**1,492**	**2,061**	**4,886**	**9,107**	**100.0**	**56.0**
		F	**44**	**5**	**2**	**11**	**18**	**22**	**245**	**1,035**	**1,412**	**6,616**	**9,410**	**100.0**	**48.6**
		T	**95**	**13**	**5**	**23**	**61**	**108**	**710**	**2,527**	**3,473**	**11,502**	**18,517**	**100.0**	**56.4**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 41 SOUTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	1	-	-	-	-	11	7	1	1	21	5.0	4.1
		F	1	-	-	-	-	-	6	4	5	1	17	4.7	3.8
		T	1	1	-	-	-	-	17	11	6	2	38	4.9	3.9
Neoplasms	C00-D48	M	-	1	-	1	-	-	3	18	15	9	47	11.3	15.8
		F	-	1	1	-	2	1	1	10	7	8	31	8.5	8.4
		T	-	2	1	1	2	1	4	28	22	17	78	10.0	11.8
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	-	-	2	3	4	10	2.4	3.6
		F	-	-	-	-	-	-	-	2	1	5	8	2.2	2.6
		T	1	-	-	-	-	-	-	4	4	9	18	2.3	3.1
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	2	0.6	0.5
		T	-	-	-	-	-	-	-	1	-	1	2	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	3	4	1	10	2.4	3.3
		F	-	-	-	-	-	-	2	1	1	1	5	1.4	1.1
		T	-	-	-	-	-	-	4	4	5	2	15	1.9	2.2
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	1	1	1	-	3	3	9	2.2	3.1
		F	1	2	-	-	-	-	1	2	1	1	8	2.2	1.6
		T	1	2	-	-	1	1	2	2	4	4	17	2.2	2.2
Diseases of the circulatory system	I00-I99	M	1	-	1	-	-	-	9	30	26	34	101	24.2	35.9
		F	-	-	-	-	-	3	9	20	24	48	104	28.7	32.2
		T	1	-	1	-	-	3	18	50	50	82	205	26.3	33.9
Diseases of the respiratory system	J00-J99	M	1	1	-	-	1	-	2	8	8	11	32	7.7	11.2
		F	5	-	-	-	-	-	2	8	3	9	27	7.4	6.6
		T	6	1	-	-	1	-	4	16	11	20	59	7.6	8.7
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	4	9	6	6	25	6.0	7.8
		F	-	-	-	-	-	-	9	16	7	4	36	9.9	8.4
		T	-	-	-	-	-	-	13	25	13	10	61	7.8	8.0
Diseases of the genitourinary system	N00-N99	M	1	-	-	-	-	-	-	-	-	8	9	2.2	3.8
		F	-	-	-	-	-	-	1	3	3	1	8	2.2	2.2
		T	1	-	-	-	-	-	1	3	3	9	17	2.2	2.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.3	0.1
		T	-	-	-	-	-	-	1	-	-	-	1	0.1	0.1
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	2	-	1	3	0.7	0.8
		F	-	-	-	-	-	-	1	6	3	-	10	2.8	2.3
		T	-	-	-	-	-	-	1	8	3	1	13	1.7	1.6
Congenital anomalies	Q00-Q99	M	3	1	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	2	-	-	-	-	-	-	-	-	-	2	0.6	0.1
		T	5	1	-	-	-	-	-	-	-	-	6	0.8	0.2
Certain conditions originating in the perinatal period	P00-P96	M	4	-	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	11	-	-	-	-	-	-	-	-	-	11	3.0	0.8
		T	15	-	-	-	-	-	-	-	-	-	15	1.9	0.6
Symptoms, signs, and ill-defined conditions	R00-R99	M	13	1	-	-	-	1	2	2	-	2	21	5.0	2.8
		F	10	1	-	-	-	2	1	2	-	-	16	4.4	1.5
		T	23	2	-	-	-	3	3	4	-	2	37	4.7	2.1
External causes	V01-Y98	M	1	5	-	4	19	17	57	13	4	1	121	29.0	17.6
		F	1	5	-	1	8	10	33	13	2	4	77	21.2	11.2
		T	2	10	-	5	27	27	90	26	6	5	198	25.4	14.3
All causes		**M**	**25**	**10**	**1**	**5**	**21**	**19**	**91**	**94**	**70**	**81**	**417**	**100.0**	**110.5**
		F	**31**	**9**	**1**	**1**	**10**	**16**	**67**	**88**	**57**	**83**	**363**	**100.0**	**83.5**
		T	**56**	**19**	**2**	**6**	**31**	**35**	**158**	**182**	**127**	**164**	**780**	**100.0**	**95.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 41 South Vancouver Island
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	1	-	1	-	1	1	105	61	22	59	251	1.5	1.3
		F	1	-	-	-	2	2	11	14	19	102	151	0.8	0.5
		T	2	-	1	-	3	3	116	75	41	161	402	1.2	0.9
Neoplasms	C00-D48	M	1	1	3	4	4	4	107	876	1,387	2,449	4,836	29.4	20.9
		F	-	1	3	4	4	3	154	924	1,219	2,519	4,831	26.8	15.7
		T	1	2	6	8	8	7	261	1,800	2,606	4,968	9,667	28.0	17.7
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	4	13	83	128	221	450	2.7	2.0
		F	-	-	2	-	-	2	7	41	74	375	501	2.8	1.4
		T	1	-	2	-	-	6	20	124	202	596	951	2.8	1.7
Disease of blood and blood-forming organs	D50-D89	M	-	-	1	-	-	-	3	7	4	33	48	0.3	0.2
		F	-	-	-	1	-	-	-	5	9	69	84	0.5	0.2
		T	-	-	1	1	-	-	3	12	13	102	132	0.4	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	7	31	38	278	354	2.2	1.4
		F	-	-	-	-	-	-	3	16	30	561	610	3.4	1.5
		T	-	-	-	-	-	-	10	47	68	839	964	2.8	1.5
Diseases of the nervous system and sense organs	G00-H95	M	1	2	-	1	-	3	9	53	91	445	605	3.7	2.5
		F	-	1	1	1	2	1	12	39	108	747	912	5.1	2.4
		T	1	3	1	2	2	4	21	92	199	1,192	1,517	4.4	2.4
Diseases of the circulatory system	I00-I99	M	1	1	-	1	1	2	55	575	1,088	4,216	5,940	36.1	24.3
		F	1	-	-	1	3	1	32	219	637	5,896	6,790	37.7	16.9
		T	2	1	-	2	4	3	87	794	1,725	10,112	12,730	36.9	20.1
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	1	12	89	254	1,418	1,774	10.8	7.1
		F	1	-	1	1	1	-	9	68	225	1,692	1,998	11.1	5.0
		T	1	-	1	1	1	1	21	157	479	3,110	3,772	10.9	5.8
Diseases of the digestive system	K00-K93	M	1	-	1	-	-	-	23	106	105	281	517	3.1	2.2
		F	-	-	-	-	-	-	12	47	75	486	620	3.4	1.7
		T	1	-	1	-	-	-	35	153	180	767	1,137	3.3	1.9
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	4	14	37	200	255	1.5	1.0
		F	-	-	-	-	-	2	1	10	37	225	275	1.5	0.7
		T	-	-	-	-	-	2	5	24	74	425	530	1.5	0.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	1	-	6	7	0.0	0.0
		F	-	-	-	-	-	-	-	1	1	28	30	0.2	0.1
		T	-	-	-	-	-	-	-	2	1	34	37	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	3	6	16	44	69	0.4	0.3
		F	-	-	-	-	1	-	4	9	26	145	185	1.0	0.5
		T	-	-	-	-	1	-	7	15	42	189	254	0.7	0.4
Congenital anomalies	Q00-Q99	M	21	4	2	3	1	3	7	7	5	5	58	0.4	0.4
		F	15	3	3	-	3	2	8	7	4	17	62	0.3	0.3
		T	36	7	5	3	4	5	15	14	9	22	120	0.3	0.4
Certain conditions originating in the perinatal period	P00-P96	M	35	-	-	-	-	-	-	-	-	-	35	0.2	0.3
		F	25	-	-	-	-	-	-	-	-	-	25	0.1	0.2
		T	60	-	-	-	-	-	-	-	-	-	60	0.2	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	21	-	1	-	-	3	23	16	11	60	135	0.8	0.7
		F	8	-	-	2	2	3	14	14	7	141	191	1.1	0.6
		T	29	-	1	2	2	6	37	30	18	201	326	0.9	0.7
External causes	V01-Y98	M	-	1	3	5	41	64	408	266	90	252	1,130	6.9	5.9
		F	1	3	1	3	20	23	114	94	53	428	740	4.1	2.6
		T	1	4	4	8	61	87	522	360	143	680	1,870	5.4	4.2
All causes		**M**	**83**	**9**	**12**	**14**	**48**	**85**	**779**	**2,191**	**3,276**	**9,967**	**16,464**	**100.0**	**70.5**
		F	**52**	**8**	**11**	**13**	**38**	**39**	**381**	**1,508**	**2,524**	**13,431**	**18,005**	**100.0**	**50.3**
		T	**135**	**17**	**23**	**27**	**86**	**124**	**1,160**	**3,699**	**5,800**	**23,398**	**34,469**	**100.0**	**59.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 42 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	1	-	-	-	-	11	7	1	1	21	5.0	4.1
		F	1	-	-	-	-	-	6	4	5	1	17	4.7	3.8
		T	1	1	-	-	-	-	17	11	6	2	38	4.9	3.9
Neoplasms	C00-D48	M	-	1	-	1	-	-	3	18	15	9	47	11.3	15.8
		F	-	1	1	-	2	1	1	10	7	8	31	8.5	8.4
		T	-	2	1	1	2	1	4	28	22	17	78	10.0	11.8
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	-	-	2	3	4	10	2.4	3.6
		F	-	-	-	-	-	-	-	2	1	5	8	2.2	2.6
		T	1	-	-	-	-	-	-	4	4	9	18	2.3	3.1
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	2	0.6	0.5
		T	-	-	-	-	-	-	-	1	-	1	2	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	3	4	1	10	2.4	3.3
		F	-	-	-	-	-	-	2	1	1	1	5	1.4	1.1
		T	-	-	-	-	-	-	4	4	5	2	15	1.9	2.2
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	1	1	1	-	3	3	9	2.2	3.1
		F	1	2	-	-	-	-	1	2	1	1	8	2.2	1.6
		T	1	2	-	-	1	1	2	2	4	4	17	2.2	2.2
Diseases of the circulatory system	I00-I99	M	1	-	1	-	-	-	9	30	26	34	101	24.2	35.9
		F	-	-	-	-	-	3	9	20	24	48	104	28.7	32.2
		T	1	-	1	-	-	3	18	50	50	82	205	26.3	33.9
Diseases of the respiratory system	J00-J99	M	1	1	-	-	1	-	2	8	8	11	32	7.7	11.2
		F	5	-	-	-	-	-	2	8	3	9	27	7.4	6.6
		T	6	1	-	-	1	-	4	16	11	20	59	7.6	8.7
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	4	9	6	6	25	6.0	7.8
		F	-	-	-	-	-	-	9	16	7	4	36	9.9	8.4
		T	-	-	-	-	-	-	13	25	13	10	61	7.8	8.0
Diseases of the genitourinary system	N00-N99	M	1	-	-	-	-	-	-	-	-	8	9	2.2	3.8
		F	-	-	-	-	-	-	1	3	3	1	8	2.2	2.2
		T	1	-	-	-	-	-	1	3	3	9	17	2.2	2.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.3	0.1
		T	-	-	-	-	-	-	1	-	-	-	1	0.1	0.1
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	2	-	1	3	0.7	0.8
		F	-	-	-	-	-	-	1	6	3	-	10	2.8	2.3
		T	-	-	-	-	-	-	1	8	3	1	13	1.7	1.6
Congenital anomalies	Q00-Q99	M	3	1	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	2	-	-	-	-	-	-	-	-	-	2	0.6	0.1
		T	5	1	-	-	-	-	-	-	-	-	6	0.8	0.2
Certain conditions originating in the perinatal period	P00-P96	M	4	-	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	11	-	-	-	-	-	-	-	-	-	11	3.0	0.8
		T	15	-	-	-	-	-	-	-	-	-	15	1.9	0.6
Symptoms, signs, and ill-defined conditions	R00-R99	M	13	1	-	-	-	1	2	2	-	2	21	5.0	2.8
		F	10	1	-	-	-	2	1	2	-	-	16	4.4	1.5
		T	23	2	-	-	-	3	3	4	-	2	37	4.7	2.1
External causes	V01-Y98	M	1	5	-	4	19	17	57	13	4	1	121	29.0	17.6
		F	1	5	-	1	8	10	33	13	2	4	77	21.2	11.2
		T	2	10	-	5	27	27	90	26	6	5	198	25.4	14.3
All causes		**M**	**25**	**10**	**1**	**5**	**21**	**19**	**91**	**94**	**70**	**81**	**417**	**100.0**	**110.5**
		F	**31**	**9**	**1**	**1**	**10**	**16**	**67**	**88**	**57**	**83**	**363**	**100.0**	**83.5**
		T	**56**	**19**	**2**	**6**	**31**	**35**	**158**	**182**	**127**	**164**	**780**	**100.0**	**95.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 42 Central Vancouver Island
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	1	-	-	-	-	11	7	1	1	21	5.0	4.1
		F	1	-	-	-	-	-	6	4	5	1	17	4.7	3.8
		T	1	1	-	-	-	-	17	11	6	2	38	4.9	3.9
Neoplasms	C00-D48	M	-	1	-	1	-	-	3	18	15	9	47	11.3	15.8
		F	-	1	1	-	2	1	1	10	7	8	31	8.5	8.4
		T	-	2	1	1	2	1	4	28	22	17	78	10.0	11.8
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	-	-	2	3	4	10	2.4	3.6
		F	-	-	-	-	-	-	-	2	1	5	8	2.2	2.6
		T	1	-	-	-	-	-	-	4	4	9	18	2.3	3.1
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	2	0.6	0.5
		T	-	-	-	-	-	-	-	1	-	1	2	0.3	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	3	4	1	10	2.4	3.3
		F	-	-	-	-	-	-	2	1	1	1	5	1.4	1.1
		T	-	-	-	-	-	-	4	4	5	2	15	1.9	2.2
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	1	1	1	-	3	3	9	2.2	3.1
		F	1	2	-	-	-	-	1	2	1	1	8	2.2	1.6
		T	1	2	-	-	1	1	2	2	4	4	17	2.2	2.2
Diseases of the circulatory system	I00-I99	M	1	-	1	-	-	-	9	30	26	34	101	24.2	35.9
		F	-	-	-	-	-	3	9	20	24	48	104	28.7	32.2
		T	1	-	1	-	-	3	18	50	50	82	205	26.3	33.9
Diseases of the respiratory system	J00-J99	M	1	1	-	-	1	-	2	8	8	11	32	7.7	11.2
		F	5	-	-	-	-	-	2	8	3	9	27	7.4	6.6
		T	6	1	-	-	1	-	4	16	11	20	59	7.6	8.7
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	4	9	6	6	25	6.0	7.8
		F	-	-	-	-	-	-	9	16	7	4	36	9.9	8.4
		T	-	-	-	-	-	-	13	25	13	10	61	7.8	8.0
Diseases of the genitourinary system	N00-N99	M	1	-	-	-	-	-	-	-	-	8	9	2.2	3.8
		F	-	-	-	-	-	-	1	3	3	1	8	2.2	2.2
		T	1	-	-	-	-	-	1	3	3	9	17	2.2	2.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.3	0.1
		T	-	-	-	-	-	-	1	-	-	-	1	0.1	0.1
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	2	-	1	3	0.7	0.8
		F	-	-	-	-	-	-	1	6	3	-	10	2.8	2.3
		T	-	-	-	-	-	-	1	8	3	1	13	1.7	1.6
Congenital anomalies	Q00-Q99	M	3	1	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	2	-	-	-	-	-	-	-	-	-	2	0.6	0.1
		T	5	1	-	-	-	-	-	-	-	-	6	0.8	0.2
Certain conditions originating in the perinatal period	P00-P96	M	4	-	-	-	-	-	-	-	-	-	4	1.0	0.3
		F	11	-	-	-	-	-	-	-	-	-	11	3.0	0.8
		T	15	-	-	-	-	-	-	-	-	-	15	1.9	0.6
Symptoms, signs, and ill-defined conditions	R00-R99	M	13	1	-	-	-	1	2	2	-	2	21	5.0	2.8
		F	10	1	-	-	-	2	1	2	-	-	16	4.4	1.5
		T	23	2	-	-	-	3	3	4	-	2	37	4.7	2.1
External causes	V01-Y98	M	1	5	-	4	19	17	57	13	4	1	121	29.0	17.6
		F	1	5	-	1	8	10	33	13	2	4	77	21.2	11.2
		T	2	10	-	5	27	27	90	26	6	5	198	25.4	14.3
All causes		**M**	**25**	**10**	**1**	**5**	**21**	**19**	**91**	**94**	**70**	**81**	**417**	**100.0**	**110.5**
		F	**31**	**9**	**1**	**1**	**10**	**16**	**67**	**88**	**57**	**83**	**363**	**100.0**	**83.5**
		T	**56**	**19**	**2**	**6**	**31**	**35**	**158**	**182**	**127**	**164**	**780**	**100.0**	**95.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 43 NORTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	4	1	-	2	7	2.8	3.8
		F	-	-	-	-	-	-	1	4	-	2	7	3.7	3.3
		T	-	-	-	-	-	-	5	5	-	4	14	3.2	3.4
Neoplasms	C00-D48	M	-	-	1	-	-	-	7	14	12	12	46	18.5	32.3
		F	-	-	-	-	-	-	5	12	6	10	33	17.6	16.9
		T	-	-	1	-	-	-	12	26	18	22	79	18.2	23.3
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	1	2	4	4	11	4.4	8.9
		F	-	-	-	-	-	-	-	1	4	3	8	4.3	5.6
		T	-	-	-	-	-	-	1	3	8	7	19	4.4	7.0
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	F00-F99	M	-	-	-	-	-	-	1	4	2	1	8	3.2	4.8
		F	-	-	-	-	-	-	1	3	1	2	7	3.7	3.5
		T	-	-	-	-	-	-	2	7	3	3	15	3.4	4.1
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	1	-	1	2	4	1.6	3.6
		F	1	-	-	-	-	-	1	-	1	-	3	1.6	1.2
		T	1	-	-	-	-	-	2	-	2	2	7	1.6	2.1
Diseases of the circulatory system	I00-I99	M	1	-	-	-	-	-	2	18	19	13	53	21.4	39.3
		F	-	-	-	-	-	-	7	11	12	25	55	29.4	32.3
		T	1	-	-	-	-	-	9	29	31	38	108	24.8	35.8
Diseases of the respiratory system	J00-J99	M	-	1	-	-	-	1	-	3	1	6	12	4.8	9.5
		F	-	-	-	-	-	-	1	3	3	9	16	8.6	9.8
		T	-	1	-	-	-	1	1	6	4	15	28	6.4	9.7
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	2	7	5	2	16	6.5	9.6
		F	-	-	-	-	-	-	1	5	3	4	13	7.0	7.0
		T	-	-	-	-	-	-	3	12	8	6	29	6.7	8.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	1	1	2	4	1.6	3.8
		F	-	-	-	-	-	-	1	1	-	2	4	2.1	2.0
		T	-	-	-	-	-	-	1	2	1	4	8	1.8	2.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	1	0.5	0.3
		T	-	-	-	-	-	-	-	1	-	-	1	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	1	1	2	0.8	1.9
		F	-	-	-	-	-	-	1	-	2	1	4	2.1	2.4
		T	-	-	-	-	-	-	1	-	3	2	6	1.4	2.2
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	1	-	-	-	2	0.8	0.5
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	2	0.5	0.2
Certain conditions originating in the perinatal period	P00-P96	M	2	-	-	-	-	-	-	-	-	-	2	0.8	0.3
		F	4	-	-	-	-	-	-	-	-	-	4	2.1	0.7
		T	6	-	-	-	-	-	-	-	-	-	6	1.4	0.5
Symptoms, signs, and ill-defined conditions	R00-R99	M	10	-	-	-	-	-	2	-	2	-	14	5.6	3.9
		F	6	-	-	-	-	-	1	-	-	-	7	3.7	1.2
		T	16	-	-	-	-	-	3	-	2	-	21	4.8	2.4
External causes	V01-Y98	M	-	-	-	2	7	8	35	14	1	-	67	27.0	20.5
		F	1	2	-	-	1	5	9	3	2	2	25	13.4	8.1
		T	1	2	-	2	8	13	44	17	3	2	92	21.1	14.0
All causes		**M**	**14**	**1**	**1**	**2**	**7**	**9**	**56**	**64**	**49**	**45**	**248**	**100.0**	**142.7**
		F	**12**	**2**	**-**	**-**	**1**	**5**	**29**	**44**	**34**	**60**	**187**	**100.0**	**94.3**
		T	**26**	**3**	**1**	**2**	**8**	**14**	**85**	**108**	**83**	**105**	**435**	**100.0**	**115.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 43 North Vancouver Island
British Columbia, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Code**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	1	1	-	-	-	10	19	7	17	55	1.4	0.9
		F	-	-	-	-	-	-	3	5	6	23	37	1.1	0.6
		T	-	1	1	-	-	-	13	24	13	40	92	1.3	0.8
Neoplasms	C00-D48	M	-	-	2	-	-	3	40	337	424	433	1,239	30.5	21.7
		F	-	-	2	-	2	2	49	288	265	394	1,002	31.0	15.9
		T	-	-	4	-	2	5	89	625	689	827	2,241	30.7	18.6
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	2	-	2	-	-	1	2	13	41	54	115	2.8	2.2
		F	1	-	-	-	-	1	1	5	23	74	105	3.3	1.7
		T	3	-	2	-	-	2	3	18	64	128	220	3.0	1.9
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	3	6	10	0.2	0.2
		F	-	-	-	-	-	-	-	-	-	2	2	0.1	-
		T	-	-	-	-	-	-	-	1	3	8	12	0.2	0.1
Mental disorders	F00-F99	M	-	-	-	-	-	2	3	8	6	17	36	0.9	0.7
		F	-	-	-	-	-	-	1	1	6	45	53	1.6	0.8
		T	-	-	-	-	-	2	4	9	12	62	89	1.2	0.8
Diseases of the nervous system and sense organs	G00-H95	M	2	-	-	-	-	-	3	15	19	61	100	2.5	1.9
		F	-	-	-	2	1	1	3	10	25	121	163	5.0	2.6
		T	2	-	-	2	1	1	6	25	44	182	263	3.6	2.3
Diseases of the circulatory system	I00-I99	M	-	-	-	-	2	-	21	251	354	756	1,384	34.0	25.8
		F	-	-	-	-	-	-	18	81	155	851	1,105	34.2	17.2
		T	-	-	-	-	2	-	39	332	509	1,607	2,489	34.1	21.3
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	1	6	30	75	232	344	8.5	6.7
		F	-	-	-	1	1	-	2	20	52	217	293	9.1	4.6
		T	-	-	-	1	1	1	8	50	127	449	637	8.7	5.5
Diseases of the digestive system	K00-K93	M	-	1	-	1	-	-	4	31	38	54	129	3.2	2.3
		F	1	-	-	-	-	-	4	21	27	82	135	4.2	2.1
		T	1	1	-	1	-	-	8	52	65	136	264	3.6	2.2
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	6	7	33	47	1.2	0.9
		F	-	-	-	-	-	-	1	2	7	40	50	1.5	0.8
		T	-	-	-	-	-	-	2	8	14	73	97	1.3	0.8
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	2	0.1	0.0
		T	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	3	3	0.1	0.1
		F	-	-	-	-	-	-	-	-	1	5	6	0.2	0.1
		T	-	-	-	-	-	-	-	-	1	8	9	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	2	3	5	10	0.2	0.2
		F	-	-	-	-	-	-	3	3	2	18	26	0.8	0.4
		T	-	-	-	-	-	-	3	5	5	23	36	0.5	0.3
Congenital anomalies	Q00-Q99	M	6	-	1	-	-	-	1	1	-	1	10	0.2	0.2
		F	8	1	-	1	1	-	3	4	-	-	18	0.6	0.4
		T	14	1	1	1	1	-	4	5	-	1	28	0.4	0.3
Certain conditions originating in the perinatal period	P00-P96	M	18	-	-	-	-	-	-	-	-	-	18	0.4	0.4
		F	13	-	-	-	-	-	-	-	-	-	13	0.4	0.3
		T	31	-	-	-	-	-	-	-	-	-	31	0.4	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	3	2	1	1	1	1	9	13	10	15	56	1.4	1.0
		F	5	1	2	-	2	-	5	11	5	23	54	1.7	0.9
		T	8	3	3	1	3	1	14	24	15	38	110	1.5	1.0
External causes	V01-Y98	M	-	4	5	6	36	41	221	122	26	51	512	12.6	9.0
		F	1	4	3	1	11	7	46	30	18	43	164	5.1	2.8
		T	1	8	8	7	47	48	267	152	44	94	676	9.3	5.9
All causes		**M**	**31**	**8**	**12**	**8**	**39**	**49**	**321**	**849**	**1,013**	**1,738**	**4,068**	**100.0**	**74.3**
		F	**29**	**6**	**7**	**5**	**18**	**11**	**141**	**481**	**592**	**1,938**	**3,228**	**100.0**	**51.1**
		T	**60**	**14**	**19**	**13**	**57**	**60**	**462**	**1,330**	**1,605**	**3,676**	**7,296**	**100.0**	**62.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 51 NORTHWEST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	2	-	-	-	-	-	4	4	1	2	13	1.9	1.6
		F	-	1	-	1	-	-	1	5	3	5	16	3.5	2.3
		T	2	1	-	1	-	-	5	9	4	7	29	2.6	2.0
Neoplasms	C00-D48	M	-	-	-	1	1	-	7	38	36	48	131	19.6	20.7
		F	-	-	-	-	-	-	6	35	22	23	86	18.7	12.8
		T	-	-	-	1	1	-	13	73	58	71	217	19.2	16.7
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	-	-	-	1	1	4	3	2	12	1.8	1.6
		F	-	-	-	1	-	-	1	8	5	4	19	4.1	2.8
		T	1	-	-	1	-	1	2	12	8	6	31	2.7	2.2
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	1	-	1	2	0.3	0.3
		F	-	-	-	-	-	-	-	2	-	-	2	0.4	0.2
		T	-	-	-	-	-	-	-	3	-	1	4	0.4	0.3
Mental disorders	F00-F99	M	-	-	-	-	-	-	4	5	4	6	19	2.8	2.7
		F	-	-	-	-	-	-	3	9	1	3	16	3.5	2.1
		T	-	-	-	-	-	-	7	14	5	9	35	3.1	2.4
Diseases of the nervous system and sense organs	G00-H95	M	-	-	-	-	-	-	1	-	1	2	4	0.6	0.6
		F	-	-	-	1	-	1	3	1	3	2	11	2.4	1.4
		T	-	-	-	1	-	1	4	1	4	4	15	1.3	1.0
Diseases of the circulatory system	I00-I99	M	-	-	-	-	-	2	8	50	43	77	180	26.9	28.8
		F	-	-	-	-	-	-	8	17	29	70	124	26.9	20.3
		T	-	-	-	-	-	2	16	67	72	147	304	26.9	24.6
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	3	9	13	29	54	8.1	9.1
		F	-	-	-	-	-	1	1	8	10	22	42	9.1	6.9
		T	-	-	-	-	-	1	4	17	23	51	96	8.5	7.9
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	3	13	12	11	39	5.8	6.0
		F	1	-	-	-	-	-	3	13	2	13	32	6.9	4.5
		T	1	-	-	-	-	-	6	26	14	24	71	6.3	5.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	-	6	10	16	2.4	2.9
		F	-	-	-	-	-	-	-	2	2	10	14	3.0	2.4
		T	-	-	-	-	-	-	-	2	8	20	30	2.7	2.6
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	1	-	1	0.1	0.2
		F	-	-	-	-	-	-	-	-	-	1	1	0.2	0.2
		T	-	-	-	-	-	-	-	-	1	1	2	0.2	0.2
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	1	2	1	4	0.6	0.6
		F	-	-	-	-	-	-	2	4	2	2	10	2.2	1.3
		T	-	-	-	-	-	-	2	5	4	3	14	1.2	1.0
Congenital anomalies	Q00-Q99	M	3	1	-	-	-	-	3	-	-	-	7	1.0	0.5
		F	1	-	1	-	-	1	-	-	-	-	3	0.7	0.2
		T	4	1	1	-	-	1	3	-	-	-	10	0.9	0.3
Certain conditions originating in the perinatal period	P00-P96	M	6	-	-	-	-	-	-	-	-	-	6	0.9	0.3
		F	7	-	-	-	-	-	-	-	-	-	7	1.5	0.4
		T	13	-	-	-	-	-	-	-	-	-	13	1.1	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	8	2	-	-	-	-	4	2	-	1	17	2.5	1.3
		F	4	1	-	-	1	2	1	3	2	2	16	3.5	1.6
		T	12	3	-	-	1	2	5	5	2	3	33	2.9	1.4
External causes	V01-Y98	M	-	2	2	3	14	16	75	39	8	6	165	24.6	15.6
		F	-	2	-	2	5	8	22	8	7	8	62	13.4	6.5
		T	-	4	2	5	19	24	97	47	15	14	227	20.1	11.0
All causes		**M**	**20**	**5**	**2**	**4**	**15**	**19**	**113**	**166**	**130**	**196**	**670**	**100.0**	**92.9**
		F	**13**	**4**	**1**	**5**	**6**	**13**	**51**	**115**	**88**	**165**	**461**	**100.0**	**66.0**
		T	**33**	**9**	**3**	**9**	**21**	**32**	**164**	**281**	**218**	**361**	**1,131**	**100.0**	**79.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 51 Northwest
British Columbia, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	1	3	4	5	1	14	0.7	0.5
		F	-	-	-	-	1	-	-	5	3	4	13	1.1	0.5
		T	-	-	-	-	1	1	3	9	8	5	27	0.9	0.5
Neoplasms	C00-D48	M	-	-	-	2	1	1	32	169	179	143	527	27.4	22.6
		F	-	-	-	-	1	1	33	133	93	102	363	29.4	14.3
		T	-	-	-	2	2	2	65	302	272	245	890	28.2	18.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	1	1	2	10	18	21	53	2.8	2.6
		F	1	-	-	-	-	-	1	5	7	35	49	4.0	2.3
		T	1	-	-	-	1	1	3	15	25	56	102	3.2	2.5
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	4	-	1	5	0.3	0.2
		F	-	-	-	-	-	-	-	-	1	3	4	0.3	0.2
		T	-	-	-	-	-	-	-	4	1	4	9	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	5	13	4	7	29	1.5	1.1
		F	-	-	-	-	-	-	-	1	-	23	24	1.9	1.2
		T	-	-	-	-	-	-	5	14	4	30	53	1.7	1.2
Diseases of the nervous system and sense organs	G00-H95	M	-	2	-	-	-	-	2	8	12	8	32	1.7	1.4
		F	-	-	-	-	-	1	-	4	10	26	41	3.3	1.9
		T	-	2	-	-	-	1	2	12	22	34	73	2.3	1.7
Diseases of the circulatory system	I00-I99	M	-	-	-	-	1	2	19	172	152	266	612	31.8	29.8
		F	-	-	-	-	-	-	10	52	76	291	429	34.8	20.3
		T	-	-	-	-	1	2	29	224	228	557	1,041	33.0	25.0
Diseases of the respiratory system	J00-J99	M	-	-	-	-	1	1	2	26	39	101	170	8.8	9.5
		F	-	-	-	-	-	-	-	11	21	91	123	10.0	6.0
		T	-	-	-	-	1	1	2	37	60	192	293	9.3	7.6
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	1	26	16	21	64	3.3	2.8
		F	-	-	-	-	-	-	3	11	11	20	45	3.6	1.9
		T	-	-	-	-	-	-	4	37	27	41	109	3.5	2.3
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	5	8	15	29	1.5	1.5
		F	-	-	-	-	-	-	-	5	4	18	27	2.2	1.2
		T	-	-	-	-	-	-	1	10	12	33	56	1.8	1.4
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.1	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	1	1	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	2	2	0.2	0.1
		T	-	-	-	-	-	-	-	-	-	3	3	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	1	3	4	0.2	0.2
		F	-	-	-	-	-	-	-	-	3	3	6	0.5	0.3
		T	-	-	-	-	-	-	-	-	4	6	10	0.3	0.3
Congenital anomalies	Q00-Q99	M	10	3	-	-	1	-	-	-	1	-	15	0.8	0.5
		F	8	-	-	-	-	-	-	2	-	-	10	0.8	0.3
		T	18	3	-	-	1	-	-	2	1	-	25	0.8	0.4
Certain conditions originating in the perinatal period	P00-P96	M	11	-	-	-	-	-	-	-	-	-	11	0.6	0.3
		F	9	-	-	-	-	-	-	-	-	-	9	0.7	0.3
		T	20	-	-	-	-	-	-	-	-	-	20	0.6	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	1	2	-	-	-	1	4	3	1	2	14	0.7	0.5
		F	2	-	-	1	-	-	2	1	-	11	17	1.4	0.7
		T	3	2	-	1	-	1	6	4	1	13	31	1.0	0.6
External causes	V01-Y98	M	1	4	6	4	21	34	143	97	18	17	345	17.9	9.7
		F	-	-	2	3	11	5	17	12	3	17	70	5.7	2.4
		T	1	4	8	7	32	39	160	109	21	34	415	13.1	6.3
All causes		**M**	**23**	**11**	**6**	**6**	**26**	**41**	**214**	**537**	**454**	**607**	**1,925**	**100.0**	**83.1**
		F	**20**	**-**	**2**	**4**	**13**	**7**	**67**	**242**	**232**	**646**	**1,233**	**100.0**	**54.1**
		T	**43**	**11**	**8**	**10**	**39**	**48**	**281**	**779**	**686**	**1,253**	**3,158**	**100.0**	**68.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Codes	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	2	-	-	-	-	-	1	4	1	1	9	2.4	2.2
		F	1	-	-	-	-	-	4	1	4	-	10	3.5	2.9
		T	3	-	-	-	-	-	5	5	5	1	19	2.9	2.6
Neoplasms	C00-D48	M	-	-	-	-	1	-	4	17	18	21	61	16.4	22.9
		F	-	-	-	-	-	-	7	17	13	11	48	17.0	16.4
		T	-	-	-	-	1	-	11	34	31	32	109	16.7	19.7
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	2	2	3	1	8	2.2	2.8
		F	-	-	-	-	-	-	-	3	-	1	4	1.4	1.3
		T	-	-	-	-	-	-	2	5	3	2	12	1.8	2.1
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	2	-	-	-	2	0.5	0.4
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	2	-	-	-	2	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	1	-	1	2	3	2	9	2.4	3.1
		F	-	-	-	-	-	-	4	1	1	2	8	2.8	2.2
		T	-	-	-	-	1	-	5	3	4	4	17	2.6	2.7
Diseases of the nervous system and sense organs	G00-H95	M	1	-	-	-	-	-	2	1	1	1	6	1.6	1.6
		F	-	-	-	-	-	-	-	2	-	2	4	1.4	1.4
		T	1	-	-	-	-	-	2	3	1	3	10	1.5	1.5
Diseases of the circulatory system	I00-I99	M	-	-	-	1	-	-	3	11	25	28	68	18.3	27.2
		F	-	-	-	-	-	-	7	14	14	23	58	20.6	22.0
		T	-	-	-	1	-	-	10	25	39	51	126	19.3	24.7
Diseases of the respiratory system	J00-J99	M	-	-	-	-	1	-	1	4	5	13	24	6.5	9.2
		F	-	-	-	-	1	2	-	3	4	14	24	8.5	9.5
		T	-	-	-	-	2	2	1	7	9	27	48	7.4	9.3
Diseases of the digestive system	K00-K93	M	1	-	-	-	-	-	6	6	3	2	18	4.9	5.2
		F	-	-	-	-	-	-	5	15	4	6	30	10.6	9.0
		T	1	-	-	-	-	-	11	21	7	8	48	7.4	7.1
Diseases of the genitourinary system	N00-N99	M	1	-	-	-	-	1	-	-	-	1	3	0.8	0.6
		F	-	1	-	-	-	-	-	3	1	2	7	2.5	2.4
		T	1	1	-	-	-	1	-	3	1	3	10	1.5	1.5
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.4	0.2
		T	-	-	-	-	-	-	1	-	-	-	1	0.2	0.1
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	1	0.4	0.4
		T	-	-	-	-	-	-	-	-	1	-	1	0.2	0.2
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	1	2	1	1	5	1.3	1.8
		F	-	-	-	-	-	-	1	4	2	2	9	3.2	3.1
		T	-	-	-	-	-	-	2	6	3	3	14	2.1	2.4
Congenital anomalies	Q00-Q99	M	1	-	-	-	-	-	2	1	-	1	5	1.3	1.0
		F	2	-	-	-	-	1	-	-	-	1	4	1.4	0.8
		T	3	-	-	-	-	1	2	1	-	2	9	1.4	0.9
Certain conditions originating in the perinatal period	P00-P96	M	5	-	-	-	-	-	-	-	-	-	5	1.3	0.4
		F	1	-	-	-	-	-	-	-	-	-	1	0.4	0.1
		T	6	-	-	-	-	-	-	-	-	-	6	0.9	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	2	1	-	-	-	1	2	1	-	2	9	2.4	1.8
		F	4	1	-	1	-	-	1	-	-	1	8	2.8	1.2
		T	6	2	-	1	-	1	3	1	-	3	17	2.6	1.5
External causes	V01-Y98	M	-	1	1	1	11	20	76	20	6	3	139	37.5	26.5
		F	-	4	2	-	8	6	28	14	1	2	65	23.0	11.8
		T	-	5	3	1	19	26	104	34	7	5	204	31.2	18.8
All causes		**M**	**13**	**2**	**1**	**2**	**14**	**22**	**103**	**71**	**66**	**77**	**371**	**100.0**	**106.8**
		F	**8**	**6**	**2**	**1**	**9**	**9**	**58**	**77**	**45**	**67**	**282**	**100.0**	**84.8**
		T	**21**	**8**	**3**	**3**	**23**	**31**	**161**	**148**	**111**	**144**	**653**	**100.0**	**95.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Code**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	2	-	14	15	6	14	51	1.2	0.9
		F	-	-	-	-	-	1	4	4	8	16	33	1.1	0.6
		T	-	-	-	-	2	1	18	19	14	30	84	1.2	0.7
Neoplasms	C00-D48	M	-	1	1	1	1	2	47	347	446	328	1,174	27.6	22.4
		F	-	-	5	4	2	2	77	349	236	302	977	33.0	17.2
		T	-	1	6	5	3	4	124	696	682	630	2,151	29.8	19.7
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	1	-	1	-	-	1	4	25	36	51	119	2.8	2.5
		F	-	-	-	2	-	1	2	13	36	69	123	4.1	2.5
		T	1	-	1	2	-	2	6	38	72	120	242	3.4	2.5
Disease of blood and blood-forming organs	D50-D89	M	1	-	-	-	-	-	1	2	3	5	12	0.3	0.2
		F	-	-	-	-	-	-	-	3	1	6	10	0.3	0.2
		T	1	-	-	-	-	-	1	5	4	11	22	0.3	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	9	25	13	21	68	1.6	1.2
		F	-	-	-	-	-	-	3	6	5	35	49	1.7	1.0
		T	-	-	-	-	-	-	12	31	18	56	117	1.6	1.1
Diseases of the nervous system and sense organs	G00-H95	M	1	-	1	1	-	-	9	19	20	62	113	2.7	2.5
		F	1	-	1	-	1	-	9	10	16	79	117	3.9	2.3
		T	2	-	2	1	1	-	18	29	36	141	230	3.2	2.4
Diseases of the circulatory system	I00-I99	M	1	1	-	-	1	-	39	313	353	592	1,300	30.6	27.7
		F	-	-	-	2	-	1	11	108	157	597	876	29.6	17.8
		T	1	1	-	2	1	1	50	421	510	1,189	2,176	30.2	22.6
Diseases of the respiratory system	J00-J99	M	-	1	-	-	1	-	6	46	98	249	401	9.4	9.6
		F	-	-	-	1	-	-	1	28	57	201	288	9.7	5.9
		T	-	1	-	1	1	-	7	74	155	450	689	9.5	7.6
Diseases of the digestive system	K00-K93	M	-	1	-	-	1	1	11	57	41	45	157	3.7	2.9
		F	-	-	-	-	-	-	7	34	27	65	133	4.5	2.5
		T	-	1	-	-	1	1	18	91	68	110	290	4.0	2.7
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	1	7	10	30	48	1.1	1.1
		F	-	-	-	-	-	-	-	7	8	29	44	1.5	0.9
		T	-	-	-	-	-	-	1	14	18	59	92	1.3	1.0
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	1	-	4	-	5	0.1	0.1
		F	-	-	-	-	-	-	-	1	1	-	2	0.1	0.0
		T	-	-	-	-	-	-	1	1	5	-	7	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	5	5	5	15	0.4	0.3
		F	-	-	-	-	-	1	1	4	4	19	29	1.0	0.6
		T	-	-	-	-	-	1	1	9	9	24	44	0.6	0.4
Congenital anomalies	Q00-Q99	M	20	-	1	1	-	-	2	3	1	4	32	0.8	0.5
		F	8	-	-	-	1	-	1	4	-	2	16	0.5	0.2
		T	28	-	1	1	1	-	3	7	1	6	48	0.7	0.4
Certain conditions originating in the perinatal period	P00-P96	M	23	-	-	-	-	-	-	-	-	-	23	0.5	0.4
		F	24	-	-	-	-	-	-	-	-	-	24	0.8	0.4
		T	47	-	-	-	-	-	-	-	-	-	47	0.7	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	8	1	-	-	-	-	8	11	3	8	39	0.9	0.7
		F	7	2	-	-	1	1	3	4	3	11	32	1.1	0.6
		T	15	3	-	-	1	1	11	15	6	19	71	1.0	0.6
External causes	V01-Y98	M	4	5	6	10	58	68	264	188	41	50	694	16.3	9.5
		F	2	3	5	6	24	11	60	42	10	47	210	7.1	3.2
		T	6	8	11	16	82	79	324	230	51	97	904	12.5	6.4
All causes		**M**	**59**	**10**	**10**	**13**	**64**	**72**	**416**	**1,063**	**1,080**	**1,464**	**4,251**	**100.0**	**82.6**
		F	**42**	**5**	**11**	**15**	**29**	**18**	**180**	**617**	**569**	**1,478**	**2,964**	**100.0**	**55.9**
		T	**101**	**15**	**21**	**28**	**93**	**90**	**596**	**1,680**	**1,649**	**2,942**	**7,215**	**100.0**	**68.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 53 NORTHEAST
BRITISH COLUMBIA, 1992 - 2002

			Age Group (in years)										Total		
Causes of Death	**ICD-10 Codes**	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	-	1	-	-	1	1.0	1.3
		F	-	-	-	-	-	-	1	-	-	-	1	1.1	0.5
		T	-	-	-	-	-	-	1	1	-	-	2	1.1	0.9
Neoplasms	C00-D48	M	-	-	-	-	-	-	1	2	5	4	12	12.0	17.7
		F	-	-	-	1	-	-	-	8	5	5	19	21.1	19.2
		T	-	-	-	1	-	-	1	10	10	9	31	16.3	18.1
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	-	-	-	1	-	1	2	2.0	2.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	1	2	1.1	1.0
Disease of blood and blood-forming organs	D50-D89	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	1.1	0.5
		T	-	-	-	-	-	-	1	-	-	-	1	0.5	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	1	2	-	1	4	4.0	3.6
		F	-	-	-	-	-	-	3	-	-	1	4	4.4	2.8
		T	-	-	-	-	-	-	4	2	-	2	8	4.2	3.2
Diseases of the nervous system and sense organs	G00-H95	M	1	-	-	-	-	-	-	-	-	1	2	2.0	1.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	2	1.1	0.8
Diseases of the circulatory system	I00-I99	M	-	1	-	-	-	-	1	9	4	4	19	19.0	21.0
		F	-	-	-	-	-	-	1	4	3	11	19	21.1	22.8
		T	-	1	-	-	-	-	2	13	7	15	38	20.0	21.7
Diseases of the respiratory system	J00-J99	M	-	-	-	-	-	-	-	4	2	4	10	10.0	13.7
		F	-	-	-	-	-	-	1	2	2	3	8	8.9	8.6
		T	-	-	-	-	-	-	1	6	4	7	18	9.5	10.9
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	1	1	-	-	2	2.0	1.9
		F	-	-	-	-	-	-	1	5	-	1	7	7.8	5.3
		T	-	-	-	-	-	-	2	6	-	1	9	4.7	3.8
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	-	1	-	1	1.0	1.7
		F	-	-	-	-	-	-	-	-	1	-	1	1.1	1.1
		T	-	-	-	-	-	-	-	-	2	-	2	1.1	1.4
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	Q00-Q99	M	1	-	1	-	-	-	-	1	-	-	3	3.0	1.4
		F	1	-	-	-	-	-	-	-	-	-	1	1.1	0.2
		T	2	-	1	-	-	-	-	1	-	-	4	2.1	0.7
Certain conditions originating in the perinatal period	P00-P96	M	1	-	-	-	-	-	-	-	-	-	1	1.0	0.2
		F	3	-	-	-	-	-	-	-	-	-	3	3.3	0.7
		T	4	-	-	-	-	-	-	-	-	-	4	2.1	0.4
Symptoms, signs, and ill-defined conditions	R00-R99	M	2	-	-	-	-	-	1	3	-	1	7	7.0	4.6
		F	1	-	-	-	-	-	1	1	-	1	4	4.4	2.6
		T	3	-	-	-	-	-	2	4	-	2	11	5.8	3.5
External causes	V01-Y98	M	-	3	-	-	1	4	16	8	4	-	36	36.0	24.8
		F	-	-	-	-	4	1	11	5	-	1	22	24.4	11.1
		T	-	3	-	-	5	5	27	13	4	1	58	30.5	16.9
All causes		**M**	**5**	**4**	**1**	**-**	**1**	**4**	**21**	**32**	**16**	**16**	**100**	**100.0**	**95.8**
		F	**5**	**-**	**-**	**1**	**4**	**1**	**20**	**25**	**11**	**23**	**90**	**100.0**	**75.4**
		T	**10**	**4**	**1**	**1**	**5**	**5**	**41**	**57**	**27**	**39**	**190**	**100.0**	**83.4**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 53 NORTHEAST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	ICD-10 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	A00-B99	M	-	-	-	-	-	-	2	1	4	5	12	0.7	0.6
		F	1	-	-	1	1	1	1	-	2	5	12	1.1	0.5
		T	1	-	-	1	1	1	3	1	6	10	24	0.8	0.6
Neoplasms	C00-D48	M	-	1	1	1	-	1	13	135	160	149	461	27.0	22.3
		F	-	-	1	-	1	1	22	106	79	117	327	28.9	14.6
		T	-	1	2	1	1	2	35	241	239	266	788	27.8	18.3
Endocrine/nutritional/metabolic diseases & immunity disorders	E00-E90	M	-	-	-	-	2	2	3	12	15	15	49	2.9	2.3
		F	-	-	-	-	-	-	1	7	18	23	49	4.3	2.4
		T	-	-	-	-	2	2	4	19	33	38	98	3.5	2.4
Disease of blood and blood-forming organs	D50-D89	M	1	-	-	-	-	-	-	-	-	2	3	0.2	0.2
		F	-	-	-	-	1	-	-	1	1	4	7	0.6	0.3
		T	1	-	-	-	1	-	-	1	1	6	10	0.4	0.2
Mental disorders	F00-F99	M	-	-	-	-	-	-	2	8	1	4	15	0.9	0.6
		F	-	-	-	-	-	-	1	1	1	21	24	2.1	1.2
		T	-	-	-	-	-	-	3	9	2	25	39	1.4	0.9
Diseases of the nervous system and sense organs	G00-H95	M	1	-	-	-	-	1	4	10	7	24	47	2.8	2.4
		F	-	1	-	-	-	1	1	6	8	30	47	4.2	2.2
		T	1	1	-	-	-	2	5	16	15	54	94	3.3	2.3
Diseases of the circulatory system	I00-I99	M	-	-	1	-	2	-	17	123	121	281	545	31.9	28.7
		F	1	-	-	-	1	-	6	36	53	289	386	34.2	18.9
		T	1	-	1	-	3	-	23	159	174	570	931	32.8	23.7
Diseases of the respiratory system	J00-J99	M	-	-	1	1	-	-	3	28	37	108	178	10.4	9.9
		F	-	1	1	-	1	-	1	9	21	80	114	10.1	5.6
		T	-	1	2	1	1	-	4	37	58	188	292	10.3	7.5
Diseases of the digestive system	K00-K93	M	-	-	-	-	-	-	4	18	10	27	59	3.5	2.9
		F	-	-	-	-	-	1	-	6	3	22	32	2.8	1.5
		T	-	-	-	-	-	1	4	24	13	49	91	3.2	2.2
Diseases of the genitourinary system	N00-N99	M	-	-	-	-	-	-	-	2	9	14	25	1.5	1.4
		F	-	-	-	-	-	-	-	6	5	8	19	1.7	0.9
		T	-	-	-	-	-	-	-	8	14	22	44	1.6	1.1
Complications of pregnancy and childbirth	O00-O99	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	L00-L99	M	-	-	-	-	-	-	-	-	-	2	2	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	2	2	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	M00-M99	M	-	-	-	-	-	-	-	-	3	2	5	0.3	0.3
		F	-	-	-	-	-	-	2	1	-	10	13	1.2	0.6
		T	-	-	-	-	-	-	2	1	3	12	18	0.6	0.5
Congenital anomalies	Q00-Q99	M	4	-	-	-	-	-	1	-	-	1	6	0.4	0.2
		F	3	-	-	-	-	1	-	-	-	-	4	0.4	0.1
		T	7	-	-	-	-	1	1	-	-	1	10	0.4	0.2
Certain conditions originating in the perinatal period	P00-P96	M	11	-	-	-	-	-	-	-	-	-	11	0.6	0.3
		F	11	-	-	-	-	-	-	-	-	-	11	1.0	0.3
		T	22	-	-	-	-	-	-	-	-	-	22	0.8	0.3
Symptoms, signs, and ill-defined conditions	R00-R99	M	4	-	-	-	-	-	5	7	2	3	21	1.2	0.8
		F	3	-	-	-	-	-	3	3	2	4	15	1.3	0.6
		T	7	-	-	-	-	-	8	10	4	7	36	1.3	0.7
External causes	V01-Y98	M	-	2	4	3	27	33	92	64	19	25	269	15.7	9.0
		F	-	5	-	1	7	8	22	8	5	14	70	6.2	2.6
		T	-	7	4	4	34	41	114	72	24	39	339	11.9	5.9
All causes		**M**	**21**	**3**	**7**	**5**	**31**	**37**	**146**	**408**	**388**	**662**	**1,708**	**100.0**	**82.1**
		F	**19**	**7**	**2**	**2**	**12**	**13**	**60**	**190**	**198**	**627**	**1,130**	**100.0**	**52.3**
		T	**40**	**10**	**9**	**7**	**43**	**50**	**206**	**598**	**586**	**1,289**	**2,838**	**100.0**	**66.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

APPENDIX 7

ASMR TRENDS FOR SELECTED CAUSES OF DEATH

The categories presented in Appendix 7 are listed below.

CAUSES OF DEATH	ICD-10 CODES
Infectious/Parasitic Diseases	A00-B99
HIV Disease	B20-B24
Tuberculosis	A15-A19, B90
Cancer	C00-C97
Lung	C33-C34
Female Breast	C50.0-C50.9
Colorectal	C18-C21
Cervical	C53
Prostate	C61
Endocrine/Nutritional/Metabolic	E00-E89
Diabetes	E10-E14
Circulatory System Diseases	I00-I99
Ischemic Heart	I20-I25
Cerebrovascular	I60-I69
Arteries	I70-I78, I26-I28
Respiratory System Diseases	J00-J99
Pneumonia/Influenza	J10-J18.1, J18.8-J18.9
Chronic Lung Disease	J40-J44
Asthma	J45-J46

CAUSES OF DEATH	ICD-10 CODES
Digestive System Diseases	K00-K93
Chronic Liver Disease/Cirrhosis	K70, K73-K74, K76.0-K76.1
Congenital Anomalies	Q00-Q99
Perinatal Conditions	P00-P96
External Causes	V01-Y98
Motor Vehicle Accidents	V02-V04, V09, V12-14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-2.1, V82.3-V89.0, V89.2, V89.9, Y85.0.
Accidental Poisoning	X40-X49
Accidental Falls	W00-W19
Suicide	X60-X84, Y87.0
Homicide	X85-Y09, Y87.1
Fire and Flames	X00-X09
Alcohol-Related Deaths	see glossary
Medical Treatable Diseases	see glossary
Drug Induced Deaths	see glossary
Smoking Attributable Mortality (SAM)	see glossary

ASMR TRENDS FOR SELECTED CAUSES OF DEATH
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992-2002

Causes of Death	Age Standardized Mortality Rate (ASMR)											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	Sig. (p<0.05)
Infectious/Parasitic Diseases	**2.7**	**2.5**	**2.4**	**3.4**	**3.1**	**3.3**	**3.2**	**3.8**	**3.3**	**3.1**	**3.3**	↗
HIV Disease	1.2	0.8	1.2	1.9	1.3	1.5	1.4	1.1	1.5	1.6	0.9	
Tuberculosis	0.1	0.5	0.4	0.6	0.3	0.3	0.3	0.9	0.3	0.6	0.5	
Cancer	**24.9**	**23.4**	**18.1**	**17.0**	**16.3**	**20.2**	**22.8**	**19.7**	**17.7**	**15.5**	**14.1**	↘
Lung	6.0	6.8	3.6	4.1	3.7	4.4	5.5	5.1	4.2	2.4	2.3	↘
Female Breast	3.3	3.4	3.7	3.2	1.7	2.8	2.5	2.2	1.1	2.5	1.6	↘
Colorectal	2.4	1.7	1.7	2.7	1.6	2.6	1.8	2.1	1.8	2.1	1.6	
Cervical	0.0	0.8	0.6	0.3	0.7	0.1	0.8	0.5	0.1	0.2	1.4	
Prostate	3.9	4.0	3.7	1.7	0.9	2.8	3.3	1.8	3.8	3.1	1.0	
Endocrine/Nutritional/Metabolic	**2.8**	**3.5**	**2.8**	**3.5**	**3.4**	**2.7**	**3.5**	**4.6**	**2.7**	**4.7**	**3.7**	
Diabetes	2.2	3.0	2.1	1.9	2.3	2.2	2.9	3.8	2.1	3.2	3.0	
Circulatory System Diseases	**48.4**	**47.6**	**36.6**	**26.2**	**29.7**	**33.3**	**34.6**	**28.8**	**27.3**	**23.6**	**20.6**	↘
Ischemic Heart	23.1	21.4	18.6	12.9	13.4	15.8	15.0	11.7	12.2	10.7	7.9	↘
Cerebrovascular	11.9	10.0	7.2	6.2	5.3	7.1	8.0	6.8	7.5	4.6	5.6	↘
Arteries	4.2	2.9	1.9	0.9	1.3	1.4	1.2	0.8	0.7	1.7	1.1	↘
Respiratory System Diseases	**17.3**	**17.3**	**9.1**	**7.2**	**8.6**	**10.6**	**12.2**	**11.3**	**5.9**	**7.8**	**7.8**	↘
Pneumonia/Influenza	8.4	9.1	4.8	3.5	4.1	5.7	6.4	6.0	3.1	3.2	3.1	↘
Chronic Lung Disease	5.9	4.1	2.8	1.5	1.8	3.5	3.3	2.1	1.8	2.6	2.8	
Asthma	0.7	0.5	0.0	0.6	0.2	0.5	0.2	0.3	0.0	0.0	0.1	↘
Digestive System Diseases	**12.8**	**8.0**	**8.4**	**6.7**	**5.5**	**7.2**	**7.4**	**7.2**	**8.7**	**7.8**	**6.1**	
Chronic Liver Disease/Cirrhosis	5.9	3.6	3.3	3.1	3.1	2.6	2.7	2.5	4.3	3.9	2.8	
Congenital Anomalies	**0.6**	**0.6**	**0.3**	**0.3**	**0.4**	**0.2**	**0.4**	**0.2**	**0.6**	**0.6**	**0.2**	
Perinatal Conditions*	**0.5**	**0.3**	**0.5**	**0.5**	**0.5**	**0.5**	**0.1**	**0.2**	**0.4**	**0.2**	**0.3**	
External Causes	**21.8**	**23.7**	**19.6**	**19.2**	**17.0**	**19.6**	**17.8**	**13.8**	**12.4**	**12.9**	**9.7**	↘
Motor Vehicle Accidents	4.4	4.8	6.1	4.8	3.9	3.2	4.3	3.2	2.9	3.2	2.4	↘
Accidental Poisoning	3.9	7.3	4.5	2.6	3.8	4.0	4.6	3.0	2.8	3.2	1.5	↘
Accidental Falls	1.5	2.1	1.1	3.3	2.4	3.3	2.0	2.2	1.2	1.1	1.0	
Suicide	4.6	4.0	2.4	3.2	3.2	3.8	2.6	2.2	2.7	1.8	2.2	↘
Homicide	1.2	1.5	1.5	1.5	0.8	1.6	0.8	0.6	0.6	0.8	0.5	↘
Fire and Flames	1.0	0.4	0.7	1.0	0.8	0.4	0.7	0.2	0.7	0.6	0.3	
All Other Causes	14.5	12.1	11.5	11.6	11.6	12.1	12.0	7.2	8.9	11.7	13.4	
Total Deaths	**146.4**	**139.0**	**109.3**	**95.5**	**96.1**	**109.6**	**114.1**	**96.9**	**88.0**	**87.8**	**79.1**	↘
Alcohol-Related Deaths*	15.0	24.4	24.0	22.2	25.0	23.9	24.5	20.6	19.9	20.9	18.5	
Medically Treatable Diseases	1.6	1.4	1.4	1.0	1.1	1.3	1.8	1.2	0.7	0.8	1.1	
Drug Induced Deaths	3.5	6.9	4.5	3.2	3.9	4.4	5.2	3.1	2.8	3.6	1.4	↘
Smoking-Attributable Mortality (SAM)	26.0	23.8	17.0	13.2	13.5	17.3	18.6	15.6	13.2	12.0	11.8	↘

Notes: ASMR - Age Standradized Mortality Rate per 10,000 Standard population (Canada Census 1991).
* In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993.

ASMR Trends for Selected Causes of Death
Other Residents - Provincial Total
British Columbia, 1992-2002

Causes of Death	Age Standardized Mortality Rate (ASMR)											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	Sig. (p<0.05)
Infectious/Parasitic Diseases	**1.2**	**1.4**	**1.5**	**1.2**	**1.2**	**0.8**	**0.9**	**0.9**	**0.8**	**0.9**	**0.8**	↘
HIV Disease	0.7	0.8	0.9	0.7	0.6	0.2	0.2	0.2	0.2	0.2	0.2	↘
Tuberculosis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Cancer	**17.0**	**17.4**	**17.4**	**16.9**	**17.0**	**16.8**	**16.5**	**16.4**	**15.8**	**15.9**	**15.8**	↘
Lung	4.8	4.7	4.5	4.3	4.6	4.5	4.5	4.3	4.2	4.1	4.1	↘
Female Breast	2.8	2.4	2.6	2.4	2.6	2.5	2.5	2.3	2.1	2.3	2.2	↘
Colorectal	1.5	1.5	1.6	1.6	1.4	1.5	1.4	1.5	1.5	1.4	1.5	
Cervical	0.2	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.1	↘
Prostate	2.7	2.9	2.8	2.8	2.7	2.5	2.3	2.5	2.3	2.5	2.3	↘
Endocrine/Nutritional/Metabolic	**1.6**	**1.7**	**1.7**	**1.8**	**1.7**	**1.8**	**1.8**	**1.7**	**1.8**	**2.0**	**2.1**	↗
Diabetes	1.0	1.2	1.3	1.4	1.3	1.3	1.3	1.2	1.4	1.6	1.7	↗
Circulatory System Diseases	**24.0**	**23.8**	**23.2**	**22.8**	**23.1**	**21.5**	**21.2**	**20.6**	**19.2**	**18.9**	**18.1**	↘
Ischemic Heart	12.7	12.3	11.9	11.6	11.9	11.0	10.5	10.3	9.8	9.7	9.0	↘
Cerebrovascular	5.0	5.2	5.1	5.0	5.0	4.8	4.8	4.7	4.3	4.3	4.0	↘
Arteries	1.8	1.6	1.6	1.6	1.6	1.3	1.5	1.3	1.2	1.2	1.2	↘
Respiratory System Diseases	**6.3**	**6.5**	**6.0**	**6.2**	**6.5**	**6.3**	**6.2**	**6.4**	**5.4**	**5.4**	**5.5**	↘
Pneumonia/Influenza	2.9	3.0	2.7	2.7	2.7	2.8	2.9	2.9	2.2	2.2	2.2	↘
Chronic Lung Disease	2.3	2.5	2.3	2.5	2.7	2.6	2.4	2.5	2.4	2.4	2.4	
Asthma	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	↘
Digestive System Diseases	**2.4**	**2.4**	**2.4**	**2.2**	**2.2**	**2.1**	**2.2**	**2.0**	**2.2**	**2.1**	**2.0**	↘
Chronic Liver Disease/Cirrhosis	0.7	0.8	0.6	0.6	0.7	0.5	0.6	0.5	0.6	0.5	0.5	↘
Congenital Anomalies	**0.3**	**0.3**	**0.3**	**0.4**	**0.3**	**0.3**	**0.4**	**0.3**	**0.3**	**0.3**	**0.3**	
Perinatal Conditions	**0.4**	**0.3**	**0.4**	**0.3**	**0.3**	**0.3**	**0.2**	**0.3**	**0.3**	**0.3**	**0.3**	
External Causes	**5.4**	**5.5**	**5.4**	**5.1**	**5.2**	**5.1**	**4.9**	**4.5**	**4.0**	**3.9**	**3.3**	↘
Motor Vehicle Accidents	1.2	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.9	↘
Accidental Poisoning	0.7	1.1	0.9	0.7	0.9	0.9	1.1	0.8	0.7	0.7	0.4	
Accidental Falls	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.6	0.6	0.6	↘
Suicide	1.3	1.2	1.2	1.3	1.3	1.3	1.1	1.1	1.0	1.0	0.8	↘
Homicide	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	↘
Fire and Flames	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	↘
All Other Causes	5.1	5.3	5.2	5.3	5.5	5.4	5.4	5.4	5.8	6.2	6.9	↗
Total Deaths	**63.7**	**64.6**	**63.5**	**62.3**	**63.0**	**60.4**	**59.8**	**58.4**	**55.6**	**55.8**	**55.2**	↘
Alcohol-Related Deaths*	1.7	3.1	3.4	3.6	4.0	3.8	3.7	3.6	3.6	3.7	3.4	
Medically Treatable Diseases	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.2	
Drug Induced Deaths	0.8	1.3	1.2	1.0	1.1	1.2	1.4	1.0	1.0	0.9	0.6	
Smoking-Attributable Mortality (SAM)	13.5	13.6	12.9	12.8	13.3	12.7	12.4	12.3	11.4	11.4	11.1	↘

Notes: ASMR - Age Standradized Mortality Rate per 10,000 Standard population (Canada Census 1991).
* In 1993 the medical certification of death was revised to include a question about environmental, occupational, and lifestyle factors that may have contributed to the death. As a result, the number of deaths indirectly due to alcohol has increased since 1993.

APPENDIX 8

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP

The categories presented in Appendix 8 are listed below.

CAUSES OF DEATH	ICD-10 CODES
Motor Vehicle Accidents	V02-V04, V09, V12-V14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-V82.1, V82.3-V89.0, V89.2, V89.9, Y85.0
Accidental Drowning and Submersion	W65-W74
Accidental Poisoning	X40-X49
Accidental Falls	W00-W19
Accidents Caused by Fire and Flames	X00-X09
Suicide	X60-X84, Y87.0
Homicide	X85-Y09, Y87.1
All External Causes	V01-Y98

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	3	3	9	47	65	138	43	16	5	330	23.7	5.2
	F	1	5	3	3	24	24	68	23	11	4	166	24.5	2.6
	T	2	8	6	12	71	89	206	66	27	9	496	24.0	3.8
Accidental Drowning and Submersion	M	-	3	-	-	7	6	26	12	1	-	55	4.0	0.8
	F	-	3	-	-	1	1	-	1	-	-	6	0.9	0.1
	T	-	6	-	-	8	7	26	13	1	-	61	2.9	0.4
Accidental Poisoning	M	-	-	1	3	4	11	199	61	3	1	283	20.4	4.5
	F	-	-	-	-	8	13	139	38	4	-	202	29.8	2.9
	T	-	-	1	3	12	24	338	99	7	1	485	23.5	3.6
Accidental Falls	M	-	2	-	-	4	4	24	30	14	12	90	6.5	2.2
	F	1	-	1	-	1	-	6	13	6	27	55	8.1	1.6
	T	1	2	1	-	5	4	30	43	20	39	145	7.0	1.9
Accidents Caused by Fire and Flames	M	-	5	2	3	6	3	11	7	6	4	47	3.4	0.9
	F	-	-	1	1	-	-	10	2	2	1	17	2.5	0.3
	T	-	5	3	4	6	3	21	9	8	5	64	3.1	0.6
Suicide	M	-	-	-	4	42	53	165	32	7	-	303	21.8	4.4
	F	-	-	-	5	18	19	44	21	2	-	109	16.1	1.5
	T	-	-	-	9	60	72	209	53	9	-	412	19.9	2.9
Homicide	M	-	3	1	-	5	17	42	16	2	-	86	6.2	1.3
	F	1	2	-	-	7	7	25	7	2	-	51	7.5	0.7
	T	1	5	1	-	12	24	67	23	4	-	137	6.6	1.0
Other	M	3	3	4	4	10	16	84	53	13	6	196	14.1	3.6
	F	4	6	-	-	3	2	34	15	3	5	72	10.6	1.2
	T	7	9	4	4	13	18	118	68	16	11	268	13.0	2.3
All External Causes	**M**	**4**	**19**	**11**	**23**	**125**	**175**	**689**	**254**	**62**	**28**	**1,390**	**100.0**	**22.9**
	F	**7**	**16**	**5**	**9**	**62**	**66**	**326**	**120**	**30**	**37**	**678**	**100.0**	**10.8**
	T	**11**	**35**	**16**	**32**	**187**	**241**	**1,015**	**374**	**92**	**65**	**2,068**	**100.0**	**16.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - Provincial Total
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	9	17	41	51	406	453	1,038	564	165	238	2,982	20.8	1.5
	F	6	17	23	28	184	131	317	236	138	202	1,282	20.9	0.6
	T	15	34	64	79	590	584	1,355	800	303	440	4,264	20.8	1.0
Accidental Drowning and Submersion	M	1	18	7	6	46	39	133	74	32	21	377	2.6	0.2
	F	3	12	2	3	3	10	16	25	15	13	102	1.7	0.0
	T	4	30	9	9	49	49	149	99	47	34	479	2.3	0.1
Accidental Poisoning	M	-	2	-	2	41	132	1,807	677	61	27	2,749	19.2	1.3
	F	-	-	-	1	22	41	418	159	36	27	704	11.5	0.3
	T	-	2	-	3	63	173	2,225	836	97	54	3,453	16.9	0.8
Accidental Falls	M	2	4	3	7	28	46	144	205	202	1,078	1,719	12.0	0.8
	F	-	3	-	2	6	4	29	70	117	1,649	1,880	30.6	0.6
	T	2	7	3	9	34	50	173	275	319	2,727	3,599	17.6	0.7
Accidents Caused by Fire and Flames	M	3	7	5	7	6	10	41	58	23	24	184	1.3	0.1
	F	1	3	9	4	5	2	19	22	16	26	107	1.7	0.0
	T	4	10	14	11	11	12	60	80	39	50	291	1.4	0.1
Suicide	M	-	-	1	26	139	282	1,608	1,158	298	270	3,782	26.4	1.8
	F	-	-	-	9	40	55	409	369	105	103	1,090	17.7	0.5
	T	-	-	1	35	179	337	2,017	1,527	403	373	4,872	23.8	1.1
Homicide	M	4	9	5	5	40	76	307	120	22	15	603	4.2	0.3
	F	11	6	8	9	25	26	107	48	6	26	272	4.4	0.1
	T	15	15	13	14	65	102	414	168	28	41	875	4.3	0.2
Other	M	19	13	16	24	73	113	703	506	176	282	1,925	13.4	0.9
	F	6	12	5	10	12	28	115	129	90	303	710	11.6	0.3
	T	25	25	21	34	85	141	818	635	266	585	2,635	12.9	0.6
All External Causes	**M**	**38**	**70**	**78**	**128**	**779**	**1,151**	**5,781**	**3,362**	**979**	**1,955**	**14,321**	**100.0**	**6.9**
	F	**27**	**53**	**47**	**66**	**297**	**297**	**1,430**	**1,058**	**523**	**2,349**	**6,147**	**100.0**	**2.6**
	T	**65**	**123**	**125**	**194**	**1,076**	**1,448**	**7,211**	**4,420**	**1,502**	**4,304**	**20,468**	**100.0**	**4.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 11/12 EAST KOOTENAY/KOOTENAY BOUNDARY
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	1	-	3	1	-	-	5	26.3	4.9
	F	-	-	-	-	1	1	1	-	-	-	3	37.5	2.5
	T	-	-	-	-	2	1	4	1	-	-	8	29.6	3.5
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	-	-	-	1	5.3	0.9
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	3.7	0.5
Accidental Poisoning	M	-	-	-	-	-	-	1	-	-	-	1	5.3	1.0
	F	-	-	-	-	-	-	2	2	-	-	4	50.0	4.0
	T	-	-	-	-	-	-	3	2	-	-	5	18.5	2.7
Accidental Falls	M	-	-	-	-	-	-	-	-	1	-	1	5.3	3.4
	F	-	-	-	-	-	-	-	1	-	-	1	12.5	1.9
	T	-	-	-	-	-	-	-	1	1	-	2	7.4	2.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	1	1	-	2	-	4	21.1	8.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	-	2	-	4	14.8	4.0
Suicide	M	-	-	-	-	1	1	2	2	-	-	6	31.6	6.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	2	2	-	-	6	22.2	3.2
Homicide	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	M	-	-	-	-	-	-	1	-	-	-	1	5.3	1.1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	3.7	0.5
All External Causes	**M**	**-**	**-**	**-**	**-**	**2**	**2**	**9**	**3**	**3**	**-**	**19**	**100.0**	**25.9**
	F	**-**	**-**	**-**	**-**	**1**	**1**	**3**	**3**	**-**	**-**	**8**	**100.0**	**8.4**
	T	**-**	**-**	**-**	**-**	**3**	**3**	**12**	**6**	**3**	**-**	**27**	**100.0**	**17.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 11/12 East Kootenay/Kootenay Boundary
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	3	3	44	23	68	42	8	18	209	28.7	2.5
	F	2	-	2	2	21	8	26	21	9	9	100	31.6	1.2
	T	2	-	5	5	65	31	94	63	17	27	309	29.6	1.9
Accidental Drowning and Submersion	M	-	-	-	-	5	1	6	6	-	-	18	2.5	0.2
	F	1	1	-	-	-	1	-	-	2	2	7	2.2	0.1
	T	1	1	-	-	5	2	6	6	2	2	25	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	2	22	18	3	-	45	6.2	0.5
	F	-	-	-	-	1	1	10	5	2	1	20	6.3	0.2
	T	-	-	-	-	1	3	32	23	5	1	65	6.2	0.4
Accidental Falls	M	-	-	-	1	1	5	10	9	3	57	86	11.8	1.0
	F	-	1	-	-	-	-	1	2	2	80	86	27.2	0.7
	T	-	1	-	1	1	5	11	11	5	137	172	16.5	0.8
Accidents Caused by Fire and Flames	M	1	-	-	2	-	1	3	2	3	1	13	1.8	0.2
	F	-	-	-	-	-	1	1	-	1	2	5	1.6	0.1
	T	1	-	-	2	-	2	4	2	4	3	18	1.7	0.1
Suicide	M	-	-	-	3	11	14	74	65	24	12	203	27.9	2.3
	F	-	-	-	-	2	1	14	24	5	1	47	14.9	0.5
	T	-	-	-	3	13	15	88	89	29	13	250	24.0	1.4
Homicide	M	-	2	1	1	-	1	7	6	2	1	21	2.9	0.3
	F	2	1	1	1	3	2	2	3	1	-	16	5.1	0.2
	T	2	3	2	2	3	3	9	9	3	1	37	3.5	0.2
Other	M	3	2	2	2	6	6	50	31	10	20	132	18.2	1.5
	F	1	1	1	-	-	2	5	11	6	8	35	11.1	0.4
	T	4	3	3	2	6	8	55	42	16	28	167	16.0	1.0
All External Causes	**M**	**4**	**4**	**6**	**12**	**67**	**53**	**240**	**179**	**53**	**109**	**727**	**100.0**	**8.5**
	F	**6**	**4**	**4**	**3**	**27**	**16**	**59**	**66**	**28**	**103**	**316**	**100.0**	**3.3**
	T	**10**	**8**	**10**	**15**	**94**	**69**	**299**	**245**	**81**	**212**	**1,043**	**100.0**	**5.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 13 Okanagan
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	2	6	5	11	3	1	-	28	40.6	8.1
	F	1	-	-	-	1	-	7	-	1	-	10	35.7	2.8
	T	1	-	-	2	7	5	18	3	2	-	38	39.2	5.4
Accidental Drowning and Submersion	M	-	-	-	-	-	1	1	-	-	-	2	2.9	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	-	-	-	2	2.1	0.3
Accidental Poisoning	M	-	-	-	-	-	-	4	1	-	-	5	7.2	1.7
	F	-	-	-	-	1	-	2	1	-	-	4	14.3	1.2
	T	-	-	-	-	1	-	6	2	-	-	9	9.3	1.4
Accidental Falls	M	-	-	-	-	1	1	-	-	3	1	6	8.7	3.2
	F	-	-	-	-	-	-	2	-	-	1	3	10.7	1.1
	T	-	-	-	-	1	1	2	-	3	2	9	9.3	2.1
Accidents Caused by Fire and Flames	M	-	1	-	2	1	-	1	-	-	-	5	7.2	1.1
	F	-	-	-	-	-	-	2	-	1	-	3	10.7	1.1
	T	-	1	-	2	1	-	3	-	1	-	8	8.2	1.1
Suicide	M	-	-	-	-	-	2	11	-	2	-	15	21.7	5.1
	F	-	-	-	-	-	-	1	2	-	-	3	10.7	0.9
	T	-	-	-	-	-	2	12	2	2	-	18	18.6	2.9
Homicide	M	-	-	-	-	-	-	-	2	-	-	2	2.9	0.6
	F	-	-	-	-	-	-	-	-	2	-	2	7.1	1.1
	T	-	-	-	-	-	-	-	2	2	-	4	4.1	0.9
Other	M	-	-	-	-	-	-	3	1	1	1	6	8.7	2.6
	F	1	-	-	-	-	1	1	-	-	-	3	10.7	0.7
	T	1	-	-	-	-	1	4	1	1	1	9	9.3	1.5
All External Causes	**M**	-	**1**	-	**4**	**8**	**9**	**31**	**7**	**7**	**2**	**69**	**100.0**	**22.9**
	F	**2**	-	-	-	**2**	**1**	**15**	**3**	**4**	**1**	**28**	**100.0**	**8.8**
	T	**2**	**1**	-	**4**	**10**	**10**	**46**	**10**	**11**	**3**	**97**	**100.0**	**15.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 13 Okanagan
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	2	-	3	5	38	43	98	41	29	29	288	24.7	2.0
	F	1	-	-	-	22	12	19	21	22	36	133	22.9	0.7
	T	3	-	3	5	60	55	117	62	51	65	421	24.1	1.3
Accidental Drowning and Submersion	M	-	2	1	-	7	1	9	4	3	4	31	2.7	0.2
	F	-	3	-	-	1	-	1	2	3	1	11	1.9	0.1
	T	-	5	1	-	8	1	10	6	6	5	42	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	12	72	25	2	2	113	9.7	0.8
	F	-	-	-	-	3	4	15	20	7	3	52	8.9	0.3
	T	-	-	-	-	3	16	87	45	9	5	165	9.4	0.6
Accidental Falls	M	-	-	2	1	3	2	1	17	27	133	186	16.0	0.8
	F	-	-	-	1	-	1	3	10	13	165	193	33.2	0.6
	T	-	-	2	2	3	3	4	27	40	298	379	21.7	0.7
Accidents Caused by Fire and Flames	M	1	2	1	-	-	-	2	7	3	1	17	1.5	0.1
	F	-	1	1	-	-	-	2	1	1	3	9	1.5	0.1
	T	1	3	2	-	-	-	4	8	4	4	26	1.5	0.1
Suicide	M	-	-	-	5	13	22	126	91	33	39	329	28.2	2.1
	F	-	-	-	2	3	4	43	29	8	8	97	16.7	0.6
	T	-	-	-	7	16	26	169	120	41	47	426	24.4	1.3
Homicide	M	-	-	-	1	2	4	18	10	2	2	39	3.3	0.3
	F	2	-	2	1	5	2	9	8	-	2	31	5.3	0.2
	T	2	-	2	2	7	6	27	18	2	4	70	4.0	0.2
Other	M	3	1	1	3	5	9	47	42	21	31	163	14.0	1.0
	F	-	-	1	1	1	-	9	11	9	24	56	9.6	0.3
	T	3	1	2	4	6	9	56	53	30	55	219	12.5	0.6
All External Causes	**M**	**6**	**5**	**8**	**15**	**68**	**93**	**373**	**237**	**120**	**241**	**1,166**	**100.0**	**7.2**
	F	**3**	**4**	**4**	**5**	**35**	**23**	**101**	**102**	**63**	**242**	**582**	**100.0**	**2.9**
	T	**9**	**9**	**12**	**20**	**103**	**116**	**474**	**339**	**183**	**483**	**1,748**	**100.0**	**5.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 14 THOMPSON CARIBOO SHUSWAP
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	2	10	16	24	12	2	3	69	30.9	7.6
	F	-	1	-	-	8	4	14	2	3	2	34	40.5	4.0
	T	-	1	-	2	18	20	38	14	5	5	103	33.6	5.8
Accidental Drowning and Submersion	M	-	-	-	-	3	1	7	-	-	-	11	4.9	1.1
	F	-	1	-	-	-	1	-	-	-	-	2	2.4	0.2
	T	-	1	-	-	3	2	7	-	-	-	13	4.2	0.6
Accidental Poisoning	M	-	-	1	-	-	-	15	5	-	-	21	9.4	2.4
	F	-	-	-	-	-	-	7	1	-	-	8	9.5	0.9
	T	-	-	1	-	-	-	22	6	-	-	29	9.4	1.6
Accidental Falls	M	-	-	-	-	2	1	1	6	2	3	15	6.7	2.5
	F	-	-	-	-	1	-	1	1	-	6	9	10.7	1.6
	T	-	-	-	-	3	1	2	7	2	9	24	7.8	2.1
Accidents Caused by Fire and Flames	M	-	-	-	1	-	1	1	4	1	1	9	4.0	1.3
	F	-	-	-	1	-	-	-	1	-	-	2	2.4	0.2
	T	-	-	-	2	-	1	1	5	1	1	11	3.6	0.8
Suicide	M	-	-	-	1	10	9	18	7	1	-	46	20.6	4.8
	F	-	-	-	1	3	4	2	-	1	-	11	13.1	1.1
	T	-	-	-	2	13	13	20	7	2	-	57	18.6	2.9
Homicide	M	-	-	-	-	-	2	6	1	1	-	10	4.5	1.2
	F	-	-	-	-	2	2	5	-	-	-	9	10.7	0.9
	T	-	-	-	-	2	4	11	1	1	-	19	6.2	1.0
Other	M	2	-	2	1	7	1	18	8	2	1	42	18.8	4.9
	F	-	-	-	-	2	-	4	2	-	1	9	10.7	1.1
	T	2	-	2	1	9	1	22	10	2	2	51	16.6	3.0
All External Causes	**M**	**2**	**-**	**3**	**5**	**32**	**31**	**90**	**43**	**9**	**8**	**223**	**100.0**	**25.8**
	F	**-**	**2**	**-**	**2**	**16**	**11**	**33**	**7**	**4**	**9**	**84**	**100.0**	**9.9**
	T	**2**	**2**	**3**	**7**	**48**	**42**	**123**	**50**	**13**	**17**	**307**	**100.0**	**17.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 14 THOMPSON CARIBOO SHUSWAP
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	3	5	6	38	35	105	81	21	24	318	31.6	3.1
	F	-	3	4	4	12	13	50	23	14	13	136	33.5	1.4
	T	-	6	9	10	50	48	155	104	35	37	454	32.1	2.2
Accidental Drowning and Submersion	M	-	2	-	1	3	4	8	5	1	2	26	2.6	0.3
	F	-	-	-	-	-	-	2	2	-	-	4	1.0	0.0
	T	-	2	-	1	3	4	10	7	1	2	30	2.1	0.1
Accidental Poisoning	M	-	-	-	1	2	8	72	31	2	1	117	11.6	1.2
	F	-	-	-	-	1	-	24	10	2	3	40	9.9	0.4
	T	-	-	-	1	3	8	96	41	4	4	157	11.1	0.8
Accidental Falls	M	-	-	-	1	1	3	9	14	13	56	97	9.6	1.0
	F	-	-	-	-	-	-	2	7	16	82	107	26.4	0.9
	T	-	-	-	1	1	3	11	21	29	138	204	14.4	0.9
Accidents Caused by Fire and Flames	M	-	-	1	-	-	-	4	1	1	3	10	1.0	0.1
	F	1	-	2	1	-	-	3	-	1	1	9	2.2	0.1
	T	1	-	3	1	-	-	7	1	2	4	19	1.3	0.1
Suicide	M	-	-	-	4	10	22	103	82	23	16	260	25.8	2.5
	F	-	-	-	1	3	3	15	17	4	7	50	12.3	0.4
	T	-	-	-	5	13	25	118	99	27	23	310	21.9	1.5
Homicide	M	1	3	-	-	-	3	14	11	-	2	34	3.4	0.3
	F	-	1	1	1	3	-	4	4	1	1	16	3.9	0.2
	T	1	4	1	1	3	3	18	15	1	3	50	3.5	0.2
Other	M	1	4	2	2	3	16	46	41	16	14	145	14.4	1.4
	F	-	1	-	1	2	-	13	11	6	10	44	10.8	0.4
	T	1	5	2	3	5	16	59	52	22	24	189	13.4	0.9
All External Causes	**M**	**2**	**12**	**8**	**15**	**57**	**91**	**361**	**266**	**77**	**118**	**1,007**	**100.0**	**9.8**
	F	**1**	**5**	**7**	**8**	**21**	**16**	**113**	**74**	**44**	**117**	**406**	**100.0**	**3.7**
	T	**3**	**17**	**15**	**23**	**78**	**107**	**474**	**340**	**121**	**235**	**1,413**	**100.0**	**6.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 21 FRASER EAST
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	2	8	10	2	2	-	24	28.6	6.6
	F	-	1	2	-	-	3	7	3	-	-	16	44.4	3.2
	T	-	1	2	-	2	11	17	5	2	-	40	33.3	4.8
Accidental Drowning and Submersion	M	-	-	-	-	-	-	3	2	-	-	5	6.0	1.3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	3	2	-	-	5	4.2	0.6
Accidental Poisoning	M	-	-	-	-	-	2	12	6	-	-	20	23.8	5.3
	F	-	-	-	-	-	-	4	2	1	-	7	19.4	1.9
	T	-	-	-	-	-	2	16	8	1	-	27	22.5	3.5
Accidental Falls	M	-	-	-	-	-	-	1	2	-	2	5	6.0	2.2
	F	-	-	-	-	-	-	-	1	-	-	1	2.8	0.3
	T	-	-	-	-	-	-	1	3	-	2	6	5.0	1.2
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	2.8	0.2
	T	-	-	-	-	-	-	1	-	-	-	1	0.8	0.1
Suicide	M	-	-	-	-	1	1	7	3	1	-	13	15.5	3.6
	F	-	-	-	1	1	2	2	2	-	-	8	22.2	1.7
	T	-	-	-	1	2	3	9	5	1	-	21	17.5	2.6
Homicide	M	-	1	-	-	-	2	1	-	1	-	5	6.0	1.5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	1	-	-	-	2	1	-	1	-	5	4.2	0.7
Other	M	-	-	-	1	-	3	2	4	1	1	12	14.3	3.8
	F	-	-	-	-	-	-	-	3	-	-	3	8.3	0.8
	T	-	-	-	1	-	3	2	7	1	1	15	12.5	2.3
All External Causes	**M**	**-**	**1**	**-**	**1**	**3**	**16**	**36**	**19**	**5**	**3**	**84**	**100.0**	**24.3**
	F	**-**	**1**	**2**	**1**	**1**	**5**	**14**	**11**	**1**	**-**	**36**	**100.0**	**8.2**
	T	**-**	**2**	**2**	**2**	**4**	**21**	**50**	**30**	**6**	**3**	**120**	**100.0**	**15.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 21 Fraser East
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	4	2	21	37	77	40	10	13	205	24.6	1.7
	F	-	1	-	2	14	11	24	13	13	14	92	24.2	0.7
	T	-	2	4	4	35	48	101	53	23	27	297	24.5	1.3
Accidental Drowning and Submersion	M	-	1	3	-	-	2	5	2	2	1	16	1.9	0.1
	F	-	1	-	-	-	-	1	1	-	-	3	0.8	0.0
	T	-	2	3	-	-	2	6	3	2	1	19	1.6	0.1
Accidental Poisoning	M	-	-	-	-	2	4	79	33	1	3	122	14.6	1.0
	F	-	-	-	-	1	3	30	9	-	1	44	11.6	0.4
	T	-	-	-	-	3	7	109	42	1	4	166	13.7	0.7
Accidental Falls	M	-	-	-	1	3	2	9	11	14	51	91	10.9	0.7
	F	-	1	-	-	1	-	1	5	5	78	91	23.9	0.5
	T	-	1	-	1	4	2	10	16	19	129	182	15.0	0.6
Accidents Caused by Fire and Flames	M	-	1	1	1	1	1	5	5	2	2	19	2.3	0.1
	F	-	-	1	-	1	-	4	1	-	-	7	1.8	0.1
	T	-	1	2	1	2	1	9	6	2	2	26	2.1	0.1
Suicide	M	-	-	1	1	12	18	92	49	24	19	216	25.9	1.8
	F	-	-	-	3	3	5	23	27	5	4	70	18.4	0.6
	T	-	-	1	4	15	23	115	76	29	23	286	23.6	1.2
Homicide	M	-	-	-	-	-	2	15	11	1	-	29	3.5	0.2
	F	2	-	1	-	1	1	7	4	-	3	19	5.0	0.2
	T	2	-	1	-	1	3	22	15	1	3	48	4.0	0.2
Other	M	-	-	-	2	3	9	63	32	11	15	135	16.2	1.1
	F	-	4	1	-	-	2	12	10	9	16	54	14.2	0.4
	T	-	4	1	2	3	11	75	42	20	31	189	15.6	0.8
All External Causes	**M**	**-**	**3**	**9**	**7**	**42**	**75**	**345**	**183**	**65**	**104**	**833**	**100.0**	**6.9**
	F	**2**	**7**	**3**	**5**	**21**	**22**	**102**	**70**	**32**	**116**	**380**	**100.0**	**2.8**
	T	**2**	**10**	**12**	**12**	**63**	**97**	**447**	**253**	**97**	**220**	**1,213**	**100.0**	**4.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 22 FRASER NORTH
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	1	-	3	1	-	-	5	12.2	2.7
	F	-	-	-	-	-	-	3	-	-	-	3	10.3	1.2
	T	-	-	-	-	1	-	6	1	-	-	8	11.4	1.8
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	1	-	-	2	4.9	1.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	1	-	-	2	2.9	0.5
Accidental Poisoning	M	-	-	-	-	1	1	12	1	-	-	15	36.6	7.1
	F	-	-	-	-	-	-	8	1	1	-	10	34.5	5.0
	T	-	-	-	-	1	1	20	2	1	-	25	35.7	6.3
Accidental Falls	M	-	-	-	-	-	-	1	-	-	-	1	2.4	0.6
	F	-	-	-	-	-	-	1	-	1	3	5	17.2	10.0
	T	-	-	-	-	-	-	2	-	1	3	6	8.6	6.4
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	-	1	2.4	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	1.4	0.3
Suicide	M	-	-	-	-	-	3	6	2	-	-	11	26.8	5.6
	F	-	-	-	-	1	1	3	3	-	-	8	27.6	3.6
	T	-	-	-	-	1	4	9	5	-	-	19	27.1	4.5
Homicide	M	-	-	-	-	1	1	-	-	-	-	2	4.9	0.8
	F	1	-	-	-	1	-	-	-	-	-	2	6.9	0.6
	T	1	-	-	-	2	1	-	-	-	-	4	5.7	0.7
Other	M	-	-	-	-	-	1	1	1	-	1	4	9.8	6.3
	F	-	-	-	-	-	-	-	1	-	-	1	3.4	0.5
	T	-	-	-	-	-	1	1	2	-	1	5	7.1	2.7
All External Causes	**M**	**-**	**-**	**-**	**-**	**3**	**6**	**25**	**6**	**-**	**1**	**41**	**100.0**	**24.9**
	F	**1**	**-**	**-**	**-**	**2**	**1**	**15**	**5**	**2**	**3**	**29**	**100.0**	**20.9**
	T	**1**	**-**	**-**	**-**	**5**	**7**	**40**	**11**	**2**	**4**	**70**	**100.0**	**23.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 22 Fraser North
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	4	2	3	4	43	38	93	36	16	22	261	17.5	1.0
	F	-	1	1	2	15	10	22	30	14	20	115	18.5	0.4
	T	4	3	4	6	58	48	115	66	30	42	376	17.8	0.7
Accidental Drowning and Submersion	M	-	3	-	-	6	8	10	7	1	4	39	2.6	0.1
	F	-	-	-	-	-	1	1	2	1	1	6	1.0	0.0
	T	-	3	-	-	6	9	11	9	2	5	45	2.1	0.1
Accidental Poisoning	M	-	-	-	-	6	14	236	72	6	4	338	22.7	1.2
	F	-	-	-	-	1	4	40	14	5	1	65	10.5	0.2
	T	-	-	-	-	7	18	276	86	11	5	403	19.1	0.7
Accidental Falls	M	-	1	-	1	1	7	20	21	19	107	177	11.9	0.8
	F	-	-	-	-	-	-	5	7	15	149	176	28.4	0.5
	T	-	1	-	1	1	7	25	28	34	256	353	16.7	0.6
Accidents Caused by Fire and Flames	M	-	1	-	1	-	-	4	6	1	1	14	0.9	0.1
	F	-	1	4	1	-	1	1	2	3	4	17	2.7	0.1
	T	-	2	4	2	-	1	5	8	4	5	31	1.5	0.1
Suicide	M	-	-	-	1	12	30	197	132	36	27	435	29.2	1.6
	F	-	-	-	-	7	8	56	39	9	10	129	20.8	0.5
	T	-	-	-	1	19	38	253	171	45	37	564	26.7	1.0
Homicide	M	-	1	-	1	8	15	50	6	3	4	88	5.9	0.3
	F	-	1	-	1	1	6	14	3	1	3	30	4.8	0.1
	T	-	2	-	2	9	21	64	9	4	7	118	5.6	0.2
Other	M	1	1	-	1	5	10	45	23	20	34	140	9.4	0.6
	F	-	3	-	1	-	2	12	17	8	39	82	13.2	0.3
	T	1	4	-	2	5	12	57	40	28	73	222	10.5	0.4
All External Causes	**M**	**5**	**9**	**3**	**9**	**81**	**122**	**655**	**303**	**102**	**203**	**1,492**	**100.0**	**5.6**
	F	**-**	**6**	**5**	**5**	**24**	**32**	**151**	**114**	**56**	**227**	**620**	**100.0**	**2.1**
	T	**5**	**15**	**8**	**14**	**105**	**154**	**806**	**417**	**158**	**430**	**2,112**	**100.0**	**3.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 23 FRASER SOUTH
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	-	3	2	1	-	-	-	7	18.4	2.9
	F	-	-	-	-	-	2	1	1	-	-	4	17.4	1.7
	T	-	-	1	-	3	4	2	1	-	-	11	18.0	2.3
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	1	-	-	2	5.3	1.9
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	1	-	-	2	3.3	0.7
Accidental Poisoning	M	-	-	-	-	-	2	10	-	-	-	12	31.6	5.8
	F	-	-	-	-	1	1	7	1	-	-	10	43.5	4.2
	T	-	-	-	-	1	3	17	1	-	-	22	36.1	5.0
Accidental Falls	M	-	-	-	-	-	1	-	1	-	-	2	5.3	1.1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	-	1	-	-	2	3.3	0.5
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	-	1	2.6	0.5
	F	-	-	-	-	-	-	2	-	-	-	2	8.7	0.7
	T	-	-	-	-	-	-	3	-	-	-	3	4.9	0.6
Suicide	M	-	-	-	-	-	1	8	1	-	-	10	26.3	5.5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	8	1	-	-	10	16.4	2.4
Homicide	M	-	-	-	-	-	-	2	-	-	-	2	5.3	1.0
	F	-	-	-	-	1	-	2	-	-	-	3	13.0	1.2
	T	-	-	-	-	1	-	4	-	-	-	5	8.2	1.1
Other	M	-	-	-	-	-	-	2	-	-	-	2	5.3	1.1
	F	-	-	-	-	-	-	1	2	1	-	4	17.4	3.2
	T	-	-	-	-	-	-	3	2	1	-	6	9.8	2.5
All External Causes	**M**	**-**	**-**	**1**	**-**	**3**	**6**	**25**	**3**	**-**	**-**	**38**	**100.0**	**19.8**
	F	**-**	**-**	**-**	**-**	**2**	**3**	**13**	**4**	**1**	**-**	**23**	**100.0**	**11.0**
	T	**-**	**-**	**1**	**-**	**5**	**9**	**38**	**7**	**1**	**-**	**61**	**100.0**	**15.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 23 Fraser South
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	3	9	7	58	55	158	75	12	29	406	25.1	1.4
	F	-	1	8	7	16	17	34	34	16	21	154	23.3	0.5
	T	-	4	17	14	74	72	192	109	28	50	560	24.6	1.0
Accidental Drowning and Submersion	M	-	4	1	-	2	2	16	4	4	-	33	2.0	0.1
	F	1	1	-	2	-	1	2	1	-	-	8	1.2	0.0
	T	1	5	1	2	2	3	18	5	4	-	41	1.8	0.1
Accidental Poisoning	M	-	-	-	-	3	20	235	69	5	6	338	20.9	1.1
	F	-	-	-	-	3	8	34	21	2	2	70	10.6	0.2
	T	-	-	-	-	6	28	269	90	7	8	408	17.9	0.7
Accidental Falls	M	-	2	-	2	2	4	18	13	15	97	153	9.5	0.6
	F	-	-	-	-	1	-	2	6	11	146	166	25.1	0.4
	T	-	2	-	2	3	4	20	19	26	243	319	14.0	0.5
Accidents Caused by Fire and Flames	M	1	1	1	-	1	1	5	6	2	2	20	1.2	0.1
	F	-	1	-	1	-	-	1	8	2	-	13	2.0	0.0
	T	1	2	1	1	1	1	6	14	4	2	33	1.4	0.1
Suicide	M	-	-	-	1	23	41	171	121	18	30	405	25.0	1.4
	F	-	-	-	-	5	7	54	37	14	9	126	19.0	0.4
	T	-	-	-	1	28	48	225	158	32	39	531	23.3	0.9
Homicide	M	2	1	-	-	9	10	35	14	1	-	72	4.5	0.2
	F	1	1	2	2	4	4	21	3	3	3	44	6.6	0.1
	T	3	2	2	2	13	14	56	17	4	3	116	5.1	0.2
Other	M	3	1	-	4	5	7	79	48	12	31	190	11.8	0.7
	F	1	-	1	-	-	5	16	8	11	39	81	12.2	0.2
	T	4	1	1	4	5	12	95	56	23	70	271	11.9	0.4
All External Causes	**M**	**6**	**12**	**11**	**14**	**103**	**140**	**717**	**350**	**69**	**195**	**1,617**	**100.0**	**5.6**
	F	**3**	**4**	**11**	**12**	**29**	**42**	**164**	**118**	**59**	**220**	**662**	**100.0**	**2.1**
	T	**9**	**16**	**22**	**26**	**132**	**182**	**881**	**468**	**128**	**415**	**2,279**	**100.0**	**3.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 31 RICHMOND
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	-	2	-	-	-	-	2	40.0	5.7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	2	-	-	-	-	2	25.0	3.1
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Poisoning	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	33.3	2.3
	T	-	-	-	-	-	-	1	-	-	-	1	12.5	1.2
Accidental Falls	M	-	-	-	-	-	-	1	-	-	-	1	20.0	2.7
	F	-	-	-	-	-	-	-	-	-	1	1	33.3	14.0
	T	-	-	-	-	-	-	1	-	-	1	2	25.0	12.1
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	33.3	2.7
	T	-	-	-	-	-	-	1	-	-	-	1	12.5	1.3
Homicide	M	-	-	-	-	-	-	-	1	-	-	1	20.0	5.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	12.5	2.4
Other	M	-	-	-	-	-	1	-	-	-	-	1	20.0	2.8
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	-	-	-	-	1	12.5	1.6
All External Causes	**M**	**-**	**-**	**-**	**-**	**-**	**3**	**1**	**1**	**-**	**-**	**5**	**100.0**	**16.8**
	F	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**1**	**3**	**100.0**	**18.9**
	T	**-**	**-**	**-**	**-**	**-**	**3**	**3**	**1**	**-**	**1**	**8**	**100.0**	**21.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 31 RICHMOND
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	-	1	10	16	20	5	2	3	58	19.2	0.7
	F	-	-	-	1	8	5	4	4	7	7	36	21.1	0.4
	T	-	1	-	2	18	21	24	9	9	10	94	19.9	0.6
Accidental Drowning and Submersion	M	-	-	-	-	1	1	4	4	1	-	11	3.6	0.1
	F	1	1	-	-	-	1	-	-	1	-	4	2.3	0.1
	T	1	1	-	-	1	2	4	4	2	-	15	3.2	0.1
Accidental Poisoning	M	-	-	-	-	-	3	29	8	1	-	41	13.6	0.5
	F	-	-	-	-	-	1	9	-	-	1	11	6.4	0.1
	T	-	-	-	-	-	4	38	8	1	1	52	11.0	0.3
Accidental Falls	M	-	-	-	-	-	1	2	5	6	26	40	13.2	0.6
	F	-	-	-	-	-	1	-	1	-	47	49	28.7	0.5
	T	-	-	-	-	-	2	2	6	6	73	89	18.8	0.5
Accidents Caused by Fire and Flames	M	-	-	-	1	2	-	1	3	-	-	7	2.3	0.1
	F	-	-	-	-	1	-	-	-	-	1	2	1.2	0.0
	T	-	-	-	1	3	-	1	3	-	1	9	1.9	0.0
Suicide	M	-	-	-	1	1	4	35	31	10	6	88	29.1	1.0
	F	-	-	-	-	3	1	9	12	8	4	37	21.6	0.4
	T	-	-	-	1	4	5	44	43	18	10	125	26.4	0.7
Homicide	M	-	-	-	-	-	3	9	2	-	-	14	4.6	0.2
	F	-	-	-	-	-	1	-	2	-	-	3	1.8	0.0
	T	-	-	-	-	-	4	9	4	-	-	17	3.6	0.1
Other	M	-	-	-	1	2	3	14	7	5	11	43	14.2	0.6
	F	-	-	-	1	-	1	7	4	2	14	29	17.0	0.3
	T	-	-	-	2	2	4	21	11	7	25	72	15.2	0.4
All External Causes	**M**	**-**	**1**	**-**	**4**	**16**	**31**	**114**	**65**	**25**	**46**	**302**	**100.0**	**3.7**
	F	**1**	**1**	**-**	**2**	**12**	**11**	**29**	**23**	**18**	**74**	**171**	**100.0**	**1.8**
	T	**1**	**2**	**-**	**6**	**28**	**42**	**143**	**88**	**43**	**120**	**473**	**100.0**	**2.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 32 VANCOUVER
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	-	2	2	6	4	1	-	16	7.9	2.9
	F	-	-	-	-	1	-	7	4	1	-	13	8.8	2.3
	T	-	-	1	-	3	2	13	8	2	-	29	8.3	2.6
Accidental Drowning and Submersion	M	-	1	-	-	-	-	1	-	-	-	2	1.0	0.2
	F	-	-	-	-	-	-	-	1	-	-	1	0.7	0.1
	T	-	1	-	-	-	-	1	1	-	-	3	0.9	0.2
Accidental Poisoning	M	-	-	-	-	-	2	79	24	1	-	106	52.2	15.5
	F	-	-	-	-	5	4	70	15	-	-	94	63.5	13.0
	T	-	-	-	-	5	6	149	39	1	-	200	57.0	14.2
Accidental Falls	M	-	1	-	-	-	-	10	6	2	-	19	9.4	4.2
	F	-	-	1	-	-	-	2	2	1	2	8	5.4	2.7
	T	-	1	1	-	-	-	12	8	3	2	27	7.7	3.5
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	1	-	-	1	0.5	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	0.3	0.1
Suicide	M	-	-	-	-	1	2	19	2	-	-	24	11.8	3.2
	F	-	-	-	-	1	1	11	4	-	-	17	11.5	2.4
	T	-	-	-	-	2	3	30	6	-	-	41	11.7	2.8
Homicide	M	-	-	-	-	1	2	9	2	-	-	14	6.9	1.9
	F	-	-	-	-	-	1	4	3	-	-	8	5.4	1.1
	T	-	-	-	-	1	3	13	5	-	-	22	6.3	1.5
Other	M	-	-	-	-	-	3	11	7	-	-	21	10.3	3.7
	F	1	-	-	-	-	-	6	-	-	-	7	4.7	0.9
	T	1	-	-	-	-	3	17	7	-	-	28	8.0	2.3
All External Causes	**M**	**-**	**2**	**1**	**-**	**4**	**11**	**135**	**46**	**4**	**-**	**203**	**100.0**	**31.9**
	F	**1**	**-**	**1**	**-**	**7**	**6**	**100**	**29**	**2**	**2**	**148**	**100.0**	**22.5**
	T	**1**	**2**	**2**	**-**	**11**	**17**	**235**	**75**	**6**	**2**	**351**	**100.0**	**27.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 32 Vancouver
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	1	1	4	23	31	71	65	16	32	245	9.5	0.8
	F	1	2	-	2	10	12	40	21	19	32	139	14.6	0.4
	T	2	3	1	6	33	43	111	86	35	64	384	10.9	0.6
Accidental Drowning and Submersion	M	-	-	-	-	1	7	18	8	7	4	45	1.7	0.1
	F	-	-	-	-	-	-	1	6	4	3	14	1.5	0.0
	T	-	-	-	-	1	7	19	14	11	7	59	1.7	0.1
Accidental Poisoning	M	-	-	-	1	8	35	639	251	27	5	966	37.5	2.9
	F	-	-	-	-	4	11	141	33	9	5	203	21.3	0.6
	T	-	-	-	1	12	46	780	284	36	10	1,169	33.1	1.8
Accidental Falls	M	1	-	-	-	4	8	37	55	43	163	311	12.1	1.1
	F	-	1	-	-	1	2	6	8	12	228	258	27.1	0.6
	T	1	1	-	-	5	10	43	63	55	391	569	16.1	0.8
Accidents Caused by Fire and Flames	M	-	-	-	1	-	3	6	8	-	4	22	0.9	0.1
	F	-	-	-	-	-	-	1	1	2	5	9	0.9	0.0
	T	-	-	-	1	-	3	7	9	2	9	31	0.9	0.0
Suicide	M	-	-	-	-	18	41	323	180	37	33	632	24.6	1.9
	F	-	-	-	1	5	9	63	61	23	23	185	19.4	0.6
	T	-	-	-	1	23	50	386	241	60	56	817	23.2	1.2
Homicide	M	-	-	2	-	10	20	81	26	4	2	145	5.6	0.5
	F	2	1	-	-	2	5	21	7	-	9	47	4.9	0.1
	T	2	1	2	-	12	25	102	33	4	11	192	5.4	0.3
Other	M	2	1	1	-	3	8	68	64	14	47	208	8.1	0.7
	F	-	-	1	-	2	7	15	20	10	43	98	10.3	0.3
	T	2	1	2	-	5	15	83	84	24	90	306	8.7	0.5
All External Causes	**M**	**4**	**2**	**4**	**6**	**67**	**153**	**1,243**	**657**	**148**	**290**	**2,574**	**100.0**	**8.0**
	F	**3**	**4**	**1**	**3**	**24**	**46**	**288**	**157**	**79**	**348**	**953**	**100.0**	**2.6**
	T	**7**	**6**	**5**	**9**	**91**	**199**	**1,531**	**814**	**227**	**638**	**3,527**	**100.0**	**5.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 33 North Shore/Coast Garibaldi
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	-	-	1	1	10	12	2	2	-	29	27.4	5.5
	F	-	-	-	1	1	1	3	2	1	-	9	32.1	1.8
	T	1	-	-	2	2	11	15	4	3	-	38	28.4	3.7
Accidental Drowning and Submersion	M	-	1	-	-	1	-	1	3	-	-	6	5.7	1.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	1	-	-	1	-	1	3	-	-	6	4.5	0.6
Accidental Poisoning	M	-	-	-	-	-	1	11	4	-	1	17	16.0	3.6
	F	-	-	-	-	1	-	1	3	-	-	5	17.9	0.9
	T	-	-	-	-	1	1	12	7	-	1	22	16.4	2.2
Accidental Falls	M	-	-	-	-	-	1	1	3	1	1	7	6.6	2.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	3	1	1	7	5.2	1.0
Accidents Caused by Fire and Flames	M	-	-	2	-	1	-	-	-	1	1	5	4.7	1.3
	F	-	-	-	-	-	-	-	-	1	-	1	3.6	0.4
	T	-	-	2	-	1	-	-	-	2	1	6	4.5	0.8
Suicide	M	-	-	-	2	4	3	8	4	-	-	21	19.8	3.6
	F	-	-	-	1	-	-	3	1	-	-	5	17.9	0.8
	T	-	-	-	3	4	3	11	5	-	-	26	19.4	2.2
Homicide	M	-	-	-	-	1	1	2	1	-	-	5	4.7	0.9
	F	-	-	-	-	-	1	1	1	-	-	3	10.7	0.6
	T	-	-	-	-	1	2	3	2	-	-	8	6.0	0.7
Other	M	-	-	-	-	-	2	5	7	2	-	16	15.1	3.8
	F	-	-	-	-	1	-	2	1	-	1	5	17.9	1.1
	T	-	-	-	-	1	2	7	8	2	1	21	15.7	2.5
All External Causes	**M**	**1**	**1**	**2**	**3**	**8**	**18**	**40**	**24**	**6**	**3**	**106**	**100.0**	**21.9**
	F	**-**	**-**	**-**	**2**	**3**	**2**	**10**	**6**	**2**	**1**	**28**	**100.0**	**5.7**
	T	**1**	**1**	**2**	**5**	**11**	**20**	**50**	**32**	**8**	**4**	**134**	**100.0**	**13.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 33 North Shore/Coast Garibaldi
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	2	17	26	43	20	6	11	126	18.3	1.0
	F	-	1	-	2	5	5	16	16	5	10	60	15.3	0.4
	T	-	1	1	4	22	31	59	36	11	21	186	17.2	0.7
Accidental Drowning and Submersion	M	-	1	-	1	2	1	9	9	2	-	25	3.6	0.2
	F	-	-	-	1	1	1	3	1	1	3	11	2.8	0.1
	T	-	1	-	2	3	2	12	10	3	3	36	3.3	0.1
Accidental Poisoning	M	-	-	-	-	4	6	68	22	1	1	102	14.8	0.8
	F	-	-	-	-	1	1	23	11	3	2	41	10.5	0.3
	T	-	-	-	-	5	7	91	33	4	3	143	13.2	0.5
Accidental Falls	M	-	-	1	-	2	9	5	16	11	58	102	14.8	0.7
	F	-	-	-	1	2	-	3	8	10	122	146	37.2	0.7
	T	-	-	1	1	4	9	8	24	21	180	248	22.9	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	1	4	-	4	1	10	1.4	0.1
	F	-	-	-	-	-	-	-	-	3	3	6	1.5	0.0
	T	-	-	-	-	-	1	4	-	7	4	16	1.5	0.1
Suicide	M	-	-	-	1	4	17	76	61	22	22	203	29.4	1.5
	F	-	-	-	-	-	6	26	31	5	10	78	19.9	0.5
	T	-	-	-	1	4	23	102	92	27	32	281	26.0	1.0
Homicide	M	-	-	-	-	-	2	9	5	-	1	17	2.5	0.1
	F	-	-	-	1	1	1	4	1	-	2	10	2.6	0.1
	T	-	-	-	1	1	3	13	6	-	3	27	2.5	0.1
Other	M	1	-	-	1	5	8	43	24	10	13	105	15.2	0.8
	F	2	-	-	1	1	1	4	7	5	19	40	10.2	0.2
	T	3	-	-	2	6	9	47	31	15	32	145	13.4	0.5
All External Causes	**M**	**1**	**1**	**2**	**5**	**34**	**70**	**257**	**157**	**56**	**107**	**690**	**100.0**	**5.2**
	F	**2**	**1**	**-**	**6**	**11**	**15**	**79**	**75**	**32**	**171**	**392**	**100.0**	**2.3**
	T	**3**	**2**	**2**	**11**	**45**	**85**	**336**	**232**	**88**	**278**	**1,082**	**100.0**	**3.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 41 South Vancouver Island
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	4	3	3	1	-	-	11	15.9	2.9
	F	-	-	-	1	1	-	1	1	2	-	6	15.4	3.1
	T	-	-	-	1	5	3	4	2	2	-	17	15.7	3.0
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Poisoning	M	-	-	-	-	1	1	13	2	1	-	18	26.1	6.1
	F	-	-	-	-	-	2	7	2	-	-	11	28.2	3.1
	T	-	-	-	-	1	3	20	4	1	-	29	26.9	4.5
Accidental Falls	M	-	-	-	-	-	-	2	3	1	-	6	8.7	2.8
	F	-	-	-	-	-	-	-	1	-	3	4	10.3	3.1
	T	-	-	-	-	-	-	2	4	1	3	10	9.3	3.0
Accidents Caused by Fire and Flames	M	-	2	-	-	-	-	2	-	1	1	6	8.7	3.0
	F	-	-	-	-	-	-	1	-	-	-	1	2.6	0.2
	T	-	2	-	-	-	-	3	-	1	1	7	6.5	1.5
Suicide	M	-	-	-	-	5	2	11	-	-	-	18	26.1	4.8
	F	-	-	-	-	1	3	3	2	-	-	9	23.1	2.3
	T	-	-	-	-	6	5	14	2	-	-	27	25.0	3.5
Homicide	M	-	-	-	-	-	-	1	-	-	-	1	1.4	0.3
	F	-	-	-	-	-	1	2	-	-	-	3	7.7	0.7
	T	-	-	-	-	-	1	3	-	-	-	4	3.7	0.5
Other	M	-	1	1	-	-	-	4	1	2	-	9	13.0	4.1
	F	1	-	-	-	-	-	3	1	-	-	5	12.8	1.4
	T	1	1	1	-	-	-	7	2	2	-	14	13.0	2.7
All External Causes	**M**	**-**	**3**	**1**	**-**	**10**	**6**	**36**	**7**	**5**	**1**	**69**	**100.0**	**23.9**
	F	**1**	**-**	**-**	**1**	**2**	**6**	**17**	**7**	**2**	**3**	**39**	**100.0**	**13.9**
	T	**1**	**3**	**1**	**1**	**12**	**12**	**53**	**14**	**7**	**4**	**108**	**100.0**	**18.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C..due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 41 South Vancouver Island
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	3	9	18	39	23	9	13	115	10.2	0.7
	F	-	1	-	-	10	9	12	9	3	13	57	7.7	0.3
	T	-	1	1	3	19	27	51	32	12	26	172	9.2	0.5
Accidental Drowning and Submersion	M	-	-	-	1	3	3	12	9	5	2	35	3.1	0.2
	F	-	1	1	-	-	1	3	4	1	2	13	1.8	0.1
	T	-	1	1	1	3	4	15	13	6	4	48	2.6	0.1
Accidental Poisoning	M	-	-	-	-	8	13	153	68	8	1	251	22.2	1.4
	F	-	-	-	-	3	5	40	10	3	6	67	9.1	0.4
	T	-	-	-	-	11	18	193	78	11	7	318	17.0	0.9
Accidental Falls	M	-	-	-	-	6	3	15	15	23	172	234	20.7	1.0
	F	-	-	-	-	-	-	2	6	15	328	351	47.4	0.8
	T	-	-	-	-	6	3	17	21	38	500	585	31.3	0.9
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	1	5	2	2	11	1.0	0.1
	F	-	-	-	-	-	-	1	2	1	3	7	0.9	0.0
	T	-	-	-	-	1	-	2	7	3	5	18	1.0	0.0
Suicide	M	-	-	-	-	7	21	131	104	28	39	330	29.2	1.8
	F	-	-	-	-	5	4	41	47	15	22	134	18.1	0.6
	T	-	-	-	-	12	25	172	151	43	61	464	24.8	1.2
Homicide	M	-	-	-	-	4	2	19	8	1	1	35	3.1	0.2
	F	1	-	-	1	-	3	9	8	-	-	22	3.0	0.1
	T	1	-	-	1	4	5	28	16	1	1	57	3.0	0.2
Other	M	-	1	2	1	3	4	38	34	14	22	119	10.5	0.6
	F	-	1	-	2	2	1	6	8	15	54	89	12.0	0.3
	T	-	2	2	3	5	5	44	42	29	76	208	11.1	0.5
All External Causes	**M**	**-**	**1**	**3**	**5**	**41**	**64**	**408**	**266**	**90**	**252**	**1,130**	**100.0**	**5.9**
	F	**1**	**3**	**1**	**3**	**20**	**23**	**114**	**94**	**53**	**428**	**740**	**100.0**	**2.6**
	T	**1**	**4**	**4**	**8**	**61**	**87**	**522**	**360**	**143**	**680**	**1,870**	**100.0**	**4.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 42 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	2	-	2	6	4	13	2	2	-	31	25.6	4.5
	F	-	1	-	-	3	3	7	1	1	1	17	22.1	2.5
	T	-	3	-	2	9	7	20	3	3	1	48	24.2	3.5
Accidental Drowning and Submersion	M	-	-	-	-	1	-	1	1	-	-	3	2.5	0.5
	F	-	1	-	-	1	-	-	-	-	-	2	2.6	0.2
	T	-	1	-	-	2	-	1	1	-	-	5	2.5	0.3
Accidental Poisoning	M	-	-	-	-	-	-	5	3	-	-	8	6.6	1.4
	F	-	-	-	-	-	2	5	3	-	-	10	13.0	1.5
	T	-	-	-	-	-	2	10	6	-	-	18	9.1	1.4
Accidental Falls	M	-	-	-	-	-	-	2	2	-	-	4	3.3	0.8
	F	-	-	-	-	-	-	-	2	-	2	4	5.2	1.2
	T	-	-	-	-	-	-	2	4	-	2	8	4.0	1.0
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	1	2	1.7	0.6
	F	-	-	-	-	-	-	1	1	-	-	2	2.6	0.3
	T	-	-	-	-	-	-	2	1	-	1	4	2.0	0.4
Suicide	M	-	-	-	1	9	9	24	3	-	-	46	38.0	6.0
	F	-	-	-	1	4	4	11	4	-	-	24	31.2	3.0
	T	-	-	-	2	13	13	35	7	-	-	70	35.4	4.5
Homicide	M	-	1	-	-	2	3	5	2	-	-	13	10.7	1.7
	F	-	1	-	-	-	1	4	1	-	-	7	9.1	0.9
	T	-	2	-	-	2	4	9	3	-	-	20	10.1	1.3
Other	M	1	2	-	1	1	1	6	-	2	-	14	11.6	2.2
	F	1	2	-	-	-	-	5	1	1	1	11	14.3	1.7
	T	2	4	-	1	1	1	11	1	3	1	25	12.6	2.0
All External Causes	**M**	**1**	**5**	**-**	**4**	**19**	**17**	**57**	**13**	**4**	**1**	**121**	**100.0**	**17.6**
	F	**1**	**5**	**-**	**1**	**8**	**10**	**33**	**13**	**2**	**4**	**77**	**100.0**	**11.2**
	T	**2**	**10**	**-**	**5**	**27**	**27**	**90**	**26**	**6**	**5**	**198**	**100.0**	**14.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 42 Central Vancouver Island
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	2	5	27	38	61	39	12	26	211	23.8	1.9
	F	1	-	1	-	10	12	22	17	5	13	81	20.4	0.7
	T	1	1	3	5	37	50	83	56	17	39	292	22.7	1.3
Accidental Drowning and Submersion	M	-	-	-	2	2	3	9	4	1	1	22	2.5	0.2
	F	-	2	-	-	1	2	1	4	1	1	12	3.0	0.1
	T	-	2	-	2	3	5	10	8	2	2	34	2.6	0.1
Accidental Poisoning	M	-	1	-	-	4	4	81	30	-	2	122	13.8	1.1
	F	-	-	-	-	1	-	16	9	2	1	29	7.3	0.2
	T	-	1	-	-	5	4	97	39	2	3	151	11.8	0.7
Accidental Falls	M	1	-	-	-	4	2	6	11	12	80	116	13.1	0.8
	F	-	-	-	-	1	-	1	6	4	138	150	37.7	0.7
	T	1	-	-	-	5	2	7	17	16	218	266	20.7	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	1	1	-	5	-	3	10	1.1	0.1
	F	-	-	-	-	1	-	-	2	2	3	8	2.0	0.0
	T	-	-	-	-	2	1	-	7	2	6	18	1.4	0.1
Suicide	M	-	-	-	3	10	13	93	82	24	16	241	27.2	2.0
	F	-	-	-	1	3	2	27	24	4	4	65	16.3	0.5
	T	-	-	-	4	13	15	120	106	28	20	306	23.8	1.2
Homicide	M	-	-	-	-	2	1	11	5	5	1	25	2.8	0.2
	F	-	-	-	1	2	-	6	3	-	2	14	3.5	0.1
	T	-	-	-	1	4	1	17	8	5	3	39	3.0	0.2
Other	M	3	2	1	3	7	5	51	37	13	17	139	15.7	1.1
	F	-	-	-	1	1	2	6	6	4	19	39	9.8	0.3
	T	3	2	1	4	8	7	57	43	17	36	178	13.9	0.7
All External Causes	**M**	**4**	**4**	**3**	**13**	**57**	**67**	**312**	**213**	**67**	**146**	**886**	**100.0**	**7.5**
	F	**1**	**2**	**1**	**3**	**20**	**18**	**79**	**71**	**22**	**181**	**398**	**100.0**	**2.7**
	T	**5**	**6**	**4**	**16**	**77**	**85**	**391**	**284**	**89**	**327**	**1,284**	**100.0**	**5.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 43 NORTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	2	2	6	1	-	-	11	16.4	3.1
	F	-	1	-	-	-	3	1	-	1	-	6	24.0	1.9
	T	-	1	-	-	2	5	7	1	1	-	17	18.5	2.4
Accidental Drowning and Submersion	M	-	-	-	-	1	1	2	1	-	-	5	7.5	1.4
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	2	1	-	-	5	5.4	0.6
Accidental Poisoning	M	-	-	-	1	-	1	11	6	-	-	19	28.4	6.0
	F	-	-	-	-	-	1	5	1	-	-	7	28.0	1.7
	T	-	-	-	1	-	2	16	7	-	-	26	28.3	3.8
Accidental Falls	M	-	-	-	-	-	-	2	-	1	-	3	4.5	1.6
	F	1	-	-	-	-	-	-	-	1	1	3	12.0	1.6
	T	1	-	-	-	-	-	2	-	2	1	6	6.5	1.6
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	-	1	-	-	2	3.0	0.5
	F	-	-	-	-	-	-	1	-	-	-	1	4.0	0.2
	T	-	-	-	-	1	-	1	1	-	-	3	3.3	0.4
Suicide	M	-	-	-	-	3	4	8	3	-	-	18	26.9	5.1
	F	-	-	-	-	1	1	-	1	-	-	3	12.0	0.7
	T	-	-	-	-	4	5	8	4	-	-	21	22.8	2.8
Homicide	M	-	-	-	-	-	-	1	-	-	-	1	1.5	0.3
	F	-	-	-	-	-	-	1	1	-	-	2	8.0	0.8
	T	-	-	-	-	-	-	2	1	-	-	3	3.3	0.5
Other	M	-	-	-	1	-	-	5	2	-	-	8	11.9	2.4
	F	-	1	-	-	-	-	1	-	-	1	3	12.0	1.2
	T	-	1	-	1	-	-	6	2	-	1	11	12.0	1.8
All External Causes	**M**	**-**	**-**	**-**	**2**	**7**	**8**	**35**	**14**	**1**	**-**	**67**	**100.0**	**20.5**
	F	**1**	**2**	**-**	**-**	**1**	**5**	**9**	**3**	**2**	**2**	**25**	**100.0**	**8.1**
	T	**1**	**2**	**-**	**2**	**8**	**13**	**44**	**17**	**3**	**2**	**92**	**100.0**	**14.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C..due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 43 North Vancouver Island
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	-	1	17	15	41	13	4	4	96	18.8	1.8
	F	-	2	1	-	8	3	8	4	2	4	33	20.1	0.6
	T	-	3	1	2	25	18	49	17	6	8	129	19.1	1.2
Accidental Drowning and Submersion	M	-	1	-	-	6	1	7	4	3	2	24	4.7	0.4
	F	-	1	-	-	-	2	-	1	-	-	4	2.4	0.1
	T	-	2	-	-	6	3	7	5	3	2	28	4.1	0.3
Accidental Poisoning	M	-	-	-	-	2	4	52	16	1	1	76	14.8	1.3
	F	-	-	-	-	1	1	16	8	1	1	28	17.1	0.5
	T	-	-	-	-	3	5	68	24	2	2	104	15.4	0.9
Accidental Falls	M	-	1	-	-	1	-	4	7	7	29	49	9.6	0.9
	F	-	-	-	-	-	-	-	-	6	31	37	22.6	0.6
	T	-	1	-	-	1	-	4	7	13	60	86	12.7	0.8
Accidents Caused by Fire and Flames	M	-	1	1	-	-	-	2	1	-	1	6	1.2	0.1
	F	-	-	1	-	-	-	2	2	-	1	6	3.7	0.1
	T	-	1	2	-	-	-	4	3	-	2	12	1.8	0.1
Suicide	M	-	-	-	2	6	12	57	50	6	7	140	27.3	2.4
	F	-	-	-	-	1	-	15	7	4	-	27	16.5	0.5
	T	-	-	-	2	7	12	72	57	10	7	167	24.7	1.4
Homicide	M	-	-	2	2	-	2	5	2	-	-	13	2.5	0.2
	F	-	1	1	-	1	1	4	-	-	1	9	5.5	0.2
	T	-	1	3	2	1	3	9	2	-	1	22	3.3	0.2
Other	M	-	-	2	1	4	7	53	29	5	7	108	21.1	1.9
	F	1	-	-	-	-	-	1	8	5	5	20	12.2	0.3
	T	1	-	2	1	4	7	54	37	10	12	128	18.9	1.1
All External Causes	**M**	**-**	**4**	**5**	**6**	**36**	**41**	**221**	**122**	**26**	**51**	**512**	**100.0**	**9.0**
	F	**1**	**4**	**3**	**1**	**11**	**7**	**46**	**30**	**18**	**43**	**164**	**100.0**	**2.8**
	T	**1**	**8**	**8**	**7**	**47**	**48**	**267**	**152**	**44**	**94**	**676**	**100.0**	**5.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 51 Northwest
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	1	1	6	3	16	5	1	-	34	20.6	2.9
	F	-	-	-	1	2	4	3	2	-	1	13	21.0	1.1
	T	-	1	1	2	8	7	19	7	1	1	47	20.7	2.0
Accidental Drowning and Submersion	M	-	-	-	-	1	-	3	2	1	-	7	4.2	0.7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	-	3	2	1	-	7	3.1	0.4
Accidental Poisoning	M	-	-	-	2	1	1	11	3	-	-	18	10.9	1.5
	F	-	-	-	-	-	1	8	2	2	-	13	21.0	1.3
	T	-	-	-	2	1	2	19	5	2	-	31	13.7	1.4
Accidental Falls	M	-	-	-	-	-	-	2	5	2	4	13	7.9	1.7
	F	-	-	-	-	-	-	-	1	3	5	9	14.5	1.5
	T	-	-	-	-	-	-	2	6	5	9	22	9.7	1.6
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	3	-	1	-	5	3.0	0.5
	F	-	-	-	-	-	-	1	-	-	1	2	3.2	0.3
	T	-	-	-	-	1	-	4	-	1	1	7	3.1	0.4
Suicide	M	-	-	-	-	4	8	19	5	1	-	37	22.4	3.1
	F	-	-	-	1	2	2	4	2	1	-	12	19.4	1.1
	T	-	-	-	1	6	10	23	7	2	-	49	21.6	2.1
Homicide	M	-	1	-	-	-	1	5	1	-	-	8	4.8	0.7
	F	-	-	-	-	1	-	1	-	-	-	2	3.2	0.1
	T	-	1	-	-	1	1	6	1	-	-	10	4.4	0.4
Other	M	-	-	1	-	1	3	16	18	2	2	43	26.1	4.4
	F	-	2	-	-	-	1	5	1	1	1	11	17.7	1.0
	T	-	2	1	-	1	4	21	19	3	3	54	23.8	2.7
All External Causes	**M**	**-**	**2**	**2**	**3**	**14**	**16**	**75**	**39**	**8**	**6**	**165**	**100.0**	**15.6**
	F	**-**	**2**	**-**	**2**	**5**	**8**	**22**	**8**	**7**	**8**	**62**	**100.0**	**6.5**
	T	**-**	**4**	**2**	**5**	**19**	**24**	**97**	**47**	**15**	**14**	**227**	**100.0**	**11.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 51 Northwest
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	3	3	2	12	15	43	16	3	-	98	28.4	2.6
	F	-	-	1	1	8	3	6	3	-	3	25	35.7	0.8
	T	1	3	4	3	20	18	49	19	3	3	123	29.6	1.8
Accidental Drowning and Submersion	M	-	-	2	-	1	-	5	3	-	-	11	3.2	0.3
	F	-	-	1	-	-	-	-	-	1	-	2	2.9	0.1
	T	-	-	3	-	1	-	5	3	1	-	13	3.1	0.2
Accidental Poisoning	M	-	-	-	-	-	-	19	10	2	-	31	9.0	0.8
	F	-	-	-	-	-	-	3	2	-	-	5	7.1	0.1
	T	-	-	-	-	-	-	22	12	2	-	36	8.7	0.5
Accidental Falls	M	-	-	-	-	-	-	1	3	1	11	16	4.6	0.9
	F	-	-	-	-	-	-	-	1	2	10	13	18.6	0.6
	T	-	-	-	-	-	-	1	4	3	21	29	7.0	0.8
Accidents Caused by Fire and Flames	M	-	1	-	1	-	2	-	4	1	-	9	2.6	0.2
	F	-	-	-	-	2	-	-	1	-	-	3	4.3	0.1
	T	-	1	-	1	2	2	-	5	1	-	12	2.9	0.2
Suicide	M	-	-	-	-	-	9	30	34	7	1	81	23.5	2.2
	F	-	-	-	-	-	2	6	4	-	-	12	17.1	0.3
	T	-	-	-	-	-	11	36	38	7	1	93	22.4	1.3
Homicide	M	-	-	-	-	-	3	7	2	1	1	14	4.1	0.4
	F	-	-	-	-	-	-	1	-	-	-	1	1.4	0.0
	T	-	-	-	-	-	3	8	2	1	1	15	3.6	0.2
Other	M	-	-	1	1	8	5	38	25	3	4	85	24.6	2.3
	F	-	-	-	2	1	-	1	1	-	4	9	12.9	0.3
	T	-	-	1	3	9	5	39	26	3	8	94	22.7	1.4
All External Causes	**M**	**1**	**4**	**6**	**4**	**21**	**34**	**143**	**97**	**18**	**17**	**345**	**100.0**	**9.7**
	F	**-**	**-**	**2**	**3**	**11**	**5**	**17**	**12**	**3**	**17**	**70**	**100.0**	**2.4**
	T	**1**	**4**	**8**	**7**	**32**	**39**	**160**	**109**	**21**	**34**	**415**	**100.0**	**6.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	1	3	6	20	6	1	2	39	28.1	7.4
	F	-	1	1	-	3	3	8	4	1	-	21	32.3	3.8
	T	-	1	1	1	6	9	28	10	2	2	60	29.4	5.5
Accidental Drowning and Submersion	M	-	1	-	-	-	3	4	-	-	-	8	5.8	1.2
	F	-	1	-	-	-	-	-	-	-	-	1	1.5	0.1
	T	-	2	-	-	-	3	4	-	-	-	9	4.4	0.6
Accidental Poisoning	M	-	-	-	-	1	-	13	5	1	-	20	14.4	4.1
	F	-	-	-	-	-	1	8	3	-	-	12	18.5	2.1
	T	-	-	-	-	1	1	21	8	1	-	32	15.7	3.0
Accidental Falls	M	-	-	-	-	1	-	1	2	1	1	6	4.3	1.9
	F	-	-	-	-	-	-	-	4	-	2	6	9.2	2.1
	T	-	-	-	-	1	-	1	6	1	3	12	5.9	2.0
Accidents Caused by Fire and Flames	M	-	-	-	-	2	1	-	-	-	-	3	2.2	0.4
	F	-	-	1	-	-	-	1	-	-	-	2	3.1	0.2
	T	-	-	1	-	2	1	1	-	-	-	5	2.5	0.3
Suicide	M	-	-	-	-	4	6	22	-	2	-	34	24.5	6.0
	F	-	-	-	-	3	1	3	-	-	-	7	10.8	0.9
	T	-	-	-	-	7	7	25	-	2	-	41	20.1	3.4
Homicide	M	-	-	1	-	-	4	6	3	-	-	14	10.1	2.4
	F	-	1	-	-	2	1	4	-	-	-	8	12.3	1.1
	T	-	1	1	-	2	5	10	3	-	-	22	10.8	1.7
Other	M	-	-	-	-	-	-	10	4	1	-	15	10.8	3.3
	F	-	1	-	-	-	-	4	3	-	-	8	12.3	1.5
	T	-	1	-	-	-	-	14	7	1	-	23	11.3	2.3
All External Causes	**M**	**-**	**1**	**1**	**1**	**11**	**20**	**76**	**20**	**6**	**3**	**139**	**100.0**	**26.5**
	F	**-**	**4**	**2**	**-**	**8**	**6**	**28**	**14**	**1**	**2**	**65**	**100.0**	**11.8**
	T	**-**	**5**	**3**	**1**	**19**	**26**	**104**	**34**	**7**	**5**	**204**	**100.0**	**18.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 52 Northern Interior
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	1	3	6	30	39	76	51	10	12	229	33.0	3.0
	F	1	2	5	3	19	5	23	17	6	6	87	41.4	1.2
	T	2	3	8	9	49	44	99	68	16	18	316	35.0	2.1
Accidental Drowning and Submersion	M	1	3	-	1	6	1	8	2	1	1	24	3.5	0.3
	F	-	1	-	-	-	-	1	1	-	-	3	1.4	0.0
	T	1	4	-	1	6	1	9	3	1	1	27	3.0	0.2
Accidental Poisoning	M	-	1	-	-	2	4	31	17	2	1	58	8.4	0.7
	F	-	-	-	1	2	2	12	6	-	-	23	11.0	0.3
	T	-	1	-	1	4	6	43	23	2	1	81	9.0	0.5
Accidental Falls	M	-	-	-	-	-	-	4	6	4	18	32	4.6	0.7
	F	-	-	-	-	-	-	3	3	3	35	44	21.0	0.9
	T	-	-	-	-	-	-	7	9	7	53	76	8.4	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	3	3	4	2	12	1.7	0.2
	F	-	-	-	1	-	-	3	2	-	-	6	2.9	0.1
	T	-	-	-	1	-	-	6	5	4	2	18	2.0	0.1
Suicide	M	-	-	-	2	9	13	73	53	4	3	157	22.6	2.0
	F	-	-	-	1	-	2	8	6	1	1	19	9.0	0.3
	T	-	-	-	3	9	15	81	59	5	4	176	19.5	1.1
Homicide	M	1	-	-	-	4	5	18	9	2	-	39	5.6	0.5
	F	-	-	-	-	2	-	4	2	-	-	8	3.8	0.1
	T	1	-	-	-	6	5	22	11	2	-	47	5.2	0.3
Other	M	1	-	3	1	7	6	51	47	14	13	143	20.6	2.0
	F	1	-	-	-	1	2	6	5	-	5	20	9.5	0.3
	T	2	-	3	1	8	8	57	52	14	18	163	18.0	1.2
All External Causes	**M**	**4**	**5**	**6**	**10**	**58**	**68**	**264**	**188**	**41**	**50**	**694**	**100.0**	**9.5**
	F	**2**	**3**	**5**	**6**	**24**	**11**	**60**	**42**	**10**	**47**	**210**	**100.0**	**3.2**
	T	**6**	**8**	**11**	**16**	**82**	**79**	**324**	**230**	**51**	**97**	**904**	**100.0**	**6.4**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Status Indians - 53 Northeast
British Columbia, 1992 - 2002

		Age Group (in years)										Total		
Causes of Death	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	-	1	10	3	4	-	18	50.0	15.6
	F	-	-	-	-	3	-	5	3	-	-	11	50.0	5.1
	T	-	-	-	-	3	1	15	6	4	-	29	50.0	9.4
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	1	-	-	1	2.8	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	1.7	0.3
Accidental Poisoning	M	-	-	-	-	-	-	2	1	-	-	3	8.3	1.6
	F	-	-	-	-	-	1	3	1	-	-	5	22.7	2.2
	T	-	-	-	-	-	1	5	2	-	-	8	13.8	1.9
Accidental Falls	M	-	1	-	-	-	-	-	-	-	-	1	2.8	0.2
	F	-	-	-	-	-	-	-	-	-	1	1	4.5	1.3
	T	-	1	-	-	-	-	-	-	-	1	2	3.4	0.8
Accidents Caused by Fire and Flames	M	-	2	-	-	-	-	-	1	-	-	3	8.3	1.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	2	-	-	-	-	-	1	-	-	3	5.2	0.5
Suicide	M	-	-	-	-	-	2	1	-	-	-	3	8.3	1.4
	F	-	-	-	-	1	-	-	-	-	-	1	4.5	0.4
	T	-	-	-	-	1	2	1	-	-	-	4	6.9	0.8
Homicide	M	-	-	-	-	-	-	3	2	-	-	5	13.9	3.6
	F	-	-	-	-	-	-	1	1	-	-	2	9.1	1.2
	T	-	-	-	-	-	-	4	3	-	-	7	12.1	2.3
Other	M	-	-	-	-	1	1	-	-	-	-	2	5.6	0.8
	F	-	-	-	-	-	-	2	-	-	-	2	9.1	0.9
	T	-	-	-	-	1	1	2	-	-	-	4	6.9	0.9
All External Causes	**M**	**-**	**3**	**-**	**-**	**1**	**4**	**16**	**8**	**4**	**-**	**36**	**100.0**	**24.8**
	F	**-**	**-**	**-**	**-**	**4**	**1**	**11**	**5**	**-**	**1**	**22**	**100.0**	**11.1**
	T	**-**	**3**	**-**	**-**	**5**	**5**	**27**	**13**	**4**	**1**	**58**	**100.0**	**16.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

External Causes of Death by Health Service Delivery Area, Gender, and Age Group
Other Residents - 53 Northeast
British Columbia, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	3	-	17	21	41	16	7	2	107	39.8	3.3
	F	-	3	-	1	6	4	9	1	2	-	26	37.1	0.8
	T	-	3	3	1	23	25	50	17	9	2	133	39.2	2.1
Accidental Drowning and Submersion	M	-	1	-	-	1	2	2	2	-	-	8	3.0	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	1	-	-	1	2	2	2	-	-	8	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	1	8	7	-	-	16	5.9	0.4
	F	-	-	-	-	-	-	3	1	-	-	4	5.7	0.1
	T	-	-	-	-	-	1	11	8	-	-	20	5.9	0.3
Accidental Falls	M	-	-	-	-	-	-	2	1	4	19	26	9.7	1.5
	F	-	-	-	-	-	-	-	-	3	10	13	18.6	0.7
	T	-	-	-	-	-	-	2	1	7	29	39	11.5	1.0
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	2	-	1	4	1.5	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	2	-	1	4	1.2	0.1
Suicide	M	-	-	-	2	3	3	21	21	2	-	52	19.3	1.5
	F	-	-	-	-	-	1	7	4	-	-	12	17.1	0.4
	T	-	-	-	2	3	4	28	25	2	-	64	18.9	1.0
Homicide	M	-	1	-	-	-	2	6	2	-	-	11	4.1	0.3
	F	-	-	-	-	-	-	1	-	-	-	1	1.4	0.0
	T	-	1	-	-	-	2	7	2	-	-	12	3.5	0.2
Other	M	-	-	1	1	6	4	11	13	6	3	45	16.7	1.5
	F	-	2	-	-	1	3	2	2	-	4	14	20.0	0.5
	T	-	2	1	1	7	7	13	15	6	7	59	17.4	1.0
All External Causes	**M**	**-**	**2**	**4**	**3**	**27**	**33**	**92**	**64**	**19**	**25**	**269**	**100.0**	**9.0**
	F	**-**	**5**	**-**	**1**	**7**	**8**	**22**	**8**	**5**	**14**	**70**	**100.0**	**2.6**
	T	**-**	**7**	**4**	**4**	**34**	**41**	**114**	**72**	**24**	**39**	**339**	**100.0**	**5.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.